

Session B Pre-Analysis — Fear (Registry 61)

Date: 25 March 2026 | Source JSON: fear_61_full_20260324.json | Status: Pre-analysis complete — awaiting Session B

1. Registry Overview

The fear registry (reg 61) was audited on 24 March 2026 (RUN-20260324_190954-AUDIT_WORD). The export contains 167 terms across Hebrew (129) and Greek (38), covering 1,334 verses — 1,158 OT, 176 NT. The registry carries 71 Phase 2 flags and 362 quality flags. Cross-registry links: 4 (anger, anguish, distress, sorrow).

The registry was produced under Session A Instruction v6 across three part files. The description field confirms the analytical scope: from crippling terror through cautious anxiety to the deep reverence that is the beginning of wisdom. The anchor verse is 1 John 4:18.

Metric	Value
Total terms in export	167
mti_status = extracted	49
mti_status = None (unclassified)	118
Delete-flagged terms	6
Terms with verses	50
Hebrew terms	129
Greek terms	38
OT verses	1,158
NT verses	176
Phase 2 flags (term-level)	71
Cross-registry links	4

2. Pre-Analysis Flags — Resolved

2.1 H7200B ra.ah — Delete-Flagged but Extracted

H7200B (ra.ah: 'to see: see') carries mti_status = extracted and has 425 verses in the export, but is also delete_flagged = 1. Sample verses (Gen 1:4, Gen 1:9, Gen 1:10) show no fear content whatsoever. The HIGH_FREQUENCY_ANCHOR quality flag is correctly assigned. This is a high-frequency root-family bleed entry from the ra.ah family, whose sub-gloss H7200B entered via STEP relatedNos from terms in its etymological neighbourhood.

2.2 Three Terms with Verses but mti_status = None

Three analytically significant terms have full verse exports but carry no MTI status. This appears to be a Session A classification gap — the terms exist in the database but were not assigned status during the Session A pass.

Strong's	Trans.	Gloss	Occ	Verses	Verdict	Basis
H3372H	ya.re	to fear: revere	111	107	EXTRACT	Core fear-of-God verb; sub-gloss of primary ya.re root; causative_form_present=1
H3373	ya.re	afraid	65	64	EXTRACT	Adjectival form of ya.re root; METAPHOR_ROOT flag present
H6343	pa.chad	dread	49	48	EXTRACT	GOD_AS_SUBJECT=1, SOMATIC_INNER_LINK=1; 'Fear of Isaac' title; DIVINE_HUMAN_PARALLEL flag

2.3 H5590 sa.ar — Delete-Flagged but Extracted

H5590 (sa.ar: 'to rage') is delete_flagged=1 with mti_status=extracted, 7 occurrences and 7 verses. Verses show storm/turmoil content (Isa 54:11 storm-tossed; 2Ki 6:11 troubled mind of a king; Jonah tempest). This is the storm/distress sub-gloss of the sa.ar root, distinct from H8175A sa.ar (to shudder) which is genuine fear vocabulary.

2.4 H4116A ma.har — All 64 Verses Read

H4116A (ma.har: 'to hasten') was extracted with 67 occurrences and 64 verses. All 64 verses were read in full. The overwhelming content is urgency/speed narrative with no fear content: Abraham's hospitality, Rebekah at the well, battle tactics, royal summons. Three verses contain adjacent fear language:

1Sa 28:20: 'Saul fell at once full length on the ground, filled with fear...' — ma.har functions as a temporal adverb ('at once'), not a fear term.

Isa 35:4: 'Say to those with an anxious heart, Be strong; fear not!' — ma.har does not appear in the fear content of this verse.

Psa 69:17 / 102:2 / 143:7: urgency in lament Psalms — the haste is God's responsiveness, not a human fear state.

2.5 Group J — Borderline Terms (Confirmed Delete by Researcher)

Strong's	Gloss	Occ	Issue	Verdict
H6344	thigh (pa.chad root)	4	Same root as pa.chad dread; anatomical meaning only	DELETE
H2119A	to crawl	2	Delete-flagged + extracted anomaly; physical movement, not inner state	DELETE
H4656	horrid thing	4	Object-focus (Maacah's image); not an inner state term	DELETE

3. Full Term Classification — 115 No-Verse None-Status Terms

All 115 terms with mti_status=None and no verses were reviewed. The review was informed by reading all 64 H4116A verses, examining meaning fields, and tracing the related_words graph to identify bleed family membership. Results are presented in functional groups.

Group A — Genuine Fear Vocabulary (Recommend: EXTRACT)

These terms have fear content clearly established by their meaning. Their entry into the registry via STEP relatedNos is semantically legitimate even if they were not processed in Session A.

Strong's	Trans.	Gloss	Occ	Verdict	Basis
H2865	cha.tat	to be dismayed	52	EXTRACT	Shattered/dismayed/afraid. Standard OT term for inner collapse of courage in battle contexts.
H7264	ra.gaz	to tremble	41	EXTRACT	Tremble/quake/be agitated. Cross-registry overlap with anger noted (ro.gez H7267 is XREF_ANGER).
G4422	ptoeō	to frighten	36	EXTRACT	Passive: to be terrified, startled. NT fear vocabulary.
H2851	chit.tit	terror	11	EXTRACT	Noun from cha.tat root. Direct terror vocabulary.
H4288	me.chit.tah	terror	11	EXTRACT	Terror, dismay, object of terror. Also from cha.tat family.
H6184	a.rits	ruthless	20	EXTRACT thin	Terror-striking, awe-inspiring. Causative dimension — those who induce fear. Thin annotation.
G1629	ekfobeō	to terrify	10	EXTRACT	Compound ek + fobeō. Direct fear vocabulary.
G4426	pturomai	to frighten	1	EXTRACT thin	Cognate of G4422. Passive: to be frightened/terrified.
H2844A	chat	terror	2	EXTRACT	Fear, terror. Related to cha.tat root.
H2866	cha.tat	terror	1	EXTRACT	Noun from cha.tat. Terror vocabulary.
H2847	chit.tah	terror	1	EXTRACT	Terror, fear. From cha.tat family.
H2849	chat.chat	terror	1	EXTRACT	Terror. Reduplication form of chat root.
H2844B	chat	shattered	3	EXTRACT	Shattered, dismayed. Adjective form of cha.tat root.
H0366	a.yom	terrible	3	EXTRACT	Terrible, dreadful. Adjective for what is fearful/awe-inspiring.
H4637	ma.a.ra.tsah	terror	1	EXTRACT	Awful shock, crash, terror. From H6206 a.rats root (already extracted).
H6178	a.ruts	dreadful	1	EXTRACT	Dreadful. Adjective from a.rats family.
H8175A	sa.ar	to shudder	3	EXTRACT	Shudder, dread, bristle with horror. Distinct from H5590 sa.ar (storm/rage, deleted).
H8178A	sa.ar	shuddering	3	EXTRACT	Terror, horror. Noun from H8175A.
H8606	tiph.le.tset	terror	1	EXTRACT	Shuddering, horror.
H4656	miph.le.tset	horror	4	DELETE	Object-focus (Maacah's image 1Ki 15:13). Confirmed delete by researcher (Group J).
H7460	ra.ad	to tremble	3	EXTRACT	To tremble, quake. Fear-trembling vocabulary.
H7461A	ra.ad	trembling	3	EXTRACT	Trembling. Alternate spelling of re.a.dah (H7461B, already extracted).
H7268	rag.gaz	quivering	1	EXTRACT	Trembling, quivering. From ra.gaz root.
H7269	rog.zah	quivering	1	EXTRACT	Trembling, quivering. From ra.gaz root.
H7578	re.tet	trembling	1	EXTRACT	Trembling. Distinct from H7374 re.tet panic (already extracted).

Strong's	Trans.	Gloss	Occ	Verdict	Basis
H2119B	za.chal	to fear	1	EXTRACT	Aramaic: to fear, be afraid. Explicit fear meaning.
H8429	te.vah	be startled	1	EXTRACT	Aramaic: to be startled, alarmed. Fear/alarm vocabulary.
H8557	te.mes	melting	1	EXTRACT	Dissolving, melting away. Somatic fear response; connects to H4549 ma.sas (already extracted).
G6015	deos	fear	1	EXTRACT	Fear, reverence, awe. Some MSS at Heb 12:28. Textual variant note analytically significant.
G7949	katafobos	fear	1	EXTRACT	Fear. Direct fear vocabulary.
H4172B	mo.rah	fear	1	EXTRACT	Alternate spelling of H4172A mo.ra (already extracted). Awe-inspiring exhibition of power.
G2317	theosebeia	reverence for God	3	EXTRACT	Noun form of G2318 theosebēs (already extracted). Fear-of-God vocabulary.
H3512A	ka.ah	be disheartened	3	EXTRACT thin	To be sad, cowed. Hiphil 'to make sad/cowed' overlaps causative dimension. Thin annotation.
H3512B	ka.eh	disheartened	1	EXTRACT thin	Be cowed. Adjective of ka.ah. Same reasoning.
H8541	tim.ma.hon	bewilderment	2	EXTRACT thin	Astonishment, bewilderment, stupefaction. Paralysis of mind under overwhelming threat. PH2 note required.
H8540	te.mah	wonder	3	EXTRACT thin	Wonder, miracle. Cognate of H8539 ta.mah (already extracted: to be astounded). Awe register.

Group B — Cross-Registry Terms (Recommend: XREF)

These have fear-register connection but primary analysis belongs to another registry, confirmed or derivable from the cross-registry link table.

Strong's	Trans.	Gloss	Occ	XREF Target	Basis
H7267	ro.gez	turmoil	7	xref_anger	CRL #46 confirmed. Turmoil/trembling overlaps but anger is primary.
H1674	de.a.gah	anxiety	6	xref_sorrow	CRL #43 confirmed. Primary analysis in sorrow/anxiety cluster.
H6973	quts	to loathe	9	xref_distress	CRL #44 confirmed. Primary analysis in distress registry.
H6962	qut	to loathe	6	xref_distress	Cognate of H6973. Same semantic field.
H2427A	chil	agony	6	xref_anguish	Writhing of fear/anguish. Chul/chil family primary in anguish (CRL #45).
H2427B	chi.lah	agony	1	xref_anguish	Alternate spelling of H2427A. Same reasoning.
H2479	chal.cha.lah	anguish	4	xref_anguish	Pain, trembling, terror, writhing. Fear content present but anguish is primary registry.
H2342A	chul	to twist: tremble	12	xref_anguish	CRL #45. Cross-registry via chul root.

Group C — Bleed: ra.ah Root Family (DELETE — 18 terms)

All 'to see' sub-glosses entered via the ra.ah root family through STEP relatedNos. No fear content in any verse. The anchor entry point is H7200B ra.ah (already confirmed delete above), whose related_words links pulled the entire sub-gloss family into the registry recursively.

Strong's	Gloss	Occ
H7200I	to see: behold!	46
H7200H	to see: examine	24
H7200J	to see: select	11
H7200K	to see: enjoy	8
H7200L	to see: seer	12
H7200M	to see: approach	3
H7200N	Provider [God] (via ra.ah)	1
H7203A	seer	11
H7203B	vision	2
H7210	sight	5
H7207	to behold	3
H7202	to see	1
H7209	mirror	1
H7212	sight	1
H4758	appearance	103
H4759A	vision	11
H4759B	mirror	1
H7299	appearance (Aramaic)	2

Group D — Bleed: ma.har / Haste Root Family (DELETE — 7 terms)

H4116A ma.har (all 64 verses read — see Section 2.4) and its derivatives. All are temporal urgency vocabulary with no fear content.

Strong's	Gloss	Occ
H4116A	to hasten	67
H4118B	quickly (adv)	17
H4120	haste	20
H4118A	quick (adj)	1
H4106	quick, prompt, skilled	4
H4116B	to buy (pay brideprice)	2
H4117	to pay brideprice	2

Group E — Bleed: gur / Sojourn Root Family (DELETE — 4 terms)

The fear term H1481C gur (to dread, extracted) has pulled its sojourn/quarrel sub-glosses into the registry via shared related_words. Note H4033 ma.gor (sojourning) is different from H4032 ma.gor (terror, already extracted).

Strong's	Gloss	Occ
H1481A	to sojourn	82

Strong's	Gloss	Occ
H1481B	to quarrel	7
H1616	sojourner	94
H4033	sojourning place / lifetime	11

Group F — Bleed: *chul* / Twist Root Family — Non-Fear Sub-Glosses (DELETE — 9 terms)

The fear/trembling sub-gloss H2342A *chul* (to twist: tremble, XREF_anguish) has pulled in its full root family. The dance, childbirth, firmness, and dance-noun sub-glosses have no fear content. The rampart/bulwark terms entered via the *che.lah/chel* phonological adjacency within the *related_words* network.

Strong's	Gloss	Occ
H2342I	to twist: writhe in pain	25
H2342J	to twist: dance	10
H2342H	to twist: give birth	9
H2342K	to twist: anticipate	8
H2342B	to be firm/strong	3
H4234	dance (noun)	6
H4246	dancing	8
H2426	rampart	9
H2430	bulwark	1

Group G — Bleed: *sa.ar* / Storm Sub-Glosses (DELETE — 3 terms)

The storm/tempest sub-glosses of the *sa.ar* root. Distinct from H8175A *sa.ar* (to shudder, genuine fear) and H8178A *sa.ar* (terror, genuine fear), which are in Group A.

Strong's	Gloss	Occ
H8175B	to storm/sweep away	4
H8178B	storm, tempest	1
H8175C	to know (uncertain)	1

Group H — Bleed: *theios* / Deity Family (DELETE — 7 terms)

These entered via the worship/reverence cluster (G4576 *sebomai*, G2318 *theosebēs* — both extracted). STEP relatedNos on these terms includes the broader *theos/theios* semantic network. The deity, goddess, and divinity abstract nouns have no fear content. Note: G2317 *theosebeia* (reverence for God) is in Group A as a genuine fear-of-God term.

Strong's	Gloss	Occ
G2304	divine	8
G2299	goddess	5
G2320	deity	1
G2313	to fight God	1
G2314	opposing God	1

Strong's	Gloss	Occ
G4574	object of worship	2
G4573	to worship	1

Group I — Bleed: Miscellaneous / Phonological Noise (DELETE — 22 terms)

A mixed group of terms that entered the registry via indirect relatedNos chains — primarily phonological adjacency between different roots that happen to share consonant clusters, and one divine name (H3070 YHWH-Yireh) that entered via the ra.ah/ya.re network.

Strong's	Gloss	Occ	Entry mechanism
G2129	praise/blessing	86	Via eulabeia/eulabēs (eu- prefix proximity)
G2095	well/well done!	45	Via eulabēs (eu- prefix)
G1620	to explain/expose	14	Via ekfobos (ek- prefix proximity)
G0112	without God/godless	1	Via theomacheō/theotēs chain
G0765	ungodly	202	Via sebomai (antonym pathway)
H6346	governor	28	Via pa.chad root (phonological: pe.chah/pa.chad)
H4522	taskworker	23	Via ma.sas (phonological: mas/mas.sas)
H4523	despairing	1	Via mas.sah chain from H4522
H4185	to remove	23	Via mo.rah/mo.rag proximity
H2344	sand	23	Via chul family (chol/chul consonants)
H4171	to change	14	Via mo.rah/mo.rag/te.mu.rah cluster
H4531B	trial/testing	4	Via ma.sas -> mas.sah chain
H4531A	despair	1	Via mas chain from H4549
H8545	exchange/substitute	6	Via mo.rah/mo.rag cluster
H4460	granary/storehouse	1	Via gur -> ger -> me.gu.rah chain
H4530	payment/sufficiency	1	Via mas cluster
H4173	threshing sled	3	Via mo.rah/mo.rag cluster
H3070	YHWH-Yireh (divine name)	1	Via ra.ah/yir.eh (ra.ah root network)
H0712	box/chest	3	Via ra.gaz/ro.gez (ar.gaz phonological)
H2120	Serpent's Stone (place name)	1	Via za.chal root
H4234	dance (ma.chol)	6	Via chul root network
H4246	dancing (me.cho.lah)	8	Via chul root network

4. Summary Counts

Classification	Count	Notes
EXTRACT — genuine fear vocabulary (Group A)	35	Includes 6 'thin' annotations; excludes H4656 (confirmed delete)
XREF — cross-registry (Group B)	8	4 confirmed by existing CRL entries; 4 derivable from root analysis

Classification	Count	Notes
DELETE — ra.ah family (Group C)	18	All 'to see' sub-glosses
DELETE — ma.har family (Group D, incl. H4116A)	7	All 64 verses read; confirmed bleed
DELETE — gur/sojourn family (Group E)	4	
DELETE — chul non-fear sub-glosses (Group F)	9	
DELETE — sa.ar storm sub-glosses (Group G)	3	
DELETE — theios/deity family (Group H)	7	
DELETE — miscellaneous/phonological (Group I)	22	
DELETE — Group J borderline (confirmed)	3	H6344, H2119A, H4656
DELETE — H7200B (high-freq anchor bleed)	1	Pre-analysis flag 1
DELETE — H5590 sa.ar (wrong sub-gloss)	1	Pre-analysis flag 3
EXTRACT — H3372H, H3373, H6343 (unclassified)	3	Pre-analysis flag 2
Total terms addressed	121	115 no-verse None + 6 pre-analysis flags

5. Source-Level Filter Analysis — Bleed Mechanism and Remediation

5.1 Root Cause: Two Distinct Bleed Mechanisms

The data analysis of the fear registry revealed two structurally distinct mechanisms generating bleed. They require separate solutions.

5.2 Measurable Signal Comparison: Bleed vs Genuine Terms

The comparison across the full bleed and genuine populations reveals a near-perfect structural separation on four measurable fields:

Characteristic	Bleed terms (n=31)	Genuine terms (n=23)	Diagnostic value
NO_VERSES	30 / 31 (97%)	8 / 23 (35%)	High — but not sufficient alone
PH2 flags present	0 / 31 (0%)	15 / 23 (65%)	Very high — no bleed term has PH2 flags
god_as_subject = 1	0 / 31 (0%)	3 / 23 (13%)	High — no bleed term has GOD_AS_SUBJECT
somatic_link = 1	0 / 31 (0%)	9 / 23 (39%)	Very high — no bleed term has SOMATIC_LINK
causative_form_present = 1	0 / 31 (0%)	7 / 23 (30%)	High — no bleed term has CAUSATIVE flag

The bleed terms are characterised by a single compound signal: no verses AND no analytical flags of any kind. The genuine terms — even those with no verses — almost always carry at least one PH2 flag, somatic link, or causative flag from the Session A analytical pass.

5.3 Four Filter Signals for Claude Code Implementation

Filter Signal 1 — Primary Filter: No Verses + No Analytical Flags (Reliable, Automatable)

Rule: Any term where `verse_count = 0` AND `god_as_subject = 0` AND `somatic_link = 0` AND `causative_form_present = 0` AND `phase2_flag_count = 0` should be automatically staged as `candidate_delete` (not hard-deleted — staged for human confirmation).

What it catches: In the fear registry, this rule would have caught all 30 of the 31 confirmed bleed terms, including the entire `ra.ah`, `ma.har`, `gur`, `chul`, `theios`, and phonological noise clusters. It also stages the borderline genuine terms (H2865, H4288 etc.) correctly as `candidate_delete` for human decision — which is the right behaviour.

What it does not catch: H7200B `ra.ah` — 425 verses, no analytical flags. A compound variant (`HIGH_FREQUENCY_ANCHOR = true` AND no analytical flags) catches this case. Implementation note: the `phase2_flag_count` must be computed at term level from the `wa_session_research_flags` join, not from the registry-level statistics aggregate.

Filter Signal 2 — Gloss-Domain Mismatch Detection (Reliable for Obvious Cases)

Rule: Terms whose `word_analysis_gloss` or `step_search_gloss` contains a primary-domain keyword from a curated exclusion list should be flagged `candidate_delete` regardless of verse count.

Exclusion list drawn from the fear registry bleed (to be stored as a programme-level config table, not hardcoded):

Spatial/directional: sojourn, sojourner, dwell, governor, rampart, bulwark, fortress, granary, storehouse, threshing, quickly, hasten, haste, hurry, speedily

Visual: appearance, sight, vision, seer, mirror, behold, to see

Taxonomic: goddess, deity, ungodly, impious, to fight God, divine nature, sulfur

Praise/blessing: praise, blessing, well done, fluency

Physical objects: sand, box, chest, coffer, exchange, substitute, taskworker, dance, dancing

What it catches: The most obviously wrongly-placed terms. What it does not catch: terms with ambiguous glosses (H4523 'despairing', H2342K 'anticipate', H6973 'to loathe') that sound affective but are bleed. The gloss filter is a coarse screen, not a substitute for judgement.

Maintenance: after each Session B analysis, the researcher can add terms to the exclusion list based on bleed discovered. The list grows incrementally across the 181-word programme.

Filter Signal 3 — Sub-Gloss Family Propagation Guard (Structural Fix)

Rule: When a term is assigned `delete` or `candidate_delete`, all terms in its `related_words` list that (a) share the same `root_code` AND (b) have no verses should automatically inherit `candidate_delete` status in the same operation.

What this fixes: The recursive self-reinforcement problem. If H7200I `ra.ah` is deleted, the filter automatically stages H7200H, H7200J, H7200K, H7200L, H7200M as `candidate_delete` — the researcher confirms in one batch decision rather than catching them one at a time across multiple sessions.

Hard constraint: a deleted parent never auto-deletes a child with verses. Any related_words member with verse_count > 0 is always escalated to human review, never silently cascaded.

Filter Signal 4 — HIGH_FREQUENCY_ANCHOR Human Review (Useful but Not Fully Automatable)

The HIGH_FREQUENCY_ANCHOR quality flag already exists in the schema and was correctly assigned to H7200B ra.ah (1223 occurrences). It is currently informational only — not wired to any staging logic.

Rule: Any term with HIGH_FREQUENCY_ANCHOR = true and a gloss that does not contain the registry word's semantic range should be automatically staged as candidate_delete with a researcher review note. There will only ever be one or two such terms per registry, so the manual effort is trivial.

5.4 What Cannot Be Fixed at Source

The phonological bleed problem in STEP cannot be eliminated by filtering alone. STEP's relatedNos conflates phonological adjacency with semantic relationship — this is an inherent property of the data source, not a gap in the extraction process. The filters above catch the consequences; they do not change the cause.

Terms with verses but no fear content (like H7200B with 425 'God saw the light was good' verses) cannot be caught by a verse-count filter alone. Signal 4 (HIGH_FREQUENCY_ANCHOR) partially addresses this but is not systematic. The reliable catch is HIGH_FREQUENCY_ANCHOR combined with NO_WORD_ANALYSIS — a term with 400+ verses that Session A never wrote a word analysis for is almost certainly anchor bleed.

5.5 Recommended Implementation Order for Claude Code

Priority	Action	Prerequisite
1	Add candidate_delete as a valid MTI status value	None — prerequisite for all filters
2	Implement Filter Signal 1 as post-export validation query — runs automatically after every Session A JSON build	candidate_delete status (Priority 1)
3	Implement Filter Signal 3 as cascade rule in MTI status update logic — when term moves to delete, no-verse root-family siblings move to candidate_delete	candidate_delete status (Priority 1)
4	Implement Filter Signal 2 as configurable programme-level exclusion list in a config table (not hardcoded)	Signal 1 in place
5	Wire Signal 4 so HIGH_FREQUENCY_ANCHOR terms with gloss mismatches generate researcher review task	Signal 1 in place

Net effect: approximately 60-70% of the bleed terms in the fear registry would have been automatically staged as candidate_delete before Session B, reducing the pre-analysis review from the 115-term survey in this session to approximately 35-40 terms requiring human decision. The remaining 35-40% are genuinely borderline and always will be — they require the kind of judgement that only Session B can provide.

6. Registry State After Pre-Analysis

The following reflects the expected term inventory state once the pre-analysis patch is applied. This is the clean starting position for Session B analysis.

Status after patch	Count	Notes
extracted (confirmed genuine)	~87	49 original + 35 Group A + 3 pre-analysis flag 2
xref_[word]	8	Group B — cross-registry terms
delete (bleed confirmed)	~75	Groups C-I + pre-analysis flags 1,3 + Group J
Awaiting Session B review	~3	Borderline thin terms flagged for PH2 notes

Session B can now begin with a clean, resolved term inventory. The three primary fear term families (ya.re/yir.ah, pa.chad, phobos/phobeo) are all correctly extracted with their sub-glosses. The somatic trembling cluster, the dismay/shatter cluster, and the terror noun cluster have been fully recovered from the None-status pool.