A modal μ perspective on solving parity games in quasi-polynomial time

Karoliina Lehtinen

Kiel University

Kiel, Germany

kleh@informatik.uni-kiel.de

Abstract

We present a new quasi-polynomial algorithm for solving parity games. It is based on a new bisimulation invariant measure of complexity for parity games, called the *register-index*, which captures the complexity of the priority assignment. For fixed parameter k, the class of games with register-index bounded by k is solvable in polynomial time.

We show that the register-index of parity games of size n is bounded by $O(\log n)$ and derive a quasi-polynomial algorithm. Finally we give the first descriptive complexity account of the quasi-polynomial solvability of parity games: The winning regions of parity games with p priorities and register-index k are described by a modal μ formula of which the complexity, as measured by its alternation depth, depends on k rather than p.

Keywords parity games, modal μ calculus, algorithmic complexity, descriptive complexity

1 Introduction

Parity games are two-player games of infinite duration, played on finite graphs labelled with integer priorities. They arise at the intersection of logic, games, and automata theory, with applications in reactive synthesis and verification. In particular, they are the model-checking games for the modal μ calculus, L_μ. Solving parity games – *i.e.* deciding which player has a winning strategy – is the subject of much research, focused both on understanding their complexity and developing practical solvers.

Despite extended efforts, the exact complexity of solving parity games remains an open problem. The problem is in UP∩coUP [17] and admits a quasi-polynomial algorithm [7, 10, 19]. While a general polynomial algorithm is still elusive, a rich branch of research has shown many restricted classes of parity games to be solvable in polynomial, or even sub-polynomial time. This is the case for classes of games with a logarithmic number of priorities [7] as well as for classes of games where the structure of the underlying graph is restricted: parity games of bounded Kelly-width [15], DAG-width [2] and entanglement [3] are all solvable in polynomial time, while those with bounded tree-width and clique-width are even in LogCFL [13], the class of languages logspace reducible to context-free languages.

These structural measures on the graph of a parity game are orthogonal to the size of the priority assignment. However, the complexity of a parity game is not solely due to its structure nor to the size of its priority assignment, but to

how both interact. For example, the cycles in a graph may be intertwined, causing high entanglement, yet unless the priorities are equally entangled within these cycles, this measure is not an accurate reflection of algorithmic complexity. The key insight of our paper is to capture the complexity of the priority assignment with a new measure which is logarithmically bounded in the size of the graph. This yields a new quasi-polynomial algorithm and the first descriptive complexity account of the quasi-polynomial solvability of parity games.

A. A new measure of complexity

Our first contribution is to parametrise the complexity of the priority assignment of a party game. We introduce the *register-index* as a new, L_μ describable, bisimulation invariant measure of complexity for parity games, which captures, roughly speaking, how many priorities the winner of a parity game needs to keep in memory in order to produce a witness of their victory. Like entanglement, register-index is defined in game-theoretic terms, using a parametrised *k-register game* that is played on a parity game arena.

We then define a k-parameterised polynomial-time algorithm which, for fixed k, solves parity games of register-index up to k. This adds parity games of bounded register-index to the classes of parity games known to be solvable in polynomial time. Notably, even the class of games of register-index 1 contains non-trivial parity games of arbitrarily high entanglement, tree-width, Rabin-index, Kelly-width, DAG-width and arbitrarily many priorities, as well as the parity games exhibiting worst-case performance for recursive, strategy improvement, and quasipolynomial progress measure algorithms [10–12].

We then show that the register-index of a parity-game of size n is $\mathcal{O}(\log n)$. This yields a novel proof that parity games are solvable in quasi-polynomial time, based on reducing solving a parity game of size n with p priorities to solving one of size $O(p^{\log n} n \log n)$ with $O(\log n)$ priorities.

B. An L_μ account of register-index

Although the runtime of this algorithm does not improve over existing quasi-polynomial algorithms, it provides a novel, L_μ perspective on solving parity games in quasi-polynomial time. In the second half of the paper, we link the quasi-polynomial solvability of parity games to their descriptive complexity. It is well known that the winning regions of parity games with maximal priority p are described by a L_μ formula of which the alternation depth depends only on p. We show that the alternation depth of the L_μ formula describing the winning regions of parity games of register-index up to k and

of maximal priority p depends only on k, rather than p. Its size is $O(kp^k)$. Since register-index is logarithmic in the size of the game, a L_μ formula of alternation depth k and size $O(kp^k)$ describes the winning regions of parity games of size up to 2^k with up to p priorities. To the best of my knowledge, this is the first non-trivial result that bounds the descriptive complexity of parity games with respect to their size.

Finally, we show that register-index, when extended to L_μ formulas, is a decidable upper bound on the semantic complexity of formulas, and demonstrate that it is sensitive to non-trivial syntactic inefficiencies.

C. Overview

In brief, this paper provides new insights into the complexity of parity games and links their quasi-polynomial solvability to their descriptive complexity. Its main contributions are:

- Introducing a new, bisimulation invariant measure of complexity for parity games (Section 3);
- Showing that for fixed k solving parity games of register-index up to k is in P, thus adding parity games of bounded register-index to the classes of parity games known to be solvable in polynomial time (Theorem 3.6); Classes of games of different register-index are studied in Section 4;
- Bounding the register-index of parity games of size n with $\mathcal{O}(\log n)$ (Theorem 4.7), resulting in a new quasi-polynomial parity game algorithm (Section 5);
- Relating register-index to complexity in L_μ (Section 6). We show that the winning regions of parity games of register-index up to k with p priorities are described by a L_μ formula with k alternations, thus giving a descriptive complexity account of the quasi-polynomial solvability of parity games.

2 Background

2.1 Parity games

Definition 2.1 (Parity games). A parity game is an infinite-duration two-player zero-sum path-forming game, played between Even and her opponent Odd on a finite game graph $G = (V, V_e, V_o, v_\iota, E, \Omega)$ called the *arena*. The vertices V of the arena are partitioned into those belonging to Even, V_e, and those belonging to Odd, V_o. The *priority assignment* $\Omega \to I$ maps every vertex to a *priority* in I, a finite prefix of the non-negative integers. Starting at an initial state $v_\iota \in V$, a *play* proceeds with the owner of the current state v choosing a state v' among its successors in the directed edge relation $E \subseteq V \times V$. Thus the players collaboratively form a play, consisting of a potentially infinite path along the edges of the game graph. If the play is finite, the owner of its last position loses; Otherwise Even wins if the highest priority visited infinitely often is even, else Odd wins.

A (positional) *strategy* σ for a player $P \in \{$Even,Odd$\}$ maps every position v belonging to P in a parity game to one of its successors $\sigma(v)$. A play $\pi = v_0 v_1...$ is said to agree with σ when for all i, if v_i belongs to P, then v_{i+1} is $\sigma(v_i)$. A strategy σ for player P is said to be winning for P if all plays starting at v_ι that agree with σ are winning for P.

Theorem 2.2. *[9] In all parity games, one of the players has a positional winning strategy.*

It will occasionally be convenient to assign priorities to edges instead of vertices, with $\Omega : E \to I$. A parity game with edge priorities can be converted into one with node priorities by introducing intermediate, priority-carrying nodes onto all edges and assigning a low priority to other vertices.

We denote the set $\{1, 2, ..., n\}$ with $[n]$.

2.2 Entanglement

Register-index is inspired by and related to entanglement, which was introduced by Berwanger and Grädel [3] as a measure of how intertwined the cycles of a graph are.

Definition 2.3 (Entanglement). Entanglement is defined with a *detective game* in which a team of k detectives try to catch a thief. The thief picks his initial position, while the detectives start outside of the graph. At each move, the detectives can either stay as they are or one of them can move to the current position of the thief. The thief then chooses a successor state not occupied by a detective. If such a state does not exist, the detectives win. If the thief can keep playing infinitely, he wins. Then, the entanglement of a graph is the minimal k for which k detectives have a winning strategy. For example, n-cliques have entanglement $n-1$ and acyclic graphs have entanglement 0.

A positional strategy σ for player P on a parity game G induces a subgraph G_σ in which positions belonging to player P only have one successor. The entanglement of a parity game can be defined as the minimum entanglement of a subgame G_σ induced by a positional winning strategy σ.

Theorem 2.4. *[3] Parity games of bounded entanglement are solvable in polynomial time.*

The proof of this theorem relies on a derived *k-super-detective game*, solvable in polynomial time for fixed k. For parity games on graphs of entanglement k, Even wins the parity game if and only if she wins the k-super-detective game. The k-register game, introduced in the next section, can be seen as a bisimulation-invariant, infinite duration variation of this game[1].

Deciding the entanglement of a graph is in EXPTIME. Although not bisimulation invariant, entanglement is related to L_μ: the entanglement of a finite graph corresponds to the number of fixpoint variables needed to describe it up to bisimulation with a L_μ formula, which was used to show the strictness of the L_μ variable hierarchy [5]. Furthermore, the winning regions of parity games of bounded entanglement are LFP-describable [8]. The relationship between entanglement and other structural measures is discussed in [4], while directed and undirected graphs of entanglement two are studied in [14] and [1] respectively.

3 The register-index of parity games

Like entanglement, the register-index of parity games is defined using a parametrised game: the k-register game. This

---

[1]Very roughly, instead of having to catch the thief just once, the super-detective needs to catch the thief infinitely often after a high even priority and only finitely often after a higher odd priority.

game is played on a parity game arena, on which the Even player has to not only win the parity game, but also produce a witness of her victory using a fixed amount of memory. This section introduces the k-register game and shows that for fixed k, it is a polynomial-time solvable under-approximation of a parity game: if for any k Even win the k-register game on a parity game G, she also wins in the parity game on G; for every parity game G, there is k such that Even wins in the k-register game on G if and only if she wins in the register game on G. We call the minimal such k the register-index of G. Solving parity games G of bounded register-index then reduces to solving a k-register game on G which, for fixed k, can be done in polynomial time.

3.1 Register games

The *k-register game* consists of a normal parity game, augmented with k registers. Each register records the highest priority that has occurred in the parity game since it was last reset. The registers are ranked according to how long it has been since their last reset, with a newly reset register having rank 1. One player, let's say Even, is given control of the registers. At each turn, Even can choose to reset a register of any rank r. If the register contains the priority p, this produces output $2r$ if p is even and $2r + 1$ otherwise. As long as Even resets registers infinitely often, this produces an infinite sequence in $[2k+1]^\omega$. To win, Even has to either win finitely in the underlying parity game, or produce an infinite sequence of outputs that satisfies her parity condition: the maximal priority output infinitely often must be even.

We now define formally the parametrised register game on a parity game G with priority domain I. Since the winning condition of the register game is a parity condition, we can present the k-register game on a parity game arena G as a parity game on an arena $\mathcal{R}_e^k(G)$, of which the positions are positions of G paired with vectors in I^k that represent the contents of a register. An additional binary variable indicates whether the next move is a potential register reset, or a move in the underlying parity game.

Definition 3.1 (k-Register game)**.** Let G be a parity game $(V^G, V_e^G, V_o^G, v_\iota^G, E^G, \Omega^G)$ and I the co-domain of Ω^G. For a fixed non-zero parameter $k \in \mathbb{N}$, the arena of the k-register game $\mathcal{R}_e^k(G)$ on G in which Even controls the registers, consists of $\mathcal{R}_e^k(G) = (V, V_e, V_o, v_\iota, E, \Omega)$ as follows. While G carries its priorities on its vertices, for the sake of clarity, $\mathcal{R}_e^k(G)$ carries them on its edges.

- V is a set of positions $(p, \bar{x}, t) \in V^G \times I^k \times \{0, 1\}$,
- V_o consists of $(p, \bar{x}, 1)$ such that $p \in V_o^G$,
- V_e consists of $V \setminus V_o$,
- V_ι is $(v_\iota^G, \bar{0}, 0)$,
- E is the disjoint union of sets of edges E_0 and E_r for all $r \in [k]$ where:
  E_0 consists of edges $((p, \bar{x}, 1), (p', \bar{x}', 0))$, such that
  $-\ (p, p') \in E^G$ and
  $-\ x_i' = \max(\Omega^G(p'), x_i)$.
  For each $r \in [k]$, E_r consists of edges $((p, \bar{x}, 0), (p, \bar{x}', 1))$ such that:
  $-\ x_i' = x_i$ for $i > r$,
  $-\ x_i' = x_{i-1}$ for $1 < i \le r$,

$-\ x_1' = 0$.
- Ω assigns priorities from $[2k+1]$ to edges as follows:
  - Edges of E_0 have priority 1;
  - An edge $((p, \bar{x}, 0), (p, \bar{x}', 1)) \in E_r$ has priority $2r$ if x_r is even, and priority $2r + 1$ otherwise.

The k-register game $\mathcal{R}_o^k(G)$ in which Odd controls the registers is similar except that positions $(p, \bar{x}, 0)$ are in V_o, edges in E_0 have priority 0, and an edge $((p, \bar{x}, 0), (p, \bar{x}', 1)) \in E_r$ has priority $2r$ if x_r is even, and priority $2r - 1$ otherwise. The k-register game with Even (resp., Odd) in control of registers on a parity game arena G is the parity game on the arena $\mathcal{R}_e^k(G)$ (resp., $\mathcal{R}_o^k(G)$). Unless stated otherwise, the k-register game on G refers to $\mathcal{R}_e^k(G)$.

Terminology: Given a play in $\mathcal{R}_e^k(G)$, we call the *underlying play* its projection onto the first element of each visited position. At a position $(p, \bar{x}, t)$, we write that:

- a priority $q \in I$ *occurs* if $\Omega^G(p) = q$;
- a register of rank $r \in [k]$ *holds* priority $q \in I$ if $x_r = q$;
- Even *resets* the register of rank r and *outputs* $j \in [2k+1]$ if the play follows an edge in E_r of priority j;
- q is *recorded at rank* r if Even resets the register of rank r at a position $(p, \bar{x}, 0)$ where $x_r = q$;
- *interval* of a position p at which Even resets a register a, for the fragment of the play since the reset of a (not necessarily at the same rank).

A strategy for Odd in G induces a strategy for Odd in $\mathcal{R}_e^k(G)$. A strategy for Even in G, paired with a resetting strategy in $\mathcal{R}_e^k(G)$ from positions $(p, \bar{x}, 1)$ induces a strategy in $\mathcal{R}_e^k(G)$.

Example 3.2. Figure 1 a simple example of an arena in which Even wins the parity game but loses the 1-register game. Two positions, both belonging to Odd, with self-loops of priority 0 are joined with two edges pointing in opposite directions, of priorities 1 and 2 respectively. In the 1-register game, Odd can stay at a position until Even resets the unique register and then repeat this in the other position. This produces outputs 2 and 3 infinitely often, causing Even to lose.

For contrast, if the self-loop at b is of priority 2 rather than 0 (Figure 2), Even wins the 1-register game: Her strategy is to reset the register whenever an even priority occurs.

For fixed k, the k-register game on G is a parity game on an arena of polynomial size and of priority domain $[2k+1]$: it can be solved in polynomial time in the size of G.

3.2 Register-index

We first prove two fundamental properties of k-register games which we use to define register-index.

Lemma 3.3. *If Odd has a winning strategy in G, he also has a winning strategy in $\mathcal{R}_e^k(G)$, for all k. Dually, if Even has a winning strategy in G, she also has a winning strategy in $\mathcal{R}_o^k(G)$, for all k.*

Proof. We show that a winning strategy τ for Odd in G is also winning in $\mathcal{R}_e^k(G)$, for any k.

Odd obviously wins finite plays that agree with τ. Odd also wins if a play only contains a finite number of resets. For an infinite plays with infinitely many resets that agrees with

**Figure 1.** Parity game of register-index 2

Figure 2. Parity game of register-index 1

τ, consider the highest rank r at which registers are reset infinitely often. Observe that for a newly reset register $\mathtt{a}$ to reach rank r, a register of rank r or higher has to be reset at least once. Therefore if a reset of rank r occurs at a position p, then the the interval of p begins no later than at the previous position at which a reset of rank r or higher occurred. As a result, as long as there are infinitely many resets, the dominant odd priority of the play is recorded infinitely often at rank r. The maximal priority output infinitely often is therefore odd. The proof of the dual statement is similar. $\square$

The converse does not hold: Even can have a winning strategy in a parity game G but still lose the k-register game on G (see Example 3.2). However, for every parity game G, there is a k, bounded by the number of even priorities in G, such that Even has a winning strategy in G if and only if she has a winning strategy in $\mathcal{R}_e^k(G)$.

Lemma 3.4. *Let G be a parity game with k even priorities, in which Even has a winning strategy. Even has a winning strategy in $\mathcal{R}_e^k(G)$.*

Proof. Even's strategy in $\mathcal{R}_e^k(G)$ is to play a positional winning strategy in the underlying parity game G and reset registers as follows: when an even priority p occurs in the underlying game for the first time, she resets the register of highest rank, and whenever p occurs again, she resets that same register, regardless of its current rank. Then, a reset records the the highest priority seen between two occurrences of an even priority (excluding the first occurrence, but including the second). The rank of a register $\mathtt{a}$ reset at the occurrence of an even priority p is the number of distinct even priorities that have occurred since the last occurrence of p, plus one: every occurrence of an even priority not seen since p triggers the reset of a register that was last reset earlier than $\mathtt{a}$, thus increasing the rank of $\mathtt{a}$; repeated occurrences of even priorities between consecutive occurrences of p trigger the reset of registers of smaller rank than $\mathtt{a}$. Therefore, if a register is reset at v and another one at v', and the interval of v is contained within the interval of v', then the reset at v' is of strictly higher rank than the reset at v.

Let q be the highest priority that occurs in a play π infinitely often, q' the highest odd priority that is recorded infinitely often, and r the highest rank at which q' is recorded infinitely often. Now consider a suffix of π in which q is the first occurring priority and in which no odd priority larger than q' occurs. In this suffix, whenever at a position v a register is reset and q' is recorded, the interval at v is nested within two consecutive occurrences of q, as else q would be recorded instead of q'. Therefore, if q' is recorded at rank r, the next reset at a position where q occurs records q at a

higher rank than r. As a result, q is recorded infinitely often at a rank higher than r, so the maximal output produced infinitely often is even.

Similarly, if Odd wins a parity game G with k odd priorities, he has a winning strategy in $\mathcal{R}_o^k(G)$. $\square$

Definition 3.5 (Register-index of a parity game). The *register-index* of a parity game G is the least integer k such that Even wins both G and $\mathcal{R}_e^k(G)$ or Odd wins both G and $\mathcal{R}_o^k(G)$. This amounts to the least k such that $\mathcal{R}_e^k(G)$, $\mathcal{R}_o^k(G)$ and G have the same winner.

Theorem 3.6. *Parity games of bounded register-index are solvable in polynomial time.*

Proof. For a fixed parameter k, let $G = (V, V_e, V_o, v_\iota, E, \Omega)$ be a parity game of register-index at most k with priority co-domain I: Even has a winning strategy in G if and only if she has a winning strategy in $\mathcal{R}_e^k(G)$. The game $\mathcal{R}_e^k(G)$ is itself a parity game, with state space $V \times I^k \times \{0, 1\}$ and priorities $[2k + 1]$. Since k is fixed, this game is solvable in $\mathrm{PTIME}(|V|)$.

$\square$

4 Some register-index properties

This section studies register-index in more details. First, we compare register-index to other measures, then we prove one of the core theorems of this paper: register-index is logarithmic in the size of the game. In brief:

- The number of priorities in a parity game is an upper bound on its register-index (Lemma 3.4);
- Parity games in which a k-set of vertices intersects all cycles have register-index at most k (Lemma 4.1).
- Games of register-index 1 can have arbitrarily high entanglement and priorities;
- For all m there are parity games of register-index m with entanglement 2.
- Rabin index and register-index are orthogonal.
- A parity game of size n has register-index at most $1 + \log n$, Section 4.3.

As with entanglement, the register-index depends only on the subgraphs induced by winning strategies. Therefore all examples are one-player games where Odd controls all positions but Even wins.

4.1 Register-index and entanglement

From Lemma 3.4 and its dual, the register-index of a parity game with n priorities is bounded by $\lceil \frac{n}{2} \rceil$. The relationship between register-index and entanglement is more subtle. In some cases, entanglement and register-index coincide:

**Figure 3.** A parity game of register-index 1

Figure 4. A parity game of register-index 2

Lemma 4.1. *If there is a set of positions S of size k that intersects all cycles, then the parity game has register-index (and entanglement) at most k.*

Proof. The winning player can use a positional winning strategy in the underlying game and reset registers as follows: at the first occurrence of $v \in S$ she resets the register of maximal rank, and at each subsequent occurrence of v, she resets the same register, regardless of its rank. Each register that is reset at least twice records the highest priority that occurs in a cycle from a position in S to itself. As S intersects all cycles, registers get reset infinitely often. The strategy in the underlying game forces all cycles to be dominated by a priority of the winning parity; all outputs are of this parity, too. □

In general entanglement and register-index are orthogonal:

Lemma 4.2. *There are parity games of register-index 1 with both arbitrarily high entanglement and number of priorities.*

Proof. Consider the n clique C_n (Figure 3) where all nodes $v_i, i \in [n]$ belong to Odd, with the following edge-priorities: the edge from $v_i, i \in [n]$ to $v_j, j \in [n]$ if $i > j$ has priority $2i$; the edge from v_j to v_i has priority $2i - 1$. This parity game has entanglement n and $2n$ priorities. Even wins $\mathcal{R}_e^1(C_n)$: she resets the register whenever an even priority is seen. Any path with only odd priorities, followed by an even priority p, sees no priorities higher than p. Therefore, every recorded priority – and hence every output – is even. □

Example 4.3. To see how changes in the order of priorities affect the register-index, reverse the edges of C_n (see Figure 4) to obtain a family of parity games of register-index 2 and of size, entanglement and number of priorities $\Omega(n)$. Even's winning strategy in the 2-register game consists of resetting at each turn the register of rank 1 if it contains an odd priority, and resetting the register of rank 2 otherwise.

Lemma 4.4. *For all m, there exists a parity game of register-index at least m and entanglement 2.*

Proof. Let H_0 be the game arena consisting of a single node, belonging to Odd, with a self-loop of priority 0. This unique node is also the initial node of H_0.

Then, for all $n > 0$, the arena H_n consists of two distinct copies of H_{n-1} with initial positions v_0 and v_1 respectively, with an edge (v_0, v_1) or priority $2n - 1$ and an edge (v_1, v_0) of priority $2n$. The position v_0 is also the initial position of H_n. See Figure 5.

Even wins these parity games H_n because all cycles are dominated by an even priority. H_0 is of entanglement 1, while H_i for $i > 0$ is of entanglement 2. We will show that for $n > 0$, Odd has a winning strategy in the n-register game $\mathcal{R}_e^n(H_n)$.

We will reason inductively, and show that for each H_n, i) in $\mathcal{R}_e^m(H_n)$ for $m \geq n$, and from the initial position and a register configuration in which register contents are bounded by $2n - 1$, Odd can force the game to output $2n + 1$ or a higher odd priority, before returning to the initial position, and ii) Even loses in $\mathcal{R}_e^n(H_n)$.

Base case: We start by considering H_1. We first show that Odd has a winning strategy in $\mathcal{R}_e^1(H_1)$. His strategy is to always loop in the current position until Even resets the unique register, then move to the other position. This causes both 1 and 2 to be recorded infinitely often at rank 1, producing 2 and 3 infinitely often. Note that if Odd uses this same strategy in $\mathcal{R}_e^m(H_1)$ for $m \geq 1$, starting from a register configuration in which register contents are bounded by 1, although he can't necessarily win, he can force the game to either stay away from the initial position, or output $2n + 1$, *i.e.,* 3, or a higher odd priority before returning to the initial position.

Inductive step: We now assume i) and ii) as inductive hypothesis.

i) Then, in $\mathcal{R}_e^m(H_{n+1})$ for $m \geq n+1$, consider the following strategy for Odd. He first moves from v, the initial position of H_{n+1} onto the initial position v' of the second component of H_{n+1}, via the odd priority $2n + 1$. Then, he plays in H_n, which only contains priorities smaller than $2n + 1$, with a

Figure 5. H_0, H_1, H_2, H_3 : A family of parity games of high register-index and entanglement at most 2

strategy that is winning in $\mathcal{R}_e^n(H_n)$. To counter this strategy, Even has eventually to reset a register of rank $n + 1$ or higher, after which Odd returns to the initial position. This is his strategy τ_{n+1}. Observe that if at the initial position all register contents are bounded by $2n + 1$, then Even will either lose in the second H_n component, or reset a register of rank $n + 1$ or higher when it contains the odd priority $2n + 1$, outputting $2n + 3$ or a higher odd priority.

ii) We now show that he also has a winning strategy in $\mathcal{R}_e^{n+1}(H_{n+1})$. He begins by playing τ_{n+1} until $2n+3$ is output and the play is back at the initial position. Note that the registers now all contain $2n + 2$, so he can not yet repeat τ_{n+1}. He therefore now plays a strategy that is winning in $\mathcal{R}_e^n(H_n)$ in the *first* H_n component of H_{n+1}. Again, Even will lose unless she resets register $n + 1$ infinitely often. After she has reset the register at rank $n+1$ at least $n+1$ times, all the registers hold values smaller than $2n + 1$. Odd can then return to the initial position, and again use τ_{n+1} to force output $2n + 3$. Thus by alternating between using τ_{n+1} to force the maximal odd output, and clearing the registers of higher priorities in order to be able to use τ_{n+1} again, Odd forces $2n + 3$ to be output infinitely often.

We conclude that H_n has register-index at least $n + 1$.
□

The size of these parity games of high register-index grows exponentially. In Section 4.3, we will see that this is in fact optimal.

4.2 Rabin-index and register-index

Another related measure is the Rabin index [16] which, like register-index, considers both the structure of cycles in a parity game and its parity assignment. The idea of the Rabin index is to capture the minimal priority assignment that preserves winning regions and strategies regardless of the ownership partition of the game graph.

Definition 4.5 (Rabin index)**.** Given a directed graph $G = (V, E)$, two priority assignments Ω, Ω' over V are equivalent if for all partitions of V into V_e and V_o, and all $v \in V$, the parity games (V, V_o, V_e, v, Ω) and $(V, V_o, V_e, v, \Omega')$ have the same winner and same set of winning strategies. The Rabin index of a parity game G with priority assignment Ω is then the size of the smallest co-domain of any equivalent priority assignment over the graph of G.

Lemma 4.6. *For all k there are parity games of register-index at least k and Rabin index 1 and vice-versa.*

Proof. Since the Rabin index is agnostic to the ownership of nodes and register-index depends on the subgraphs induced by winning strategies, it is easy to build games of low register-index and high Rabin index: a game consisting of a starting position belonging to Even with one successor in a winning region of register-index 1, and another in a parity game of Rabin index k has register-index 1 and Rabin index at least k. Conversely, the graphs H_n of register-index at least $n + 1$ are all of Rabin index 1, as witnessed by the trivial colouring which assigns 0 to all positions. Rabin index and entanglement are therefore orthogonal.
□

4.3 A logarithmic bound on register-index

In this section we prove one of the main results of this paper:

Theorem 4.7. *The register-index of parity games of size n is at most $1 + \log n$.*

Before diving into the main proof, we define the following:

Definition 4.8. A strategy σ for Even in a k-register-game of maximal priority q is *defensive* if, from a configuration where the highest ranking register contains q or a higher even priority, plays which agree with σ never output $2k + 1$.

Definition 4.9. The *defensive* register index of G where Even wins the parity game is the least integer k such that Even wins the $\mathcal{R}_e^k(G)$ with a defensive strategy. The register index of G is bounded by its defensive register index.

Proof. Let $G = (V, V_e, V_o, v_\iota, E, \Omega)$ be the parity game induced by a positional winning strategy σ for Even in some parity game: nodes $v \in V_e$ have a unique successor, namely $\sigma(v)$. Let q be the maximal (even) priority which appears in G. We start by proving that if G has defensive register-index $r > 1$, it has two distinct subgames of defensive register-index $r - 1$.

If $r = 2$, this is trivial since all singleton games have register-index 1. We now us consider the case of $r > 2$

Let $G_1, ..., G_j$ be the maximal strongly connected sub-games of G induced by veritices of priority up to $q - 2$, and let their defensive register-indices be $k_1, ..., k_j$ respectively,

in the sense that k_i is the maximal number of registers Even needs in order to win the k_i-register game from all positions of G_i. Let k_m be a maximum among these, or 1 if G has no strongly connected subgames of priority up to $q-2$.

We first show that if $k_m < r-1$, then G has defensive register index no larger than $k_m + 1$, a contradiction. Even's strategy in the $k_m + 1$-register game on G is as follows. She resets the register of rank $k_m + 1$ only when q occurs. Then, in each subgame G_i, she simulates her winning strategy in the k_i-register game using only the k_i lowest ranking registers, leaving the register of rank $k_m + 1$ untouched. This forces Odd to eventually leave every subgame G_i. Since every cycle is dominated by an even priority, a play that eventually leaves every subgame G_i, or which eventually doesn't enter subgames any more sees q infinitely often. This strategy is winning, since it resets the highest ranking register infinitely often when it contains q, and defensive, since it only resets the highest ranking register when it contains q. G therefore has defensive register index $k_m + 1$, rather than r, a contradiction.

Therefore $k_m \geq r-1$. If $k_m = r$, we consider the subgame of register index r instead of G and show that it has two subgames of defensive register-index $r-1$.

If only one subgame G_i has defensive register index $r-1$, we show that Even has a defensive winning strategy in the $r-1$ register game on G. Her strategy begins by first resetting all registers that initially contain odd priorities (this might take several turns). Note that if the top-ranking register contains q or a higher even priority, this does not reset the register of rank $r-1$. Then, she resets the register $r-1$ whenever she sees q. Note that since q is the maximal priority and $r-1 > 1$, immediately after this reset, the register of maximal rank still contains q or a higher even priority. In subgames of defensive register-index lower than $r-1$, she simulates a winning strategy without using the register of rank $r-1$. When she enters the subgame of defensive register index $r-1$, the register of rank $r-1$ contains q or a higher even priority, so she plays her defensive strategy, this time using all $r-1$ registers. This strategy is winning: a play that eventually stays in a subgame agrees with a winning strategy within that subgame; a play leaving all subgames infinitely often must see q infinitely often, and always between two visits to the subgame of defensive register-index $r-1$, and therefore output $2(r-1)$ but not $2(r-1)+1$ infinitely often. If the initial register-configuration contains q or a higher even priority in the register of rank $r-1$, then this strategy never outputs $2(r-1)+1$, and is therefore defensive. The defensive register-index of G is therefore $r-1$, a contradiction.

We have shown that a game of defensive register-index $r > 1$ has at least two distinct subgames of defensive register-index $r-1$. Then, as the same argument applies to each of these subgames, a game of defensive register-index r also has 2^{r-1} distinct subgames of defensive register-index 1. This bounds the defensive register-index of a parity game with $1 + \log n$ where n is the size of the parity game. The same bound applies to the register-index, which is lower than the defensive register-index.

$\square$

5　Algorithmic complexity

The algorithmic consequence of Theorem 4.7 is that one can always solve $\mathcal{R}_e^{1+\log|G|}(G)$ instead of G, which gives an alternative quasi-polynomial time algorithm for solving parity games:

Corollary 5.1 (Also from [7, 19])**.** *Parity games are solvable in quasi-polynomial time.*

Proof. Let n be the number of vertices in a parity game G with register-index k, with d distinct priorities, and m edges. The parity game $\mathcal{R}_e^k(G)$ has $\mathcal{O}(nd^k)$ positions, $2k+1$ priorities and $\mathcal{O}((m+kn)d^k)$ edges. Since $\mathcal{R}_e^k(G)$ has its priorities on its edges, for the complexity analysis we take the size of $\mathcal{R}_e^k(G)$ to be $O(knd^k)$, to account for an additional vertex for each of the $O(knd^k)$ edges of significant priority – *i.e.,* those in E_r for some $r \in [k]$ – to encodes that priority.

The register-index of a parity game of size n is at most $1+\log n$. Therefore solving parity games G reduces to solving $\mathcal{R}_e^k(G)$ where $k = 1 + \log n$. The $\mathcal{R}_e^k(G)$ game can then be solved with an algorithm exponential in the number of priorities of one's choice, say the small progress measure algorithm [18], to obtain a quasi-polynomial algorithm. $\square$

For a tighter complexity analysis, one can use Jurdiński and Lazic's quasi-polynomial succinct progress measure algorithm which runs in $O(mn^{2.38})$ if the number of priorities is less than $\log \eta$, where η is the number of positions of odd priority. This is the case for $\mathcal{R}_e^k(G)$, which has over nd^k positions of odd priority and $2k+1$ priorities, as long as $d \geq 4$. With size $O(knd^k)$ where $k = 1 + \log n$, this yields a $O(n^{4.48+3.38\log n}(\log n)^{2.38})$ algorithm. Our space complexity remains quasi-polynomial.

Although this algorithm does not improve over the run-time of existing quasi-polynomial time algorithms, its parameterised versions, *i.e.,* solving $\mathcal{R}_e^k(G)$ instead of G for a parameter k, provide polynomial algorithms for the rich classes of games of bounded register-index. Even the class of games of register-index 1 contains games which are otherwise of arbitrary complexity. In particular, the families of parity games which exhibit worst-case behaviour for strategy improvement, divide-and-conquer, and (quasi-polynomial) progress measure algorithms [10–12] all have constant register-index 1. In the former two cases, this is simply because although the games have complex features, the winner has a simple winning strategy, according to which all plays eventually only see one priority. The progress measure example is not as trivial, but every odd priority is still immediately followed by a larger even priority, so Even still has an easy 1-register game strategy. However the class of parity games of register-index 1 is not restricted to such simple games, as illustrated by Figure 3. Parity games only have larger register-index if the winning strategy induces a connected region with the particular structure described in Lemma 3.2 and Theorem 4.7. Solving k-register games is therefore a complementary approach to existing parity game solving strategies. It seems plausible that solving $\mathcal{R}_e^k(G)$ and $\mathcal{R}_o^k(G)$ for a k as low as 2, or 3, and falling back onto a different algorithm if these

don't have the same winner could be an effective approach to solving parity games in practice.

However, beyond its potential for practical parity-game solving, this is the first algorithm which gives a descriptive complexity account of the quasi-polynomial solvability of parity games, as we will see in the next section.

6 Register-index and L_μ

The complexity of solving parity games is closely related to complexity in L_μ: The priorities in the model-checking parity games of an L_μ-formula reflect the complexity of the formula, as measured by the complexity of its fixpoint structure, known as its alternation depth [21]. Conversely, solving parity games is equivalent to model-checking a particular L_μ formula, of which the alternation depth depends on the priorities in the parity game. In this section we argue that not only can we model-check this formula in quasi-polynomial time, but the formula itself can be chosen to be of logarithmic alternation depth and quasi-polynomial size.

This section argues that the polynomial solvability of parity games of bounded register-index can also be stated in terms of descriptive complexity: the winning regions of the k-register games on parity game arenas with a bounded number p of priorities can be described by a L_μ-formula of size $O(kp^k)$, and alternation-depth k.

After establishing the L_μ expressivity of register-games in Section 6.2 we consider some of its consequences:

- Register-index is bisimulation invariant (Corollary 6.6).
- The winning regions of parity games of bounded size are trivially described by a L_μ formula without fixpoints, however, this formula is exponential in the size bound. The logarithmic bound on the register-index with respect to the size of games means that the winning regions of parity games with p priorities of size up to 2^{k-1} are described by a L_μ formula of size $O(kp^k)$ with alternation depth k (Corollary 6.7)
- Finally, we extend the definition of register-index to L_μ-formulas and show that the register-index of a L_μ formula is a computable upper bound on its semantic alternation depth: formulas of register-index k are equivalent to formulas of alternation depth k.

6.1 L_μ

For ease of representation we will use L_μ equational systems. Fix countably infinite sets $Prop = \{P, Q, ...\}$ of propositional variables, and $Var = \{X, Y, ...\}$ of fixpoint variables.

Definition 6.1. (L_μ) The syntax of unimodal *basic formulas* is given by:

$$\phi := P \mid X \mid \neg P \mid \phi \wedge \phi \mid \phi \vee \phi \mid \Diamond\phi \mid \Box\phi \mid \bot \mid \top$$

Conjunctions take precedence over disjunctions. The scope of modalities extends as little as possible to the right.

A L_μ sentence (S, X_ι, Ω) is a finite set of S equations of the form $X_i = \psi_i$ where the left-hand sides are distinct fixpoint variables, of which one is the designated entry point X_ι, coupled with a priority assignment $\Omega : Var \to I$ where I is a finite prefix of the non-negative integers.

The semantics of L_μ and its equational notation are standard – see for example [6]. In the context of this paper, the semantics are best described in terms of the model-checking parity games.

Definition 6.2. Given a L_μ sentence $\mathcal{S} = (S, X_\iota, \Omega)$ and a structure $\mathcal{M} = (V^\mathcal{M}, E^\mathcal{M} \subseteq V \times V, s_\iota \in V^\mathcal{M}, Q^\mathcal{M} : Prop \to \mathcal{P}(V))$ we define the model-checking parity game $G(\mathcal{M}, S)$ as the structure $(V, E, V_e \subseteq V, P_0, ..., P_q)$ where q is the maximal priority in the co-domain I of Ω, and:

- Positions in V consist of pairs (s, ϕ) where $s \in V^\mathcal{M}$ and ϕ is a subformula of a basic formula in $\mathcal{S}$;
- There in an edge from $(s, \phi \wedge \phi')$ to (s, ϕ) and (s, ϕ'); from $(s, \phi \vee \phi')$ to (s, ϕ) and (s, ϕ'); from $(s, \Box\phi)$ to (s', ϕ) for each successor s' of s in $E^\mathcal{M}$; from $(s, \Diamond\phi)$ to (s', ϕ) for each successor s' of s in $E^\mathcal{M}$; from (s, X) to (s, ϕ_X) where $(X = \phi_X) \in S$;
- Positions $(s, \phi \vee \phi')$ and $(s, \Diamond\Phi)$ satisfy V_e;
- Positions (s, P) satisfy V_e if $s \notin Q^\mathcal{M}(P)$;
- Positions $(s, \neg P)$ satisfy V_e if $s \in Q^\mathcal{M}(P)$;
- Position (s, X) satisfies $P_{\Omega(X)}$ while other positions satisfy P_0.
- (s_ι, X_ι) is the initial position.

Definition 6.3. A structures $\mathcal{M}$ is said to satisfy a sentence S of L_μ, written $\mathcal{M} \models S$ if Even has a winning strategy in the parity game represented by $G(\mathcal{M}, S)$ when V_e represents positions belong to Even, $V \backslash V_e$ represents positions belonging to Odd and P_i represents positions of priority i.

Definition 6.4. The alternation depth of an L_μ system of equations consists of the number of even priorities in the co-domain I of Ω.

This presentation and the choice to only count even priorities is meant to emphasize the correspondence between alternation-depth, priorities in parity games and their register-index. A thorough discussion on how to define alternation depth, and comparison of definitions used in the literature can be found in Bradfield and Stirling 2007 [6].

6.2 Descriptive complexity

Theorem 6.5. *There is a formula $\mathbf{Win}_I^k$ of L_μ with alternation-depth k that describes the class of parity games G of priority domain I for which Even has a winning strategy in $\mathcal{R}_e^k(G)$.*

Proof. Let E_i stand for $V_e \wedge P_i$ and O_i for $\neg V_e \wedge P_i$; let $M_i(X) = (E_i \wedge \Diamond X) \vee (O_i \wedge \Box X)$. This subformula describes the owner of the current position (or priority i) taking a step in the parity game. Then, the formula for $Y_{\bar{d}, o}$ describes the existence of a winning strategy from a register configuration $\bar{x}$, while o indicates the last output value:

$$Y_{\bar{x}, o} = \bigvee_{j \in I} M_j(Y_{\bar{x}', 1}) \vee \bigvee_{j \in I, r \leq k} P_j \wedge M_j(Y_{\text{next}(\bar{x}', r, j), \text{out}(x_r', r)})$$

Where $x_i' = \max(x_i, j)$ and $\text{next}(\bar{x}', r, j)$ is the new register contents after Even resets the register of rank r. That is to say $\text{next}(\bar{x}', r, j)_i = x_i'$ for $i > r$, but x_{i-1} for $1 < i \leq r$, and 0 for $i = 1$. Furthermore, $\text{out}(p, r)$ is $2r + 1$ for odd p and $2r$ otherwise.

Then, the formula $\mathbf{Win}_I^k$ is given by the system of equations consisting of $Y_{\bar{x},p}$ where $\bar{x} \in I^k$ and $o \in [1..2k+1]$, paired with $\Omega(Y_{m,\bar{x},o}) = o$ and the entry point $Y_{\bar{0},1}$.

In the formula $Y_{\bar{x},o}$, the outermost disjunction gives Even the choice of whether to reset a register. The register contents $\bar{x}$ are updated at each move. Even can proceed in the underlying parity game by playing to $M_j(Y_{\bar{x}',1})$ where j is the current priority. Even can at any point choose to reset a register, which updates $\bar{x}$. Resetting a register of rank r sets x_1 to 0 and increases the rank of lower ranked registers by one. Ω guarantees that when a register is reset, a priority of the appropriate magnitude and parity is produced, as computed by out(). Hence by design, the model-checking parity game of $\mathbf{Win}_I^k$ on any structure G representing a parity game with priority domain I is functionally equivalent to the parity game $\mathcal{R}_e^k(G)$. □

Since $\mathbf{Win}_I^k$ has alternation depth k and size $O(kd^k)$, the collapse in the algorithmic complexity of parity games of bounded register-index is mirrored by a collapse in descriptive complexity.

Corollary 6.6. *Register-index is bisimulation invariant.*

Proof. $\mathbf{Win}_I^k$ holds in a parity game G with priority domain I whenever Even wins $\mathcal{R}_e^k(G)$. Dually, we can define $\mathbf{OWin}_I^k$ which holds in parity games G of priority domain I whenever Odd wins $\mathcal{R}_o^k$ (note that this is not just the negation of $\mathbf{Win}_I^k$). Recall that a parity game has register-index at most k if $\mathcal{R}_o^k$ and $\mathcal{R}_e^k$ have the same winner.

Then, parity games with priority domain I and of register-index at most k are exactly those that satisfy $(\neg\mathbf{OWin}_I^k \wedge \mathbf{Win}_I^k) \vee (\mathbf{OWin}_I^k \wedge \neg\mathbf{Win}_I^k)$. Since L_μ is bisimulation invariant, so is register-index. □

Corollary 6.7. *The winning regions of parity games of size up to 2^k with p priorities are described by an L_μ formula of size $O(kp^k)$ and alternation-depth k.*

Note that the winning regions of parity games of bounded size n are also described by a formula without any fixpoints. However, that formula, obtained is by unfolding all the fixpoints of the standard parity game formula n times. For parity games with p priorities, this yields a formula of size $O(2^{pn})$.

We will now extend the definition of register-index to L_μ-formulas:

Definition 6.8 (Register-index of a formula)**.** A formula ψ of L_μ has register-index k if for all structures $\mathcal{M}$, the register-index of the model checking parity game for $\mathcal{M}$ and ψ is bounded by k.

Using the L_μ description of the winner of k-register games, we then argue that a formula of register-index k is equivalent to a formula of alternation depth k. In other words, the alternation hierarchy is finite for the fragments of L_μ of bounded register-index. This is a simple consequence of the following theorem which relates the descriptive complexity of the model-checking games of a formula to the formula's semantic complexity.

Theorem 6.9. *[20] Given a formula ψ of L_μ, if for all structures $\mathcal{M}$ it is the case that $\mathcal{M} \models \psi$ if and only if $G(\mathcal{M},\psi) \models \phi$, then there exists a formula of the alternation depth of ϕ, constructed from ψ and ϕ that is equivalent to ψ.*

Corollary 6.10. *If ψ is an L_μ-formula of register-index k, then ψ is equivalent to a formula of alternation depth k.*

Proof. By definition of register-index for all structures $\mathcal{M}$, the formula ψ holds in M exactly when Even wins $\mathcal{R}_e^k(G(\mathcal{M},\psi))$. From Lemma 6.5, it is therefore the case that $\mathcal{M} \models \psi$ if and only if $G(\mathcal{M},\psi) \models \mathbf{Win}_I^k$ where I is the priority domain of $G(\mathcal{M},\psi)$ which depends only on ψ. Then, from Theorem 6.9, ψ is equivalent to a formula of alternation depth k, built from ψ and $\mathbf{Win}_I^k$. □

Register-index is therefore a decidable upper bound on the semantic complexity of a formula. While the register-index can be as high as the syntactic alternation depth of a formula, it is less affected by syntactic inefficiencies: for example, if ϕ is unsatisfiable, but of high syntactic complexity, a formula $\psi(\phi)$ with subformula ϕ will have syntactic complexity at least as high as ϕ. However, since to win in the model-checking parity game of $\psi(\phi)$ a winning strategy for Even never needs to visit the subgame induced by ϕ, the register-index will only depend on $\psi(\bot)$.

Note: the entanglement of the model-checking games of a formula is unbounded even for simple formulas so entanglement does not lend itself to a similar analysis.

7   Discussion

A. Measuring the complexity of parity games

We introduced register-index, a measure of complexity of parity games that captures the complexity of the priority assignment. It is logarithmically bounded with respect to the size of a parity game.

All existing measures of complexity for parity games seem to be in one way or another agnostic to the ownership of vertices. Entanglement and register-index are measured on the one-player subgame induced by a winning strategy while the Rabin index and purely structural measures are completely independent of node-ownership. While register-index takes into account two sources of complexity – structure and priority assignment – it leaves the complexity arising from alternations between the two players untouched. However, since one-player games are known to be solvable in quasi-polynomial time, it seems plausible that node ownership could be incorporated into a more refined measure which would measure how cycles, priorities *and* alternations interact.

B. Solving parity games in practice

The algorithm induced by the logarithmic bound on the register-index of parity games uses different techniques from previous algorithms [7, 19] to prove yet again that parity games are solvable in quasi-polynomial time. It does not improve on the running time of state-of-the-art algorithms; however, in addition to its rich theory, it enjoys a family of parameterised versions, each of which solves parity games for a class of games of bounded register-index. The class of parity

games of register-index as low as 1 already contains parity games of otherwise arbitrary complexity, including families of games which trigger the worst-case performace of recursive algorithms [12], strategy improvement algorithms [11], and even the quasipolynomial succinct progress measure algorithm [10]. Hence k-register games are a complementary solving method to state-of-the-art algorithms. Where previous algorithms are generally based on exploring the strategy space in clever ways, our algorithm reduces the search space to relatively simple, but still sufficient strategies. Finally, families of high register-index require a particularly intricate structure, as demonstrated in Lemma 4.7; how often such games are encountered in the wild is left as an open question. However, it seems likely that i) solving k-register games for small k could be a practical approach to solving parity games, and ii) existing solvers could potentially benefit from taking into account the register-index of games.

C. Parity games algorithms and L_μ

The final part of this paper discussed how register-index and the new quasi-polynomial algorithm relate to complexity in L_μ. This discussion connects two long-standing open problems: the decidability of the L_μ alternation hierarchy – *i.e.,* deciding, given a formula, whether it is equivalent to a formula of lower alternation depth – and the complexity of model-checking L_μ – *i.e.,* the complexity of solving parity games. One of our core insights is that there are trade-offs to be considered between formula-size and alternation depth, that echo the trade-off between solving a smaller parity game with a linear number of priorities, and a larger parity game with a logarithmic number of priorities, as seen in Section 5. One could conjecture that the existence of a polynomial algorithm for parity games might correlate with the existence of a formula of fixed alternation depth k and size polynomial in k to describe the winning regions of parity games up to exponential size in k.

References

[1] Walid Belkhir and Luigi Santocanale. 2007. Undirected graphs of entanglement 2. *FSTTCS 2007: Foundations of Software Technology and Theoretical Computer Science* (2007), 508–519.

[2] Dietmar Berwanger, Anuj Dawar, Paul Hunter, and Stephan Kreutzer. 2006. DAG-width and parity games. In *STACS*, Vol. 6. Springer, 524–536.

[3] Dietmar Berwanger and Erich Grädel. 2005. Entanglement - a measure for the complexity of directed graphs with applications to logic and games. In *International Conference on Logic for Programming Artificial Intelligence and Reasoning*. Springer, 209–223.

[4] Dietmar Berwanger, Erich Grädel, Łukasz Kaiser, and Roman Rabinovich. 2012. Entanglement and the complexity of directed graphs. *Theoretical Computer Science* 463 (2012), 2–25.

[5] Dietmar Berwanger, Erich Grädel, and Giacomo Lenzi. 2007. The variable hierarchy of the μ-calculus is strict. *Theory of Computing Systems* 40, 4 (2007), 437–466.

[6] Julian Bradfield and Colin Stirling. 2007. Modal μ-calculi. *Studies in logic and practical reasoning* 3 (2007), 721–756.

[7] Cristian S. Calude, Sanjay Jain, Bakhadyr Khoussainov, Wei Li, and Frank Stephan. 2017. Deciding parity games in quasipolynomial time. In *Proceedings of the 49th Annual ACM SIGACT Symposium on Theory of Computing*. ACM, 252–263.

[8] Anuj Dawar and Erich Grädel. 2008. The Descriptive Complexity of Parity Games. In *Computer Science Logic*. Springer, 354–368.

[9] E Allen Emerson and Charanjit S Jutla. 1991. Tree automata, μ-calculus and determinacy. In *Foundations of Computer Science, Proceedings., 32nd Annual Symposium on*. IEEE, 368–377.

[10] John Fearnley, Sanjay Jain, Sven Schewe, Frank Stephan, and Dominik Wojtczak. 2017. An ordered approach to solving parity games in quasi polynomial time and quasi linear space. *arXiv preprint arXiv:1703.01296* (2017).

[11] Oliver Friedmann. 2009. An exponential lower bound for the parity game strategy improvement algorithm as we know it. In *Logic In Computer Science, 2009. LICS'09. 24th Annual IEEE Symposium on*. IEEE, 145–156.

[12] Oliver Friedmann. 2011. Recursive algorithm for parity games requires exponential time. *RAIRO-Theoretical Informatics and Applications* 45, 4 (2011), 449–457.

[13] Moses Ganardi. 2015. Parity Games of Bounded Tree-and Clique-Width.. In *FoSSaCS*. 390–404.

[14] Erich Grädel, Łukasz Kaiser, and Roman Rabinovich. 2009. Directed Graphs of Entanglement Two. In *International Symposium on Fundamentals of Computation Theory*, Vol. 9. Springer, 169–181.

[15] Paul Hunter and Stephan Kreutzer. 2007. Digraph measures: Kelly decompositions, games, and orderings. In *Proceedings of the eighteenth annual ACM-SIAM symposium on Discrete algorithms*. Society for Industrial and Applied Mathematics, 637–644.

[16] Michael Huth, Jim Huan-Pu Kuo, and Nir Piterman. 2015. The Rabin index of parity games: Its complexity and approximation. *Information and Computation* 245 (2015), 36–53.

[17] Marcin Jurdziński. 1998. Deciding the winner in parity games is in UP ∩ co-UP. *Inform. Process. Lett.* 68, 3 (1998), 119–124. https://doi.org/10.1016/S0020-0190(98)00150-1

[18] Marcin Jurdziński. 2000. Small progress measures for solving parity games. In *Annual Symposium on Theoretical Aspects of Computer Science*. Springer, 290–301.

[19] M. Jurdzinski and R. Lazic. 2017. Succinct progress measures for solving parity games. In *2017 32nd Annual ACM/IEEE Symposium on Logic in Computer Science (LICS)*, Vol. 00. 1–9. https://doi.org/10.1109/LICS.2017.8005092

[20] Karoliina Lehtinen. 2017. The descriptive complexity of modal μ model-checking parity games. *Proceedings of International Symposium on Games, Automata, Logics, and Formal Verification, 2017* (2017).

[21] Thomas Wilke. 2001. Alternating Tree Automata, Parity Games, and Modal μ-Calculus. *Bulletin of the Belgian Mathematical Society Simon Stevin* 8, 2 (2001), 359.