```
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-0.sh
hello world
```

```
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-1.sh
num: 5
hello world
hello world
hello world
hello world
hello world
```

```
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-2.sh
5 + 4
9
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-2.sh
5 - 4
1
```

```
Normal weight
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-3.sh
1 170
Underweight
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-3.sh
65 170
Normal weight
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-3.sh
650 170
Overweight
```

```
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-4.sh
Is Linux fun? (Yes/No)
y
That's a relief.
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-4.sh
Is Linux fun? (Yes/No)
no
Sorry to hear that.
```

```
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-5.sh
Start Program
Inside the function
lab2-0.sh    lab2-2.sh    lab2-4.sh    lab2-6.sh    lab2-8.sh
lab2-1.sh    lab2-3.sh    lab2-5.sh    lab2-7.sh    lab2-9.sh
End program
```

```
End program
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-6.sh
folder
chanmi@ubuntu:~/Open_source_lab2$ ls
folder      lab2-1.sh  lab2-3.sh  lab2-5.sh  lab2-7.sh  lab2-9.sh
lab2-0.sh  lab2-2.sh  lab2-4.sh  lab2-6.sh  lab2-8.sh
chanmi@ubuntu:~/Open_source_lab2$ cd folder
chanmi@ubuntu:~/Open_source_lab2/folder$ ls
file0.txt  file1.txt  file2.txt  file3.txt  file4.txt  file5.txt  NewFolder
chanmi@ubuntu:~/Open_source_lab2/folder$ cd NewFolder
chanmi@ubuntu:~/Open_source_lab2/folder/NewFolder$ ls
file0.txt  file1.txt  file2.txt  file3.txt  file4.txt  file5.txt  files.tar
chanmi@ubuntu:~/Open_source_lab2/folder/NewFolder$
```

```
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-7.sh
folder2
chanmi@ubuntu:~/Open_source_lab2$ cd folder2
chanmi@ubuntu:~/Open_source_lab2/folder2$ ls
file0  file0.txt  file1  file1.txt  file2  file2.txt  file3  file3.txt  file4  file4.txt
chanmi@ubuntu:~/Open_source_lab2/folder2$ cd file0
chanmi@ubuntu:~/Open_source_lab2/folder2/file0$ ls
file0.txt
chanmi@ubuntu:~/Open_source_lab2/folder2/file0$ ll
total 8
drwxrwxr-x 2 chanmi chanmi 4096 Nov 29 13:46 ./
drwxrwxr-x 7 chanmi chanmi 4096 Nov 29 13:46 ../
lrwxrwxrwx 1 chanmi chanmi   10 Nov 29 13:46 file0.txt -> /file0.txt
chanmi@ubuntu:~/Open_source_lab2/folder2/file0$
```

```
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-8.sh
Park 010-aaaa-aaaa
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-8.sh
Kim 010-bbbb-bbbb
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-8.sh
Lee 010-cccc-cccc
chanmi@ubuntu:~/Open_source_lab2$ cat DB.txt
Park 010-aaaa-aaaa
Kim 010-bbbb-bbbb
Lee 010-cccc-cccc
chanmi@ubuntu:~/Open_source_lab2$ echo "*My friends" > DB.txt
chanmi@ubuntu:~/Open_source_lab2$ cat DB.txt
*My friends
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-8.sh
Kim 010-bbbb-bbbb
chanmi@ubuntu:~/Open_source_lab2$ cat DB.txt
*My friends
Kim 010-bbbb-bbbb
```

```
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-9.sh
Kim
Kim 010-bbbb-bbbb
chanmi@ubuntu:~/Open_source_lab2$ ./lab2-9.sh
Lee
```