

Library of Congress Marva User Manual

This documentation is a Markdown conversion of the Library of Congress Marva Quartz User Manual (PDF). Marva is the Library of Congress's web-based BIBFRAME cataloging editor used to create, edit, and manage bibliographic descriptions.

Front Matter

- [Manual Update History](#)
- [About the Library of Congress Marva Quartz User Manual](#)
- [BIBFRAME Work, Instance, and Item Descriptions](#)
- [Accessing Marva](#)

Work Description

Components for describing the intellectual or artistic content of a resource.

See the [Work Description overview](#) for a full table of components and MARC mappings.

- [Expression of \(search for a Hub\)](#)
- [Creator of Work](#)
- [Title Information](#)
- [Contributors](#)
- [Notes about the Work](#)
- [Contents](#)
- [Summary](#)
- [Subjects](#)
- [Geographic Coverage](#)
- [Genre/Form](#)
- [Classification Numbers](#)
- [Intended Audience](#)
- [Content Type](#)
- [Language](#)
- [Illustrative Content](#)
- [Color Content](#)
- [Supplementary Content](#)
- [Government Publication](#)
- [Input Transcribed Series](#)
- [Search Series Hub](#)
- [Search Related Work](#)
- [Script](#)
- [Date of Work](#)
- [Country of Origin](#)
- [\(Time\) Coverage](#)
- [Dissertation](#)

Instance Description

Components for describing the physical or digital manifestation of a resource.

See the [Instance Description overview](#) for a full list with MARC mappings.

- [Title Information](#)
- [Title Information: Non-Latin Best Practice](#)

- [Statement of Responsibility](#)
- [Edition Statement](#)
- [Provision Activity](#)
- [Copyright Date](#)
- [Mode of Issuance](#)
- [Identifiers](#)
- [Notes about the Instance](#)
- [Supplementary Content URL](#)
- [Immediate Source of Acquisition Note](#)
- [Media Type](#)
- [Physical Description](#)
- [Dimensions](#)
- [Carrier Type](#)
- [Access Policy](#)
- [URL of Instance](#)
- [Projected Publication Date](#)
- [Admin Metadata](#)

Appendices

- [Appendix A: Marva Preferences and Customization](#)
- [Appendix B: Using the Component Library](#)
- [Appendix C: ScriptShifter](#)
- [Appendix D: Re-Merge MARC](#)
- [Appendix E: Hubs](#)
- [Appendix F: Creating Name Authority Records \(NARS\)](#)
- [Appendix G: MARC to Marva Mappings](#)
- [Appendix H: Copy Cataloging](#)
- [Appendix I: Working with Non-RDA Records](#)
- [Appendix J: Creating New Descriptions](#)
- [Appendix K: Shelf Listing Browser](#)

Manual Update History

Date	Update
2025-08-29	Added Appendix K: Shelf Listing Browser
2025-08-22	Updated Appendix F, Create NAR in Marva , to use Folio screenshots
	Removed references to Voyager in Appendix E, Hubs
	Changed the Extent component to Physical description to match the changes made in July 2025
	Added clarifying information about Load Type in Accessing Marva
2025-07-18	Updated best practices to recommend recording Parallel titles and Variant titles as Work titles
	Clarified the recording of information related to the presence of bibliographical references in a resource (Work for MARC 008, Instance for MARC 504)
	Added information on Item records in Marva and what to do with the subfield \$5 DLC values in a Modern MARC record
2025-07-11	Updated references to Voyager to Folio (except for NAR creation, Appendix F)
	Revised Appendix H, Copy Cataloging in Marva , to show Folio interactions
	Added Appendix I, Working with Non-RDA Records in Marva
	Added Appendix J, Creating New Descriptions in Marva
	Added new image at Accessing Marva to show the Load Types
2025-07-04	No update this week
2025-06-27	Moved Update History to top of manual
	Added return to TOC links throughout
2025-06-20	No update this week
2025-06-13	Added information in Appendix A: Marva Preferences and Marva Customization about the importance of browser refresh and some best practices
	Edited the new Appendix H: Copy Cataloging in Marva to show new features
2025-06-06	Added Appendix H: Copy Cataloging in Marva
2025-05-31	Added a section named Parallel Series Titles and Marva in the Work: Input transcribed series component
	Included a best practice on repeating series numbering and ISSNs when they appear only once in a MARC record imported to Marva
2025-05-23	No update this week

2025-05-16	Added a section on LCSH proposals in the Subjects component area of Work
	Added information on what to do with complex Provision Activity statements, when to use one component per function, and when to use two components per function, including what to do in these situations with non-Latin data
	Added Access policy component in Instance for MARC 506 and 540 data
	Added MARC 506 and 540 to Appendix G: MARC to Marva Mappings
2025-05-09	Expanded on the Intended audience component to incorporate the new modal lookup to the MARC Audience list and LCDGT, and to cover literal note values
	Added Appendix E: Hubs and linked to it from the four Work components that use Hubs
	Added Appendix F: Create NAR in Marva
	Added Appendix G: MARC to Marva Mappings
	Reorganized the TOC to remove Level 3 and Level 4
2025-05-02	Removed information on Hubs from the Expression of [search for a Hub] component and put it into a new Appendix on Hubs (added in the 2025-05-09 release)
	Formatted the appendices
2025-04-25	Updated examples in the Related work component to show the re-arranged order of search options
	In Work--Geographic coverage , removed the option to search by GAC
	Replaced images for Hub creation since the order of elements has changed
2025-04-18	Reworked Appendix B, Using the Component Library , to use an example for the customized Component Library that is not already represented in the Default Component Library
	In the Work Title information component, added April 2025 Best Practice for recording all variant titles in the Instance Title information
2025-04-11	Added Appendix A Marva Preferences and reordered the other appendices (Appendix B: Using the Component Library , Appendix C: ScriptShifter , Appendix D: Instructions for Determining When to Re-Merge a Modern MARC Record Due to Missing or Modified Information)
	Added section breaks for the appendices to make unique footers
	Added Bibliographic Maintenance and 440 fields in MARC information under Input transcribed series
	Added information on Item descriptions in Marva (related to subfield \$5 DLC) in the BIBFRAME Work, Instance, and Item Descriptions and MARC Bibliographic Records section (also changed the name of this section to include Item descriptions)
	Added information on crowd sourcing this manual in a new section named About the Library of Congress Marva Quartz User Manual at the beginning of the manual
	Updated screen shots for ScriptShifter to show the bracket that connects non-Latin and romanized information
2025-04-04	Added Appendix C: ScriptShifter
	Added images and corrected images at Notes about the Instance
	Added Default Library information to Appendix B and removed the parallel information on the Library from the Marva Customization area in the manual itself
2025-03-28	Added information about alternate classification numbers in the Classification component section
	Added Appendix B: Using the Component Library (Nancy Alfaro wrote this)

Updated [Input transcribed series](#) component to show use of relationship **series**

Added [Appendix D: Instructions for Determining When to Re-Merge a Modern MARC Record Due to Missing or Modified Information](#) (Nancy Alfaro wrote this)

Updated [Geographic coverage](#) component to include information about what to do if a GAC is needed for an LCSH region heading

2025-03-14 Added information about Multiple subdivision records and Literal Values in the [Subjects](#) component

Added a new section named Marva Customization

Added information on keeping Preferences and Customization through using chrome://settings/content/siteData

Added information on the Marva Library

2025-03-07 Added Create Hub information at [Expression of [Search for a Hub]](work-description/expression-hub.md) component

Added more detail about Hubs at the Create Hub information at [Expression of [Search for a Hub]](work-description/expression-hub.md) component

Edited [Contents note](#) component to highlight the use of ISBD punctuation in MARC and BIBFRAME Contents notes

Added information on how to add additional resources for Shelflisting in the [Classification](#) component

Changed the addition of repeated components to add new values to the ability to add multiple values in one field for Content type, Language, Language resource, Language note, Illustrative content, Color content, Supplementary content, Government publication, Script, Country of origin of the work

Added [Instance Title information](#): Best Practice for Non-Latin Titles

2025-02-23 Edited Language, Language resource, Language note components to show multiple languages in fields of the components

Added information to Content type, Media type, and Carrier type that they are Core elements for all bibliographic descriptions, including AACR2 records

2025-02-10 Added Lightning Bolt examples and Demoting Primary Contribution


2025-02-06 Added section on BIBFRAME Work and Instance descriptions and MARC

2025-02-02 First draft

[Back to Table of Contents](#)

About the Library of Congress Marva Quartz User Manual


The Library of Congress Marva Quartz User Manual is an integrating resource that is updated regularly. Marva, BIBFRAME, and current LC policies are constantly being changed and reviewed as BFPProd moves forward. Please add comments in the manual for anything you notice is missing, is incorrect, or is outdated. Comments can be added by clicking on the Comment icon in the document, then adding a comment in the box that opens up.




[Back to Table of Contents](#)

BIBFRAME Work, Instance, and Item Descriptions and MARC Bibliographic Records

Work and Instance Descriptions



MARC bibliographic records are "flat" representations or visualizations of the application of different entity models. For example, using Resource Description & Access (RDA) as an example, a MARC bibliographic record contains RDA Work attributes, RDA Expression attributes, RDA Manifestation attributes, and often RDA Item attributes in one "flat" record. The limitations of MARC have prevented a full visualization of RDA as a content standard. BIBFRAME is another model that has different entities. BIBFRAME has Works, Instances, and Items. When working in BFProd, in Marva, these different BIBFRAME entities are broken into their own separate areas. That is why you see this layout in Marva:



◆ Instance

- Instance of
- Title information
- Statement of responsibility
- Edition statement
- Provision activity
- Copyright date
- Mode of issuance
- No Heading
- Notes about the Instance
- Supplementary content URL
- Immediate source of acquisition note
- Media type
- Extent
- Dimensions
- Carrier type
- URL of Instance
- Projected publication date (YYMM)

■ Item

- URL of Item
- Collection
- Notes about the Item
- Enumeration and chronology of Item
- Immediate source of acquisition

When a MARC bibliographic record is brought into Marva for editing, the different BIBFRAME entities will be extracted from the MARC record and put in the corresponding BIBFRAME entity.

For now, for every MARC bibliographic record, there will be one BIBFRAME Work and one BIBFRAME Instance. In some cases, a BIBFRAME Item will be generated, but for the most part, Item level information will continue to be recorded in Folio only using the Folio Holdings Format and Folio Items.

Item Descriptions

Although BIBFRAME Items are not currently a part of BFProd, and Item information continues to be recorded in Folio using Folio Holdings and Item records, there are some cases even now where BIBFRAME Items are used in BFProd.

Many MARC bibliographic fields have subfield \$5 defined. Subfield \$5 is used to show the Institution to which field applies. MARC Organization Codes are used in subfield \$5.

Inventory

Inventory

Central Tenant

×

Edit shared MARC record - Political, miscellaneous, and philosophical pieces : arranged under the following heads, and distinguished by initial letters in each leaf: (G.P.) General p..

Status: Current • Last updated: 6/29/2025 10:35 PM • Source: Gerhard, Jeff

↑ ↓ + ▢	510	4	\	\$a ESTC \$c T58635 (4to), T56601 (8vo)
↑ ↓ + ▢	561	\	\	\$a LC copy has signed binding: "Bound by F. Bedford for H. Stevens". Has bookplate of Henry Stevens. \$5 DLC
↑ ↓ + ▢	600	1	0	\$a Franklin, Benjamin, \$d 1706-1790 \$v Correspondence.
↑ ↓ + ▢	650	\	0	\$a Political science \$v Early works to 1800.
↑ ↓ + ▢	651	\	0	\$a United States \$x Politics and government \$y To 1775.
↑ ↓ + ▢	651	\	0	\$a United States \$x Politics and government \$y 1775-1783.
↑ ↓ + ▢	655	\	7	\$a Personal correspondence. \$2 lcgft \$0 https://id.loc.gov/authorities/genreForms/gf2014026141
↑ ↓ + ▢	700	1	\	\$a Vaughan, Benjamin, \$d 1751-1835.
↑ ↓ + ▢	700	1	\	\$a Stevens, Henry, \$c Jr., \$d 1819-1886, \$e former owner. \$5 DLC
↑ ↓ + ▢	700	1	\	\$a Jefferson, Thomas, \$d 1743-1826, \$e former owner. \$5 DLC
↑ ↓ + ▢	700	1	\	\$a Kebler, Leonard, \$e donor. \$5 DLC

When a MARC record with subfield \$5 DLC is brought into Marva for editing, the values in the fields with the subfield \$5's will map to a BIBFRAME Instance.

Agents/collections associated with Item

Person

Bedford, Francis, 1799-1883

x

Relationship designator(s)

binder

x

Agents/collections associated with Item

Corporate body

Benjamin Franklin Collection (Library of Congress)

x

Relationship designator(s)

contributor

x

Agents/collections associated with Item

Corporate body

Thomas Jefferson Library Collection (Library of Congress)

x

Relationship designator(s)

contributor

x

Agents/collections associated with Item

Corporate body

John Davis Batchelder Collection (Library of Congress)

x

Relationship designator(s)

contributor

x

Custodial history/Provenance

When a Modern MARC record is generated from a description in Marva that has information in the Item record, the information will map back to MARC in regular MARC bibliographic fields, but without subfield \$5 DLC added.

These subfield \$5 values should be added back manually to the appropriate fields in the Modern MARC record.

When creating a native description (origbf) in Marva, if you want to record information that is specific to LC, create an Item record to add this information, if an Item record does not already exist.

[Back to Table of Contents](#)

Accessing Marva

Using Chrome enter <https://editor.id.loc.gov/>

In the "This 'quartz' version of Marva is the updated editor for the BF Prod 2024- project." Area, select:

Marva Production

Enter user name and code. For user name, use your Windows ID (the part of your LC email address before the @loc.gov). For code, use your cataloger code that you add in the MARC 955 field of records you work on.

Hello! Before you start...

Please enter a name to associate records with you, this is internal to Marva.

Please enter your unique cataloging code which will appear in distributed records .

[I don't have a code](#)

On the far upper left of the screen you will see "Load"

In the box that states "URL to resource or identifier to search" scan, copy/paste, or enter the LCCN of the item.

A few lines down from this box (also in the far left panel) select:

Monograph if your work is a monograph / book

The screenshot shows the Marva editor interface. On the left, the 'Load' panel has a text input field for 'URL to resource or identifier to search'. Below it, a 'Load Type:' section has two buttons: 'Reconvert from MARC' and 'Continue Editing BF'. The 'Continue Editing BF' button is highlighted with an orange box. Below this, a 'Load with profile:' section shows a grid of buttons for different material types: Monograph, Original BF, Notated Music, Serial, Cartographic, Sound Recording: Audio CD, Sound Recording: Audio CD-R, Sound Recording: Analog, Sound Recording: Cassette, Moving Image: DVD, Moving Image: Film, Rare Materials, Prints & Photographs, and HUB. The 'Monograph' button is highlighted with an orange box. On the right, the 'Your Records' panel shows a list of records. A text box with an orange border contains the following text: 'Reconvert from MARC: Means the record will go through the marc-to-bf conversion before loading into Marva. This should always be the starting point for working on a record. It guarantees that the record will be loaded using the most recent conversion. This is important because conversion is frequently updated and not reconvertng can mean working in a record that is not current and might have mistakes or even missing data.' Below this, another text box with an orange border contains the following text: 'Continue Editing BF: This will load the record from its BF version (no looking at MARC at all), whatever is in BFDB. It can be useful if some has started a record, after reconvertng, and posted it to BFDB. "Continuing" means that they can use the LCCN to get the most recent version in BFDB. This should be the same as using the link under "Your records."'

More About Load Type

The long-term goal is to not have to update the conversion a lot but to prefer regular updates that happen at predicable times during the year. With those updates would come reconversions of the entire database which would mean that the distinction between "reconverting" and "continuing" will become unnecessary. The reason for this change was that reconvert was the default and people kept reloading LCCNs and then reporting that their

work was being deleted.

Reconvert from MARC: The record will go through the MARC-to-BIBFRAME conversion before loading into Marva. This should always be the starting point for working on a record. It guarantees that the record will be loaded using the most recent conversion. This is important because the conversion software is frequently updated and not reconverting can mean working on a record that might have mistakes or even missing data.

Continue Editing BF: The BIBFRAME version of the record is loaded into Marva. This option can be useful if someone has started to edit a record, after reconverting it from MARC, and posted it to BFDB. "Continuing" means that they can use the LCCN to get the most recent version in BFDB. This should be the same as using the link under "Your records."

[Back to Table of Contents](#)

Expression of [search for a Hub]

Scope

This lookup search is used to add a uniform title to a Work description.

Folio / MARC

- 130 field, Main Entry - Uniform Title
- 240 field, Uniform Title

Expression of [search for a Hub]

Use this component if you would add a 130 field or a 240 field in a MARC record.

Hubs - Keyword Hubs - Left Anchored

<< < Page 1 of 1 > >>

Search

Jähner, Harald, 1953- Höhenrausch. English

Jähner, Harald, 1953- Höhenrausch. English

Jähner, Harald, 1953- Wolfszeit

Jähner, Harald, 1953- Wolfszeit. English

Jähner, Harald, 1953- Wolfszeit. English. (Shapiro)

Jähner, Harald, 1953- Höhenrausch. English

Hub
view on id.loc.gov

marcKey:
• 1001 \$aJähner, Harald,\$d1953-\$tHöhenrausch.\$iEnglish

Add [Shift+Enter] Cancel [ESC]

Search for the Hub by keying in the name or title. Marva will search the Hubs database and display matching results. Use the **Hubs - Left Anchored** filter to arrange results alphabetically.

Expression of [search for a Hub]

[Jähner, Harald, 1953- Höhenrausch. English](#) ✓ | x

When you have identified the correct Hub, click on **Add [Shift+Enter]**. The Hub will be linked in the Expression of field with a green verification icon.

Expression of [search for a Hub]

[Jähner, Harald, 1953- Höhenrausch. English](#) ✓ | x

Creator of Work

Person

[Jähner, Harald, 1953-](#) ✓ | x

Relationship designator

author | x

The selected Hub will appear in the Expression of field, and related components such as Creator of Work and Title information may be auto-populated based on the Hub data.

If You Do Not Find the Hub

If you do not find the Hub that is needed:

- 1. If you would create a title or name-title authority record in the LC/NACO Authority File for the expression, create a NAR in Folio and wait for the record to migrate to the Marva view of the LC/NACO Authority File. This should take 5 minutes.
- 2. If you would not create a title or a name-title authority record in the LC/NACO Authority File for the expression, create a Hub in Marva.

Expression of [search for a Hub]
Expression of [search for a Hub]

EDTF date (to/from)
2015
Search place of pub

Creator of Work

Person

Alessandrini, Victor

author

Relationship designator

author

Title information

Work title

Non-sort character count

1 Add Another Component

3 Delete Component

Create Hub

0 Debug

Add To Library

- View Documentation

See [Appendix E: Hubs](#) for more information.

[Back to Table of Contents](#)

Creator of Work

Scope


This area is used for the person, family, corporate body, jurisdiction, or conference that is the creator of the work. There can only be one Creator of Work.

Folio / MARC

- 1XX field

Primary Contribution

Select the appropriate category from the drop-down list.



The image shows a web form with a label 'Creator of Work' above a drop-down menu. The menu is open, displaying a list of options. The first option is 'Primary contribution'. Below it is 'Person', which is highlighted with a blue background, indicating it is the selected option. The remaining options are 'Corporate body', 'Conference', 'Jurisdiction', and 'Family'.

Creator of Work
Primary contribution
Person
Corporate body
Conference
Jurisdiction
Family

The available categories are:

- Person
- Corporate body
- Conference
- Jurisdiction
- Family

Search LCNAF

Key in the person, family, corporate body, jurisdiction, or conference that you are searching for.

NAF All

NAF Personal Names

NAF Corporate Name

NAF Name/Title

NAF Title

NAF Geographic

NAF Conference Name

NAF Auth Names

NAF Geo SubDiv

Wikidata

Left Anchored

Keyword

<< < Page 1 of 1 > >>

yarros, rebecca

Search

Yarros, Rebecca

yarros, rebecca [Literal]

In Folio this would be the same as Browse Contributors.

Inventory

Inventory

Central Tenant

Search & filter

Search

Browse

Select a browse option

Select a browse option

Call numbers (item)

Call numbers (all)

Dewey Decimal classification

Library of Congress classification

National Library of Medicine classification

Other scheme

Superintendent of Documents classification

Classification (instance)

Classification (all)

Dewey Decimal classification

Library of Congress classification

Contributors

Subjects

Browse inventory

Enter search criteria to start browsing

← Browse for results entering a query or choosing a filter.

To see the full authority record for any name in the list, highlight the name and the authority record will appear in the right-hand panel.

NAF All

NAF Personal Names

NAF Corporate Name

NAF Name/Title

NAF Title

NAF Geographic

NAF Conference Name

NAF Auth Names

NAF Geo SubDiv

Wikidata

Left Anchored

Keyword

<< < Page 1 of 1 > >>

yarros, rebecca

Search

Yarros, Rebecca

yarros, rebecca [Literal]

Yarros, Rebecca

PersonalName

[view on id.loc.gov](#)

LC Classification:

- PS3625.A7384 (dlc)

Associated Locale:

- United States

Field of Activity:

- (lcsh) Novels
- (lcsh) Blogs
- (lcsh) Fantasy fiction

Occupation:

- (lcsh) Authors
- (lcsh) Bloggers
- (lcsh) Novelists

Associated Language:

- eng

MADS Collection:

- NamesAuthorizedHeadings

Add [Shift+Enter]

Cancel [ESC]

When you have identified the correct name, click on **Add [Shift+Enter]**.

The URI associated with the name will be added to Marva.

Creator of Work

Primary contribution

Person



[Yarros, Rebecca](#)



Linked

Relationship designator

Relationship Designator

Select a value from the drop-down list.

Creator of Work

Primary contribution

Person



[Yarros, Rebecca](#)



x

Relationship designator

author

- **author (aut)**
- author in quotations or text abstracts (aqt)
- author of afterword, colophon, etc. (aft)
- author of dialog (aud)
- author of introduction, etc. (aui)

The drop-down list includes values such as:

- author (aut)
- author in quotations or text abstracts (aqt)
- author of afterword, colophon, etc. (aft)
- author of dialog (aud)
- author of introduction, etc. (aui)

Creator of Work

Primary contribution

Person



[Yarros, Rebecca](#)



| x

Relationship designator

author (aut) | x

If there is a second appropriate relationship designator, just add it in the same field.

Creator of Work

Primary contribution

Person



[Yarros, Rebecca](#)



| x

Relationship designator

author (aut) | x

illustrator (ill) | x

To change the name you selected as the Primary contribution, click on the X next to the name and search for the correct name. To change or delete the relationship designator, click on the X next to the term.

Creator of Work

Primary contribution

Person

 [Yarros, Rebecca](#)  | x

Relationship designator

author (aut) | x

illustrator (ill) | x

Demoting the Primary Contribution

To demote the primary contributor, use the lightning bolt icon and select **Demote Contributor**. This will move the current primary contributor down among the other contributors, allowing you to select the appropriate contributor to assign as the Creator of Work.

Creator of Work

Person

 Edwards, Eva Dean  | x



cam a22
001 id1

Relationship designator

author (aut) | x

Title information

Work title

Non-sort character count

1 Add Another Component

2 Demote Contributor

3 Delete Component

[Back to Table of Contents](#)

Title Information

Scope

This area is used for the Title Proper of the Work. Title information does not include Other Title Information.

Folio / MARC

- 245 subfield \$a title
- If there is a numerical or part designation in the title, Title information in Marva will also use the 245 subfield \$n and/or subfield \$p.

Work Title

Title information
Work title
Work title
Variant title
Parallel title
Part number
Part name

The Title information component offers these title types:

- **Work title** (default)
- Variant title
- Parallel title

Non-sort Character Count

If there is an initial article or any other non-sort values that need to be accounted for, select the non-filing value count from the drop-down list.

Title information
Work title
Non-sort character count
5 ▾
Title

In Folio, this is 245 indicator 2.

Title

Transcribe the Title Proper. This is a literal value so there is no lookup. Do not use ISBD punctuation.

Title information
Work title
Non-sort character count
4 ▼
Preferred title for Work
The wisdom of coaching
Part number
Part name

Part Number

Transcribe the Part number, if needed. This is a literal value so there is no lookup. Do not use ISBD punctuation.

Part Name

Transcribe the Part name, if needed. This is a literal value so there is no lookup. Do not use ISBD punctuation.

Title information
Work title
Non-sort character count
0 ▼
Preferred title for Work
Reflections of a pilot
Part number
Part 1

To modify the information in this component, highlight the text and press the delete or backspace key. Since these are literal values, treat them as regular text.

July 2025 Best Practice for Recording Parallel Titles and Variant Titles

If you want to record a Parallel title or a Variant title that is different from the Preferred title for Work, you can add new Work Title information components for the titles. Do not use ISBD punctuation. Keep in mind that titles associated with a location, such as Spine title, Caption title, or Binder title, are more appropriate as Instance Title variants.

Title: Lightning Bolt Menu

Clicking on the lightning bolt button in the far right of a field will open a menu with options:

Title information		007 t
Work title		008 250210
Non-sort character count		758 \$4 http
0		758 \$4 http
Preferred title for Work		
Part number		
Part name		
Contributors		
Person		
Search LCNAF		
Relationship designator(s)		
Notes about the Work		

1

Add Another Component

3

Delete Component

4

Send to Instance

5

Additional Literal

6

Set Language

0

Debug

Add To Library

-

View Documentation

- **Add Another Component:** repeats the entire component. In this example, another Title information component will be added. Keep in mind that some components would not be repeated, though. There can only be one Creator of Work, for example.
- **Delete Component:** deletes the entire component.
- **Send to Instance:** copies the entire component to the Instance entity of the description.
- **Additional Literal:** adds an additional literal field. This option is at the field level only, not at the component level.
- **Set Language:** gives the option to add language and script metadata tags to the data in field. Used for Non-Latin resource cataloging only.
- **Debug:** shows the JSON (JavaScript Object Notation) view of the data. Used for troubleshooting data in the field.
- **Add to Library:** allows you to copy and save a component to the Marva Library so you can use it again in other descriptions. The Marva Library shows up in the Navigation Panel.
- **View Documentation:** points to external documentation in Confluence or in GitLab.

Menu Tools View Preferences | Layouts | Save

Work

Instance

Library: Work

Title information

Title information

Work title

Non-sort character count

0

Preferred title for Work

Part number

[Back to Table of Contents](#)

Contributors

Scope

This area is used for the person(s), family(ies), corporate body(ies), jurisdiction(s), or conference(s) that are contributors to the work.

Folio / MARC

- 7XX field(s)

Contributors

Select the appropriate category from the drop-down list.

Contributors
Person
Person
Family
Corporate body
Jurisdiction
Conference

The available categories are:

- Person
- Family
- Corporate body
- Jurisdiction
- Conference

Search LCNAF

Key in the person, family, corporate body, jurisdiction, or conference that you are searching for.

NAF All NAF Personal Names **NAF Corporate Name** NAF Name/Title

NAF Title NAF Geographic NAF Conference Name NAF Auth Names

NAF Geo SubDiv Wikidata

Left Anchored Keyword << < Page 1 of 1 > >>

National Cooperative Highway Research Progra

Search

National Cooperative Highway Research Program
 National Cooperative Highway Research Program. NCHRP-IDEA (USE NCHRP-IC
 National Cooperative Highway Research Program [Literal]

In Folio this would be the same as Browse Contributors.

Inventory Inventory Central Tenant

Search & filter <

Search **Browse**

Select a browse option

- Select a browse option
- Call numbers (item)
- Call numbers (all)
- Dewey Decimal classification
- Library of Congress classification
- National Library of Medicine classification
- Other scheme
- Superintendent of Documents classification
- Classification (instance)
- Classification (all)
- Dewey Decimal classification
- Library of Congress classification
- Contributors**
- Subjects

← Browse for results entering a query or choosing a filter.

To see the full authority record for any name in the list, highlight the name and the authority record will appear in the right-hand panel.

NAF All NAF Personal Names **NAF Corporate Name** NAF Name/Title

NAF Title NAF Geographic NAF Conference Name NAF Auth Names

NAF Geo SubDiv Wikidata

Left Anchored Keyword << < Page 1 of 1 > >>

National Cooperative Highway Research Progra

Search

National Cooperative Highway Research Program

CorporateName Add [Shift+Enter]
[view on id.loc.gov](#) Cancel [ESC]

Variants:

- American Association of State Highway and Transportation Officials. National Cooperative Highway Research Program
- American Association of State Highway Officials. National Cooperative Highway Research Program
- N.C.H.R.P. (National Cooperative Highway Research Program)
- National Research Council (U.S.). Highway Research Board. National Cooperative Highway Research Program
- National Research Council (U.S.). Transportation Research Board. National Cooperative Highway Research Program
- NCHRP (National Cooperative Highway Research Program)
- National Research Council (U.S.). National Cooperative Highway Research Program
- United States. Bureau of Public Roads. National Cooperative Highway Research Program
- United States. Federal Highway Administration. National Cooperative Highway Research Program

Associated Locale:

When you have identified the correct name, click on **Add [Shift+Enter]**.

NAF All NAF Personal Names **NAF Corporate Name** NAF Name/Title

NAF Title NAF Geographic NAF Conference Name NAF Auth Names

NAF Geo SubDiv Wikidata

Left Anchored Keyword << < Page 1 of 1 > >>

Search

National Cooperative Highway Research Progra

National Cooperative Highway Research Program
National Cooperative Highway Research Program. NCHRP-IDEA (USE NCHRP-IC
National Cooperative Highway Research Program [Literal]

National Cooperative Highway Research Program X

CorporateName
[view on id.loc.gov](#)

Add [Shift+Enter]
Cancel [ESC]

Variants:

- American Association of State Highway and Transportation Officials. National Cooperative Highway Research Program
- American Association of State Highway Officials. National Cooperative Highway Research Program
- N.C.H.R.P. (National Cooperative Highway Research Program)
- National Research Council (U.S.). Highway Research Board. National Cooperative Highway Research Program
- National Research Council (U.S.). Transportation Research Board. National Cooperative Highway Research Program
- NCHRP (National Cooperative Highway Research Program)
- National Research Council (U.S.). National Cooperative Highway Research Program
- United States. Bureau of Public Roads. National Cooperative Highway Research Program
- United States. Federal Highway Administration. National Cooperative Highway Research Program

Associated Locale:

The URI associated with the name will be added to Marva.

Contributors

Corporate body

 [National Cooperative Highway Research Program](#)  **Linked**

Relationship Designator

Select a value from the drop-down list.

Contributors

Corporate body

 [National Cooperative Highway Research Program](#)  **Linked**

Relationship designator

contributor (ctb) X

- abridger (abr)
- actor (act)
- adapter (adp)

To add additional Contributors, add additional components for Contributor.

Contributors

Corporate body


[National Cooperative Highway Research Program](#)

| x

Relationship designator

Notes about the Work

Note

Note type

1 Add Another Component

2 Promote Contributor

3 Delete Component

4 Move Down

Contributors

Corporate body


[National Cooperative Highway Research Program](#)

| x

Relationship designator

contributor | x

Contributors

Corporate body


[American Association of State Highway and Transportation Officials](#)

| x

Relationship designator

contributor | x

Contributors

Corporate body


[National Research Council \(U.S.\), Transportation Research Board](#)

| x

Relationship designator

contributor | x

Contributors

Person


[Lerner, Neil D.](#)

| x

Relationship designator

contributor | x

If there is a second appropriate relationship designator for any of the contributors, just add it in the same field.

Contributors

Person


[Lerner, Neil D.](#)

| x

Relationship designator

contributor | x

illustrator (ill) | x

To change any of the names you selected as the Contributors, click on the **X** next to the name and search for the correct name. To change or delete the relationship designator, click on the **X** next to the term.

[Back to Table of Contents](#)

Notes about the Work

Scope

This component is used for notes relating to the Work.

Folio / MARC

- 5XX fields

Notes

Notes in Marva are in flux. Most Notes will be recorded in the Instance description, not in the Work description. In Folio / MARC, each 5XX note has a specific definition. Being aware of the definition will help determine where the note goes, with the Work description, or with the Instance description.

For now (February 2025), only record Notes relating to the **language** of the Work in this component in Marva. In Folio / MARC this is the **546 field**, Language Note.


Note

This is a literal field. Key in the note here. Ending punctuation is optional.

Note Type

This is a drop-down list. Select **language**.

To change information in this component, use the delete key. This is a literal value so treat it as regular text. To delete the Note type, click on the **X** next to the term.



Notes about the Work

Note

Text in English with Italian translation.

Note type

language (lang) | X

[Back to Table of Contents](#)

Contents

Scope

This component is used for the contents of the Work.

Folio / MARC

- 505 field, Formatted Contents Note

Contents Note

This is a literal field. Key in the contents here. Follow ISBD practice as illustrated in LC-PCC PS 25.1.1.3 for separating sections with - - and separating titles from statements of responsibility with a /.

Ending punctuation is optional.

URL

Leave this field blank.

Contents

Contents note

Extreme weather around the world. Extreme weather and climate change / Daniel Huber and Jay Gulledge -- How the oceans influence climate / The United Nations Environment Programme -- An introduction to climate change and global warming / Anup Shah -- Sea level rise and coastal cities / Erin A. Thead -- Hurricanes and climate change / John McQuaid -- Weird weather? / Christine Ottery -- The effects of extreme weather. Climate impacts on human health / U.S. Environmental Protection Agency -- Climate change and animal health / Food and Agriculture Organization of the United Nations, Juan Lubroth -- Extreme weather events and sustainable development / Muhammad Afzal and Salim Barbhuiya -- Climate change and food / International Federation of Red Cross and Red Crescent Societies -- Climate change and famine / Physicians for Social Responsibility -- Extreme weather and global warming. How we know global warming is real and human caused / Donald R. Prothero -- Is global warming really that bad? / Melissa Denchak -- Climate justice and equity / Anup Shah -- The Paris Climate Summit and cutting greenhouse gases / Murray Hiebert -- Is climate change caused by human activity? / Frank Thomas -- Coping with extreme weather. What countries are doing to tackle climate change / NPR News Staff -- Technologies for Adaptation to climate change / Peter Stalker -- Engaging the private sector in adaptation to climate change / Bonizella Biagini and Alan Miller -- Climate change and reducing disaster risk / United Nations Framework Convention on Climate Change.

URL

To change information in this component, use the delete key. This is a literal value so treat it as regular text.

[Back to Table of Contents](#)

Summary

Scope

This component is used for a summary of the Work.

Folio / MARC

- 520 field, Summary, etc.

Summary Note

This is a literal field. Key in or paste the summary here. Ending punctuation is optional.

To change or edit information in this component, use the delete key and update as needed. This is a literal value so treat it as regular text.

Summary
Summary note "Taking a multidisciplinary approach, this work explores the basics and the more recent innovations in fresh-cut fruit and vegetable processing. It addresses scientific progress in the fresh-cut area and discusses the industry and the market for these commodities. In addition, the book covers the regulations that affect the quality of the final products and their processing as well as consumers' attitude and sensory perceptions. The design of plants and equipment is also presented, taking into account engineering aspects, safety, and HACCP guidelines. Finally, innovations with regard to healthy and attractive products are examined"-- Provided by publisher.

[Back to Table of Contents](#)

Subjects

Scope

This component is used for recording controlled access to subject content of the Work.

Folio / MARC

- 600, 610, 611, 630, 650, and 651 fields, Subject Access Fields

Subject Components

There are four values for this field. **Subject components** is the default value.

Subjects
Subject components
Subject components
Geographic subjects
CYAC subject
Work as subject

Search LCSH/LCNAF

Assigning subjects can be a complex cataloging process in Marva since linking to authority records occurs in several ways. A complex LCSH string with a heading and one or more subdivisions might be linked to one authority record, if there is a corresponding LCSH authority record for the heading plus the subdivision(s). But because LCSH follows a free-floating subdivision practice, sometimes there is not an authority record for a complex string. In cases like this, each component of the string needs to be controlled as a separate component.

There are two ways to use Marva to input LCSH strings: **Build Mode** and **Link Mode**.

Build Mode

Search Options

There are a few options at the top of the search screen for different types of searches:

- LCSH/NAF - Any subject, name, or *non-geographic* subdivision [ctrl+alt+1]
- Children's Subjects - Subjects and Children's subjects [ctrl+alt+2]
- Geo. Subdiv. - Only geographic subdivisions: hierarchical or not [ctrl+alt+3]
- Hubs - Search for hubs [ctrl+alt+4]

Note: You can use shortcuts to jump between search types. Shortcuts are in square brackets above.

Note: Appending a ? at the end of the search will flip it to a keyword search. The search will be left anchored

Search LCSH/LCNAF: Blackburn, Elizabeth H. (Elizabeth Helen), 1948-

Key in Blackburn, Elizabeth H. (Elizabeth Helen), 1948-

Search in: LCSH/NAF | Children's Subjects | Geo. Subdiv. | Hubs | Entities

Simple
blackburn, elizabeth h. [literal]
LCNAF
✓ Blackburn, Elizabeth H. (Elizabeth Helen), 1948- [LCNAF]

Blackburn, Elizabeth H. (Elizabeth Helen), 1948- [Close]

nr95042223
PersonalName
view on id.loc.gov
Date of Birth: 1948
Variants:
• Blackburn, Liz (Elizabeth H.)
Sources:
• found: Telomere, 1995 1p. (Elizabeth H. Blackburn, Univ. of Calif., San Francisco)
• found: Wikipedia, 10 Aug. 2007 (Elizabeth (Liz) H(e)len) Blackburn, born 26 Nov. 1948, in Hobart, Tasmania; a professor of biology and leading researcher in the field of the telomere and the telomerase enzyme, and their relationships to aging and cancer)
• found: Library of Congress Manuscript Division for the Elizabeth H. Blackburn papers, 1976-2016 (Elizabeth H. Blackburn; Elizabeth Helen Blackburn; born 1948; Nobel Prize winner; academic career in biological research and physiology)

Extra Details

Blackburn, Elizabeth H. (Elizabeth Helen), 1948-

Marva will look up this name in both LCSH and in the LCNAF. Because this is a personal name, only the LCNAF values should be reviewed. If there is an authorized access point in the LCNAF for Blackburn, Elizabeth H. (Elizabeth Helen), 1948-, it will display in the search results in Marva. A view screen on the right-hand side of the screen can be used to view the complete authority record before assigning it.

Select the correct value and click on **Add [SHIFT+Enter]**. The authorized access point will be added as a Subject Added Entry - Personal Name in Marva. The thesaurus will be: Library of Congress subject headings.

Subjects

Subject components

Blackburn, Elizabeth H. (Elizabeth Helen), 1948- ✓ x

Thesaurus

Library of Congress subject headings x

Search LCSH/LCNAF: Biochemists--United States--Biography

Add a new Subject component.

Subjects

Subject components

Blackburn, Elizabeth H. (Elizabeth Helen), 1948- ✓ x

Thesaurus

Library of Congress subject headings x

1 Add Another Component
2 Insert Default Values
3 Delete Component
0 Debug
Add To Library
View Documentation

050 00 \$a TP4
070 0 \$a TP44

Key in **Biochemists--United States--Biography**. A pop-up box to the Subject Builder appears, with Biochemists and United States and Biography appearing in the search box, separated with double dashes (- -). If the lookup can find a comprehensive URI for the string, it will display above the search box with (Auth Hd) at the end of the string. Click on the Auth Hd string, and the search box will show green highlighting, meaning that the entire string can be represented with a URI in the Subject component. Click on **Add [SHIFT+Enter]** to add the controlled string to the subject component. The thesaurus will be: Library of Congress subject headings.

In the case of **Biochemists--United States--Biography**, there is not a comprehensive URI for the entire string.

The individual components of the string will need to be controlled as separate URIs.

Search In: LCSH/NAF Children's Subjects Geo. Subdiv. Hubs Entities

Simple

- ✓ **Biography** (SubDiv)
- Biography--Ancestry (USE Family) (SubDiv)
- Biography--Anniversaries, etc. (USE Anniversaries, etc.) (SubDiv)
- Biography--Birth (USE Birth) (SubDiv)
- Biography--Character (USE Ethics) (SubDiv)
- biography [Literal]

sh99004833
Topic
[view on id.loc.gov](#)
Notes:

- Use as a topical subdivision under names of countries, cities, etc., names of individual corporate bodies, uniform titles of sacred works, and under classes of persons, ethnic groups, types of animals, and historic events for works about collective or individual biography.

Variants:

- Autobiography

Extra Details ▲

Biochemists--United States--Biography

Remove selected Add [SHIFT+Enter]

1. Click in the box with the heading **Biochemists**. Marva will search for the URI for this individual component. Click on Biochemists (Auth Hd), then click on **Topic / Heading (\$a \$x)** beneath the search box.
2. Next click in the box with **United States**. Marva will search for the URI for this individual component. Because LCSH uses indirect geographic subdivision for most geographic entities, the search will look for the value that would appear in the MARC Authority File 781 field. In this case, because United States cannot be used indirectly as a geographic subdivision, the value United States is used both as the authorized access point, and the geographic subdivision form. Click on United States [LCNAF] (GeoSubDiv), then click on **Geographic (\$z)** beneath the search box.
3. Do the same for **Biography** (GnFrm).
4. Click on **Add [SHIFT+Enter]**. The LCSH string will be added as a Subject Added Entry - Topical Term in Marva. The thesaurus will be: Library of Congress subject headings.

Search In: LCSH/NAF Children's Subjects Geo. Subdiv. Hubs Entities

Simple

- ✓ **History** (SubDiv)
- History and criticism (SubDiv)
- History--Anniversaries, etc. (USE Anniversaries, etc.) (SubDiv)
- History--Authorship (USE Historiography) (SubDiv)
- history [Literal]

Complex

- History--16th century (SubDiv)
- History--17th century (SubDiv)
- History--18th century (SubDiv)
- History--19th century (SubDiv)
- History--20th century (SubDiv)

sh99005024
Topic
[view on id.loc.gov](#)
Notes:

- Use as a topical subdivision under names of countries, cities, etc., and individual corporate bodies, uniform titles of sacred works, and under classes of persons, ethnic groups, and topical headings.

Variants:

- Frontier troubles
- Frontier troubles

Related:

- Frontier troubles

Extra Details ▲

Telomere--History

Remove selected Add [SHIFT+Enter]

Search Geo. Subdiv.: Social History--California

When building a heading with a geographic subdivision, you must search under Geo. Subdiv. or you will not get any results.

Search In: LCSH/NAF | Children's Subjects | Geo. Subdiv. | Hubs | Entities

Simple
> california [Literal]

T Social history Close

sh85123948
Topic
[view on id.loc.gov](#)

Notes:

- Here are entered works on the history of social structures, institutions, interaction, stability, problems, change, etc., treated collectively. Works on the theory of social change as well as social change in particular places are entered under [Social change.]
- subdivision [Social conditions] under names of countries, cities, etc., and under classes of persons and ethnic groups

Variants:

- Descriptive sociology
- Social conditions
- Social history--Modern, 1500-
- Social history--Modern, 1500-

Related:

- Social history--Modern, 1500-
- History
- Sociology

LC Classification:

- (dlc) [HN](#)

Has Broader Authority:

- History
- Sociology

Extra Details ▲

Social history--california

Can't Add

Search In: LCSH/NAF | Children's Subjects | Geo. Subdiv. | Hubs | Entities

Complex
> California (GeoSubDiv)

- California--71L Ranch (GeoSubDiv)
- California--17-Mile Drive (GeoSubDiv)
- California--Abbot, Mount (GeoSubDiv)
- California--Academy (GeoSubDiv)

California Close

n79041717-781
Geographic
[view on id.loc.gov](#)

Sources:

- found : Source: <http://id.loc.gov/authorities/names/n79041717>

Extra Details ▲

Social history--california

Can't Add

Search LCSH/LCNAF: Telomere--History

Add a new Subject component.

Key in **Telomere--History**. A pop-up box to the Subject Builder appears, with Telomere and History appearing in the search box, separated with double dashes (- -).

If the lookup can find a comprehensive URI for the string, it will display above the search box with (Auth Hd) at the end of the string. In the case of Telomere--History, there is not a comprehensive URI for the entire string. The individual components of the string will need to be controlled as separate URIs.

Search In: LCSH/NAF Children's Subjects Geo. Subdiv. Hubs Entities

Simple

- ✓ **History** (SubDiv)
- History and criticism (SubDiv)
- History--Anniversaries, etc. (USE Anniversaries, etc.) (SubDiv)
- History--Authorship (USE Historiography) (SubDiv)
- history [Literal]

Complex

- > History--16th century (SubDiv)
- History--17th century (SubDiv)
- History--18th century (SubDiv)
- History--19th century (SubDiv)
- History--20th century (SubDiv)

T History Close

sh99005024

Topic
[view on id.loc.gov](#)

Notes:

- Use as a topical subdivision under names of countries, cities, etc., and individual corporate bodies, uniform titles of sacred works, and under classes of persons, ethnic groups, and topical headings.

Variants:

- Frontier troubles
- Frontier troubles

Related:

- Frontier troubles

Extra Details ▲


Telomere--History

Remove selected Add [SHIFT+Enter]

1. Click in the box with the heading **Telomere**. Marva will search for the URI for this individual component. Click on Telomere (Auth Hd), then click on **Topic / Heading (\$a \$x)** beneath the search box.
 2. Next click in the box with **History**. Marva will search for the URI for this topical subdivision.
- The components do not need to be controlled in order.
- Click on History (SubDiv), then click on **Topic / Heading (\$a \$x)** beneath the search box.
- Click on **Add [SHIFT+Enter]**. The LCSH string will be added as a Subject Added Entry - Topical Term in Marva.
- The thesaurus will be: Library of Congress subject headings.

Subjects

Subject components


 [Blackburn, Elizabeth H. \(Elizabeth Helen\), 1948-](#)  | x

Thesaurus

Library of Congress subject headings | x

Subjects

Subject components


 [Biochemists--United States--Biography](#)  | x

Thesaurus

Library of Congress subject headings | x

Subjects

Subject components

 [Telomere--History](#)  | x

Thesaurus

Library of Congress subject headings | x

Link Mode

If you know MARC LCSH coding, you can use the Link Mode to assign LCSH strings in Marva.

Using the example Biochemists--United States--Biography, the MARC string is \$a Biochemists \$z United States \$v Biography.

In a Subject component in Marva, key in Biochemists \$z United States \$v Biography. Include the subfield values and the dollar sign as the delimiter for the subdivisions, but not for the main heading (do not use subfield \$a).

Subjects
Subject components
Biochemists \$z United States \$v Biography
 <u>Biochemists</u>  <u>United States</u>  <u>Biography</u>
Thesaurus
Library of Congress subject headings x

Marva will search for the URIs for the individual components and identify them with green checks directly in the Subject component box. Using Link Mode, there is no need to search directly in Build Mode.

Subjects
Subject components
Biochemists \$z United States \$v Biography
 <u>Biochemists</u>  <u>United States</u>  <u>Biography</u>
Thesaurus
Library of Congress subject headings x

To change or edit information in the subject component, best practice is to delete the component that is not correct, and add a new component to search for the correct subject string.

Using Literal Values as LCSH Subjects

There are some situations where you will need to select a literal value for an authorized LCSH subject heading. These situations arise when you are dealing with what is called a "multiple" subdivision record.

A "multiple" subdivision is a subdivision in the subject authority file that incorporates bracketed terms, generally followed by the word *etc*. This device is used to suggest the creation of similar subdivisions under the heading in question. The presence of a multiple subdivision under a heading in the subject authority file automatically gives free-floating status to analogous subdivisions under the same heading, and, if the heading is a pattern heading, under those headings that it controls.

For example, --**Dictionaries--French, [Italian, etc.]** is a multiple subdivision record that can be used as a form subdivision under subjects. Any appropriate language can be used with --Dictionaries on a free-floating basis.

When using a multiple subdivision record as the basis for an LCSH subdivision in Marva, use the **Literal Value** to capture the correct subdivision.

Search In: LCSH/NAF Children's Subjects Geo. Subdiv. Hubs Entities

Romanian [Literal]
Close

Simple

- > Romanian authors (SubDiv)
- > Romanian influences (SubDiv)
- ✓ Romanian [Literal]

Extra Details

Biology--Dictionaries--Romanian

Create NAR
Topic / Heading (\$a \$x)
Geographic (\$z)
Chronological (\$y)
Remove selected
Add [SHIFT+Enter]

Literal values are indicated with yellow backgrounds. It is also necessary to select a type before you will be able to add the heading. Types appear below the search bar.

Subjects

- Subject components
 - Biology--Dictionaries--Romanian
Partially Linked
- Thesaurus
 - Library of Congress subject headings x

650 0 \$a Biology \$v Dictionaries \$x Romanian
758 \$4 http://id.loc.gov/ontologies/bibframe/instanceOf \$1 http
758 \$1 http://id.loc.gov/resources/instances/23384738
884 \$a DLC bibframe2marc v2.9.0 (libxslt) \$g 2025031114513

Subjects

- Hub as subject

Search Hubs

Hub as Subject

Works may be used as subject access points in bibliographic descriptions, following the instructions in the Subject Headings Manual (SHM):

SHM Instruction	Topic
H1155_6	Literary Works Entered Under Author
H1155_8	Literary Works Entered Under Title
H1295	Bible: Special Topics
H1300	Bible and Other Sacred Works
H1435	Commentaries on Individual Works

Works will be represented by Hubs in BIBFRAME and in Marva. Always use the option **Hub as subject** when selecting a work as a subject access point.

Subjects		Invalid/Cancelled Identifiers
Hub as subject Search Hubs		
Geographic coverage Search LCSH/NAF or LCSH		
Genre/Form Search LCGFT		
Thesaurus (if not LCGFT)		
Classification numbers		1 Add Another Component 2 Insert Default Values 3 Delete Component u Move Up Create Hub 0 Debug Add To Library View Documentation
Library of Congress classification Classification number MLCM 2019/44693 (T)		

If you do not find the Hub that is needed:

1. If you would create a title or name-title authority record in the LC/NACO Authority File for the work, create a NAR in Folio and wait for the record to migrate to the Marva view of the LC/NACO Authority File. This should take 5 minutes. This option is generally followed when a work is needed for a subject entry and the work is not represented by a bibliographic record in the LC database (see DCM Z1, Introduction).
2. If you would not create a title or a name-title authority record in the LC/NACO Authority File for the expression, create a Hub in Marva.

Search In: LCSH/NAF | Children's Subjects | Indirect Geo | Hubs

Simple

- ✓ Regulatory arbitrage (Economics)[Literal]

Regulatory arbitrage (Economics)

Extra Details

Regulatory arbitrage (Economics)

Topic / Heading (\$a \$x) | Genre (\$v) | Geographic (\$z) | Chronological (\$y)

Remove selected | Add [SHIFT+Enter]

See [Appendix E: Hubs](#) for more information.

LCSH Subject Proposals

If you need to submit an LCSH subject proposal, there will not be a link to use in Marva until the subject proposal is approved. Just as in MARC cataloging, you can add an access point in Marva for an LCSH heading that is being proposed. "Claim" the heading as a literal value and select **Library of Congress Subject Headings** as the Thesaurus.

Subjects	
Subject components	▼
Regulatory arbitrage (Economics) ⓘ	x
Thesaurus	
Library of Congress subject headings ⓘ	x

[Back to Table of Contents](#)

Geographic Coverage

Scope

This component is used to record the geographic coverage of a Work. The geographic coverage is usually based on the geographic headings or subdivisions added in the [Subjects](#) component. Marva pulls geographic codes from the MARC 043 field in geographic name authority and subject authority records in ID.LOC.GOV.

Folio / MARC

- 043 field, Geographic Area Code or GAC

Search LCNAF or LCSH

Although in the 043 field in Folio / MARC, codes are recorded in a structured way, for example:

- n-us-il
- e-ur---
- a-cc---

in Marva, the lookup in Search LCNAF or LCSH will look for the authority records for the places. Search for the authorized access point forms of the place(s). Do not search using the MARC 043 Geographic Area Codes.

The image displays two screenshots of the Marva interface, specifically the 'LCNAF Geographic' component. Both screenshots show a search for 'Illinois' with the following results:

- Illinois**
- Illinois. Riverside Historic District (USE Riverside Historic District (Riverside, Ill.))
- Illinois (Washington County, Ark. : Township)
- Illinois Country
- Illinois Territory
- Illinois Valley Ranger District (Or.)
- Illinois Valley Ranger District (Or.) (USE Wild Rivers Ranger District (Or.))
- Illinois [Literal]

On the right side of the interface, there are buttons for 'Add [Shift+Enter]' and 'Cancel [ESC]'. In the bottom screenshot, an orange arrow points to the 'Add [Shift+Enter]' button.


There is currently no limit on the number of places that can be recorded in the Geographic coverage component. To add additional place names, add additional Geographic coverage components for each place name.

Geographic coverage



To change or edit information in the Geographic coverage component, click on the **X** at the end of the place name to delete the value, then search for the desired name.


Geographic coverage



Geographic coverage



Geographic coverage



Geographic coverage



Geographic Regions in LCSH

Some authority records for regions in LCSH will have 043 (GAC) fields that will allow you to select the region, and have the GACs populate the Geographic coverage component.

Geographic coverage

 [Illinois](#)  | x

Geographic coverage

 [Minnesota](#)  | x

Geographic coverage

 Northwest, Pacific  | x

043 \$a n-cn-bc \$a n-usp-- \$0 http://id...

758 \$4 http://id.loc.gov/ontologies/bibframe/instanceOf

\$1 http://id...

If you encounter an LCSH regional heading (not the free-floating use of Region with an existing place name in the LCNAF or in LCSH), and that regional heading does not contain 043 (GAC) fields, please report this to NetDev or to PTCP so that the GACs can be added to the authority record in ID.LOC.GOV.

[Back to Table of Contents](#)

Genre/Form

Scope

This component is used for the genre or form of the Work.

Folio / MARC

- MARC 655 field, Index Term - Genre/Form
- MARC 6XX subfield \$v, LCSH form subdivision
- MARC 008 byte 24, 25, 26, 27, Nature of contents
- MARC 008 byte 29, Conference publication, value 1 = Conference publication

If you would record any of these values in Folio / MARC, then you should add the appropriate LCGFT headings here.

LCGFT is the default vocabulary.

Search LCGFT

Search for the LCGFT term that you would record in the MARC 655 field, or for the closest LCGFT heading that corresponds to the values you would record as an LCSH form subdivision, record in the 008/24, or in the 008/29.

If you would not add an LCGFT heading in Folio / MARC, or you would not add an LCSH form subdivision in Folio / MARC, or you would not code the 008/24 in Folio / MARC, or you would not code the 008/29 in Folio / MARC, do not add an LCGFT heading in Marva.

LCGFT All

<< < Page 1 of 1 > >>

conference

Search

Conference ephemera (USE Conference materials)

Conference papers and proceedings

conference [Literal]

Conference papers and proceedings

GenreForm

[view on id.loc.gov](#)

Add [Shift+Enter]

Cancel [ESC]

Variants:

- Colloquium papers and proceedings
- Conference transactions
- Colloquium proceedings
- Congress papers and proceedings
- Proceedings, Conference
- Seminar proceedings
- Congress proceedings
- Meeting proceedings
- Conference proceedings
- Program papers and proceedings
- Symposium papers and proceedings
- Symposium proceedings
- Workshop proceedings
- Workshop papers and proceedings
- Seminar papers and proceedings
- Transactions (Conference proceedings)
- Meeting papers and proceedings

Genre/Form



[Conference papers and proceedings](#)



x

Thesaurus (if not LCGFT)

(LCSH form subdivision \$v Congresses)

(008/29 = 1)

Thesaurus (if not LCGFT)

This is a drop-down list of controlled vocabularies for genres and forms. If you do not use an LCGFT heading in the Search LCGFT field, select the appropriate controlled vocabulary from the drop-down list.

Genre/Form



[Love stories](#)



x

Thesaurus (if not LCGFT)

[Guidelines on subject access to individual works of fiction, drama, etc](#)

x

To add additional Genre/Form headings, add a new component.

Genre/Form



[Love stories](#)



x

Thesaurus (if not LCGFT)

[Guidelines on subject access to individual works of fiction, drama, etc](#)

Genre/Form



[Romance fiction](#)



x

Thesaurus (if not LCGFT)

Genre/Form



[Historical fiction](#)



x

Thesaurus (if not LCGFT)

1 Add Another Component

3 Delete Component

u Move Up

0 Debug

Add To Library

- View Documentation



040 \$a BTC

042 \$a lccop

050 00 \$a PS

Genre/Form



[Love stories](#)



x

Thesaurus (if not LCGFT)

[Guidelines on subject access to individual works of fiction, drama, etc](#)

x

Genre/Form



[Romance fiction](#)



x

Thesaurus (if not LCGFT)

Genre/Form



[Historical fiction](#)



x

To change a Genre/Form heading, click on the **X** next to the heading and search for the correct heading.

[Back to Table of Contents](#)

Classification Numbers

Scope

This component is used for the classification and call number assigned to the Work.

Folio / MARC

- 050 field, Library of Congress Call Number
- 051 field, Library of Congress Copy, Issue, Offprint Statement
- 082 field, Dewey Decimal Classification Number

Classification Numbers

There are four possible values for this component. The default value is Library of Congress classification.

Classification numbers

Library of Congress classification

Library of Congress classification

Dewey Decimal classification

National Library of Medicine classification

Other classification number

Library of Congress Classification

Marva has built-in tools to assist with the assignment of LC Classification numbers and to assist with the shelflisting aspect of completing call numbers.

An LC Classification number entered into the Library of Congress Classification field generates two links to ClassificationWeb, the source of LC Classification data.

- **The first link** points to the LC Classification number in ClassificationWeb. Clicking on the link will take the user to the LC Classification schedules, where the hierarchy of the number can be checked, and other classification numbers may be searched.
- **The second link** points to the ClassificationWeb Correlations feature. The first assigned LCSH subject string in the BIBFRAME work description will appear as the link. Clicking on the link takes users to ClassificationWeb, where the Correlations feature can be used to confirm the LC Classification number based on the first assigned LCSH subject string.

Additional Call Number Information

The elements added to the classification number to complete the call number appear here, including the year of

publication. This information is informally called the "book number." The book number serves to organize works on one subject (in one classification number) by reflecting, normally, an alphabetical arrangement by the creator and/or the preferred title. Since 1982, monograph call numbers contain a third element, a date. Copy information is not included in this field.

Cutter Calculator, Cutter Table, Biography Table, Translation Table, Shelf List Search

These tools assist in completing the call number for a resource, and for assuring that the call number files correctly within the class in the LC Online Shelflist.

Cutter Calculator

This interactive tool works with the Cutter Table to build Cutter numbers based on any of the possible shelflisting elements in the bibliographic resource. Always refer to the LC Classification schedule to determine the element in the bibliographic resource that will be used to create the book number, and always follow the existing shelflist order in the LC Online Shelflist. The Cutter Calculator is used as a guide, but the existing array in the LC Online Shelflist takes precedence over the information provided by the Cutter Calculator.

Cutter Table

A link to the Cutter Table for creating an alpha-numeric Cutter to be assigned in the book number. The Cutter Table is only a guide! All Cutters must fit into the arrangement in the LC Online Shelflist. The existing array in the LC Online Shelflist takes precedence over the Cutter Table.

Biography Table

LC Classification schedules have Biography class numbers. A biography class number is a class number established specifically for biographical works. A collection of an individual's letters or compilation of a person's speeches may be classed in a biography class number. Sometimes separate class numbers are provided for these topics, as well as for autobiography or dictionaries and indexes.

When shelflisting biographies in biography classes, the Biography Table is used when an individual biographee is represented by the first Cutter, the Biography Table is used to subarrange materials, unless the schedule provides otherwise.

Translation Table

The Library of Congress uses a Translation Table when assigning Cutter numbers for translations, including texts in parallel languages.

Use the Translation Table when assigning a Cutter number for a translation only when entry is under personal author or title and the preferred title plus the language is provided. Distinguish translations from the original work by using the Cutter number of the original work modified by the application of the Translation Table.

As with the Cutter Table, all Cutters for translations must fit into the arrangement in the LC Online Shelflist. The existing array in the LC Online Shelflist takes precedence over the Translation Table.

Shelf List Search

The Shelf List Search is the "source of truth" for adding book numbers to classification number to form a full call number. Use the Shelf List Search to assure that the call number fits into the existing array in the LC Online Shelflist. Although the Cutter Table and the Translation Table may be used as a guide, the call number for a resource must always follow the arrangement in the LC Online Shelflist.

Add Additional Documentation

You can add other documentation that you use in the shelflisting process by going to **Preferences > Shelflisting**.

Preferences - Shelflisting X

Link 1 Label Label for link 1.	Cutter Table
Link 1 URL Link to an outside resource to help with shelf listing.	http://www.loc.gov/aba/pcc/C
Link 2 Label Label for link 2.	Biography Table
Link 2 URL Link to an outside resource to help with shelf listing.	https://www.loc.gov/aba/pub
Link 3 Label Label for link 3.	Translation Table
Link 3 URL Link to an outside resource to help with shelf listing.	https://www.loc.gov/aba/pub
Link 4 Label Label for link 4.	Regions and Countries Table
Link 4 URL Link to an outside resource to help with shelf listing.	https://www.loc.gov/aba/pub
Link 5 Label Label for link 5.	
Link 5 URL	

The Regions and Countries Table from the Classification and Shelflisting Manual (CSM) instruction sheet G 300 (<https://www.loc.gov/aba/publications/FreeCSM/G300.pdf>) was added above.

Classification numbers

Library of Congress classification
Classification number
HC340.12

[ClassWeb Search: HC340.12](#)
[ClassWeb Browse: HC340.12](#)

Additional call number information
.F73 2025

- [Cutter Table](#)
- [Biography Table](#)
- [Translation Table](#)
- [Regions and Countries Table](#)

Shelf List Search

Assigning agency
United States, Library of Congress x

Used by assigning agency?
used by assigner x

Assigning Agency

The name of the assigning agency based on the MARC Organization Code for the agency is given here.

Searching DLC (the Library's MARC Organization Code) is the easiest way to add this value.

Used by Assigning Agency?

This is a drop-down list to the Status codes vocabulary in ID.LOC.GOV. "used by assigner" is the default value for a valid LC call number.

The Insert Default Values may be used to populate both the Assigning agency and Used by assigning agency? values: United States, Library of Congress, and used by assigner.

Assigning agency: [United States, Library of Congress] [x]

Used by assigning agency?: [used by assigner] [x]

Intended audience: []

Intended audience: []

1 Add Another Component

2 Insert Default Values

3 Delete Component

U20 \$Z 97816: 020 \$Z 97816:

These two values generate first indicator 0 and second indicator 0 in the MARC 050 field.

Assigning agency: [United States, Library of Congress] [x]

Used by assigning agency?: [used by assigner] [x]

Classification numbers

Library of Congress classification

Classification number

PS648.L6

[ClassWeb Search: PS648.L6](#)

[ClassWeb Search: Romance fiction, American](#)

Additional call number information

A15 2016

Cutter Calculator

12 brides of s

A1 [Use]

Free Form Cutter Input [Use]

Calc Length (2)

- [Cutter Table](#)
- [Biography Table](#)
- [Translation Table](#)

Shelf List Search

Assigning agency: [United States, Library of Congress] [x]

Used by assigning agency?: [used by assigner] [x]

If an additional classification number is needed, for example, a Dewey number, add a new component and select Dewey Decimal classification.

Library of Congress classification

Classification number

Microfilm 40827 (D)

ClassWeb Search: Microfilm 40827 (D).

Dewey Decimal Classification

Classification numbers

Library of Congress classification
Classification number
PS648.L6

ClassWeb Search: PS648.L6
ClassWeb Search: Romance fiction, American

Additional call number information
A15 2016

Cutter Calculator

12 brides of s
A1
Free Form Cutter Input
Calc Length (2)

- Cutter Table
- Biography Table
- Translation Table

Shelf List

Assigning agency
United States, Library of Congress

Used by assigning agency?
used by assigner

The Dewey Decimal classification component includes fields for:

- Classification number
- Additional call number information
- Dewey edition number
- Dewey full or abridged?
- Assignor

Alternate Classification Numbers

Except for bibliographies of law and music and those topics classed in Z1-Z1200, the Library of Congress classification provides for the classification of bibliographies in class Z. Many libraries that use LC cataloging records prefer to classify bibliographies in topical numbers rather than in the bibliography numbers in class Z. As a service to these libraries, LC provides in its cataloging records for bibliographies both the Z classification number and an alternate topical class number. The latter number is not used to shelve LC's own copy(ies) of the work.

In traditional MARC bibliographic records, alternate class numbers appear in a second subfield \$a in the 050 field.

Example: 050 00 \$a Z7914.C75 \$b J34 1984 \$a T385

When a traditional MARC bibliographic record with an alternate classification number is imported into Marva, the alternate classification number will appear in its own Classification component, and the Modern MARC record will

record the alternate classification number in a separate 050 field with both indicators set to 00.

Classification numbers	
Library of Congress classification	
Classification number	
F905	
ClassWeb Search: F905	
ClassWeb Search: Alaska--Pictorial works	
Additional call number information	
.B64 2004	
Cutter Calculator Bleich, Arthur H. .B5 Use leich, Arthur H. .L4 Use Alaska .A4 Use Free Form Cutter Input Use Calc Length (2)	Cutter Table Biography Table Translation Table Shelf List Search
Assigning agency	
United States, Library of Congress x	
Used by assigning agency?	
used by assigner x	
Classification numbers	
Dewey Decimal classification	
Classification number	
979.80022/2	
Additional call number information	
Cutter Table Biography Table Translation Table Shelf List Search	
Dewey edition number	
23	
Dewey full or abridged?	
full	
Assigner	
United States, Library of Congress x	

Classification and call numbers that would be recorded in the MARC 051 field will be recorded in the Marva Item record.

To change any value in the Classification component, delete the value and add the new one. The Classification component is fully interactive.

[Back to Table of Contents](#)

Intended Audience

Scope

This component is used for the intended audience of the Work.

Folio / MARC

- 008/22 byte, Target audience
- 521 field, Target Audience Note
- 385 field, Audience Characteristics (Library of Congress Demographic Group Terms (LCDGT))

Intended Audience

The Intended audience component can be used for lookups to the MARC Audience list (for the 008/22 byte), lookups to LCDGT, Library of Congress Demographic Group Terms (for the MARC 385 field), or literal values (for the MARC 521 field).

MARC Audience List

Values selected from the MARC Audience list will populate the 008/22 Target audience byte. Value **j (Juvenile)** is required for juvenile materials.

Classification numbers

Library of Congress classification

Classification number

Z7057

ClassWeb Search: Z7057

ClassWeb Browse: Z7057

ClassWeb Search: Bengali literature--History and criticism--Bibliography

Additional call number information

M67 2021

Cutter Calculator

Misú, Rāphāta, 1989-IM5

Use

Isú, Rāphāta, 1989-I8

Use

Satabarshē Dhā S2

Use

Free Form Cutter Input

Use

Calc Length (2)

Shelf List Search

Assigning agency

United States, Library of Congress | x

Used by assigning agency?

used by assigner | x

Classification numbers

Library of Congress classification

Classification number

PK1701

ClassWeb Search: PK1701

ClassWeb Browse: PK1701

ClassWeb Search: Bengali literature--History and criticism--Bibliography

Additional call number information

Cutter Calculator

Misú, Rāphāta, 1989-IM5

Use

Isú, Rāphāta, 1989-I8

Use

Satabarshē Dhā S2

Use

Free Form Cutter Input

Use

Calc Length (2)

Shelf List Search

Assigning agency

United States, Library of Congress | x

001 22235961

003 DLC

005 20250327203846.0

007 t|

008 210915e202102 bg b 000 0 ben

010 \$a 2020340036

020 \$a 9789849602968

025 \$a B-B-2020340036; 12; 33

035 \$a (DLC)22235961

037 \$b Library of Congress -- New Delhi Overseas Office

040 \$a DLC \$b eng \$e rda \$c DLC \$d DLC-MRC \$d DLC-MRC \$d DLC

042 \$a Icode \$a pcc

043 \$a a-bg-- \$0 http://id.loc.gov/authorities/names/n81063207

050 00 \$a Z7057 \$b M67 2021

050 00 \$a PK1701

100 1 \$a Misú, Rāphāta, \$d 1989- \$e compiler \$4 com \$4 http://id.loc.gov/vocabulary/relators/com \$0 http://

245 10 \$a Satabarshē Dhākā Bivabidyālayera Bāmlā Bihāga : \$b uccatara gabeshanāra rūparekhā : PīEic

246 31 \$a Satabarshē Dhāka Biswabidyālayera Bangla Bibhag \$b uccathoro gobeshonar ruprekha

264 1 \$a Dhākā : \$b Māolā Brāḍarsa, \$c Phebruyān 2021.

300 \$a 294 pages \$c 22 cm

334 \$a single unit \$b mono \$0 http://id.loc.gov/vocabulary/issuance/mono

336 \$a text \$b txt \$2 rdacontent \$0 http://id.loc.gov/vocabulary/contentTypes/bt

337 \$a unmediated \$0 n \$2 rdamedia \$0 http://id.loc.gov/vocabulary/mediaTypes/n

338 \$a volume \$b nc \$2 rdacarrier \$0 http://id.loc.gov/vocabulary/carriers/nc

353 \$a bibliography \$b bibliography \$0 http://id.loc.gov/vocabulary/msupplcont/bibliography

504 \$a Includes bibliographical references.

520 \$a Annotated bibliography of PhD and MPhil research works done under Bāmlā Bihāga, University of

546 \$a In Bengali.

650 0 \$a Bengali literature \$x History and criticism \$x Bibliography

610 20 \$a University of Dhaka. \$b Bāmlā Bihāga \$x Dissertations \$x Bibliography

758 \$4 http://id.loc.gov/ontologies/bibframe/instanceOf \$1 http://id.loc.gov/resources/works/22235961

758 \$1 http://id.loc.gov/resources/instances/22235961

884 \$a DLC bibframe2marc v2.10-dev (libxslt) \$g 20250327 \$q DLC \$u https://github.com/lcnetdev/bibfran

<?xml version="1.0" encoding="UTF-8"?>

<marc:record xmlns:marc="http://www.loc.gov/MARC21/slim">

<marc:leader xml:space="preserve"> cam a22 i 4500</marc:leader>

<marc:controlfield xml:space="preserve" tag="001">22235961</marc:controlfield>

<marc:controlfield xml:space="preserve" tag="003">DLC</marc:controlfield>

<marc:controlfield xml:space="preserve" tag="005">20250327203846.0</marc:controlfield>

Source is not required when using the MARC Audience list.

MARC 521 Field (Target Audience Note)

The MARC 521 field, Target Audience Note, has limited structured data based on the indicators and subfield values used.

When a 521 field is unstructured, record the note in Marva as literal data, with no Source.

Intended audience	003 DLC
juvenile  x	005 20250508140841.0
Source	007 tj
	008 250508 xx j 000 0
	758 \$4 http://id.loc.gov/ontologies/bibframe/...

When a 521 field contains a subfield \$b value, identify the source in the Source field. If the source is not present, use a literal value in the Source field.

Intended audience	337 \$a unmediated \$b n \$2 rdamedia \$0 http://id.loc.gov/
Ages 5 and up.  x	340 \$p illustrations \$0 http://id.loc.gov/vocabulary/millus/i
Source	521 0 \$a Ages 5 and up.
	520 \$a "Monterey Jack sets off to visit Wisconsin to meet

Library of Congress Demographic Group Terms (LCDGT)

Terms selected from Library of Congress Demographic Group Terms (LCDGT) will populate the 385 field, Audience Characteristics, in MARC. When selecting an LCDGT term, identify the Source in the component. Identifying the Source will add a subfield \$2 value to the MARC description.

Intended audience	336 \$a text \$b txt \$2 rdacontent \$0 http://id.loc/
Adult  x	337 \$a unmediated \$b n \$2 rdamedia \$0 http://
Source	521 2 \$a Adult \$b Follett Library Resources
Follett Library Resources(uncontrolled) x	505 0 \$a Such a pretty face / Ann Angel -- Farar

Using LCDGT terms is optional.

To add additional terms for Intended audience, add an additional component.

Intended audience	003 DLC
Teenagers  x	005 20250508141145.0
Source	007 tj
Library of Congress demographic group term and code list x	008 250508 xx j 000 0
Content type	385 \$a Teenagers \$2 lcdgt \$0 http://id.loc.gov/authorities/demographicT
	758 \$4 http://id.loc.gov/ontologies/bibframe/instanceOf \$1 http://id.loc.go
	758 \$1 http://id.loc.gov/resources/instances/e1103655
Language (008 [1st], 041 \$a [others])	884 \$a DLC bibframe2marc v2.10-dev (libxslt) \$g 20250508 \$q DLC \$u

To change information in this component, click on the **X** next to the term and search for the new value.

If the component is no longer needed, delete it.

[Back to Table of Contents](#)

Content Type

Scope

This component is used for the RDA Content type of the Work. RDA Content type is a Core requirement for all bibliographic records, not just RDA bibliographic records. If you are working with an AACR2 bibliographic description in Marva, and that description does not have a Content type, you should add it.

Folio / MARC

- 336 field, Content Type

Content Type

This is a drop-down list. The default value for a monograph is **text**. The default value can be searched from the drop-down list or populated using the Insert Default Values option.

The screenshot shows the Marva interface for the Content type field. The field is labeled "Content type" and has a dropdown menu. To the right of the field is a lightning bolt icon. Below the field are several action buttons: "Add Another Component", "Insert Default Values", "Delete Component", "Debug", "Add To Library", and "View Documentation". An orange arrow points from the lightning bolt icon to the "Insert Default Values" button.

Content type

Content type

text | x

Additional values for Content type can be added in the same field.

The screenshot shows the Marva interface for the Content type field. The field is labeled "Content type" and has a dropdown menu. Below the field are three buttons: "text (txt) | x", "computer program (cop) | x", and "two-dimensional moving image (tdi) | x".

Marva does not accommodate the Materials specified option (subfield \$3 in Folio / MARC).

To change information in this component, click on the **X** next to the term and search for the new value.

Content type

Content type

text (txt) | x

computer program (cop) | x

two-dimensional moving image (tdi) | x

Content type

Content type

text (txt) | x

two-dimensional moving image (tdi) | x

still image (sti) | x

If the component is no longer needed, delete it. But remember that Content type is a Core value.

Content type

Content type

Language (008 [1st], 041 \$a [others])

Language (008 [1st], 041 \$a [others])

Language resource (041 \$bdefgt)

Type of resource

Language code

884 \$a DLC

⚡

1 Add Another Component

2 Insert Default Values

3 Delete Component

0 Debug

[Back to Table of Contents](#)

Language

This section covers three related language components in Marva: Language (008), Language resource (041), and Language note.

Language (008 [1st], 041 \$a [others])

Scope

This component is used to identify language(s) of the Work.

Folio / MARC

- 008/35-37, Language
- 041 field, Language Code, when the Work has more than one language.

Language

The same language codes that you would use in Folio / MARC are selected from the drop-down list.

Select the language that you would record in the Folio / MARC 008/35-37.

![[Language (008 [1st], 041 \$a [others]) showing "English (eng)" selected](../images/page048_img01.png)

If the Work has more than one language of primary content, add additional language codes in the same field.

Language (008 [1st], 041 \$a [others])

Language (008 [1st], 041 \$a [others])

Russian (rus) | x English (eng) | x Spanish (spa) | x

To change information in this component, click on the **X** next to the term and search for the new value.

Language (008 [1st], 041 \$a [others])

Language (008 [1st], 041 \$a [others])

Russian (rus) | x English (eng) | x Spanish (spa) | x

Language (008 [1st], 041 \$a [others])

Language (008 [1st], 041 \$a [others])

Russian (rus) | x English (eng) | x Italian (ita) | x

Language Resource (041 \$bdefgt)

Scope

This component is used to identify languages of supplementary or supporting content in the Work.

Folio / MARC

- 041 field, Language Code, subfields \$b, \$d, \$e, \$f, \$g, and/or \$t

Type of Resource

This is a drop-down list. Select the appropriate value from the list.

Language resource (041 \$bdefgt)

Type of resource

summary or abstract | x

Language code

If there are additional resource types in the same language, the additional values can be added to the same field.

Language resource (041 \$bdefgt)

Type of resource

summary or abstract | x

librettos | x

table of contents | x

Language code

Spanish (spa) | x

Language Code

This is a drop-down list. Select the appropriate language from the list.

Language resource (041 \$bdefgt)

Type of resource

summary or abstract | x

Language code

Spanish (spa) | x

If there are additional languages of supplementary or supporting content in the Work, add additional language

codes in the components if the Type of resource is the same.

Language resource (041 \$bdefgt)

Type of resource

summary or abstract | x

Language code

Danish (dan) | x

Finnish (fin) | x

Estonian (est) | x

To change information in this component, click on the **X** next to the Type of resource or next to the Language code, and search for the new value.

Language resource (041 \$bdefgt)

Type of resource

summary or abstract | x

librettos | x

table of contents | x

Language code

Spanish (spa) | x

Language resource (041 \$bdefgt)

Type of resource

summary or abstract | x

table of contents | x

accompanying material | x

Language code

Spanish (spa) | x

If the component is no longer needed, delete it.

Language resource (041 \$bdefgt)

Type of resource

Language code

Language note (041 \$hijkmpqr or 041 1#)

Type of resource

1 Add Another Component

3 Delete Component

0 Debug

Language Note (041 \$hijkmpqr or 041 1#)

Scope

This component is used to identify translation information about the Work.

Folio / MARC

- 041 field, Language Code, Indicator 1, Item is or includes a translation
- 041 field, Language Code, subfields \$h, \$i, \$j, \$k, \$m, \$n, \$p, \$q, and \$r

Language

If the resource being described contains subtitles, intertitles, an intermediate translation, captions, accessible audio, or accessible visual language, use a note to capture what is in a specific language and the language itself. (This instruction basically maps to the 041 \$h, \$i, \$j, \$k, \$m, \$n, \$p, \$q, and \$r).

If the language of the resource being described is different than the original language of the resource, add a note indicating the original language.

In order to set the Folio / MARC 041 indicator 1 value to '1' ("Item is or includes a translation"), add a general note to the Work with the text "Includes translation or is translation" or simply "Includes translation".

Notes about the Work

Note

Includes translation

Note type

language (lang) | x

To change information in this component, click on the X next to the Type of resource or next to the Language code, and search for the new value.

Language (008 [1st], 041 \$a [others])

Language (008 [1st], 041 \$a [others])

Russian (rus) | x

English (eng) | x

Spanish (spa) | x

Language resource (041 \$bdefgt)

Type of resource

summary or abstract | x

table of contents | x

Language code

Danish (dan) | x

Finnish (fin) | x

Estonian (est) | x

Language note (041 \$hijklmnpqr or 041 1#)

Type of resource

original text | x

Language code

German (ger) | x

French (fre) | x



Language (008 [1st], 041 \$a [others])

Language (008 [1st], 041 \$a [others])

Russian (rus) | x **English (eng)** | x **Spanish (spa)** | x

Language resource (041 \$bdefgt)

Type of resource

summary or abstract | x **table of contents** | x

Language code

Danish (dan) | x **Finnish (fin)** | x **Estonian (est)** | x

Language note (041 \$hijkmnpqr or 041 1#)

Type of resource

original text | x

Language code

German (ger) | x **Hungarian (hun)** | x

If the component is no longer needed, delete it.

Language note (041 \$hijkmnpqr or 041 1#)		003 DLC
Type of resource		005 20250202
Language code		007 t
		008 250202
Illustrative content	1	Add Another Component
Illustrative content	2	Insert Default Values
Color content	3	Delete Component
Color content		

[Back to Table of Contents](#)

Illustrative Content

Scope


This component is used to identify the presence of illustrations in the Work.

Folio / MARC

- 008/18-21, Illustrations


Illustrative Content

This is a drop-down list for controlled values. **Illustrations (ill)** is the default value for recording the presence of illustrations in a Work.



Other values may be recorded for more specific types of illustrations.

If you want to record additional values for illustrations in the Work, they can be added in the same field.



To change information in this component, click on the **X** next to the Illustrative content value, and search for the new value.

illustrations (ill)	x	maps (map)	x	facsimiles (fac)	x
---------------------	---	------------	---	------------------	---

illustrations (ill) x maps (map) x charts (chr) x

Supplementary content

1 Add Another Component

3 Delete Component

0 Debug

041	1	\$a	rus	\$
336		\$a	text	\$
340		\$p	illustr	
546		\$a	Includ	
758		\$4	http://	

[Back to Table of Contents](#)

Color Content

Scope


This component is used to identify the presence of color illustrations in the Work.

Folio / MARC

- 300 subfield \$b, Other physical details


Color Content

This is a drop-down list for controlled values. **Color (mul)** is the default value for recording the presence of color illustrations in a Work.



A screenshot of a web interface showing a dropdown menu. The menu is open, displaying the title "Color content" in a large, bold, black font. Below the title, the text "Color content" is repeated in a smaller, lighter blue font. A rounded rectangular button with a black border is highlighted, containing the text "color (mul)" in bold black font, followed by a vertical line and the letter "x" in a lighter blue font.

If you want to record additional values for Color content in the Work, they can be added in the same field.



A screenshot of a web interface showing a dropdown menu. The menu is open, displaying the title "Color content" in a large, bold, black font. Below the title, the text "Color content" is repeated in a smaller, lighter blue font. Two rounded rectangular buttons with black borders are highlighted. The first button contains the text "color (mul)" in bold black font, followed by a vertical line and the letter "x" in a lighter blue font. The second button contains the text "hand colored (hnd)" in bold black font, followed by a vertical line and the letter "x" in a lighter blue font.

To change information in this component, click on the **X** next to the Color content value, and search for the new value.

Color content

Color content

color (mul) | x

hand colored (hnd) | x

Color content

Color content

color (mul) | x

mixed color (mix) | x

If the component is no longer needed, delete it.

Color content

Color content

1

Add Another Component

3

Delete Component

0

Debug

884 \$a DLC t

[Back to Table of Contents](#)

Supplementary Content

Scope

This component is used to identify the presence of bibliographies, indexes, etc. in the Work.

Folio / MARC

- 008/24-27, Nature of Contents
- 008/31, Index

Supplementary Content

This is a drop-down list for controlled values. Select the appropriate value(s).

Supplementary content

Supplementary content

bibliography (bibliography)

x

If you want to record additional values for Supplementary content values in the Work, they can be added in the same field.

Supplementary content

Supplementary content

bibliography (bibliography)

x

index (index)

x

historical information (historicalinfo)

x

Important: In order to populate both the 008 values for Bibliographies (Nature of contents = b) and Index (008/31), the Supplementary content component must be repeated.

Supplementary content	008 202503042 1043 1.0
Supplementary content	007 t
bibliography x	008 050330s2005 nhua b 0010 eng
Supplementary content	010 \$a 2005009121
Supplementary content	020 \$a 9780899093987 \$q paperback
index (index) x	020 \$a 0899093981 \$q paperback

To change information in this component, click on the **X** next to the Supplementary content value, and search for the new value.

Supplementary content

Supplementary content

bibliography (bibliography) | x

index (index) | x

historical information (historicalinfo) | x

Supplementary content

Supplementary content

bibliography (bibliography) | x

index (index) | x

biography of creator (creatorbio) | x

If the component is no longer needed, delete it.

[Back to Table of Contents](#)

Government Publication

Scope

This component is used to identify government involvement in the creation or publication of the Work.

Folio / MARC

- 008/29, Government publication

Government Publication

This is a drop-down list for controlled values. Select the appropriate value(s).

Government publication

Government publication

federal (f)

x

If you want to record additional values for Government publication values for the Work, they can be added to the same field.

Government publication

Government publication

federal (f)

x

state (s)

x

If the component is no longer needed, delete it.

Government publication

Government publication

1

Add Another Component

3

Delete Component

0

Debug

004

\$a DLC

[Back to Table of Contents](#)

Input Transcribed Series

Scope


This component is used to transcribe a series statement associated with the Work.

Folio / MARC

- 490 field, Series Statement

Relationship

This is a drop-down list for controlled values. Select the appropriate value(s). The default value is "series."



The screenshot shows a web form for the MARC 490 field. The main input area contains the text "Input transcribed series". Below this, there is a dropdown menu labeled "Relationship" with the word "series" selected. A white tooltip box is open, displaying two options: "series (series)" and "series of (seriesof)". The first option is highlighted with a blue border.

Non-sort Character Count

In the MARC 490 field, initial articles are omitted from transcribed series statement because there is not a non-filing indicator for the field. In Marva, transcribe initial articles and set the Non-sort character count to disregard them.

Non-sort character count

4 ▼

Title

The open frame

Status

Title

This is a transcription field in which the series statement as it appears on the resource is input, including any initial articles. Do not add ending punctuation.

Title

International studies in sociology and social anthropology

Status

Status

This is a drop-down list. Because LC does not "trace" series, the value for status will generally be "transcribed."

Status

transcribed | x

ISSN

Record the ISSN here if present on the resource. Include integral punctuation such as the "-" between the digits.

ISSN

0074-8684

Series Enumeration

Record a designation of the sequencing of a part or parts within a series in this field. Use the designation as it appears on the resource.

Series enumeration

vol. 134

Applies To

This is a literal field for more details on the relationship between the series and the resource being described.

If you want to transcribe additional series statements for the Work, add additional components.

Input transcribed series		Part name
Relationship series (series) x		Other title inform
Non-sort character count 0 v		Statement of re
Title International studies in sociology and social anthropology	1 Add Another Component	
Status transcribed (t) x	3 Delete Component	
ISSN 0074-8684	5 Additional Literal	
Series enumeration vol. 134	6 Set Language	
Applies to	7 xA Russian S2R	
	8 xA Russian R2S	

Input transcribed series
Relationship series (series) x
Non-sort character count 0 ▾
Title International studies in sociology and social anthropology
Status transcribed (t) x
ISSN 0074-8684
Series enumeration vol. 134
Applies to
Input transcribed series
Relationship series (series) x
Non-sort character count 0 ▾
Title WYSE series in social anthropology
Status transcribed (t) x
ISSN
Series enumeration Volume 15
Applies to

To change information in the Relationship or Status, click on the **X** next to the term, and search for a new value. To change information in the Title, ISSN, or Series enumeration, delete and add information using the keyboard since these are literal fields. To change the Non-sort character count, use the drop-down arrow to select the correct value.

Parallel Series Titles and Marva

The MARC Bibliographic 490 field, Series Statement, is intended to accommodate transcription of a series from a resource. But in addition, the field allows for ISBD punctuation and subfield coding, making it a hybrid type of field.

Subfield \$a, Series statement, is repeatable when a subseries is separated from the main series by the numbering of the main series in subfield \$v or by the ISSN in subfield \$x, or when a series has a parallel title:

```
490 1# $a Papers and documents of the I.C.I. Series C, Bibliographies ; $v no. 3 = $a
Travaux et documents de l'I.C.I. Serie C, Bibliographies ; $v no 3
```

In Marva, parallel series titles and associated part(s), numbering, and ISSNs, will appear in a separate Input transcribed series component, to allow access to the parallel title. In the Modern MARC record, the parallel series and any and associated part(s), numbering, and ISSNs, will appear in separate 490 fields.

Input transcribed series
☐ non-201 character count

Relationship
series ☐

Input transcribed series
☐ non-201 character count

Relationship
series ☐

Input transcribed series
☐ non-201 character count

Relationship
series ☐

050 14 \$a MCLS 2018/46596 (PC)

100 1 \$a Hofinger, Bernadette \$e author \$4 aut \$4 <http://id.loc.gov/vocabulary/relators/aut> \$0 <http://id...>

245 10 \$a Germanische Hochschulschriften. Reihe XIII, Französische Sprache und Literatur

264 1 \$a Frankfurt am Main ; \$a New York : \$b PL Academic Research, \$c [2014]

300 \$a 161 pages \$c 21 cm

334 \$a single unit \$b mono \$0 <http://id...>

336 \$a text \$b txt \$2 rdacontent \$0 <http://id...>

336 \$a text \$b txt \$2 rdacontent \$0 <http://id...>

337 \$a unmediated \$b n \$2 rdamedia \$0 <http://id...>

337 \$a unmediated \$b n \$2 rdamedia \$0 <http://id...>

338 \$a volume \$b nc \$2 rdacarrier \$0 <http://id...>

338 \$a volume \$b nc \$2 rdacarrier \$0 <http://id...>

023 \$a bibliography \$b bibliography \$0 <http://id...>

490 0 \$a Europäische Hochschulschriften. Reihe XIII, Französische Sprache und Literatur, \$x 0721-3360 ; \$v Band 301

490 0 \$a European university studies. Series XIII, French language and literature ; \$v Volume 301

490 0 \$a Publications universitaires européennes. Série XIII, Langue et littérature françaises ; \$v Volume 301

500 \$a Revision of the author's thesis (doctoral)

500 \$a Minimal Level Cataloging Plus

504 \$a Includes bibliographical references.

650 0 \$a French language \$v Middle French, 1300-1600 \$x Grammar \$0 <http://id...>

650 0 \$a German language \$x Grammar, Comparative \$x French \$0 <http://id...>

650 0 \$a Written communication \$2 Europe \$x History \$v 16th century

600 10 \$a Charles \$b V, \$c Holy Roman Emperor, \$d 1500-1558 \$x Language

600 10 \$a Ferdinand \$b I, \$c Holy Roman Emperor, \$d 1503-1564 \$x Language

600 10 \$a Charles \$b V, \$c Holy Roman Emperor, \$d 1500-1558 \$v Correspondence

600 10 \$a Ferdinand \$b I, \$c Holy Roman Emperor, \$d 1503-1564 \$v Correspondence

655 7 \$a Academic theses \$2 lcgt \$0 <http://id...>

758 \$4 <http://id.loc.gov/ontologies/bibframe/instanceOf> \$1 <http://id...>

758 \$1 <http://id...>

684 \$a DLC bibframe2marc v2.10-dev (libxst) \$g 20250528 \$g DLC \$u <https://github.com/icnctdev/bibframe2marc/releases/tag/v2.10-dev>

<?xml version="1.0" encoding="UTF-8"?>

<marc:record xmlns:marc="http://www.loc.gov/MARC21/slim">

<marc:leader xml:space="preserve"> cam a22 7i 4500</marc:leader>

<marc:controlfield xml:space="preserve" tag="001">18702958</marc:controlfield>

<marc:controlfield xml:space="preserve" tag="003">DLC</marc:controlfield>

```

43 $a e----- $0 http://id...
500 14 $a MLCs 2018/46596 (PC)
1001 1 $a Hofinger, Bernadette Se author $4 aut $4 http://id.loc.gov/vocabulary/relators/aut $0 http://id... $1 http://id...
245 10 $a Gemeinsame Untersuchungen zur Sprachkompetenz Karls V. und Ferdinands I. anhand der Familienkorrespondenz Ferdinands I. / Sc Bernadette Hofinger.
264 1 $a Frankfurt am Main ; $a New York : $b PL Academic Research, Sc [2014]
300 $a 161 pages Sc 21 cm
334 $a single unit $b mono $0 http://id...
336 $a text $b txt $2 dacontent $0 http://id...
336 $a text $b txt $2 dacontent $0 http://id...
337 $a unmediated $b n $2 rdamedia $0 http://id...
337 $a unmediated $b n $2 rdamedia $0 http://id...
338 $a volume $b nc $2 rdacarrier $0 http://id...
338 $a volume $b nc $2 rdacarrier $0 http://id...
020 $a $c bibliography $c bibliography $0 http://id...
490 0 $a Europäische Hochschulschriften. Reihe XIII, Französische Sprache und Literatur, $x 0721-3360 ; $v Band 301
490 0 $a European university studies. Series XIII, French language and literature ; $v Volume 301
490 0 $a Publications universitaires européennes. Série XIII, Langue et littérature françaises ; $v Volume 301
500 $a revision of the author's thesis (doctoral)
500 $a Minimal Level Cataloging Plus
504 $a Includes bibliographical references.
504 $a French language $v Middle French, 1300-1600 $x Grammar $0 http://id...
650 0 $a German language $x Grammar, Comparative $x French $0 http://id...
650 0 $a Written communication $x Europe $x History $v 18th century
600 10 $a Charles $b V, Sc Holy Roman Emperor, $d 1500-1558 $x Language
600 10 $a Ferdinand $b I, Sc Holy Roman Emperor, $d 1503-1564 $x Language
600 10 $a Charles $b V, Sc Holy Roman Emperor, $d 1500-1558 $v Correspondence
600 10 $a Ferdinand $b I, Sc Holy Roman Emperor, $d 1503-1564 $v Correspondence
655 7 $a Academic theses $2 lcgt $0 http://id...
758 $4 http://id.loc.gov/ontologies/bibframe/instanceOf $1 http://id...
758 $1 http://id...
884 $a DLC bibframe2marc:v2.10-dev (librist) $x 202050528 $x DLC $u
https://github.com/locnledev/bibframe2marc/releases/tag/v2.10-dev

<?xml version="1.0" encoding="UTF-8"?>
<marc:record xmlns:marc="http://www.loc.gov/MARC21/slim">
  <marc:datafield xml:space="preserve">
    <marc:controlfield xml:space="preserve" tag="001">18702858</marc:controlfield>
    <marc:controlfield xml:space="preserve" tag="003">DLC</marc:controlfield>
  </marc:datafield>
</marc:record>

```

Parallel Series, Numbering, and ISSNs

When there is a piece designation in addition to numbering for a parallel series situation, the piece designation will likely be different for each of the titles.

490 0# \$a Deutschland und Frankreich im wissenschaftlichen Dialog ; \$v Band 4 = \$a Le dialogue scientifique franco-allemand ; \$v volume 4

In this scenario, the piece designation and numbering will appear in separate components in Marva, along with the series title.

Input transcribed series
(Non-sort character count)

0

Title

Deutschland und Frankreich im wissenschaftlichen Dialog

Status

transcribed | x

ISSN

Series enumeration

Band 4

Applies to

Relationship

series | x

Input transcribed series
(Non-sort character count)

0

Title

Le dialogue scientifique franco-allemand

Status

transcribed (uneditable)

ISSN

Series enumeration

volume 4

Applies to

Relationship

series (uneditable)

Camus, ed. Sisyphne heureux : le dialogue scientifique franco-allemand (1944-1976)

246 30 \$a Glückliche Sisyphos

246 31 \$a Albert Camus, ou, Sisyphne heureux

246 30 \$a Sisyphne heureux

264 1 \$a Göttingen : \$b V & R Unipress

264 1 \$a [Bonn] : \$b Bonn University Press, \$c [2013]

300 \$a 460 pages \$c 25 cm

334 \$a single unit \$b mono \$0 http://id...

336 \$a text \$b txt \$2 rdaccontent \$0 http://id...

337 \$a unmediated \$b n \$2 rdamedia \$0 http://id...

338 \$a volume \$b nc \$2 rdacarrier \$0 http://id...

353 \$a bibliography \$b bibliography \$0 http://id...

490 0 \$a Deutschland und Frankreich im wissenschaftlichen Dialog ; \$v Band 4

490 0 \$a Le dialogue scientifique franco-allemand ; \$v volume 4

504 \$a Includes bibliographical references.

505 0 \$a Engagement -- Philosophie, Ethik und Politik -- Camus und der Terrorismus / Rodion Ebbighausen -- Camus et la revue Esprit (1944-1976) / Jeanyves Guérin -- Albert Camus : ein Cartesianer des Absurden / Christoph Kann -- Camus und seine libertäre Kritik der Gewalt / Lou Marin -- Die Pest als Vorbild für die Humanitäre Arbeit / Rupert Neudeck

Revolte gegen das Absurde : zur Philosophie Albert Camus' / Hans-Joachim Pieper -- Vom Absurden zur Liebe : der unbekannte Camus / Anne-Kathrin Reif -- Camus im kolonialen Algerien der 30er Jahre : Misère de la Kabylie / Elmar Schmidt -- Verteidigung des Relativen : Albert Camus und das Christentum / Knut Wenzel -- Kunst und Moral :

246 30 \$a Glückliche Sisyphos
246 31 \$a Albert Camus, ou, Sisyphes heureux
246 30 \$a Sisyphes heureux
264 1 \$a Göttingen : \$b V & R Unipress
264 1 \$a [Bonn] : \$b Bonn University Press, \$c [2013]
300 \$a 460 pages \$c 25 cm
334 \$a single unit \$b mono \$0 [http://id...](#)
336 \$a text \$b txt \$2 rdacontent \$0 [http://id...](#)
337 \$a unmediated \$b n \$2 rdamedia \$0 [http://id...](#)
338 \$a volume \$b nc \$2 rdacarrier \$0 [http://id...](#)
353 \$a bibliography \$b bibliography \$0 [http://id...](#)
490 0 \$a Deutschland und Frankreich im wissenschaftlichen Dialog ; \$v Band 4
490 0 \$a Le dialogue scientifique franco-allemand ; \$v volume 4
504 \$a Includes bibliographical references.
505 0 \$a Engagement -- Philosophie, Ethik und Politik -- Camus und der Terrorismus / Rodion Ebbighausen -- Camus et la revue Esprit (1944-1976) / Jeanyves Guérin -- Albert Camus : ein Cartesianer des Absurden / Christoph Kann -- Camus und seine libertäre Kritik der Gewalt / Lou Marin -- Die Pest als Vorbild für die Humanitäre Arbeit / Rupert Neudeck
Revolte gegen das Absurde : zur Philosophie Albert Camus' / Hans-Joachim Pieper -- Vom Absurden zur Liebe : der unbekannte Camus / Anne-Kathrin Reif -- Camus im kolonialen Algerien der 30er Jahre : Misère de la Kabylie / Elmar Schmidt -- Verteidigung des Relativen : Albert Camus und das Christentum / Knut Wenzel -- Kunst und Moral :

If there is numbering only for a parallel series title situation, and no series designation, the numbering will only appear once in the MARC record in the 490 field with the parallel series titles.

490 0# \$6 880-07 \$a Yuhaksaeng sirij ò ò F ' 'kgakusei shir .§R ² Gb

When this record is imported into Marva, the series numbering will only appear in one of the Input transcribed series components.

Because the BIBFRAME to MARC conversion will generate two 490 fields, as a best practice, repeat the numbering in both components in Marva.

Follow the same best practice for ISSN when it appears once in a MARC record with a parallel series statement.

490 0# \$a Wissenschaftliche Beiträge aus dem Tectum-Verlag. Reihe Politikwissenschaften = \$a Tectum academic research paper series. Political sciences, \$x 1861-7840 ; \$v Band 62

Input transcribed series	
Non-sort character count	0
Title	Wissenschaftliche Beiträge aus dem Tectum-Verlag. Reihe Politikwissenschaften
Status	transcribed x
ISBN	1861-7840
Series enumeration	Band 62
Applies to	
Relationship	series x

Input transcribed series	
Non-sort character count	0
Title	Tectum academic research paper series. Political sciences
Status	transcribed (uneditable)
ISBN	1861-7840
Series enumeration	Band 62
Applies to	
Relationship	series (uneditable)

042	\$a pcc
043	\$a e-gx--- \$0 http://id...
050 00	\$a UA710 \$b .H4275 2015
100 1	\$a Herrmann, Christian \$e author \$4 aut \$4 http://id.loc.gov/vocabulary/relators/aut \$0 http://id... \$1 http://id...
245 10	\$a Sicherheitspolitik als res publica? : \$b die Kontroverse um die Militärdoktrinen der USA und der NATO in der Bundesrepublik Deutschland 1983-1986 / \$c Christian Herrmann.
264 1	\$a Marburg : \$b Tectum Verlag, \$c [2015]
300	\$a 271 pages \$b illustrations \$c 22 cm
334	\$a single unit \$b mono \$0 http://id...
336	\$a text \$b txt \$2 rdacontent \$0 http://id...
337	\$a unmediated \$b n \$2 rdamedia \$0 http://id...
338	\$a volume \$b nc \$2 rdacarrier \$0 http://id...
340	\$p illustrations \$0 http://id...
353	\$a bibliography \$b bibliography \$0 http://id...
490 0	\$a Wissenschaftliche Beiträge aus dem Tectum-Verlag. Reihe Politikwissenschaften, \$x 1861-7840 ; \$v Band 62
490 0	\$a Tectum academic research paper series. Political sciences, \$x 1861-7840 ; \$v Band 62
502	\$b Doctoral \$c Fernuniversität Hagen \$d 2015
504	\$a Includes bibliographical references (pages 245-264)
650 0	\$a National security \$z Germany \$0 http://id...
651 0	\$a United States \$x Military policy \$0 http://id...
651 0	\$a North Atlantic Treaty Organization \$x Military policy
655 7	\$a Academic theses \$2 lcqft \$0 http://id...

Bibliographic Maintenance and 440 Fields in MARC

LC stopped "tracing" series in 2006. Before that, a series statement in a resource needed to be checked against the name authority file, and if there was a series authority record (SAR) supporting the series statement, and the authorized heading for the series matched the series statement in the resource, the series statement would be recorded ("traced") in the 440 field of the bibliographic record.

The 440 field was made obsolete in 2008.

If the series statement in a resource could be connected to a series authority record, but the authorized heading for the series was in a different form, the cataloger would transcribe the series statement from the resource in a 490 field with first indicator 1 (Series traced), and the authorized heading for the series would be recorded in the 8XX area of the bibliographic record.

Since 2006, LC catalogers transcribe series statements in the 490 field, with first indicator 0 (Series not traced).

When working on older LC bibliographic records, if a 440 field with a traced series is imported into Marva, the resulting Modern MARC record will convert the series statement to an 830 field. There will not be an accompanying 490 field in the Modern MARC record.

[Back to Table of Contents](#)

Search Series Hub (optional)

Scope


This is an optional lookup search for controlling a series access point to an authorized access point for the series. Because LC policy does not require controlled access points for series, this search is optional. But in a linked data environment, there is a value in being able to point to an actionable URI for the series heading.

Folio / MARC

- 8XX fields, Series Added Entry


Relationship


This is a drop-down list. Select the appropriate value. The default value is "in series."



Search Series Hub

This is a lookup to the LC/NACO Authority File and to BIBFRAME Hubs.





The selected series Hub will be linked in the component:

Search series Hub (optional)

Relationship

In series | x

[Counterpoints \(New York, N.Y.\)](#)

|x

Series enumeration

Series Enumeration

Record a designation of the sequencing of a part or parts within a series in this field. Use the structured value as indicated in the authority record or Hub.

Series enumeration

Volume 3

If you want to search for an additional series Hub, add an additional component.

Search series Hub (optional)

Relationship

In series(uncontrolled) | x

Counterpoints (New York, N.Y.)  | x

Series enumeration

Volume 3

Search related work

Relationship designator

020 \$a 97814

035 \$a (OCol

040 \$a YDXC

1 Add Another Component

2 Insert Default Values

3 Delete Component

0 Debug

To change information in the Relationship, click on the **X** next to the term, and search for a new value. To change information in the Search Series Hub, delete the existing series by clicking on the **X** at the end of the series name, and search for the correct series. To change information in the Series enumeration, use the keyboard since this is a literal field.

If you do not find the Hub that is needed, create a Hub in Marva.

Search series Hub (optional)

Relationship

In series | x

Counterpoints (New York, N.Y.)  | x

Series enumeration

Volume 3

Search series Hub (optional)

Relationship

In series | x

Urban studies (Peter Lang Publishing)  | x

Series enumeration

See [Appendix E: Hubs](#) for more information.

[Back to Table of Contents](#)

Search Related Work

Scope

This is a lookup search for identifying Works that are related to the Work being cataloged.

Folio / MARC

- 7XX fields, Added Entry Fields and Linking Entry and Description Fields.

Search Related Work

Related work is a core element for LC for compilations. Often the core requirement can be met by recording related works in a contents note. In some cases, a more structured access point needs to be given to record a related work. When a more structured access point is needed for a related work, use the Search related work option in Marva.

This is a lookup search for identifying access points for works in the BIBFRAME database (BFDB). There are four options for filtering and sorting when using this lookup:

1. **Hubs-Left Anchored:** this is the default option
2. **Hubs-Keyword**
3. **Works-Left Anchored**
4. **Works-Keyword**

Using Hubs

The Hubs lookups (1. and 2.) will search all works that have either a 130 value, a 240 value, a 7XX value, or an 8XX value in MARC.

Hubs have been created from title and name-title authority records in the LC/NACO Authority File, including series authority records (SARs), but Hubs are also created from titles in 7XX and 8XX fields in MARC.

Using the Left Anchored options will arrange the result list in alphabetical order.

Use a **Hub** when you want to identify a related work added entry or an analytical added entry in the **700** field, the **710** field, the **711** field, or the **730** field of a MARC record.

Hubs - Left AnchoredHubs - KeywordWorks - Left AnchoredWorks - Keyword

<< < Page 1 of 2 > >>

Brontë, Charlotte, 1816-1855. Jane Eyre

SearchCreate Provisional NAR

Brontë, Charlotte, 1816-1855. Jane Eyre
Brontë, Charlotte, 1816-1855. Jane Eyre. Chinese
Brontë, Charlotte, 1816-1855. Jane Eyre
Brontë, Charlotte, 1816-1855. Jane Eyre. (Fielding)
Brontë, Charlotte, 1816-1855. Jane Eyre. 1981
Brontë, Charlotte, 1816-1855. Jane Eyre. 1984
Brontë, Charlotte, 1816-1855. Jane Eyre. 1993
Brontë, Charlotte, 1816-1855. Jane Eyre. Arabic
Brontë, Charlotte, 1816-1855. Jane Eyre. Chinese
Brontë, Charlotte, 1816-1855. Jane Eyre. Chinese. 2004
Brontë, Charlotte, 1816-1855. Jane Eyre. Czech
Brontë, Charlotte, 1816-1855. Jane Eyre. French
Brontë, Charlotte, 1816-1855. Jane Eyre. German
Brontë, Charlotte, 1816-1855. Jane Eyre. Greek
Brontë, Charlotte, 1816-1855. Jane Eyre. Italian
Brontë, Charlotte, 1816-1855. Jane Eyre. Japanese
Brontë, Charlotte, 1816-1855. Jane Eyre. Korean
Brontë, Charlotte, 1816-1855. Jane Eyre. Russian
Brontë, Charlotte, 1816-1855. Jane Eyre. Selections
Brontë, Charlotte, 1816-1855. Jane Eyre. Selections. Korean
Brontë, Charlotte, 1816-1855. Jane Eyre. Serbian
Brontë, Charlotte, 1816-1855. Jane Eyre. Spanish
Brontë, Charlotte, 1816-1855. Jane Eyre. Spanish. 2001
Brontë, Charlotte, 1816-1855. Jane Eyre. Spanish. 2016

Brontë, Charlotte, 1816-1855. Jane Eyre

Hub
view on id.loc.gov

Add [Shift+Enter]
Cancel [ESC]

Notes:

- is a novel by English writer Charlotte Brontë. It was published on 16 October 1847, by Smith, Elder & Co. of London, England, under the pen name "Currer Bell"; primarily of the bildungsroman genre)
- Created from auth.
- 040 \$aLCU\$beng\$erda\$cLCU\$dLCC\$dWaU

Varants Titles:

- Illustrated Jane Eyre
- Jane Eyre: an autobiography

Contributors:

- Brontë, Charlotte, 1816-1855

Identifiers:

- no 00002946
- oca05135795

Sources:

- data found: Lányá válik, s ími kezd, 1999
- data found: Wikipedia, January 9, 2016
- data found: (Jane Eyre (originally published as Jane Eyre: An Autobiography) is a novel by English writer Charlotte Brontë. It was published on 16 October 1847, by Smith, Elder & Co. of London.

This Hub was generated from the name-title authority record
#a Brontë, Charlotte, #d 1816-1855. #t Jane Eyre (LCCN no 00002946)

Works - Keyword
Works - Left Anchored
Hubs - Keyword
Hubs - Left Anchored

Modernism and landscape architecture, 1890-1940

<< < Page 1 of 1 > >>

Modernism and landscape architecture

Search

Modernism and landscape architecture, 1890-1940

Work

view on id.loc.gov

Add [Shift+Enter]
Cancel [ESC]

Subjects:

- Landscape architecture--History--20th century
- Landscape architecture--History--19th century

Instances:

-

Search related work

Relationship designator

part (part) x

Legacies of modernism

x

Search related work

Relationship designator

inspired by (inspiredby) x

Modernism and landscape architecture, 1890-1940

x

To change information in Search related work, click on the **X** next to the term, and search for a new value.
If a component is not needed, delete it.

Search related work

Relationship designator

inspired by (inspiredby) x

Modernism and landscape architecture, 1890-1940

x

Script

Script

246 1 \$a Nine
250 \$a 2nd e
264 1 \$a New

1 Add Another Component
3 Delete Component
0 Debug

See [Appendix E: Hubs](#) for more information.

[Back to Table of Contents](#)

Script

Scope


Script is a core element for LC/PCC if a language is commonly written in more than one script, and if the Work is in a script other than the primary script for the language.

Folio / MARC


- 546 field, Language Note, subfield \$b, alphabet, script, or notation system that is used in the resource

Script

This is a drop-down list for controlled values. Select the appropriate value.

A screenshot of a single script selection button. The button is light gray with rounded corners and a thin black border. It contains the text 'Cyrillic (c)' in a bold, sans-serif font, followed by a vertical line and a small 'x' icon. The button is set against a light blue background with the word 'Script' in a larger, lighter font above it.

If you want to record additional values for script information, they can be added in the same field.

A screenshot showing multiple script selection buttons. The buttons are light gray with rounded corners and a thin black border. They are arranged horizontally. The first button contains 'Cyrillic (c)', the second 'Arabic (f)', and the third 'Hebrew (h)'. Each button has a vertical line and a small 'x' icon to its right. The buttons are set against a light blue background with the word 'Script' in a larger, lighter font above them.

To change information in this component, click on the **X** next to the Script value, and search for the new value.
If a component is not needed, delete it.

[illegible]

[Back to Table of Contents](#)

Date of Work

Scope


In Original RDA, Date of Work is a core element when needed to differentiate a work from another work with the same title or from the name of an agent. Date of Work is not the same as Date of Publication (RDA 2.8.6).

Folio / MARC

- 046 field, Special Coded Dates, subfield \$k, Beginning or single date created

Date of Work

Date of Work is recorded as a literal value.



This component can be duplicated, but one component should be sufficient to record Date of Work information.

To change information in this component, delete using the keyboard since this is a literal value.

If the component is not needed, just delete the information in the component.

[Back to Table of Contents](#)

Country of Origin of the Work

Scope


In Original RDA, Place of Origin of Work is a core element when needed to differentiate a work from another work with the same title or from the name of an agent.

Folio / MARC

- 370 field, Associated Place, subfield \$g, Place of origin of work or expression
This value is not the same as the Place of Publication.

Country of Origin of the Work


This is a drop-down list for controlled values from the MARC List for Countries and First-Order Political Divisions.



Country of origin of the Work

Peru (pe) | X

To add another value for Country of origin of the Work, just add it to the same field.



Country of origin of the Work

Country of origin of the Work

Peru (pe) | X Bolivia (bo) | X Ecuador (ec) | X

To change information in this component, click on the X at the end of the value and select the appropriate value from the drop-down.

If the component is not needed, delete it.



Country of origin of the Work

Country of origin of the Work

Bolivia (bo) | X

(Time) coverage of the content

(Time) coverage of the content

Dissertation

Degree

24b 1 \$a Nine

250 \$a 2nd €

264 1 \$a New

1 Add Another Component

3 Delete Component

0 Debug

[Back to Table of Contents](#)

(Time) Coverage of the Content

Scope

This component is used to record time content associated with the Work.

Folio / MARC

- 045 field, Time Period of Content
- 500 field, General note

(Time) Coverage of the Content

(Time) coverage of the content is recorded as a literal value.

Often a note at the Instance entity will provide more information on the (Time) coverage of the content.

(Time) coverage of the content (Time) coverage of the content 1976

This component can be duplicated, but one component should be sufficient to record (Time) coverage of the content information.

To change information in this component, delete using the keyboard since this is a literal value.

If the component is not needed, just delete the information in the component.

[Back to Table of Contents](#)

Dissertation

Scope

This component is used to record information about a dissertation or thesis related to the Work. A Dissertation statement can be structured by recording information in the Degree, Institution, and Date fields, or it can be unstructured by recording all the information in a Note.


Folio / MARC

- 502 field, Dissertation Note

Structured Description

Degree

Record a value from any source. This is a literal field.



Institution

This is an optional lookup to the LC/NACO Authority File. But the granting institution does not need to be recorded in the authorized access point from the LC/NACO Authority File. If the granting institution is not represented in the LC/NACO Authority File, record a value from any source in this field.

NAF All NAF Personal Names **NAF Corporate Name** NAF Name/Title

NAF Title NAF Geographic NAF Conference Name

Uppsala universitet

CorporateName
view on id.loc.gov

Add [Shift+Enter] [↵]
Cancel [ESC]

Page 1 of 6

uppsala universitet

Search

Uppsala universitet. Akademiska sjukhuset (USE Akademiska sjukhuset (Uppsala, Swed...
Uppsala universitet. Allmänna sången (USE Allmänna sången (Musical group))
Uppsala universitet. Axel Ax:son Johnsons ekologiska station (USE Axel Ax:son Johnson...
Uppsala universitet. Botaniska trädgården (USE Botaniska trädgården (Uppsala univers...
Uppsala universitet. Centre for Reproductive Biology (USE Centre for Reproductive Biol...
Uppsala universitet. Centrum för biologisk mångfald (USE Centrum för biologisk mångfa...
Uppsala universitet. Centrum för miljö- och utvecklingsstudier (USE Centrum för miljö- o...
Uppsala universitet. Chamber Choir (USE Uppsala akademiska kammarkör)
Uppsala universitet
Uppsala universitet. African Studies Programme
Uppsala universitet. African and Comparative Archaeology Unit (USE Uppsala universite...
Uppsala universitet. Afro-asiatiska institutionen
Uppsala universitet. American Institute (USE Uppsala universitet. Amerikanska seminari...
Uppsala universitet. Asiatiska och afrikanska språk och kulturer
Uppsala universitet. Astronomical Observatory (USE Uppsala universitet. Astronomiska...
Uppsala universitet. Avdelningen för forskning och utbildning i modern svenska

Uppsala universitet

- Uppsala. Universitet
- Upsala universitet
- University of Uppsala
- Uppsala. Universitet
- Academia Upsaliensis Gustaviana
- Regia Universitas Upsaliensis
- Uppsala University
- Regia Academia Upsalensis
- Upsal'skii universitet
- Sweden. Uppsala University
- Universitetet i Uppsala
- Universitas Upsaliensis
- University of Upsala
- Upsala academi
- Uppsala (Sweden). Academie
- Université d'Uppsala



If the granting institution is not in the LC/NACO Authority File, a literal value can be used:

NAF All NAF Personal Names **NAF Corporate Name** NAF Name/Title

NAF Title NAF Geographic NAF Conference Name

My Local College

Literal Value

Add [Shift+Enter] [↵]
Cancel [ESC]

Page 1 of Last Page

My Local College

Search

My Local College [Literal]



Date

Record a value from any source. This is a literal value.

Date

1976

Unstructured Description

Use the Note field. There is no prescribed punctuation for this information.

Note

Thesis (M.A.)--University of London, 1923.

To change information in structured description, delete values in the Degree and Date by using the keyboard since these are literal values. To delete the Institution, click on the **X** next to the name.

If the component is not needed, delete the component.

Dissertation	
Degree	
Institution	
Date	
Note	
Thesis (M.A.)--University of London, 1923.	

1

Add Another Component

3

Delete Component

5

Additional Literal

6

Set Language

[Back to Table of Contents](#)

Title Information

Scope

Title information is used to transcribe title information from the Instance. All the values in this component are literals.

Folio / MARC

- 245 field, Title Statement
- 246 field, Varying Form of Title

Title Information

There are three values for this component.

Title information
Instance title
Instance title
Variant title
Parallel title

Instance title is the default value.

Non-sort character count

This numerical value indicates initial words and marks of punctuation that are not to be considered in title searching. The Non-sort character count is identical to the MARC 245 Indicator 2 value.

Instance title
Non-sort character count
4 ▾
Title
The Best of California

Instance title

Non-sort character count

5 ▾

Title

The "winter mind"

Title

Transcribe the Title proper of the Instance in this field. Include initial articles and set the Non-sort character count to disregard the initial article in searching. This is a literal field. Do not use ISBD punctuation.

Instance title

Non-sort character count

4 ▾

Title

The establishment and consolidation of imperial government in southern Nigeria, 1891-1904

Part number

If there is a part designation in the title, transcribe it here. Do not use ISBD punctuation.

Instance title

Non-sort character count

4 ▾

Title

The digital photography book

Part number

Part 5

Part name

If there is a part name in the title, transcribe it here. Do not use ISBD punctuation.

Instance title

Non-sort character count

4 ▼

Title

The digital photography book

Part number

Part 5

Part name

Photo recipes

Other title information

If there is other title information for the title, transcribe it here. Do not use ISBD punctuation.

Instance title

Non-sort character count

4 ▼

Title

The digital photography book

Part number

Part 5

Part name

Photo recipes

Other title information

the step-by-step secrets for how to make your photos look like the pros!

There can only be one Instance title. If you need to record a Parallel title or a Variant title, add a new Title component in the [Work description](#) and select the appropriate value. Parallel titles and Variant titles are recorded in the Work description. Titles that are dependent on a location, such as a Spine title or a Caption title, are recorded in the Instance description.

Title information		008 150330t20
Instance title	▼	010 \$a 2014
Non-sort character count		015 \$a GBB4
4 ▼		020 \$a 07804
Title		
The digital photography book		
Part number		
Part 5		
Part name		



- 1 Add Another Component
- 3 Delete Component
- 4 Send to Work


Title information	
Instance title	
Non-sort character count	
4 ▼	
Title	
The digital photography book	
Part number	
Part 5	
Part name	
Photo recipes	
Other title information	
the step-by-step secrets for how to make your photos look like the pros'!	

Title information	
Parallel title	
Parallel title	
Digitale Fotobuch	
Other title information	
Schritt-für-Schritt-Geheimnisse, wie Sie Ihre Fotos wie die Profis aussehen lassen!	
Part number	
Teil 5	
Part name	
Fotorezepte	
Date	
Note	
Title from colophon	

Send Subtitle to Work Variant

This feature allows you to send the subtitle from the Instance to the Work forcing it to copy over as a Variant Title.

Found in the action button:



dcmlrc

- 1 Add Another Component
- 3 Delete Component
- 4 Send to Work
- Send Subtitle to Work Variant**

Clicking this will copy any value in the Instance Subtitle, often labeled "Other title information" to the Work as a new component.

You can highlight a portion of Subtitle and this function will only send the highlighted portion to the work

Date

Leave this field blank.

Note

This is a literal field to show information about the title.

Note
Title from colophon

To delete a component, select Delete Component.

The screenshot shows a metadata editor interface. On the left, there is a table of instance data. On the right, there is a list of components with buttons to manage them. An orange arrow points from the 'Delete Component' button to the first component in the list.

Instance: 18548013
Title information
Instance title
Non-sort character count 4
Title
The digital photography book
Part number
Part 5
Part name
Photo recipes
Other title information
the step-by-step secrets for how to make your photos look like the pros!
Title information
Parallel title
Digitale Fotobuch
Other title information
Schritt-für-Schritt-Geheimnisse, wie Sie Ihre Fotos wie die Profis aussehen lassen!
Part number
Teil 5
Part name
Fotorezepte
Date
Note
Title from colophon

- 1 Delete Component
- 2 Send to Work
- 3 Additional Literal
- 4 Set Language
- 5 Russian S2R
- 6 Russian R2S
- 7 Debug
- 8 Add To Library
- 9 View Documentation

035	\$a	(OCOL
040	\$a	UKMG
042	\$a	lccopy
050 00	\$a	TR26
082 04	\$a	771 \$
100 1	\$a	Kelby
245 14	\$a	The c
246 30	\$a	Photc
246 31	\$i	Title fr
264 1	\$a	San F

See also: [Title Information: Best Practice for Non-Latin Titles](#) for guidance on recording non-Latin script titles.

[Back to Table of Contents](#)

Title Information: Best Practice for Non-Latin Titles

Repeating Fields within a Component

When recording titles in non-Latin script, repeat the field within a component to add the non-Latin title. Do not repeat the component, because this will prevent the 880 field from showing up in the MARC Preview and in the Modern MARC record. This best practice applies to [Provision Activity](#) as well. For [Statement of Responsibility](#), the field can be repeated, or the component can be repeated. When a MARC record with non-Latin script is imported into Marva, the Statement of Responsibility component will be repeated.

Title information	
Instance title	▼
Non-sort character count	0 ▼
Title	Shijō Danshaku-ke kankei bunsho ja-Latn ⚡
Title	四條男爵家関係文書 ja-jpan ⚡
Part number	
Part name	
Other title information	
Statement of responsibility	
Statement of responsibility	Shōyū Kurabu, Kazoku Shiryō Kenkyūkai hen ja-Latn
Statement of responsibility	尚友俱樂部, 華族史料研究会編 ja-Jpan

http://id...
880 3 \$6 100-01/\$1 \$a 四條 (Family : \$d 1894-) \$e creator \$4 cre \$4
http://id.loc.gov/vocabulary/relators/cre \$0 http://id... \$1
http://id...
245 10 \$6 880-02 \$a Shijō Danshaku-ke kankei bunsho / \$c Shōyū Kurabu, Kazoku Shiryō Kenkyūkai hen.
880 10 \$6 245-02/\$1 \$a 四條男爵家関係文書 / \$c 尚友俱樂部, 華族史料研究会編.
264 1 \$6 880-31 \$a Tōkyō : \$b Dōseisha, \$c 2013.
880 1 \$6 264-31/\$1 \$a 東京 : \$b 同成社, \$c 2013.
300 \$a vii, 395 pages \$b illustrations \$c 22 cm
334 \$a single unit \$b mono \$0 http://id...
336 \$a text \$b txt \$0 http://id...
337 \$a unmediated \$b n \$0 http://id...
338 \$a volume \$b nc \$0 http://id...
340 \$p illustrations \$0 http://id...
490 1 \$6 880 21 \$a Shōyū sōsho : \$v 17

[Back to Table of Contents](#)

Statement of Responsibility

Scope

Transcribe statement of responsibility here. This is the content of MARC 245 field, subfield \$c. Because of the limitations of the MARC 245 field, often titles may appear in subfield \$c as well. To facilitate BIBFRAME to MARC conversions, transcribe information in the Statement of responsibility just as you would transcribe it in the MARC 245 field, subfield \$c, including ISBD punctuation.

Folio / MARC

- 245 field, subfield \$c - Statement of responsibility, etc.

Statement of Responsibility

Separate more than one statement of responsibility with a space - semi-colon - space. Record the statements in the order indicated by the sequence, layout, or typography of the source of information from which the corresponding title is taken.

Statement of responsibility
editors, David R Hardten, Mark S Hansen ; associate editor, Celine Satija

! [Statement of responsibility example with parallel text: "editore Marco Trulli ; testi Hans Baumann [and ten others] = La Serpara : der Garten von Paul Wiedmer / herausgeber Marco Trulli ; Texte Hans Baumann [and ten others] = La Serpara : the garden of Paul Wiedmer / editor Marco Trulli ; texts Hans Baumann [and ten others]"] (../images/page075_img02.png)

Only include one Statement of responsibility component. To delete text in the Statement of responsibility, use the delete key on the keyboard. If you want to delete all the content of the Statement of responsibility component, delete the component.

Title information	1	Add Another Component
Instance title	3	Delete Component
Non-sort character count	5	Additional Literal
Title	6	Set Language
#Dziedzictwo	7	⚡ Russian S2R
Part number	8	⚡ Russian R2S
Part name	0	Debug
Other title information		Add To Library
Statement of responsibility		View Documentation
Statement of responsibility		
edited by Andrzej Szczerski ; autorzy esejów, Maria Cieśla-Korytowska [and ten others] = authors of essays, Maria Cieśla-Korytowska [and ten others] ; tłumaczenie z języka polskiego na język angielski, Marta Białecka, Marta Herudzińska-Oświecimska = English translation, Marta Białecka, Marta Herudzińska-Oświecimska.		040 \$a DLC 041 0 \$a ita \$

[Back to Table of Contents](#)

Edition Statement

Scope

This is a transcribed value from the Instance being described.

Folio / MARC

- 250 field, Edition Statement

Edition Statement

Transcribe an edition statement as it appears on the source of information. Use the slash (/) to separate the Edition statement from a [Statement of responsibility](#). Use the equals sign (=) to separate parallel edition statements.

Edition statement

3rd ed. / edited by Otto Chan

Edition statement

Rev. ed. With a new chapter on "Geology to-day" and a reading list by Ralph Emerson Esarey

Edition statement

Canadian ed. = Éd. canadienne

[Back to Table of Contents](#)

Provision Activity

Scope

This component is used to transcribe and record information about the Production, Publication, Manufacture, and/or Distribution of the Instance being described.

Folio / MARC

- 008/06, Type of date/Publication status
- 008/07-10, Date 1
- 008/11-14, Date 2
- 008/15-17, Place of publication, production, or execution
- 260, Publication, Distribution, etc. (Imprint)
- 264, Production, Publication, Distribution, Manufacture, and Copyright Notice

Note: Data now coded in the MARC 264 field formerly was recorded in the MARC 260 field. The MARC 264 field was introduced in 2011. Bibliographic records created before 2011 will use the 260 field. The MARC 260 field may continue to be used in cases where the content standard or institutional policies used do not make a distinction between functions.

Library of Congress bibliographic records created after 2011 use the MARC 264 field.

Provision Activity

The Provision activity component consists of four values for recording Production, Publication, Distribution, and/or Manufacture data. The appropriate value may be selected by clicking on the carrot at the end of the first field in the Provision activity component. The default value is Publication.

Provision activity
Publication
Publication
Distribution
Manufacture
Production

EDTF date (to/from 008)

The data recorded here will populate the MARC 008/06 (Type of date/Publication status), MARC 008/07-10 (Date 1), and MARC 008/11-14 (Date 2).

The Extended Date/Time Format (EDTF) standard is used for this field.

EDTF date coding:

- YYYY for simple years. Example: 1925.
- YYYYX to indicate unknown (currently 'u' is used). Example: 192X (for 192u).
- YYYY/YYYY to indicate to/from ranges. Example: 1925/1935
- YYYY/.. to indicate a range with a defined start date but no current end date. Example: 1925/.. (for 1925- in the 264 or 19259999 in the 008). Note, EDTF syntax is two dots.

EDTF date (to/from 008)

2025

EDTF date (to/from 008)

192X

EDTF date (to/from 008)

1925/1935

EDTF date (to/from 008)

1925/..

Search place of publication (to/from 008)

This is a drop-down controlled value that in MARC would be recorded in the 008/15-17 (Place of publication, production, or execution) area. Values in this dropdown are for countries, unless the place of publication is in the U.S., Canada, Great Britain, or Australia. For these places, the value recorded is the first-level administrative division (state, province, or constituent country).

Search place of publication (to/from 008)

Illinois (ilu) | x

Multiple places may be selected from the drop-down and added to the same field, but only the first record value will populate the 008/15-17.

Search place of publication (to/from 008)

Illinois (ilu) | x

Maine (meu) | x

Germany (gw) | x

Place (to/from 26X \$a)

This is a transcribed value from the resource being described. If two places are being transcribed, use the "Additional Literal" action button from the lightning bolt to add a new field. Do not transcribe both places in one field.

Place (to/from 26X \$a)

Chicago

Other title information	1	Add Another Component
an introduction to geology	3	Delete Component
Statement of responsibility	5	Additional Literal
Statement of responsibility	6	Set Language
Edition statement	7	⌘ Russian S2R
Edition statement	8	⌘ Russian R2S
Provision activity	9	Debug
Publication	0	Add To Library
EDTF date (to/from 008)		View Documentation
2025		
Search place of publication (to/from 008)		
Illinois (ilu) x		
Place (to/from 26X \$a)		
Chicago		

Place (to/from 26X \$a)

Chicago

Place (to/from 26X \$a)

Minneapolis

Name (to/from 26X \$b)

This is a transcribed value from the resource being described. If two names are being transcribed, use the "Additional Literal" action button from the lightning bolt to add a new field. Do not transcribe both names in one field.

Name (to/from 26X \$b)

Pentagon Press

Name (to/from 26X \$b)	010 \$a 2016
Pentagon Press	020 \$a 97881
Date (to/from 26X \$c)	000 \$c 04007
2016	
Copyright date	1 Add Another Component
Copyright date	3 Delete Component
	5 Additional Literal
Mode of issuance	6 Set Language
Mode of issuance	

Name (to/from 26X \$b)

Pentagon Press

Name (to/from 26X \$b)

National Institute of Education Planning and Administration

Date (to/from 26X \$c)

Date (to/from 26X \$c)

This is a transcribed value from the resource being described. Follow conventions used in the 264 subfield \$c for recording multiple dates or dates in other calendar systems.

Date (to/from 26X \$c)

2024

Date (to/from 26X \$c)

2020-<2022>

Date (to/from 26X \$c)

5785 = 2025

Date (to/from 26X \$c)

fevereiro de 2012

If an additional component is needed for a different function (Production, Manufacture, Distribution), use the Add Another Component feature.

Provision activity

Publication

EDTF date (to/from 008)

2020/9999

Search place of publication (to/from 008)

Brazil | x

Place (to/from 26X \$a)

São Paulo

Name (to/from 26X \$b)

Kitembo Edições Literárias do Futuro

Date (to/from 26X \$c)

2024

1 Add Another Component

3 Delete Component

5 Additional Literal

6 Set Language

7 Russian S2R

Provision activity

Publication

EDTF date (to/from 008)

2020/9999

Search place of publication (to/from 008)

Brazil | x

Place (to/from 26X \$a)

São Paulo

Name (to/from 26X \$b)

Kitembo Edições Literárias do Futuro

Date (to/from 26X \$c)

2024

Provision activity

Distribution

EDTF date (to/from 008)

Search place of publication (to/from 008)

Brazil (bl) | x

Place (to/from 26X \$a)

São Paulo, SP, Brasil

Name (to/from 26X \$b)

Annablume

Date (to/from 26X \$c)

Best Practices for Recording Provision Activity

MARC 264 Field

Although the introduction of the 264 field with second indicator values indicating specific functions (Production, Publication, Distribution, Manufacture) eliminated mixing of functions in one field as in the 260 field, there still is semantic meaning in the order of MARC subfields in the 264 field. For example, one 264 field might have this presentation:

264 #1 \$a [Toronto, Ont.] : \$b Fields Institute for Research in the Mathematical Sciences ; \$a New York : \$b Springer, \$c [2013]

where the publisher name Fields Institute for Research in the Mathematical Sciences is connected to [Toronto,

Ont.], and the publisher Springer is connected to New York. The semantic meaning is lost in Marva if all this information is included in one component. In Marva, two components are needed to keep the semantic meaning. In a Modern MARC record, using the example above, there will be two 264 fields:

- | 264 #1 \$a [Toronto, Ont.] : \$b Fields Institute for Research in the Mathematical Sciences, \$c [2013]
- | 264 #1 \$a New York : \$b Springer.

When to Use One Provision Activity Component

Use **one** Provision Activity Component for a function (Production, Publication, Distribution, Manufacture) when:

- There is **one** Place of production, publication, distribution, manufacture, **one** Name of producer, publisher, distributor, manufacturer, and **one** Date of production, publication, distribution, manufacture. This includes resources in non-Latin script. Use the "Additional Literal" option in the Lightning Bolt to add fields for the non-Latin script data. The non-Latin data will show up in the paired 880 field in the Modern MARC record.

Provision activity	
Publication	Green Bay Packers football / \$c Vernon & Jim Bieber.
EDTF date (to/from 008)	246 3 \$a One hundred years in Titledown
2019	263 \$a 1909
Search place of publication (to/from 008)	264 1 \$a Chicago : \$b Triumph Books, \$c 2019.
Illinois x	300 \$a pages cm
Place (to/from 26X \$a)	334 \$a single unit \$b mono \$0 http://id...
Chicago	336 \$a text \$b txt \$2 rdacontent \$0 http://id...
Name (to/from 26X \$b)	337 \$a unmediated \$b n \$2 rdamedia \$0 http://id...
Triumph Books	338 \$a volume \$b nc \$2 rdacarrier \$0 http://id...
Date (to/from 26X \$c)	520 \$a "The name "Bieber" is synonymous with Green Bay Packers football. For the better part of eight decades, the late
2019	

Provision activity	
Publication	246 3 \$a Десять храмов Москвы, хранящих чудотворные иконы
EDTF date (to/from 008)	880 3 \$6 246-03/(N \$a Десять храмов Москвы, хранящих чудотворные иконы
2013	250 \$6 880-20 \$a Izdanie 2-e, ispravlennoe i dopolnennoe.
Search place of publication (to/from 008)	880 \$6 250-20/(N \$a Издание 2-е, исправленное и дополненное.
Russia (Federation) x	264 1 \$6 880-22 \$a Moskva : \$b Vechemnīa "Г"а Moskva, \$c 2013.
Place (to/from 26X \$a)	880 1 \$6 264-22/(N \$a Москва : \$b Вечерняя Москва, \$c 2013.
Moskva	300 \$a 318 pages \$b color illustrations \$c 21 cm
Place (to/from 26X \$a)	334 \$a single unit \$b mono \$0 http://id...
Москва	336 \$a text \$b txt \$2 rdacontent \$0 http://id...
Name (to/from 26X \$b)	337 \$a unmediated \$b n \$2 rdamedia \$0 http://id...
Vechemniaia Moskva	338 \$a volume \$b nc \$2 rdacarrier \$0 http://id...
Name (to/from 26X \$b)	340 \$p illustrations \$0 http://id...
Вечерняя Москва	490 0 \$6 880-36 \$a Pravoslavnaia "a" kollektī'sīi'a ; \$v 1
Date (to/from 26X \$c)	880 0 \$6 490-36/(N \$a Православная коллекция ; \$v 1
2013	653 \$a Russian Church
Date (to/from 26X \$c)	653 \$a Monasteries. Temples, etc.
2013	

The brackets in Marva connecting the non-Latin fields with the romanized fields are intended to group the fields and have no impact on the Modern MARC view.

- There are **two or more** Places of production, publication, distribution, manufacture, **one** Name of producer, publisher, distributor, manufacturer, and **one** Date of production, publication, distribution, manufacture. This includes resources in non-Latin script. Use the "Additional Literal" option in the Lightning Bolt to add fields for the non-Latin script data. The non-Latin data will show up in the paired 880 field in the Modern MARC record.

!Example showing one Provision Activity component for Publication with two Places: "Chicago, IL" and "Minneapolis, MN", one Name "Kaleidoscope Publishing, Inc", Date "[2021]", with MARC 264 field highlighted](../images/page081_img01.png)

Provision activity	
Publication	
EDTF date (to/from 008)	
2001	
Search place of publication (to/from 008)	
China x	
Place (to/from 26X \$a)	
Beijing Shi	
Place (to/from 26X \$a)	
上海市	zh-Hani
Place (to/from 26X \$a)	
Shanghai Shi	zh-Latn
Place (to/from 26X \$a)	
北京市	zh-hani
Name (to/from 26X \$b)	
Gao deng jiao yu chu ban she	
Name (to/from 26X \$b)	
高等教育出版社	zh-hani
Date (to/from 26X \$c)	
2001	
Date (to/from 26X \$c)	
2001	zh-hani

066	\$c \$1
245 00	\$6 880-03 \$a Tong chang jing ji : \$b Ru shi hou de kua guo gong si yu Zhongguo qi ye / \$c Xie Kang deng zhu.
880 00	\$6 245-03/\$1 \$a 同场竞技 : \$b 入世后的跨国公司与中国企业 / \$c 谢康等著.
246 30	\$6 880-04 \$a Ru shi hou de kua guo gong si yu Zhongguo qi ye
880 30	\$6 246-04/\$1 \$a 入世后的跨国公司与中国企业
250	\$6 880-20 \$a Di 1 ban.
880	\$6 250-20/\$1 \$a 第1版.
264 1	\$6 880-22 \$a Beijing Shi ; \$a Shanghai Shi : \$b Gao deng jiao yu chu ban she, \$c 2001.
880 1	\$6 264-22/\$1 \$a 上海市 ; \$a 北京市 : \$b 高等教育出版社, \$c 2001.
300	\$a 7, 5, 314 p. \$b ill. \$c 21 cm
334	\$a single unit \$b mono \$0 http://id...
336	\$a text \$b txt \$2 rdacontent \$0 http://id...
337	\$a unmediated \$b n \$2 rdamedia \$0 http://id...
340	\$p illustrations \$0 http://id...

The brackets in Marva connecting the non-Latin fields with the romanized fields are intended to group the fields and have no impact on the Modern MARC view.

- There is **one** Place of production, publication, distribution, manufacture, **two or more** Names of producer, publisher, distributor, manufacturer, and **one** Date of production, publication, distribution, manufacture. This includes resources in non-Latin script. Use the "Additional Literal" option in the Lightning Bolt to add fields for the non-Latin script data. The non-Latin data will show up in the paired 880 field in the Modern MARC record.

Provision activity	
Publication	
EDTF date (to/from 008)	
2021	
Search place of publication (to/from 008)	
England x	
Place (to/from 26X \$a)	
New York, NY	
Name (to/from 26X \$b)	
Penguin Random House Publisher Services	
Name (to/from 26X \$b)	
Prestel Publishing	
Date (to/from 26X \$c)	
2021	

100 1	\$a Schamp, Tom \$e author \$e illustrator \$4 aut \$4 ill \$4 http://id.loc.gov/vocabulary/relators/aut \$4 http://id.loc.gov/vocabulary/relators/ill \$0 http://id... \$1 http://id...
240 10	\$a Waar is iedereen? \$l English
245 10	\$a Where is everyone? / \$c Tom Schamp ; translated by Michele Hutchison.
264 1	\$a New York, NY : \$b Penguin Random House Publisher Services : \$b Prestel Publishing, \$c 2021.
300	\$a 1 volume (unpaged) \$b color illustrations \$c 22 cm
334	\$a single unit \$b mono \$0 http://id...

Provision activity	
Publication	
EDTF date (to/from 008)	
2011	
Search place of publication (to/from 008)	
Korea (South) x	
Place (to/from 26X \$a)	
Kyongsang-bukto Kyongju-si	
Place (to/from 26X \$a)	
경상북도 경주시	zxx-hang
Name (to/from 26X \$b)	
Kungnip Kyongju Munhwajae Yon'guso	
Name (to/from 26X \$b)	
국립 경주 문화재 연구소	zxx-hang
Name (to/from 26X \$b)	
Kyongju-si	
Name (to/from 26X \$b)	
경주시	zxx-hang
Date (to/from 26X \$c)	
2011	
Date (to/from 26X \$c)	
2011	zxx-hang

050 00	\$a DS925.K9 \$b K9313 2011
066	\$c \$1
245 00	\$6 880-03 \$a Kyongju Hwangnyongsa Yon'gu Sent'ö köllip yejöng puji nae yujök palgul chosa pogosö / \$c p'yönjip parhaeng Kungnip Kyongju Munhwajae Yon'guso.
880 00	\$6 245-03/\$1 \$a 경주 황룡사 연구 센터 건립 예정 부지 내 유적 발굴 조사 보고서 / \$c 편집 발행 국립 경주 문화재 연구소.
264 1	\$6 880-22 \$a Kyongsang-bukto Kyongju-si : \$b Kungnip Kyongju Munhwajae Yon'guso : \$b Kyongju-si, \$c 2011.
880 1	\$6 264-22/\$1 \$a 경상북도 경주시 : \$b 국립 경주 문화재 연구소 : \$b 경주시, \$c 2011.
300	\$a 224 pages \$b illustrations (some color), maps \$c 30 cm
334	\$a single unit \$b mono \$0 http://id...
336	\$a text \$b txt \$2 rdacontent \$0 http://id...
337	\$a unmediated \$b n \$2 rdamedia \$0 http://id...
338	\$a volume \$b nc \$2 rdacarrier \$0 http://id...
340	\$p illustrations \$0 http://id...
340	\$p maps \$0 http://id...
353	\$a bibliography \$b bibliography \$0 http://id...
490 0	\$6 880-36 \$a Haksul yon'gu ch'ongso : \$v 67

The brackets in Marva connecting the non-Latin fields with the romanized fields are intended to group the fields and have no impact on the Modern MARC view.

When to Use Two Provision Activity Components

Use **two** Provision Activity Components for a function (Production, Publication, Distribution, Manufacture) when:

- There are **two or more** Places of production, publication, distribution, manufacture, **two or more** Names of producer, publisher, distributor, manufacturer, and **one** Date of production, publication, distribution, manufacture. This includes resources in non-Latin script. Use the "Additional Literal" option in the Lightning Bolt to add fields for the non-Latin script data. The non-Latin data will show up in the paired 880 field in the Modern MARC record.

Provision activity	
Publication	
EDTF date (to/from 008)	
Search place of publication (to/from 008)	
Place (to/from 26X \$a)	
Los Angeles	
Name (to/from 26X \$b)	
The Museum of Contemporary Art	
Date (to/from 26X \$c)	
Provision activity	
Publication	
EDTF date (to/from 008)	
2016	
Search place of publication (to/from 008)	
California x	
Place (to/from 26X \$a)	
Munich	
Place (to/from 26X \$a)	
London	
Place (to/from 26X \$a)	
New York	
Name (to/from 26X \$b)	
DelMonico Books - Prestel	
Date (to/from 26X \$c)	
2016	

Provision activity	
Publication	
EDTF date (to/from 008)	
Search place of publication (to/from 008)	
Place (to/from 26X \$a)	
Shanghai Shi	
Place (to/from 26X \$a)	
上海市	zh-hani
Name (to/from 26X \$b)	
Shanghai she hui ke xue yuan chu ban she	
Name (to/from 26X \$b)	
上海社会科学院出版社	zh-hani
Date (to/from 26X \$c)	
Provision activity	
Publication	
EDTF date (to/from 008)	
2001	
Search place of publication (to/from 008)	
China x	
Place (to/from 26X \$a)	
Beijing Shi	
Place (to/from 26X \$a)	
北京市	zh-hani
Name (to/from 26X \$b)	
Gao deng jiao yu chu ban she	
Name (to/from 26X \$b)	
高等教育出版社	zh-hani
Date (to/from 26X \$c)	
2001	
Date (to/from 26X \$c)	
2001	zh-hani

The brackets in Marva connecting the non-Latin fields with the romanized fields are intended to group the fields and have no impact on the Modern MARC view.

Marva Import

When importing a MARC record with complex Provision Activity information, Marva will separate the data into two components. The second component will carry the 008 information and the transcribed date information. There is no need to change this arrangement.

When inputting Provision Activity information natively in Marva, if there are two Provision Activity components, the transcribed date (Date (to/from 26X \$c)) should only be given once, in the component that contains the 008

information.

If there is non-Latin data in the Provision Activity component(s), the transcribed date (Date (to/from 26X \$c)) is given in both the non-Latin field and the romanized field.

Provision activity	
Publication	
EDTF date (to/from 008)	
Search place of publication (to/from 008)	
Place (to/from 26X \$a)	
Shanghai Shi	
Place (to/from 26X \$a)	
上海市	zh-hani
Name (to/from 26X \$b)	
Shanghai she hui ke xue yuan chu ban she	
Name (to/from 26X \$b)	
上海社会科学院出版社	zh-hani
Date (to/from 26X \$c)	
Provision activity	
Publication	
EDTF date (to/from 008)	
2001	
Search place of publication (to/from 008)	
China x	
Place (to/from 26X \$a)	
Beijing Shi	
Place (to/from 26X \$a)	
北京市	zh-hani
Name (to/from 26X \$b)	
Gao deng jiao yu chu ban she	
Name (to/from 26X \$b)	
高等教育出版社	zh-hani
Date (to/from 26X \$c)	
2001	
Date (to/from 26X \$c)	
2001	zh-hani

066 \$c \$1

245 00 \$6 880-03 \$a Tong chang jing ji : \$b Ru shi hou de kua guo gong si yu Zhongguo qi ye / \$c Xie Kang deng zhu.

880 00 \$6 245-03/\$1 \$a 同场竞技 : \$b 入世后的跨国公司与中国企业 / \$c 谢康等著.

246 30 \$6 880-04 \$a Ru shi hou de kua guo gong si yu Zhongguo qi ye

880 30 \$6 246-04/\$1 \$a 入世后的跨国公司与中国企业

250 \$6 880-20 \$a Di 1 ban.

880 \$6 250-20/\$1 \$a 第1版.

264 1 \$6 880-22 \$a Shanghai Shi : \$b Shanghai she hui ke xue yuan chu ban she

880 1 \$6 264-22/\$1 \$a 上海市 : \$b 上海社会科学院出版社

264 1 \$6 880-23 \$a Beijing Shi : \$b Gao deng jiao yu chu ban she, \$c 2001.

880 1 \$6 264-23/\$1 \$a 北京市 : \$b 高等教育出版社, \$c 2001.

300 \$a 7, 5, 314 p. \$b ill. \$c 21 cm

334 \$a single unit \$b mono \$0 http://id...

336 \$a text \$b txt \$2 rdacontent \$0 http://id...

337 \$a unmediated \$b n \$2 rdamedia \$0 http://id...

340 \$p illustrations \$0 http://id...

353 \$a bibliography \$b bibliography \$0 http://id...

490 1 \$6 880-36 \$a Shuang ying cong shu

880 1 \$6 490-36/\$1 \$a 双赢丛书

490 1 \$a Shuangyingcongshu

504 \$a Includes bibliographical references (p. 312-314)

650 0 \$a Investments, Foreign \$z China \$0 http://id...

650 0 \$a International business enterprises \$0 http://id...

650 0 \$a Corporations \$z China \$0 http://id...

610 20 \$a World Trade Organization \$z China

700 1 \$6 880-70 \$a Xie, Kang, \$d 1963- \$e contributor \$1 http://id...

Other Examples

Provision activity

Publication

EDTF date (to/from 008)

2014

Search place of publication (to/from 008)

England | x

Place (to/from 26X \$a)

London

Place (to/from 26X \$a)

Chicago

Name (to/from 26X \$b)

Pharmaceutical Press

Date (to/from 26X \$c)

2014

Provision activity

Publication

EDTF date (to/from 008)

2024

Search place of publication (to/from 008)

England | x

Place (to/from 26X \$a)

London

Place (to/from 26X \$a)

New York

Name (to/from 26X \$b)

Bloomsbury Academic

Date (to/from 26X \$c)

2024

Provision activity

Distribution

EDTF date (to/from 008)

Search place of publication (to/from 008)

Place (to/from 26X \$a)

London

Name (to/from 26X \$b)

Bloomsbury Publishing (UK)

Date (to/from 26X \$c)

2024

Provision activity

Publication

EDTF date (to/from 008)

2024-09-XX

Search place of publication (to/from 008)

India | x

Place (to/from 26X \$a)

Secunderabad, Telangana, India

Name (to/from 26X \$b)

Astra Publishers

Date (to/from 26X \$c)

September 2024

Provision activity

Distribution

EDTF date (to/from 008)

Search place of publication (to/from 008)

Place (to/from 26X \$a)

Secunderabad, Telangana, India

Name (to/from 26X \$b)

Analpa Book Company

Date (to/from 26X \$c)

Provision activity

Publication

EDTF date (to/from 008)

2024/9999

Search place of publication (to/from 008)

Romania | x

Place (to/from 26X \$a)

București

Name (to/from 26X \$b)

Eikon

Date (to/from 26X \$c)

2024-

!["Publication with EDTF date "2003~/2024~", Search place "Alaska", Place "Anchorage, Alaska", Name "Alaska Department of Environmental Conservation, Division of Air Quality", Date "[between 2003 and 2024]""](..images/image-1772569217612.png)

!["Publication with EDTF date "2024", Search place "Brazil", Place "Curitiba, PR", Name "Kotter Editorial", Date "[2024]", with Copyright date "2023""](..images/image-1772569249276.png)

[Back to Table of Contents](#)

Copyright Date

Scope

Record Copyright date in this component.

Folio / MARC

- 264 field, Production, Publication, Distribution, Manufacture, and Copyright Notice

Copyright Date

Record Copyright date here. This is a literal value. There is no need to precede the date by the copyright symbol (©). The symbol is implicit in the Copyright date component.

Copyright date

Copyright date

2024

If an additional Copyright date is needed, use the "Additional Literal" action button option to add the additional copyright date in a new field within the same component.

Copyright date

Copyright date

2024

Mode of issuance

Mode of issuance

single unit | x

Identifiers

LCCN

LCCN

2015336122

001 18481387

003 DLC

005 20250202

1 Add Another Component

3 Delete Component

5 Additional Literal

6 Set Language

Copyright date

Copyright date

2024

Copyright date

2022

If you need to delete or edit a copyright date, use the delete key on your laptop. This is a literal component and there are no lookups or drop-down values.

[Back to Table of Contents](#)

Mode of Issuance

Scope

This component is a categorization reflecting whether an Instance is issued in one or more parts, the way it is updated, and whether its termination is predetermined or not. This is a required component.

Folio / MARC

- Ldr/07, Bibliographic level

Mode of Issuance

Select the appropriate value from the drop-down list.

Mode of issuance
Mode of issuance
• integrating resource (intg) • multipart monograph (mulm) • serial (serl) • single unit (mono)

The available values are:

- **integrating resource (intg)**
- **multipart monograph (mulm)**
- **serial (serl)**
- **single unit (mono)**

[Back to Table of Contents](#)

Identifiers

Scope

There are seven values for Identifier:

Identifiers
LCCN
LCCN
ISBN
OCLC number
Other identifier
Local system number
EAN
National bibliographic number

Each recorded identifier value appears in its own Identifier component.

Folio / MARC

- 010 field, Library of Congress Control Number
- 020 field, International Standard Book Number (ISBN)
- 024 field, Other Standard Identifier
- 035 field, System Control Number

LCCN

Key in or scan the LCCN in this field.

LCCN

LCCN

2015336122

Follow the MARC spacing conventions for LCCN values. There are two leading spaces before 2015336122 in the example above.

Invalid/canceled?

If the LCCN is invalid or has been canceled (the LCCN in MARC would appear in the subfield \$z of the 010 field), from the drop-down list, select "canceled or invalid." If the LCCN is valid, do not select a value for this field.

LCCN

LCCN

2012795478

Invalid/canceled?

canceled or invalid (cancinv) | x

ISBN

Key in the ISBN number without an internal punctuation.

ISBN

9781631980329

Qualifier

Add any qualification here. Do not include parentheses.

Qualifier

paperback

Invalid/canceled?

This is a drop-down list to controlled values. If the ISBN is invalid or canceled, select the value "canceled or invalid" from the drop-down list.

Invalid/canceled?

canceled or invalid (cancinv) | x

ISBN

9781631980329

Identifiers

LCCN

LCCN

2018010147

Invalid/canceled?

Identifiers

LCCN

LCCN

2019043996

Invalid/canceled?

canceled or invalid | x

Identifiers

LCCN

LCCN

2021050651

Invalid/canceled?

canceled or invalid | x

If an additional ISBN is recorded, add a new component.

Copyright date

Mode of issuance

single unit x

Identifiers

LCCN

LCCN

2015043605

Invalid/canceled?

Identifiers

ISBN

ISBN

9781631980329

Qualifier

paperback

1 Add Another Component

3 Delete Component

5 Additional Literal

6 Set Language

7 ⚡ Russian S2R

8 ⚡ Russian R2S

0 Debug

Add To Library

⚡

100 1 \$a Casl

245 10 \$a Self

264 1 \$a Minr

Follow this guidance for recording any other identifiers associated with the Instance.

[Back to Table of Contents](#)

Notes about the Instance

Scope

Notes in Marva are in flux. Most Notes will be recorded in the Instance description, not in the Work description. In Folio / MARC, each 5XX note has a specific definition. Being aware of the definition will help determine where the note goes, with the [Work description](../work-description/), or with the Instance description.

For now (February 2025), only record Notes relating to the **language** of the Work in this component in Marva. All other notes are recorded in the Instance description.

Folio / MARC

- 5XX fields, Note Fields

Note

Notes related to the RDA Manifestation are recorded here. In addition, notes about supplementary content of a resource such as the presence of bibliographical references and/or indexes are recorded here, even though in RDA, supplementary content is an Expression attribute (RDA 7.16). A controlled value for the presence of bibliographical references and/or indexes is recorded in the Work entity, in the Supplementary content component.

Note is a literal field. Notes are keyed in. Ending punctuation is optional.

Note
illustrations

Note
Includes bibliographical references and index.

**Controlled values for the presence of bibliographical references and index are recorded in the BIBFRAME Work:

Supplementary content

Supplementary content

bibliography | x

Supplementary content

Supplementary content

index | x

Note

"The research on which this paper was based was commissioned by the Consortium for Research on Educational Access, Transitions & Equity"--T.p. verso.

Note Type

Because MARC 5XX fields define the type of note being recorded, and Marva does not use MARC, Notes are categorized by selecting a value from the drop-down list. If the note is a General Note (General Notes are recorded in the MARC 500 field), do not select a value from the drop-down list. For all other notes, select a value.

Notes about the Instance

Note

Includes bibliographical references (pages 91-93)

Note type

bibliography | x



Note

color illustrations

Note type

physical details | x

Notes about the Instance

Note

illustrations (some color)

Note type

physical details | x

Note

Issuing body in évkhmél (folded) script on cover: Soyul Uralıǵ-un Yeke Surǵaǵulı, Soyul Uralıǵ Sudulul-un Kúriyeleng.

Note type

issuing body (issuing) | x

Notes that are all related to one of the Note type values may be recorded in the same component but in different fields.

Notes about the Instance

Note

"The research on which this paper was based was commissioned by the Consortium for Research on Educational Access, Transitions & Equity"--T.p. verso

Note

Copyright: University of Sussex

Note

Includes statistical tables

Note type

Notes that have a unique Note type value must appear in separate components.

Notes about the Instance

Note

"The research on which this paper was based was commissioned by the Consortium for Research on Educational Access, Transitions & Equity"--T.p. verso

Note

Copyright: University of Sussex

Note

Includes statistical tables

Note type

001 15124857
003 DLC
005 20250202

- 1 Add Another Component
- 3 Delete Component
- 5 Additional Literal
- 6 Set Language

[Back to Table of Contents](#)

Supplementary Content URL

Scope

Supplementary online content related to the Instance is recorded in this component.

Folio / MARC

- 856 field, Electronic Location and Access

Note

Record a literal value here to describe the nature of the supplementary content URL.

Note
Supplementary material

URL

Record the URL here.

Supplementary content URL
Note
Supplementary material
URL
<https://history.lds.org/saints>

If additional URLs for Supplementary content are needed, use the "Add Another Component" option.

Supplementary content URL	246 1 \$a Stor
Note	246 1 \$a Stan
Supplementary material	261 1 \$a Salt
URL	
https://history.lds.org/saints	
Immediate source of acquisition note	
Immediate source of acquisition	




1 Add Another Component

3 Delete Component

Supplementary content URL

Note

Supplementary material

URL

https://history.lds.org/saints

Supplementary content URL

Note

Table of contents only

URL

http://www.loc.gov/catdir/toc/ecip0821/2008025672.html

[Back to Table of Contents](#)

Immediate Source of Acquisition Note

Scope

Do not use this component. The Immediate source of acquisition note in the Marva Instance is provided for institutions that are not using BIBFRAME items for cataloging.

In MARC to BIBFRAME conversion, an Immediate Source of Acquisition Note in MARC 541 is placed on the BIBFRAME Item.

Folio / MARC

- 541 field, Immediate Source of Acquisition Note

[Back to Table of Contents](#)

Media Type

Scope

Media Type is a core element in Original RDA and must be recorded in all bibliographic descriptions. If you are working with an AACR2 bibliographic description in Marva, and that description does not have a Media type, you should add it.

Folio / MARC

- 337 field, Media Type

Media Type

Media type is a drop-down list. Select the appropriate value from the list. The default value for a monograph is unmediated. The default value can be searched from the drop-down list or populated using the Insert Default Values option.

Media type

unmediated | x

Add additional components if more than one Media type is needed.

Media type

Media type

unmediated | x

Extent

Extent

volumes

Applies to

505 0 \$a volu

610 20 \$a Chi

650 0 \$a 1st

1 Add Another Component

3 Delete Component

Marva does not accommodate the Materials specified option (subfield \$3 in Folio / MARC).

To change information in this component, click on the X next to the term and search for the new value.

Media type

Media type

unmediated | x

Media type

Media type

If the component is no longer needed, delete it.

Media type


Media type

unmediated | x

Media type

Media type

computer (c) | x



[Back to Table of Contents](#)

Physical Description

Scope

Physical description includes the Extent of the resource as well as Other physical details. Extent is a core element in Original RDA only if the Instance is complete or if the total extent is known. Record subunits only if readily ascertainable and considered important for identification or selection. Illustrative content is a core element for LC for resources intended for children.

Folio / MARC

- 300 field, subfield \$a, Extent
- 300 field, subfield \$b, Other physical details

Extent

Record the extent of the Instance here. Follow traditional punctuation guidelines but do not use ISBD punctuation. This is a literal field.

Extent

382 pages

Extent

2 volumes (xii, 738 pages)

! [Extent field with value "[10], cccxlvii [i.e. cccxlv], [1] leaves (the last blank)"] (../images/page096_img03.png)

Extent volumes

Note

Use this field for recording illustrative content if considered important for identification or selection.

Physical description

Extent

125 pages

Note

illustrations (some color), color maps

Note type

Note Type

You do not need to use the "Note type: physical details" field for information that would be recorded in the MARC 300 field subfield \$b, Other physical details. The system will automatically generate the MARC 300 field even if a physical details note is not manually entered.

[Back to Table of Contents](#)

Dimensions

Scope


Dimensions is a core element for LC for resources other than serials and online resources.

Folio / MARC

- 300 field, subfield \$c, Dimensions

Dimensions

Record the dimensions of the Instance here. Follow traditional punctuation guidelines but do not use ISBD punctuation. Do not add ending punctuation, even if the last element is cm. This is a literal field.



[Back to Table of Contents](#)

Carrier Type

Scope

Carrier Type is a core element in Original RDA and must be recorded in all bibliographic descriptions. If you are working with an AACR2 bibliographic description in Marva, and that description does not have a Carrier type, you should add it.

Folio / MARC

- 338 field, Carrier Type

Carrier Type

Select the appropriate value from the dropdown list. volume is the default value for monographs. Selecting Insert Default Values will populate the field with the correct value.

The screenshot shows a MARC interface with three fields: 'Carrier type', 'URL of Instance', and 'Projected publication date (YYMM)'. The 'Carrier type' field is highlighted with a pink background. To its right, a dropdown menu is open, showing options: '1 Add Another Component', '2 Insert Default Values', '3 Delete Component', and '0 Debug'. An orange arrow points from the 'Carrier type' field to the dropdown menu. Another orange arrow points from the 'Insert Default Values' option to the 'Carrier type' field. In the background, a MARC record is visible with fields like '043 \$a a-cc---' and '050 00 \$a NA74'.

A close-up of the 'Carrier type' dropdown menu. The text 'Carrier type' is at the top. Below it, a rounded rectangle contains the word 'volume' followed by a vertical line and the letter 'x'.

If an additional Carrier type is needed, use the Add Another Component option to repeat the component.

Carrier type	043 \$a a-cc--	
Carrier type	050 00 \$a NA7	
URL of Instance	1	Add Another Component
URL	2	Insert Default Values
Projected publication date (YYMM)	3	Delete Component
Projected publication date (YYMM)	0	Debug

Carrier type

Carrier type

volume | x

Carrier type

Carrier type

computer disc (cd) | x

[Back to Table of Contents](#)

Access Policy

Scope

This component gives information on parameters associated with access to a resource.

Folio / MARC

- 506 field, Restrictions on Access Note
- 540 field, Terms Governing Use and Reproduction Note

Access Policy

Record information as a literal value (note) about the terms governing use and reproduction of the resource.

Qualifier

Record standardized terminology for use and reproduction rights as a literal value.

Access policy	Access policy	500 \$a Full available on the internet as a PDF file.
Qualifier	Unrestricted online access	588 \$a Title from PDF file as viewed on 08/10/2023.
Access policy	Access policy	588 \$a Description based on print version record; resource not viewed.
Qualifier	Unrestricted online access	504 \$a Includes bibliographical references (pages 76)
Access policy	Access policy	506 \$f Unrestricted online access
Qualifier	Unrestricted online access	540 \$a This is non-restricted, fully open content that may be accessed on and off of the Library of Congress campus, with no restrictions, by an unlimited number of users
Access policy	Access policy	546 \$a In English.
Qualifier	Unrestricted online access	650 0 \$a Agriculture \$x Environmental aspects \$z Laos \$x Monoculture

[Back to Table of Contents](#)

URL of Instance

Scope

This component gives the electronic access location for an online resource.

Folio / MARC

- 856 field, Electronic Location and Access

URL of Instance

Record the URL for electronic access here.

Do not record a URL that is restricted for use at a specific institution (e.g., proxy URL) in a master utility record unless it is the only URL available. When an existing 856 field URL is in a MARC source record, when that record is imported into Marva for editing, the 856 information will be added to a Secondary Instance.

URL of Instance

URL

<https://www.scientific.net/AST.133>

[Back to Table of Contents](#)

Projected Publication Date (YYMM)

Scope

Projected publication date is used for bibliographic data in the Cataloging in Publication Program (CIP). Projected publication date is maintained in the description until the resource is published and the item is received.

Folio / MARC

- 263 field, Projected Publication Date

Projected Publication Date (YYMM)

Enter the date in the form YYMM, for example, 2507 = July 2025.

Projected publication date (YYMM)
Projected publication date (YYMM)
2507

[Back to Table of Contents](#)

Admin Metadata

Scope

This component is pre-populated in Marva and does not need to be edited.

Folio / MARC

- Ldr/17, Encoding level
- Ldr/18, Descriptive cataloging form
- 040 field, Cataloging Source
- Folio Instance HRID

[Back to Table of Contents](#)

Configuration: Preferences and Customization

Marva has a large number of preference options that you can use to customize and individualize the Marva experience.

	Required Field Color	
Set Mandatory Field Color		
	Default Color	Data Changed Color
Set Color All Fields		
Set Color All Work Fields		
Set Color All Instance Fields		
Work		
Expression of [search for a Hub]		
Creator of Work		
Title information		
Contributors		
Notes about the Work		
Contents		
Summary		
Subjects		
Geographic coverage		
Genre/Form		
Classification numbers		
Intended audience		
Content type		
Language (008 [1st], 041 \$a [others])		

ScriptShifter, Diacritic Macros, Text Macros

See [Appendix C: ScriptShifter](#) for ScriptShifter details. Diacritic Macros and Text Macros are also accessible under Preferences in the Navigation Bar.

Field Colors

Field colors are used to customize individual components in Marva. For example, you can set a mandatory field color that will distinguish between BIBFRAME entities, for example Work and Instance. The default color is black.

Layouts

Save

Expression of [search for a Hub]

Expression of [search for a Hub]

Creator of Work

Person

Search LCNAP

Relationship designator

Title Information

Work title

Non-sort character count

0

Preferred title for Work

Part number

Part name

Contributors

Person

Search LCNAP

Relationship designator(s)

Notes about the Work

Notes

Set Mandatory Field Color

Required Field Color

Set Color All Fields

Set Color All Work Fields

Set Color All Instance Fields

Work

Expression of [search for a Hub]

Creator of Work

Title information

Contributors

Notes about the Work

Contents

Summary

Subjects

Geographic coverage

Data Changed Color

Set Mandatory Field Color

Preferences

Scriptshifter

Diacritic Macros

Text Macros

Field Colors

Themes


This will let you use a color of your choice as the background font for mandatory fields. Click on the Required Field Color icon and a palette will pop up from which you can choose the required field color. Only the required fields for the profile you selected will be in the color you chose.

If you want to change back to the default color black, click on the undo icon (the circle with the arrow).

Set Color All Fields

Default Color

This option will set the background color for all the components in all the profiles you are working with.



Click on the Default Color icon and a palette will pop up from which you can choose the default component color.

If you want to change back to the default color black, click on the undo icon (the circle with the arrow).

Data Changed Color

This option will change the color of the component or field that you have populated with data.

Click on the Default Color icon and a palette will pop up from which you can choose the default component color.

If you want to change back to the default color black, click on the undo icon (the circle with the arrow).

Set Color All Work Fields

Default Color

This option will set the background color for all Work components.

Click on the Default Color icon and a palette will pop up from which you can choose the default Work component color.

If you want to change back to the default color black, click on the undo icon (the circle with the arrow).

Data Changed Color

This option will change the color of the Work component or field that you have populated with data.

Click on the Data Changed Color icon and a palette will pop up from which you can choose the default component color for Work components that you have populated with data.

If you want to change back to the default color black, click on the undo icon (the circle with the arrow).

Set Color All Instance Fields

Default Color

This option will set the background color for all Instance components.

Click on the Default Color icon and a palette will pop up from which you can choose the default Instance component color.

If you want to change back to the default color black, click on the undo icon (the circle with the arrow).

Data Changed Color

This option will change the color of the Instance component or field that you have populated with data.

Click on the Data Changed Color icon and a palette will pop up from which you can choose the default component color for Instance components that you have populated with data.

If you want to change back to the default color black, click on the undo icon (the circle with the arrow).

Work Components and Instance Components

These options allow you to set background colors for each Work and Instance component, and to set colors for each component or field that you have populated with data.

Default Color

This option will set the background color for the components that you select.

Click on the Default Color icon and a palette will pop up from which you can choose the default component color for any Work or Instance component that you have populated with data.

If you want to change back to the default color black, click on the undo icon (the circle with the arrow).


Data Changed Color

This option will change the color of the components that you select when you have populated the component with data.

Click on the Data Changed Color icon and a palette will pop up from which you can choose the default component color for any Work or Instance component that you have populated with data.

If you want to change back to the default color black, click on the undo icon (the circle with the arrow).

Themes



Themes can be used to customize the entire Marva "skin."

Default is white background with black font.

Dark is black background with white font.

Gray turns the default white background to gray, but keeps the black font.

General

Edit Panel

Literal Field

Lookup Field

Modals

Complex Lookup

Action Button

Nav Bar

General Preferences allow you to set the view for the Work, Instance, and Item icons in the Navigation panel and as the skin color in the Edit panel. Click on the color bar to the right of each option to set the preferred color.

Preferences - General X

Instance icon color
The color of the instance icon. 

Work icon color
The color of the work icon. 

Item icon color
The color of the item icon. 

Copy mode default
Set if copy mode should be on or off by default. ☐

Ad Hoc Mode
Turn on Ad Hoc Mode. Ad Hoc mode will only display populated and mandatory fields in Marva, other fields can be added as needed. ☐

Ad Hoc Mode is used for reducing the number of components in Marva to those components that have data in them, and those components that are mandatory. Ad Hoc Mode is a very good way to eliminate extraneous space in Marva and to reduce scrolling. Once Ad Hoc Mode is on, if you want to add a component that is not present, it can be added by clicking on the component in the Navigation Panel.

Edit Panel, Literal Field, Lookup Field, Modals, Complex Lookup, Action Button, and Nav Bar

General

Edit Panel

Literal Field

Lookup Field

These options under the General tab allow customization of Marva views, including colors and font sizes, in a much more granular way, down to the level of each component, application, or feature.

Edit Panel

Options for the entire Edit Panel.

Literal Field

Options for fields that contain transcribed or recorded text.

Lookup Field

Options for fields that use drop-down lists or searches to external vocabularies.

Modals

Modals are interfaces for searching external vocabularies. For example, searches in the LCNAF, LCSH, or LCDGT use modals. This option in Preferences allows you to customize the way a modal looks.

Preferences - Modals X

Background Color

Background color of the popup modals

Background Accent Color

Used for off background color accents

Text Color

Text color of popup modals

LCGFT All

Novels

GenreForm

view on id.loc.gov

Add [Shift+Enter]

Cancel [ESC]

<< < Page 1 of 1 > >>

novels

Search

Novels

Novels-in-stories (USE Linked stories)

Novels, Comic book (USE Graphic novels)

Novels, Photographic (USE Fotonovelas)

Novels in letters (USE Epistolary fiction)

Novels in pictures (USE Wordless novels)

Novels in verse

Novels of manners

Novels of sensibility (USE Sentimental novels)

novels [Literal]

Has Broader Authority:

Fiction

MADS Collection:

LCGFT_General

Sources:

Source: Merriam-Webster online, April 15, 2015: Note: (novel: def. 2b: an invented prose narrative of considerable length and a certain complexity that deals imaginatively with human experience through a connected sequence of events involving a group of persons in a specific setting. def. 2c: the literary type constituted by such narratives) Status: found

Complex Lookup

Classification numbers

Library of Congress classification

Classification number

HC340.12.Z9

[ClassWeb Search: HC340.12.Z9](#)

Additional call number information

E5748 2025

[Cutter Table](#)
[Biography Table](#)
[Translation Table](#)

Shelf List Search

Assigning agency

United States, Library of Congress | x

Used by assigning agency?

used by assigner | x

Complex Lookups are the way results show up in Modals, primarily for building pre-coordinated LCSH strings.

Action Button

The Action Button is also referred to as the Lightning Bolt, because the lightning bolt is the default icon for the Action Button.

Creator of Work

Person

Search LCNAF

Relationship designator

⚡

There are many configurations you can use to customize the way the Action Button looks and functions:

Preferences - Action Button

X

Action button icon

What icon to use on the field action button, such as "bolt" look up the Material Icon name (<https://marella.me/material-icons/demo/>)

bolt

Action button color

The color of the icon on the action button.

Action Button background color

The color of background on the action button.

Button Icon Size

The size of the icon on the action button

1.25

Button Border Width

The width of the button border

1

Action Border Color

The color of background on the action button.

Button Border Radius

The radius of the button border

5

Action btn menu color

Background color of the action button menu.


Icon Size

The size of the text in the action button menu

1.25

Nav Bar

The Nav Bar is at the top of Marva.



The Nav Bar can be customized with these options:

Preferences - Nav Bar X

Height
The default height of the nav menu
35


Font Size
The fontsize of the text in the nav menu
1

Background Color
The background color of the nav menu


Text Color
The font color of the text in the nav bar

Sidebars -- Previews, Sidebars -- Properties, and Shelflisting

Sidebars -- Previews



The right-hand panel in Marva is called the Preview Sidebar. A Preview can be selected from the View icon in the Nav Bar:



Preferences - Sidebars - Previews X

Background Color
The background color of the preview side bars on the edit screen.

Highlight Color
The background color of the field when selected or hovered.

Sidebar width
The width of the property side bar on the edit screen.

Font Size
The fontsize of the text in the preview view side bars.

Font
The font of the text in the preiveiws.

Text Color

5

1

Avenir, Helvetica, Arial, sans-serif ▼

Hint: to wrap the Preview Sidebar, click on the MARC HTML option at the bottom of the Preferences panel.

Sidebars -- Properties

The left-hand panel in Marva is called the Property Sidebar. The Property Sidebar can be customized using options in the Preferences panel.

Preferences - Sidebars - Property X

Background Color
The background color of the properties side bar on the edit screen.

Highlight Color
The background color of the field when selected or hovered.

Sidebar width
The width of the property side bar on the edit screen.

5

Font Size
The fontsize of the text in the property list side bar.

1

Font
The font of the text in the property list.

Avenir, Helvetica, Arial, sans-serif

Text Color
The font color of the text in the property list.

Empty indicator color
Color of the dot indicating the field is empty.

Populated indicator color
Color of the checkmark indicating the field is populated.

No Scrollbar
Do not display a scroll bar in the property side panel.

☒

Type Labels
Show all type labels, such as "Variant Title" under "Title".

☐

Number Labels
Add a number to the labels of the properties

☐

Accordion List
The property list expands and contracts.

☒

Component Library
Display the Component Library in the Property Panel.

☒

Shelflisting

Shelflisting tools available in the Classification numbers component Tool Box can be edited here. The default documents in the Tool Box are the Cutter Table, the Biography Table, and the Translation Table. You can remove any of those documents, or add additional ones. For example, the Regions and Country Table is added here.

Preferences - Shelflisting X

Link 1 Label
Label for link 1.

Cutter Table

Link 1 URL
Link to an outside resource to help with shelf listing.

<http://www.loc.gov/aba/pcc/>

Link 2 Label
Label for link 2.

Biography Table

Link 2 URL
Link to an outside resource to help with shelf listing.

<https://www.loc.gov/aba/put>

Link 3 Label
Label for link 3.

Translation Table

Link 3 URL
Link to an outside resource to help with shelf listing.

<https://www.loc.gov/aba/put>

Link 4 Label
Label for link 4.

Regions and Countries Tabl

Link 4 URL

<https://www.loc.gov/aba/put>

Display Cutter Tools is checked to show the Cutter Calculator in the Classification numbers component.

Classification numbers

Library of Congress classification

Classification number

HB171.5

ClassWeb Search: HB171.5

ClassWeb Browse: HB171.5

ClassWeb Search: Economics

Additional call number information

.T33 1988

Cutter Calculator

Thompson, Allen R. (Allen Rupert), 1944-2004

T4

Use

Thompson, Allen R. (Allen Rupert), 1944-2004

H6

Use

EconomicsE2

Use

Free Form Cutter Input

Use

Calc Length (2)

Cutter Table

Biography Table

Translation Table

Regions and Countries Table

Shelf List Search

Assigning agency

United States, Library of Congress | x

Used by assigning agency?

used by assigner | x

Note: The Cutter Calculator only appears when there is a Creator or Title in the Work description.

Export Prefs

You can export a specific set of Preferences that you have created and share with other Marva users. The export will create a .json file that can be saved locally or shared.

Import Prefs

You can import a .json file with Marva Preferences. The pop-up box that appears when you click on Import will allow you to select any or all of the Preferences in the file.

Which Preferences would you like to import?

☐Everything

☐Marva Styling

☐Script Shifter Settings

☐Text Macro Settings

☐Diacritic Macro Settings

☐Custom Layouts

☐Component Library

Import

Reset Prefs

Sets all Preferences to the Marva default.


Keeping Marva Customization

Marva has many Preference options for customization. You do not want to lose your customization when you close Marva and restart it. To prevent loss of personalized customization:

1. Remember the importance of a **Hard Refresh** (Ctrl+R)! This will generally solve most personalized customization issues.
2. Go to this address in Chrome (copy and paste into URL field):

chrome://settings/content/siteData

And make sure the first setting is selected:



And not the "Delete data sites" options.

Keep in Mind

Import Preferences: When you Import Preferences, most preferences import as expected, but the customized Component Library will only import after a **Hard Refresh** (Ctrl+R).

Empty Records: "Your Records" does not show until you load at least one record.


[Back to Table of Contents](#)

Appendix B: Using the Component Library

The **Component Library** is a tool that allows you to save and reuse data components across records. The Component Library consists of a **Default Component Library** and a **Component Library** that you can personalize. You can use one or the other, or both. Access the Component Library in the Property Panel of Marva.

Default Component Library

The Default Library can be added to the Property panel by checking the box at Preferences --> Sidebars -- Property.



The Default Component Library contains a selection of often-used values in bibliographic descriptions. You can add these values to bibliographic descriptions by activating the values in the Component Library.

Using Add Bib/Index as an example, if you are describing a resource in Marva that has bibliographical references and index, there need to be controlled values **bibliography** and **index** in the Work entity, and a literal note **Includes bibliographical references and index** in the Instance entity. The Default Component Library can be used to populate these values with one click.

Empty indicator color

Color of the dot indicating the field is empty.

Populated indicator color

Color of the checkmark indicating the field is populated.

No Scrollbar

Do not display a scroll bar in the property side panel.

Type Labels

Show all type labels, such as "Variant Title" under "Title".

Number Labels

Add a number to the labels of the properties

Accordion List

The property list expands and contracts.

Component Library

Display the Component Library in the Property Panel.

Prompt to add Library Component

Ask before adding a component from the library.

Resize Line Color

Color of the dividing line / resize line.

Resize Line Border Color

Color of the dividing line / resize line Border.

Default Component Library

Display the default Component Library in the Property Panel.

☒

☐

☐

☒

☒

☒

☐

☐

☒

Menu Tools View Preferences | Layouts

Work

Instance

Defaults:


At head

(w) Bib (supp cntnt)

(i) Bib (inst note)

↑ Add Bib ↑

Marva will prompt you to add the Default values every time you use the Default Component Library.



Note: You can remove this prompt by unchecking the **Prompt to add Library Component** box at

Preferences --> Sidebars -- Property.

editor.id.loc.gov says

Add Component From Library?

OK

Cancel


Once the Default Component Library selection is confirmed, the values are added to the description.

Color content Color content	Terms of availability
Supplementary content Supplementary content bibliography x index x	Notes about the Instance Note Includes bibliographical references (pages <#####>) and index.
Government publication Government publication	Note type bibliography (biblio) x

If there are pages associated with the bibliographical references, add them to the note in the Instance. If there are no pages, just delete the parenthetical information in the note.

If you just want to only add information about bibliographical references and index in the Work component, or in the Instance component, select the appropriate value from the Default Library.

Menu Tools View Prefere



All the options in the Default Component Library are listed in the Property panel when the Default Component Library option is checked in Preferences --> Sidebars -- Property.

Component Library

The Component Library is a customized and personalized library that you can use for standard or repeated metadata values that you use regularly in cataloging.

The Component Library can be added to the Property panel by checking the box at Preferences --> Sidebars --> Property.

Empty indicator color	
Color of the dot indicating the field is empty.	
Populated indicator color	
Color of the checkmark indicating the field is populated.	
No Scrollbar	☒
Do not display a scroll bar in the property side panel.	
Type Labels	☐
Show all type labels, such as "Variant Title" under "Title".	
Number Labels	☐
Add a number to the labels of the properties	
Accordion List	☒
The property list expands and contracts.	
Component Library	☒ →
Display the Component Library in the Property Panel.	
Prompt to add Library Component	☒
Ask before adding a component from the library.	
Resize Line Color	
Color of the dividing line / resize line.	
Resize Line Border Color	
Color of the dividing line / resize line Border.	
Default Component Library	☒
Display the default Component Library in the Property Panel.	

Input transcribed series

Relationship

series | x

Non-sort character count

0 ▾

Title

All about insects

Status

transcribed | x

ISSN

Note type

bibliography (bi)

Supplementary

- 1 Add Another Component
- 3 Delete Component
- 0 Debug
- Add To Library
- View Documentation ↗


To add values to the Component Library, add the values in the Edit Panel of a bibliographic description, then use the Lightning Bolt feature to save the values to the Component Library.

For example, you are cataloging a juvenile series on insects where the series, subjects, and some of the publication information is the same for each resource.

Step 1: Add the Series Statement

In the Edit panel of Marva, add the series statement, click on the Lightning Bolt feature, and click on Add to Library.

Menu Tools View Preferences



Marva will prompt you to name the component for the Library. The default name will be the name of the component. You can change that name to something else if you want.

Subjects

Subject components

T

Insects--Juvenile literature

✓

x

Thesaurus

Library of Congress subject headings

x

Geographic coverage

Search LCNAF or LCSH

Genre/Form

Search LCGFT

Thesaurus (if not LCGFT)

Classification numbers

Supplementary

Note

URL

1 Add Another Component

2 Insert Default Values

3 Delete Component

4 Make Primary Heading

0 Debug

Add To Library

View Documentation

editor.id.loc.gov says

What to call this component?

Input transcribed series

OK

Cancel

Step 2: Add the Pre-coordinated LCSH String

In the Edit panel of Marva, add the pre-coordinated LCSH string, click on the Lightning Bolt feature, and click on Add to Library.

editor.id.loc.gov says

What to call this component?


Series: All about insects

OK


Cancel

Marva will prompt you to name the component for the Library. The default name will be the name of the component. You can change that name to something else if you want.

Menu Tools View Preferences



Menu Tools View Preferences



Step 3: Add the Provision Activity Information

In the Edit panel of Marva, add the Provision Activity information, click on the Lightning Bolt feature, and click on Add to Library.

Provision activity		008 250414s
Publication	EDTF date (to/from 008)	264 1 \$a Ch
2025		Books, \$c 20
Search place of publication (to/from 008)		300 \$a pag
Illinois x	1	Add Another Component
Place (to/from 26X \$a)	3	Delete Component
Chicago	5	Additional Literal
Name (to/from 26X \$b)	6	Set Language
Juvenile Books	7	⌘A Russian S2R
Date (to/from 26X \$c)	8	⌘A Russian R2S
2025	9	⌘A Thai S2R
Copyright date		⌘A Korean S2R
Copyright date	0	Debug
Mode of issuance		Add To Library
Mode of issuance	-	View Documentation
Identifiers		
LCCN		
LCCN		

Marva will prompt you to name the component for the Library. The default name will be the name of the component. You can change that name to something else if you want.

editor.id.loc.gov says

What to call this component?

Input transcribed series

OK

Cancel

editor.id.loc.gov says

What to call this component?

Subject: Insects--Juvenile literature


OK

Cancel

Grouping Components

You probably will want to add all three components in one bibliographic description. To group them, select one of the components and click on the wrench icon, and select a Group letter to name the set.

Menu Tools View Preferences



Select the second component, click on the wrench icon, and add the value to the same group. Select the third component, click on the wrench icon, and add the value to the same group.

All three values will be added to a group. Because this group contains information from the Work and the Instance, the Library will identify it as a Multi Library Component.

editor.id.loc.gov says

What to call this component?

Input transcribed series

OK

Cancel

Each of the values in the group can be added separately by clicking on the value and selecting the Add Component From Library? prompt (if you have selected the option to see this prompt). To override, uncheck the box at Preferences --> Sidebars -- Property.

To add all three components in the group, click on **Add Group A** (or whatever letter you selected for the group) from the Component Library. The prompt will ask you if you want to add all three.

Empty indicator color

Color of the dot indicating the field is empty.

Populated indicator color

Color of the checkmark indicating the field is populated.

No Scrollbar

Do not display a scroll bar in the property side panel.

Type Labels

Show all type labels, such as "Variant Title" under "Title".

Number Labels

Add a number to the labels of the properties

Accordion List

The property list expands and contracts.

Component Library

Display the Component Library in the Property Panel.

Prompt to add Library Component

Ask before adding a component from the library.

Resize Line Color

Color of the dividing line / resize line.

Resize Line Border Color


Color of the dividing line / resize line Border.

Default Component Library

Display the default Component Library in the Property Panel.



Click OK and the three components will populate the Marva description.




Component Availability

Your saved components are available across all records using the same profile (e.g., components saved in a **Monograph** profile will not appear in a **Serials** profile).

Managing Components

1. Access the Management Menu:

- Hover over a component's name in the library to reveal a gear icon. Click it to manage the component.



editor.id.loc.gov says

What to call this component?


Provision activity: Insects

OK Cancel

This screenshot shows a dialog box titled "editor.id.loc.gov says" with the question "What to call this component?". A text input field contains the text "Provision activity: Insects". At the bottom right, there are two buttons: "OK" (dark blue) and "Cancel" (light blue).

2. Management Options:

- **Remove:** Delete the component from the library.



editor.id.loc.gov says

What to call this component?

Provision activity: Insects

OK Cancel

This screenshot shows a dialog box titled "editor.id.loc.gov says" with the question "What to call this component?". A text input field contains the text "Provision activity: Insects". At the bottom right, there are two buttons: "OK" (dark blue) and "Cancel" (light blue).

- **Rename:** Change the name of the component.

editor.id.loc.gov says

What to call this component?

Provision activity: Insects

OK

Cancel

- **Assign to a Group:** Group multiple components together to add them all at once.

[Back to Table of Contents](#)

Appendix C: ScriptShifter


About ScriptShifter

ScriptShifter is an open source tool that is used in Marva to romanize non-Latin script according to the ALA/LC Romanization Tables, and to generate non-Latin scripts from data romanized according to the ALA/LC Romanization Tables.

ScriptShifter uses AI and user input to improve its responsiveness. Anyone working with ScriptShifter in Marva is welcome to provide feedback to the developers on ScriptShifter.

Setting ScriptShifter Scripts and Script Options

Access ScriptShifter under Preferences in the Navigation Bar in Marva.



In the pop-up box, you will see multiple options for selecting Scripts and Actions.



Visit bibframe.org/scriptshifter to test these languages.

☐ Capitalize first letter of transliteration

Name	Script to Roman	Roman to Script
Abkhaz (Cyrillic)	☐	☐
Altai (Cyrillic)	☐	☐
Arabic	☐	☐
Arabic-to-Roman transliterator using the ArabicTransliterator external library.		
Armenian	☐	☐
Asian Cyrillic		
Multi-purpose transliteration for non-Slavic Cyrillic scripts: Abaza, Abkhaz, Adygei, Aisor, Altai, Avar, Azeri, Balkar, Bashkir, Buryat, Chechen, Chukchi, Chuvash, Dargwa, Dungan, Eskimo, Even, Evenki, Gagauz, Ingush, Inuit, Kabardian, Kalmyk, Karachay, Karachay-Balkar, Karakalpak, Karelian, Khakass, Khanty, Komi, Komi-Permyak, Koryak, Kumyk, Lak, Lapp, Lezghian, Lithuanian, Mansi, Mari, Moldovan, Molodstov, Mordvin, Nanai, Nenets, Nivkh, Nogai, Ossetic, Permyak, Romanian, Romany, Selkup, Shor, Tabasaran, Tat, Tuva, Udekhe, Udmurt, Yakut.		
assamese	☐	☐
Azerbaijani (Cyrillic)	☐	☐

Visit bibframe.org/scriptshifter to test these languages.

Capitalize first letter of transliteration is "off" by default. If the script and language you are working with uses capitalization, you can click on this box so ScriptShifter will capitalize the first letter of the text that is generated.

In the Name, Script to Roman, and Roman to Script columns, you can select the languages and scripts that you will be working with in Marva from the A-Z list.

For most languages and scripts, ScriptShifter offers both transliteration from non-Latin script to romanized script, and the generation of non-Latin script from romanized script. Check the appropriate boxes. There is no limit on the number of boxes you can check.

For some languages and scripts, ScriptShifter does not offer both transliteration from non-Latin script to romanized script, and the generation of non-Latin script from romanized script. For these scripts, one of the boxes will be greyed-out, meaning that the option is not available in ScriptShifter. For example, ScriptShifter does not have an option to generate Korean script from romanized Korean script, and ScriptShifter does not have an option to romanize Kurdish script.

Korean (last + first names only)	☐	→	☐
Korean S2R for strings ONLY containing personal names formatted as last + first name. Separate multiple names with a comma or a center-dot (U+00B7).			
Korean	☐	→	☐
Korean S2R for strings NOT containing any personal names.			
Koryak (Cyrillic)	☐		☐
Kurdish	→	☐	☐
Kyrgyz (Cyrillic)	☐		☐

Using ScriptShifter in Marva

Script to Roman

Set the value in ScriptShifter. Click the Esc button to exit the ScriptShifter panel.

Rajasthani (Devanagari)	☐	☐
Romani (Cyrillic)	☐	☐
Russian	→	☒
Sanskrit (Devanagari)	☐	☐
Serbian	☐	☐

In Marva, the options that you selected in the ScriptShifter panel will be visible in the Lightning Bolt feature for each literal component.

Title information	
Work title	
Non-sort character count	0
Preferred title for Work	
Part number	1 Add Another Component
Part name	3 Delete Component
	4 Send to Instance
Contributors	
Person	5 Additional Literal
Search LCNAP	6 Set Language
Relationship designator(s)	7 Russian S2R
	8 Russian R2S
Notes about the Work	
Note	0 Debug
Note type	Add To Library
Contents	
Contents note	- View Documentation

<marc:sut

In a Literal field, key in or paste Russian script. If you are using the MARC Preview Panel, you will see that the Russian title in Cyrillic script shows up in the MARC 245 field.

Title information	
Work title	
Non-sort character count	0
Preferred title for Work	Русские объединяются с крокодилами и нападают на Европу
Part number	
Part name	

008 250318|||||||xx 000 0
 245 00 \$a Русские объединяются с крокодилами и нападают на Европу
 758 \$4 http://id.loc.gov/ontologies/bibframe/instanceOf \$1 http://id...
 758 \$1 http://id...
 884 \$a DLC bibframe2marc v2.10-dev (libxslt) \$g 20250318 \$q DLC
 \$u https://github.com/cnetdev/bibframe2marc/releases/tag/v2.10-dev

Click on the Lightning Bolt and select the **Russian S2R** option.

Title information	
Work title	
Non-sort character count	0
Preferred title for Work	Русские объединяются с крокодилами и нападают на Европу
Part number	1 Add Another Component
Part name	3 Delete Component
	4 Send to Instance
Contributors	
Person	5 Additional Literal
Search LCNAP	6 Set Language
Relationship designator(s)	7 Russian S2R
	8 Russian R2S
Notes about the Work	
Note	0 Debug
Note type	Add To Library
Contents	
Contents note	- View Documentation

008 250318|
 245 00 \$a P
 крокодилам
 758 \$4
 http://id.loc.g

The romanized title will be added to a second Preferred title for Work in the Marva Title information component, and the values in the MARC Preview will reflect current cataloging policy, with the romanized title in the 245 field, and the Russian Cyrillic script title in the corresponding 880 field. The non-Latin title and the romanized title will be connected with a bracket in Marva.

Title information	
Work title	007 t
Non-sort character count	008 250407 xx 000 0
0	066 \$c (N
Preferred title for Work	245 00 \$6 880-02 \$a Russkie ob"edini" a" i" u" tsi" a" s krokodil
Русские объединяются с крокодилами и нападают на Европу ru-Cyrl ⚡	880 00 \$6 245-02/(N \$a Русские объединяются с крокодил
Preferred title for Work	758 \$4 http://id.loc.gov/ontologies/bibframe/instanceOf \$1 h
Russkie ob"ediniautsia s krokodilami i napadaiut na Evropu ru-Latn ⚡	758 \$1 http://id.loc.gov/resources/instances/e0975249
Part number	884 \$a DLC bibframe2marc v2.10-dev (libxslt) \$g 2025040

Roman to Script

Set the value in ScriptShifter. Click the Esc button to exit the ScriptShifter panel.

Rajasthani (Devanagari)	☐	☐
Romani (Cyrillic)	☐	☐
Russian	☒	☒
Sanskrit (Devanagari)	☐	☐
Serbian	☐	☐

In Marva, the options that you selected in the ScriptShifter panel will be visible in the Lightning Bolt feature for each literal component.

Title information	
Work title	007 t
Non-sort character count	008 250317
0	758 \$4
Preferred title for Work	http://id.loc.g
Part number	\$1 http://id...
Part name	758 \$1 http
Contributors	
Person	1 Add Another Component
Search LCNAF	3 Delete Component
Relationship designator(s)	4 Send to Instance
Notes about the Work	
Note	5 Additional Literal
Note type	6 Set Language
Contents	
Contents note	7 Russian S2R
	8 Russian R2S
	0 Debug
	Add To Library
	View Documentation

In a Literal field, key in or paste romanized Russian script. If you are using the MARC Preview Panel, you will see that the romanized Russian title shows up in the MARC 245 field.

Title information	
Work title	007 t
Non-sort character count	008 250318 xx 000 0
0	245 00 \$a Russkie Russkie ob"edini" a" i" u" tsi" a" s krokodilami i
Preferred title for Work	napadai" u" t na Evropu
Russkie Russkie ob"ediniautsia s krokodilami i napadaiut na Evropu	758 \$4 http://id.loc.gov/ontologies/bibframe/instanceOf \$1 http://id...
Part number	758 \$1 http://id...
	884 \$a DLC bibframe2marc v2.10-dev (libxslt) \$g 20250318 \$q DLC
	\$u https://github.com/lcnetdev/bibframe2marc/releases/tag/v2.10-dev

Click on the Lightning Bolt and select the **Russian R2S** option.

Title information

Work title

Non-sort character count

0

Preferred title for Work

Russkie Russkie ob"ediniäutsia s krokodilami i napadaïut na Evropu

Part number

Part name

Contributors

Person

Search LCNAP

Relationship designator(s)

Notes about the Work

Note

Note type

Contents

Contents note

1 Add Another Component

3 Delete Component

4 Send to Instance

5 Additional Literal

6 Set Language

7 Russian S2R

8 Russian R2S

0 Debug

Add To Library

View Documentation

008 250318|||||||xx 000 0

245 00 \$a Russkie Russkie ob"edini`a`i`u`tsi`a` s krokodilami i napadaï`u`t na Evropu

758 \$4 http://id.loc.gov/ontologies/bibframe/instanceOf \$1 http://id...

758 \$1 http://id...

004 \$a DLC bibframe2marc v2.10-dev (libxslt) \$g 20250318 \$q DLC

hub.com/lcnetdev/bibframe2marc/releases/tag/v2.10-dev

n="1.0" encoding="UTF-8"?>

xmlns:marc="http://www.loc.gov/MARC21/slim">

er xml:space="preserve"> cam a22 i 4500</marc:leade

rolfield xml:space="preserve" tag="001">id1</marc:controlfie

rolfield xml:space="preserve" tag="003">DLC</marc:controlfie

rolfield xml:space="preserve" tag="005">20250318153746.0

rolfield xml:space="preserve" tag="007">t</marc:controlfielc

rolfield xml:space="preserve" tag="008">250318|||||||xx

field tag="245" ind1="0" ind2="0">

field code="a">Russkie Russkie ob"edini`a`i`u`tsi`a` s krok

field>

<marc:datafield tag="758" ind1=" " ind2=" ">

The Russian script title will be added to a second Preferred title for Work in the Marva Title information component, and the values in the MARC Preview will reflect current cataloging policy, with the romanized title in the 245 field, and the Russian Cyrillic script title in the corresponding 880 field. The non-Latin title and the romanized title will be connected with a bracket in Marva.

Title information

Work title

Non-sort character count

0

Preferred title for Work

Russkie ob"ediniäutsia s krokodilami i napadaïut na Evropu

ru-Latn

Preferred title for Work

Русские объединяются с крокодилами и нападают на Европу

ru-Cyrl

Part number

008 250407|||||||xx 000 0

007 t|

008 250407|||||||xx 000 0

066 \$c (N

245 00 \$6 880-02 \$a Russkie ob"edini`a`i`u`tsi`a` s krokodi

880 00 \$6 245-02/(N \$a Русские объединяются с крокодил

758 \$4 http://id.loc.gov/ontologies/bibframe/instanceOf \$1 |

758 \$1 http://id.loc.gov/resources/instances/e0975249

884 \$a DLC bibframe2marc v2.10-dev (libxslt) \$g 2025040

Language and Script Tags

Component Level

When ScriptShifter is used in Marva, language and script tags are added by default to both romanized text and text in Non-Latin script.

Title information

Work title

Non-sort character count

0

Preferred title for Work

Russkie ob"ediniäutsia s krokodilami i napadaïut na Evropu

ru-Latn

Preferred title for Work

Русские объединяются с крокодилами и нападают на Европу

ru-Cyrl

Part number

008 250407|||||||xx 000 0

007 t|

008 250407|||||||xx 000 0

066 \$c (N

245 00 \$6 880-02 \$a Russkie ob"edini`a`i`u`tsi`a` s krokodi

880 00 \$6 245-02/(N \$a Русские объединяются с крокодил

758 \$4 http://id.loc.gov/ontologies/bibframe/instanceOf \$1 |

758 \$1 http://id.loc.gov/resources/instances/e0975249

884 \$a DLC bibframe2marc v2.10-dev (libxslt) \$g 2025040

These values can be changed if needed by clicking on the Lightning Bolt and selecting Set Language.

Title information	
Work title	007 t
Non-sort character count	008 250407
0 v	066 \$c (N
Preferred title for Work	245 00 \$6 88
Russkie ob"ediniãutsia s krokodilami i napadaïut na Evropu	880 00 \$6 24
ru-Latn ⚡	750 \$1 h+...
Preferred title for Work	
Русские объединяются с крокодилами и нападают на Европу	
Part number	
Part name	
Contributors	
Person	
Search LCNAF	
Relationship designator(s)	

- 1 Add Another Component
- 3 Delete Component
- 4 Send to Instance
- 5 Additional Literal
- 6 Set Language
- 7 ⑈ Russian S2R
- 8 ⑈ Russian R2S
- 9 ⑈ Thai S2R

Under each literal value, there will be a Language tag and a Script tag. Use the dropdown lists under Language and Script to change the values.

Russkie Russkie ob"ediniãu"tsiã s krokodilami i napadaïu"t na Evropu@ru-Latn

Russian

Latin

Clear Language & Script

Русские Русские объединяются с крокодилами и нападают на Европу@ru-Cyrl

Russian

Cyrillic

Clear Language & Script

Done


Russkie Russkie ob"ediniãu"tsiã s krokodilami i napadaïu"t na Evropu@ru-Latn

Russian

Latin

Japanese (alias for Han + Hiragana + Katakana)
 Japanese syllabaries (alias for Hiragana + Katakana)
 Javanese
 Jurchen
 Kailhi
 Kannada
 Katakana
 Kayah Li
 Kharoshthi
 Khitan large script
 Khitan small script
 Khmer
 Khojki
 Khudawadi, Sindhi
 Khutsuri (Asomtavruli and Nuskhuri)
 Klingon (KLI plqaD)
 Korean (alias for Hangul + Han)
 Kpelle

Script



Global Level

You can select Language and Script tags for all literal values in a description by clicking on Tools --> Non-Latin Literals in the Navigation Bar.

Title information	
Work title	
Non-sort character count	0
Preferred title for Work	
Part number	
Part name	
Contributors	
Person	
Search LCNAP	
Relationship designator(s)	
Notes about the Work	
Note	
Note type	
Contents	
Contents note	

1 Add Another Component

3 Delete Component

4 Send to Instance

5 Additional Literal

6 Set Language

7 ⚡ Russian S2R

8 → ⚡ Russian R2S

0 Debug

Add To Library

- View Documentation

This will open a box that will show all non-Latin Literal values in the description and you can manage all of them in one screen.

Title information	
Work title	
Non-sort character count	0
Preferred title for Work	Russkie Russkie ob'edini'aiutsia s krokodilami i napadaiut na Evropu
Part number	

008 250318|||||||xx 000 0

245 00 \$a Russkie Russkie ob'edini'a'i'u'tsi'a`s krokodilami i napadai'u't na Evropu

758 \$4 http://id.loc.gov/ontologies/bibframe/instanceOf \$1 http://id...

758 \$1 http://id...

884 \$a DLC bibframe2marc v2.10-dev (libxslt) \$g 20250318 \$q DLC \$u https://github.com/lcnetdev/bibframe2marc/releases/tag/v2.10-dev

Non-Latin Agents

Title information	
Work title	008 250318 xx 000 0
Non-sort character count	245 00 \$a Russkie Russkie ob"edini'a'i'u'tsi'a` s krokodilami i napada'i'u't na Evropu
Preferred title for Work	758 \$4 http://id.loc.gov/ontologies/bibframe/instanceOf \$1 http://id...
Russkie Russkie ob"edini'aiutsia s krokodilami i napada'iut na Evropu	758 \$1 http://id...
Part number	004 \$a DL C bibframe2marc v2.10-dev (libxslt) \$g 20250318 \$q DLC
Part name	hub.com/lcnetdev/bibframe2marc/releases/tag/v2.10-dev
Contributors	
Person	n="1.0" encoding="UTF-8">
Search LCNAF	xmlns:marc="http://www.loc.gov/MARC21/slim">
Relationship designator(s)	er xml:space="preserve"> cam a22 i 4500</marc:leade
Notes about the Work	rolfield xml:space="preserve" tag="001">id1</marc:controlfie
Note	rolfield xml:space="preserve" tag="003">DLC</marc:controlf
Note type	rolfield xml:space="preserve" tag="005">20250318153746.0
Contents	rolfield xml:space="preserve" tag="007">t</marc:controlfielc
	rolfield xml:space="preserve" tag="008">250318 xx
	field tag="245" ind1="0" ind2="0">
	field code="a">Russkie Russkie ob"edini'a'i'u'tsi'a` s krok
	field>
	<marc:datafield tag="758" ind1=" " ind2=" ">

Non-Latin Agents (Tools --> Non-Latin Agents) allows you to manage access points in Non-Latin scripts. This feature works with non-Latin variant access points in authority records.

When a name authority has multiple Non-Latin authorized labels. For example: [n2010057779](#):

Title information	
Work title	007 t
Non-sort character count	008 250407 xx 000 0
Preferred title for Work	066 \$c (N
Russkie ob"edini'aiutsia s krokodilami i napada'iut na Evropu	245 00 \$6 880-02 \$a Russkie ob"edini'a'i'u'tsi'a` s krokodi
Preferred title for Work	880 00 \$6 245-02/(N \$a Русские объединяются с крокодил
Русские объединяются с крокодилами и нападают на Европу	758 \$4 http://id.loc.gov/ontologies/bibframe/instanceOf \$1
Part number	758 \$1 http://id.loc.gov/resources/instances/e0975249
	884 \$a DLC bibframe2marc v2.10-dev (libxslt) \$g 2025040

(id.loc.gov is "selecting" a Non-Latin variant label to be the "authorized" label for that script)

When added to Marva the editor will try to select which Non-Latin authorized label to use to build an 880 field. It does this by looking at the language tags set for the literals in the record. It selects the most common one and then chooses that language + script combination to build the 880. This works fine if there is only one Non-Latin authorized label to select. But if there are multiple it could potentially select the incorrect one to use. This modal window allows you to overwrite that logic and force Marva to use a specific script to build the 880. After I added this name authority, and a Non-Latin title, and went to Tools -> Non-Latin Agents I see this:

Title information	
Work title	007 t
Non-sort character count	008 250407 xx 000 0
Preferred title for Work	066 \$c (N
Russkie ob"edini'aiutsia s krokodilami i napada'iut na Evropu	245 00 \$6 880-02 \$a Russkie ob"edini'a'i'u'tsi'a` s krokodi
Preferred title for Work	880 00 \$6 245-02/(N \$a Русские объединяются с крокодил
Русские объединяются с крокодилами и нападают на Европу	758 \$4 http://id.loc.gov/ontologies/bibframe/instanceOf \$1
Part number	758 \$1 http://id.loc.gov/resources/instances/e0975249
	884 \$a DLC bibframe2marc v2.10-dev (libxslt) \$g 2025040

For this name it has selected the Hani script to build the 880. I can force it however to use the Hang script instead:

Title information	
Work title	007 t
Non-sort character count	008 250407
0	066 \$c (N
Preferred title for Work	245 00 \$6 88
Russkie ob"ediniãutsia s krokodilami i napadaiut na Evropu	880 00 \$6 24
ru-Latn ⚡	750 \$1 h+tr
Preferred title for Work	
Русские объединяются с крокодилами и нападают на Евро	
Part number	
Part name	
Contributors	
Person	
Search LCNAF	
Relationship designator(s)	

1 Add Another Component
3 Delete Component
4 Send to Instance
5 Additional Literal
6 Set Language
7 ⌘ Russian S2R
8 ⌘ Russian R2S
9 ⌘ Thai S2R

This will force the conversion to use the Hang script label when building the 880 in the MARC output. To summarize you will likely never need to modify these selections as Marva should pick the best fit. But if it doesn't this is how you can overwrite it.

[Back to Table of Contents](#)

Appendix D: Instructions for Determining When to Re-Merge a Modern MARC Record Due to Missing or Modified Information

Modern MARC records contain URIs for a significant portion of the data, with most of these URIs generated at the Work level. The exceptions to this are the 334 field (Mode of Issuance), 337 field (Media Type) and 338 field (Carrier Type), which are at the Instance level and generate URIs.

If a cataloger identifies that a field was overlooked or requires modification after a record has been merged, it is essential to determine whether the change should be made in Marva Editor or Folio.

Below are the guidelines for when to edit the record in Marva Editor and when edits can be made directly in Folio.

General Guidelines

If the field contains a URI (Uniform Resource Identifier) and needs modification or has been missed:

- Go back to Marva Editor to retrieve the record and make the necessary changes, as URIs must be generated at the Work and/or Instance levels.
- After editing in Marva Editor, save, validate, and post the record, and then merge it into Folio.

Important Fields to Retain:

- **985** (Local Notes)
 - When a merge occurs, a duplicate of the 985 field will be created. Retain the earlier 985 field as it serves as a history marker.
- **040** (Cataloging Source)
 - When a merge occurs, the 040 field will add extra subfield \$d DLC-MRC \$d DLC. These subfields must be retained and not deleted.

If the field does NOT contain a URI, the cataloger can modify the field directly in Folio, without needing to return to Marva Editor. Please add \$d DLC and boat it. The Modern Marc is the record of truth. If you update this Modern Marc record, it should reflect the changes in Marva.

Fields That Contain URIs (Must Be Edited in Marva Editor)

The following fields, if modified or missed, require editing in Marva Editor to regenerate the appropriate URIs.

Field	BIBFRAME
043 (Geographic Area Code)	Work Level -- URI is assigned to the Geographic Area.
100 (Main Entry-- Personal Name)	Work Level
110 (Main Entry-- Corporate Name)	A URI for the relator code 'author' is added. Also, two URIs are assigned for the Real World Object (RWO) and for an identifier for the agent. Both points to the name authority record for the agent.
111 (Main Entry-- Meeting Name)	

130 (Uniform Title)	Work Level -- URI is linked to the BIBFRAME Hub
240 (Uniform Title--Alternative Title)	Work Level -- URI is linked to the BIBFRAME Hub
334 (Mode of Issuance)	Instance Level -- New usage in MARC record, with URI generated
336 (Content Type)	Work Level -- URI is generated
337 (Media Type)	Instance Level -- URI is generated
338 (Carrier Type)	Instance Level -- URI is generated
340 (Physical Medium)	Work Level -- A new usage in the MARC record, with the URI added. This data is recorded in other controlled areas, such as the 008 byte.
340 Examples: \$ <i>p</i> Illustrations \$0 http://id.loc.gov/vocabulary/millus/ill \$ <i>p</i> maps \$0 http://id.loc.gov/vocabulary/millus/map \$ <i>p</i> Facsimiles \$0 http://id.loc.gov/vocabulary/millus/fac \$ <i>g</i> color (mul) \$0 http://id.loc.gov/vocabulary/mcolor/mul	
Field	BIBFRAME
353 (Supplementary Content Characteristics)	A new usage in the MARC record, with the URI added. This data is recorded in other controlled areas, such as the 008 byte.
353 Examples: \$ <i>a</i> bibliography \$ <i>b</i> bibliography \$0 http://id.loc.gov/vocabulary/msupplcont/bibliography \$ <i>a</i> index \$ <i>b</i> index \$0 http://id.loc.gov/vocabulary/msupplcont/index	
Field	BIBFRAME
6XX (Authorized Subject Headings Strings)	Work Level -- URIs are generated for LCSH strings under authority control. If the string uses a free-floating subdivision array not under authority control, no URI will be generated.
All LCGFT (Library of Congress Genre/Form Terms) headings	Work Level -- have URIs, as LCGFT does not use free-floating subdivisions.
700, 710, 711, 730	Work Level -- URIs are generated for 7XX

Additional Notes

Please be aware that if the cataloger has missed including **color illustrations**, **maps** this information must be added at the Work level (mapping 008 fixed) as well as "color" to generate the appropriate URI in the 340 field. Additionally, the cataloger should include **color illustrations**, **maps** at the Instance level in the "Notes about the Instance" with Note Type: Physical details.

For another example, if a bibliographical reference is missing, the cataloger must add it at the Work level

(mapping 008 fixed), which will generate the URI in the 353 field and include it at the Instance level in the 'Notes about the Instance' as 'Includes bibliographical references' with the 'Note type': bibliography.

[Back to Table of Contents](#)

Appendix E: Hubs

BIBFRAME Hubs, Work Hubs, or Hubs, are **collocation** and **aggregation** resources.

Sources for Hubs

Hubs are created from MARC Authority and Bibliographic data, and may also be created in Marva.

From the LC/NACO Authority File (the NAF), Hubs are generated from:

- **Title NARs**
 - *130 #0 \$a Experiments for the young scientist*
(a series authority record)
 - *130 #0 \$a Writing revolution*
(title for a resource that is a compilation)
- **Name-Title NARs**
 - *100 1# \$a Faulkner, William, \$d 1897-1962. \$t Short stories. \$k Selections*
(a collective authorized access point)
 - *100 1# \$a Atwood, Margaret, \$d 1939- \$t Handmaid's tale. \$l Chinese \$s (Chen : Simplified)*
(a fully disambiguated RDA expression authorized access point)

From the Folio bibliographic database, Hubs are generated from:

- **MARC 130**
 - *130 0# \$a Annual report (Guam Agricultural Experiment Station)*
(corporate body added to differentiate the title Annual report)
- **MARC 100/110/111 + 240**
 - *110 2# \$a Food and Agriculture Organization of the United Nations*
240 10 \$a Manual of methods for fisheries resource survey and appraisal. \$l French
(a French translation of a resource published by the FAO)
- **MARC 600/610/611 + \$t**
 - *611 2# \$a Conference on Security and Cooperation in Europe \$d (1972-1975 : \$c Helsinki, Finland). \$t Final Act*
(a resource about the Helsinki Accords)
- **MARC 630**
 - *630 00 \$a Dayton Peace Accords \$d (1995)*
(a resource about the 1995 Dayton Peace Accords)
- **MARC 700/710/711 + \$t**
 - *700 12 \$a Queen, Ellery. \$t Roman Hat mystery*
(analytical added entry)
- **MARC 730**
 - *730 02 \$a Origo mundi. \$l English*
(an English translation of Origo mundi that is included in a parallel language edition)

Collocation and Aggregation

Hubs are not necessarily bibliographic entities on their own. Hubs are a means to organize resources. Hubs will not contain all the descriptive or subject metadata that you would expect to find in a bibliographic description.

The importance of Hubs as **collocation** and **aggregation** resources cannot be overstated. *Resource Description & Access*, RDA, takes an entirely different approach to work and expression access points. In RDA, disambiguation of work and expression access points is tied to identification. In RDA, work and expression

access points are meant to **disambiguate**, not collocate or aggregate.


For this reason, you will notice that Hubs are very lightweight in the amount of information they contain. Hubs are intended to be lithe and flexible, serving as a means to group like things together.

There are four components in the Marva Work entity that use Hubs:

- Expression of [search for a Hub]
- Subjects --> Hub as subject
- Search series Hub (optional)
- Search related work

Creating a Hub in Marva

If a Hub is not found, and according to authority policies and practices, a title or name-title authority record would not be created for the access point, you can create a Hub "Stub" directly in Marva. This is new functionality as of February 2025 and will be improved over time.



Click on Create Hub from the Lightning Bolt feature in the Expression of [search for a Hub] component.

X

Create Quick Hub

Hub Title

[No Hub Creator]

Select Creator

Create Hub

Cancel

In the Hub Title field, key in the Title only. In the example below, a Hub "Stub" is being created for the title Barn owls published in the series Twilight animals. There are other resources with the title Barn owls, so the series title is chosen as an Other distinguishing characteristic from RDA to make this title unique. Date, publisher name, surname of creator are other options for making this title unique.

If there is a creator associated with the work, click on the Select creator box and search for the creator's name in the modal that will pop up and select it.

Hub language will add a language title in the Hub "Stub." Only select language if you are cataloging a translation.

X

Create Quick Hub

Andrews, Elizabeth, 1996-

Remove

Barn owls (Twilight animals)

Transliterate



Hub Variant Title

Set Lang

If this is a translation, set the language.

Select Language



Fill out the above information to create a Hub Stub. You would create a Hub for resources that you would not normally create a MARC Authority record for. Once you click create you will be provided a link to further edit the Hub if you wish.

Create Hub

Cancel

Click on Create Hub.

Create Quick Hub

Andrews, Elizabeth, 1996-

Remove

Barn owls (Twilight animals)

Transliterate



Hub Variant Title

Set Lang

If this is a translation, set the language.

Select Language



The Hub was created! If you would like to edit it further please click the link, it will open in new tab:

<https://preprod-8080.id.loc.gov/resources/hubs/3f67e818-dac8-6974-d3b7-66f17f343947>

Close

Expression of [search for a Hub]
Barn owls (Twilight animals)  x
Creator of Work
Person ▼
 Andrews, Elizabeth, 1996-  x
Relationship designator
author (aut) x
Title information
Work title ▼
Non-sort character count
0 ▼
Preferred title for Work
Barn owls
Part number
Part name

Search Related Work: Thoughts

In MARC cataloging, we never really had to think about the difference between a Work that was represented by an authority record in the LC/NACO Authority File, and a Work that was added as a Related Work access point in a bibliographic record. Works were works in the MARC world. There were situations where you knew you were required to create an authority record for a Work -- for example, if you had a translation, and there was a creator involved with the original Work, you would create a name-title authority record for the translation so you could trace a variant access point from the translated title. Only an authority record could express that relationship in a structured way.

Or you might create a title or name-title authority record to assist with collocation, to provide structure to areas in the catalog that had a lot of resources. Entries like Shakespeare's works or Beethoven's symphonies. A title or name-title authority record would help organize the catalog in these dense areas.

When the Library traced series, you would create a series authority record (a SAR) for the series. A series is a Work. For SARs, there are not often creators associated with the series, so the SAR would represent only a title. Many times, you would want to give a 7XX Related work access point, and as long as the Library has that related work in its collections, you would not create an authority record for the Work.

In a past practice, a date of publication was added to analytical access points in subfield \$. Still, an authority record for the title or name-title might not exist, since the Library held the work in its catalog. Other things might be added to analytical access points for Works in the catalog, too, such as content type, version, etc.

This strange world of having some Works represented by authority records, and some Works represented only by access points in the bibliographic catalog, was something we were used to and we could work with it.

Then BIBFRAME and Marva came along.

What we had been used to in the past now was thrown into a new light.

BIBFRAME likes having actionable URIs for data. You could argue that an authority record for a Work can have an actionable URI, or an Work access point in a bibliographic description could have an actionable URI, but in order to bring some organization to Marva, there needed to be a new way to identify titles and name-titles: **Hubs** and **Works**.

In general terms, you might want to think about the difference between a **Hub** and a **Work** this way:

A **Hub** is most likely derived from a title or name-title NAR or SAR in the LC/NACO Authority File. That means that translations, controlled series titles, titles or name titles that are used to provide order in dense areas of the

catalog, are all going to be represented as BIBFRAME Hubs.

A **Work** is most likely derived from an access point for a title or name-title in the catalog. There probably will not be an authority record in the LC/NACO Authority File for these Works. But these Works will include all the additional elements that have been added based on older cataloging practices -- dates, content type, editor surnames, publisher names, etc.

That is why there are two categories of searches in the Related works component in Marva: Hubs and Works. Using MARC tagging helps to understand the difference between Hubs and Works. In the Search related work component in Marva:

- if you are linking to a Work that would appear in a MARC 700, 710, 711, or 730 field (an **Added Entry**), use the **Hub** lookup
- if you are linking to a Work *and an Instance* that would appear in a MARC 76X-78X field (a **Linking Entry**), use the **Work** lookup

Technical Discussion of Hubs from the Network Development and MARC Standards Office

Hubs Revisited

One can approach Bibframe Hubs from a theoretical perspective, i.e. one that references principles of library and information science theory, or from a practical perspective, perhaps by describing how they relate to current MARC practice.

Collocation

The latter is often marginally more successful. Hubs are the functional Bibframe equivalent of MARC Title and Name-Title Authorities (1XX+\$t or 130), Main Entry and/or Uniform Title combinations (1XX+240, 130) in the MARC Bibliographic format, or Access Points (6XX+\$t, 630, 7XX+\$t, 730, 8XX+\$t, 830) in the MARC Bibliographic format. Although Name-Title and Title Authority records in MARC have some form of distinct identity, by virtue of being individually identified records in the LC/NACO file, Main Entries plus Uniform Titles and Access Points in MARC bibliographic records are handled purely as strings, even though there has been a way to record the identifier of any related Authority record since 2008. Sometimes the Main Entries, Uniform Titles, and Access Points in MARC bibliographic records correspond with an entry in the LC/NACO file, but sometimes they do not. It is possible to determine a match, or not, by taking the subfield-concatenated string in the bibliographic record and comparing it against the LC/NACO file. Easily one third of the Main Entries, Uniform Titles, and Access Points in the Library of Congress bibliographic file are not represented by a MARC Authority record in the LC/NACO file. (It may be closer to 50%.)

The carefully constructed strings in MARC Title and Name-Title authorities -- indeed, the reason behind developing an authority file more generally - and Main Entries plus Uniform Titles and Access Points in MARC bibliographic records have traditionally been used for collocation. In physical card catalogs and later online systems, these strings made it possible to cluster information items. Current Library of Congress cataloging policies and use of these headings facilitate collocation.

Identifiers as Strings

The focus, thus far, has been on how these carefully constructed lexical strings, composed, minimally, of a normalized form of a name (if appropriate) and a normalized form of the title, function in MARC, where much of the functionality these headings enable is based on string matching or viewing browse lists of these strings. The

strings are the identifiers.

Strings to URI Identifiers

But Bibframe is a data format that uses pure identifiers (URIs, ...), not lexical strings, to identify resources. The string is secondary. In the simplest of explanations, the strings used in MARC were wrapped in a resource called a Hub and then the Hub given an identifier, an HTTP URI.

An example, in RDF/XML, of one these resources:

```
<bf:Hub rdf:about="http://id.loc.gov/resources/hubs/4978c720-ca4f-ca86-2d7e-a15f8245ade9">
  <bflc:aap>Homer. Odyssey. English</bflc:aap>

  <bf:title>
    <bf:Title>
      <bf:mainTitle>Odyssey. English</bf:mainTitle>
    </bf:Title>
  </bf:title>

  <bf:contribution>
    <bf:Contribution>
      <rdf:type rdf:resource="http://id.loc.gov/ontologies/bibframe/PrimaryContribution"/>
      <bf:agent rdf:resource="http://id.loc.gov/rwo/agents/n78095639"/>
      <bf:role rdf:resource="http://id.loc.gov/vocabulary/relators/ctb"/>
    </bf:Contribution>
  </bf:contribution>

  <bf:language rdf:resource="http://id.loc.gov/vocabulary/languages/eng"/>
</bf:Hub>
```

Although the creator (Homer), title (Odyssey), and language (English) have been broken into distinct elements and identifiers, URIs, added for creator and language, the AAP (short for Authorized Access Point) near the top retains the carefully constructed string used in MARC cataloging. Although this example has been pruned of a few variant titles and a few notes for the sake of succinctness, Hubs are designed to be fairly lightweight. They are an essential component of the ecosystem, but not the main focus of the cataloger's attention, nor of the user.

In Bibframe, since this Hub has an identifier, it is possible to link to the Hub (and it is also possible to link the Hub to other resources). With all of the potential incoming and outgoing links, the Hub functions very much as its name implies -- it is a Hub with many spokes connected to other resources. And it is therefore also possible to aggregate all the versions of Homer's Odyssey in English in precisely the way the controlled string functions in MARC. This is why Hubs have always been described as aggregators and why they functionally serve the same collocation purpose of the Title and NameTitle Authorities, Main Entries plus Uniform Titles, and Access Points in MARC.

Hub as Collocator

The act of taking what is commonly conceived of as a string in MARC and making it into a 'resource,' or 'entity,' with a new identity and name seems to be a common stumbling point. In MARC cataloging culture, a name/title access point found in a 700 is a string created using specific rules and designed to collocate resources in a browse display or via searching. But looking more deeply, that carefully crafted string represents an abstract bibliographic resource/entity, regardless of whether the string relates to an authority record in the LC/NACO file or whether it was merely added in a bibliographic description based on cataloger judgment. "Homer's Odyssey in English" is a concept, a bibliographic one, and it is abstracted from any known, specific expression or manifestation. It does not matter if, in MARC, the cataloger enters "Homer. Odyssey. English" in a 700 or if, in Bibframe, a cataloger creates a relationship to the Hub presenting Homer's Odyssey in English, in both situations the cataloger is making a reference to an abstracted bibliographic concept with the intent that this Thing being

cataloged should in some way collocate, with other similar resources, under the abstract idea thought of as "Homer's Odyssey in English."

Identifier as Collocator

Having introduced the notion that Hubs, like access points, represent an abstract bibliographic concept/resource/entity, it is not clear how much deeper into information theory one must delve to sufficiently describe Hubs and their relationship to traditional cataloging, but it is worth viewing the above in light of Elaine Svenonius's 2000 publication *The Intellectual Foundation of Information Organization*. Quoting Svenonius at length about what she describes as "Work Identifiers (Work IDs)" is illuminating:

From the point of view of collocation the most important metadata used in bibliographic description are work identifiers. How to construct work IDs is a problem that has claimed the attention of some of the best minds in cataloging and one that has been misunderstood by many. Normally, the AACR author-title language identifies authored works using expressions consisting of the normalized name of the author followed by the normalized title of the work. Where a work has no obvious author, its ID is its normalized title. Work identifiers were introduced in the nineteenth century in the form of main entries... (95)

She is, of course, describing the name/title pair found in Title and Name/Title authority records, main entries plus uniform titles, and access points. Notably, lest we apply today's concept of 'identifier,' it is worth underscoring how it is the resulting string from the normalized name/title combination that is the identifier. And she opens with the notion of collocation and notes the importance of these work identifiers. All of this perfectly aligns with how these strings have been used in bibliographic description in a MARC environment.

Sets as Organizing Tool

Earlier in *Intellectual Foundation*, Svenonius introduces the notion of 'sets,' with sections about 'work sets' and 'author sets' and 'subject sets,' etc. She also introduces the idea of a 'superworks set' ("A superwork may contain any number of works as subsets, the members of which while not sharing essentially the same information content are nevertheless similar by virtue of emanating from the same ur-work" (38)) and ended with a section for "other entities." In short, she introduced the concept of "set theory," which has its roots in mathematics, to bibliographic description. From Stanford's *Encyclopedia of Philosophy*: "Set theory is the mathematical theory of well-determined collections, called sets, of objects that are called members, or elements, of the set." Svenonius explored how taking attributes of documents, for example, such as author and title to determine work sets or whether something is a revision or abridgement of a work to determine edition sets. Although Hubs do not relate in any specific way to any of the sets Svenonius identified, they certainly have commonalities with 'work sets' and 'superwork sets' and the 'entity sets.' But her description of a work set, in light of Hubs, is worth quoting in full:

The forming of work sets constitutes the prototypical act of information organization. It is the act that collects in one place all documents that contain the same information, that systematically integrates each new documented into a database, and that transforms the database from a simple finding tool to a sophisticated bibliographic tool. In structuring a database, work sets are used to perform two essential functions: to organize displays and to provide nodes for linking related bibliographic entities. (36)

To suggest this is about Hubs is anachronistic and wrong, and it is immaterial whether Hubs better align with Svenonius's notion of work or superwork or simply entity, but it is nigh impossible to take her description of a 'work set' and not view our Hubs as being a set of collected, related bibliographic resources ("nodes for linking related bibliographic entities") that can be used to organize displays/information.

Ultimately, Svenonius is not talking about RDF and RDF Resources and triples -- her notions are largely grounded in the practice of using strings for identity -- but it is hard not to see how in Bibframe we are not conforming to her ideas for information organization.

Hubs as Work Aggregators

Hubs as aggregators have become essential in the system, mostly as nodes between related bibliographic entities. They perform the historical function of collocation that are the rationale behind the traditional Title and Name/Title Authorities, Main Entries plus Uniform Titles, and Access Points in MARC.

Expression Noise

But performing the functions of effective aggregation and collocation have been increasingly challenged in the last five years because of the introduction of, and growth in number of, ever more expression-specific headings. These expression-specific headings are permitted by RDA cataloging rules and some in the community exercise this option vigorously. A few examples of these expression specific headings:

```
100 1# $a Bronte, Charlotte, $d 1816-1855. $t Jane Eyre. $l Spanish $s (Gomez Aquino)
100 0# $a Euripides. $t Medea. $l English $s (Way). $f 1894
100 0# $a Euripides. $t Medea. $l English $s (Way). $f 1912
100 0# $a Euripides. $t Medea. $l Greek $s (Paley). $f 1872
100 0# $a Homer. $t Odyssey. $l English $s (Rieu, Rieu, and Jones). Spoken word (Blagden)
100 0# $a Homer. $t Odyssey (Findaway World, LLC). $l English. $h Spoken word $s
(Findaway World, LLC)
```

The names seen in these authorized access points are somewhat ambiguous; they may reflect the editor, translator, narrator or producer. Regardless, they are added, as are the dates, to disambiguate the RDA expression from anything else in the file and to ensure the resulting string, mainly to be used in MARC bibliographic descriptions, is unique. This is the very opposite of facilitating collocation. Indeed, some headings are so unique that it is hard to see how, for example, "Euripides. Medea. English (Way). 1912" they will collocate anything other than the 1912 Way-translated version of Euripides's Medea. Compare the headings Library of Congress catalogers would use:

```
100 1# $a Bronte, Charlotte, $d 1816-1855. $t Jane Eyre. $l Spanish
100 0# $a Euripides. $t Medea. $l English
100 0# $a Euripides. $t Medea. $l Greek
100 0# $a Homer. $t Odyssey. $l English
100 0# $a Homer. $t Odyssey. $l English. $h Spoken word
```

Stripped of the most expression specificity, it is readily clear how any of the above headings will group similar resources together. Want to find all the resources of Bronte's Jane Eyre in Spanish? Check. All the audio versions of Homer's Odyssey in English? Check.

From a practical perspective, these exceedingly expression-specific authorized access points create noise in the system. We have had tens of thousands of Hubs, maybe hundreds of thousands, that do not link to anything in LC's collection. This is to be expected, of course, since the Library does not hold a copy of every title represented in the LC/NACO file, but current policy is not to use these expression-specific forms in bibliographic description. For example, if an LC cataloger had to create a 700 reference for Euripides's Medea in Greek, the cataloger would enter "700 0 \$aEuripides.\$tMedea.\$lGreek," and no additional version or date information. Since these expression-specific Hubs appear in the typeahead and suggest services in Marva, catalogers must sift through this noise to identify the appropriate Hub to use. This increasing noise comes with a cost, and a lack of purpose.

Hubs as Aggregators Now

Recent changes to the Hub file at ID have been made to better streamline the Hub file with an eye to emphasizing its purpose as a work aggregator for end users:

1. No longer are all LC/NACO Title or Name-Title authorities converted automatically to Hubs.
 - a. If the Authority 1XX contains a \$f (date of work), the NAR is not converted.
 - b. If the Authority 1XX contains a \$k and there is something in parentheses in the \$k, the NAR is not converted.
2. If the Authority 1XX has a \$s (version), the \$s subfields are stripped and the NAR is converted.
3. The same logic applies when bibliographic records are processed (Main Entry and/or Uniform Title)

combinations (1xx+240, 130) or Access Points (6XX+\$t, 630, 7XX+\$t, 730, 8XX+\$t, 830)).

4. We have not modified the conversion, but we strip the \$f and \$s subfields and then look for a Hub match. If one is found, that Hub is used.
5. We have deleted most of the Hubs that were originally derived from MARC records with \$f and \$s subfields.
 - a. We have only deleted Hubs that match this criteria and *do not* link to anything in the system.

These changes have collectively made aggregation/collocation the focus of Hubs by eliminating the overly expression-specific Hubs from the system. Prior to this change, the blind conversion of Title and Name/Title authorities to Hubs created undo confusion and noise, not only in our system but also amongst catalogers.

[Back to Table of Contents](#)

Appendix F: Creating Name Authority Records (NARs) in Marva

The ability to create a new name authority record (NAR) in Marva was added in April 2025. NARs created in Marva will migrate to the LC/NACO Authority File (the NAF) in Folio. The synch time is approximately 10 minutes. Once a NAR is created in Marva and migrates to Folio, any updates needed to the NAR are done in Folio. NARs cannot be updated in Marva.

BIBFRAME and linked data work on the principle of providing actionable URIs for data. When an authorized access point in name authority record from the LC/NACO Authority File is used as a Creator or Contributor in Marva, a link to the URI associated with the name is added. In some cases, a name authority record in the LC/NACO Authority File will not exist for a Creator or Contributor. Minimal Level Cataloging (MLC) practices allow an access point for a Creator or Contributor to be provided without creating a supporting name authority record, as long as the access point is unique within the LC/NACO Authority File. The ability to create a name authority record in Marva was added with MLC in mind, so that these uncontrolled access points could be brought under authority control and be assigned an actionable URI.

But the Create NAR function in Marva may be used for any situation where a new name authority record is needed.

All instructions and policies that apply to NAR creation in MARC apply in Marva. Follow the guidance in the RDA Toolkit, the LC-PCC Policy Statements, the Descriptive Cataloging Manual Z1, Name and Series Authority Records, and the LC Guidelines Supplement to the MARC 21 Format for Authority Data.

Accessing the Create NAR Function

Options for creating a Personal Name Authority Record in Marva are found in the Creator or Work component and the Contributors component in the Work entity.

The Lightning Bolt has a Create NAR link.

The screenshot shows the 'Creator of Work' component in the Marva interface. The 'Person' dropdown is selected, showing 'Stenson, Madga' with a lightning bolt icon and an 'x' button. Below this, the 'Relationship designer' shows 'author' with an 'x' button. The 'Title information' section is visible, with 'Work title' and 'Non-sort character count' (0) shown. A dropdown menu is open on the right side of the 'Person' field, listing several actions: 'Add Another Component', 'Demote Contributor', 'Delete Component', 'Create NAR' (highlighted in yellow), 'Add to Subjects', 'Debug', 'Add To Library', and 'View Documentation' with an external link icon.

The lookup modal in the Creator of Work component and the Contributors component in the Work entity also has a Create NAR link.

NAF All

NAF Personal Names

NAF Corporate Name

NAF Name/Title

Stenson, Madga [Literal]

X

NAF Title

NAF Geographic

NAF Conference Name

NAF Auth Names

NAF Geo SubDiv

Wikidata

Add [Shift+Enter]

Cancel [ESC]

Left Anchored

Keyword

<< < Page 1 of Last Page > >>

Stenson, Madga

Search

Create NAR

Stenson, Madga [Literal]

Required Fields for 670 Source Citation

In order to populate the MARC 670 (Source citation) field when using the Create NAR option in Marva, the resource being described must contain these values in Marva:

- Preferred title for Work (Work)
- Statement of Responsibility (Instance)
- Provision Activity (Instance)
- LCCN (Instance)

Example 1: Creating a Personal Name Authority Record with No Variant Access Points in Marva

In this example, there is no associated name authority record for Stenson, Magda.

Creator of Work

Person

Stenson, Madga

No Link

Relationship designator

author | x

Click on the name Stenson, Magda to search the name authority file.

NAF All

NAF Personal Names

NAF Corporate Name

NAF Name/Title

Stenson, Madga [Literal]

X

NAF Title

NAF Geographic

NAF Conference Name

NAF Auth Names

NAF Geo SubDiv

Wikidata

Add [Shift+Enter]

Cancel [ESC]

Left Anchored

Keyword

<< < Page 1 of Last Page > >>

Stenson, Madga

Search

Create NAR

Stenson, Madga [Literal]

No name authority record is found. Thorough searching is essential! Just to be sure, you can try truncating the

forename and searching on the letter "M" only.

NAF AllNAF Personal NamesNAF Corporate NameNAF Name/Title

NAF TitleNAF GeographicNAF Conference NameNAF Auth Names

NAF Geo SubDivWikidata

Left AnchoredKeyword

Stenson, Madga [Literal]

Add [Shift+Enter]Cancel [ESC]

<< < Page 1 of Last Page > >>

Stenson, M

SearchCreate NAR

Stenson, M [Literal]
Stenson, Madge
Stenson, Marcia
Stenson, Margaret Pauline Robinson, 1907-2009 (USE FOR Stenson, Margaret Pauline, 1!
Stenson, Matthew Scott
Stenson, Michael R.
Stenson, Mike
Stenson, Mike (Poet)

A NAR is needed. Click on Create NAR.

The NAR template will be prepopulated with the authorized access point and information for the 670 Source citation field. The 670 data will be pulled from the Preferred title for Work (670 subfield \$a), Provision activity Date (670 subfield \$a), and Statement of responsibility (670 subfield \$b).

X

Create Name Authority RecordReset Form

1XX##\$aStenson, Magda

4XX##\$a....\$d....

PresetsTransliterate

Heading Uniqueness Check:
▲ 1XX Invalid Tag

Other Checks:
✓ All Indicators Present
✓ 670 \$a: Found
✓ 670 \$a Date: 2025
✓ 670 \$w: Found
✎ 670 \$b: title page (Magda Stenson)
670 \$aLinked data and authority records,2025: \$btitle page (Magda Stenson)
☐ Add 667 Note

Use advanced NAR mode

Selecting the Preset

Use the Presets dropdown to select the correct MARC tag and indicators for the authorized access point.

Create Name Authority Record

Reset Form

1001#\$aStenson, Magda

4XX##\$a...\$d...

Presets

Presets

"1000 "

"1001 "

"1000 " & "4000 "

"1001 " & "4001 "

"1101 "

"1101 " & "4101 "

"1102 "

"1102 " & "4102 "

Transliterate

Other Checks:

✓ All Indicators Present

✓ 670 \$a: Found

✓ 670 \$a Date: 2025

✓ 670 \$w: Found

✎ 670 \$b: title page (Magda Stenson)

670 \$aLinked data and authority records,2025: \$btitle page (Magda Stenson)

☐ Add 667 Note

This authority record is for a personal name and there are no variant access points, so the Preset "1001" is selected.

Heading Uniqueness Check

Marva will run a search in the LC/NACO Authority File to be sure that the authorized access point being established does not conflict with any other entries in the file.

Create Name Authority Record

Reset Form

1001#\$aStenson, Magda

4XX##\$a...\$d...

Presets

Transliterate

Heading Uniqueness Check:

✓ 1XX: Heading NOT found in LCNAF file:

Other Checks:

✓ All Indicators Present

✓ 670 \$a: Found

✓ 670 \$a Date: 2025

✓ 670 \$w: Found

✎ 670 \$b: title page (Magda Stenson)

670 \$aLinked data and authority records,2025: \$btitle page (Magda Stenson)

☐ Add 667 Note

Use advanced NAR mode

Checking the 670 Source Citation

Check the 670 Source citation data to be sure that it is correct. Sometimes a name being established does not appear in the Statement of Responsibility or on the title page of the resource. You might need to change values in the 670 field. Be sure that everything added to the authorized access point is justified in the 670 field! If you need to add an additional 670 field, wait for the record to synch over to Folio (in 10 minutes), and add the additional 670 field in Folio.

X

Create Name Authority Record Reset Form

1001#\$aStenson, Magda

4XX##\$a....\$d....

Presets Transliterate

Heading Uniqueness Check:
✓ 1XX: Heading NOT found in LCNAB file:

Other Checks:
✓ All Indicators Present
✓ 670 \$a: Found
✓ 670 \$a Date: 2025
✓ 670 \$w: Found
✎ 670 \$b: title page (Magda Stenson)
670 \$aLinked data and authority records,2025: \$btitle page (Magda Stenson)
☐ Add 667 Note

Use advanced NAR mode

Previewing the NAR

Once you are ok with the look of the new NAR, click on Preview NAR to see the complete MARC view.

```
111111111122222222223333333333
123456789012345678901234567890123456789
LDR      nz  a22      ni 4500
008      250506n| azannaabn      |n aaa
001      n2025500340
003      DLC
005      20250506095917.0
010      $a n 2025500340
040      $a DLC $b eng $e rda $c DLC
100 1# $a Stenson, Magda
670      $a Linked data and authority records, 2025: $b title page (Magda
Stenson) $u http://id.loc.gov/resources/instances/e2397673
```

Posting the NAR

If you want to change something, click on Go Back and make any edits. If everything looks ok, click on Post NAR. When you click on Post NAR, Marva will assign an LCCN to the new NAR, and a copy will be accessible in

ID.LOC.GOV immediately.

```
111111111122222222223333333333
123456789012345678901234567890123456789
LDR      nz  a22      ni 4500
008      250506n| azannaabn      |n aaa
001      n2025500340
003      DLC
005      20250506095917.0
010      $a n 2025500340
040      $a DLC $b eng $e rda $c DLC
100 1# $a Stenson, Madga
670      $a Linked data and authority records, 2025: $b title page (Magda
Stenson) $u http://id.loc.gov/resources/instances/e2397673
```

Post NAR

Go Back

```
111111111122222222223333333333
123456789012345678901234567890123456789
LDR      nz  a22      ni 4500
008      250506n| azannaabn      |n aaa
001      n2025500340
003      DLC
005      20250506095917.0
010      $a n 2025500340
040      $a DLC $b eng $e rda $c DLC
100 1# $a Stenson, Madga
670      $a Linked data and authority records, 2025: $b title page (Magda
Stenson) $u http://id.loc.gov/resources/instances/e2397673
```

The NAR was created! If you would like to see it please click the link, it will open in new tab:

<http://preprod-8080.id.loc.gov/authorities/names/n2025500340>

Close

Wait 10 minutes for the new NAR to synch over to Folio.

MARC authority

Search & filter

Search

Browse

LCN

n 202500340

Search

Reset all

Advanced search

Authority source

References

MARC authority

1 record found

Authorized/Reference

Heading/Reference

Type of heading

Authorized

Stenson, Magda

Personal Name

Shared - Stenson, Magda

Personal Name • Last updated: 8/21/2025

Actions

Shared MARC authority record

LEADER 00452nz a2200121n 4500

001 n 202500340

003 20250821154019.0

008 250821n| azannaabn |n aaa

010 \$a n 202500340

040 \$a DLC \$b eng \$e rda \$c DLC

100 1 \$a **Stenson, Magda**

670 \$a Linked data and authority records, 2025: \$b title page (Magda Stenson) \$u <http://id.loc.gov/resources/instances/e0397704>

999 f \$a c7d31e0f-b9a7-468f-b4b3-c8fd835b8783 \$1 a0767701-c6cd-4459-baaa-696c02929e2e

Using Advanced NAR Mode

The advanced NAR mode can be used as a MARC input device when you want to add fields in addition to the authorized access point (1XX) field and any variant access point (4XX) field(s). You can also edit the 670 field in the advanced NAR mode. The fields can be added in any order and will be arranged in numerical order when the NAR is previewed and posted.

Presets

Transliterate

Heading Uniqueness Check:

✓ 1XX: Heading NOT found in LCNAF file:

Other Checks:

✓ All Indicators Present

✓ 670 \$a: Found

✓ 670 \$a Date: 2025

✓ 670 \$w: Found

✎ 670 \$b: title page (Magda Stenson)

670 \$aLinked data and authority records,2025: \$btitle page (Magda Stenson)

Use regular mode

670

##

\$a Linked data and authority records, 2025: \$b title page (Magda Stenson) \$u <http://id.loc.gov/resources/instances/e0397704>

-

370

##

\$c United States \$2 naf

-

372

##

\$a Linked data \$2 lcsh

-

377

##

\$a eng

Add Row

Preview of Advanced NAR

```

11111111112222222223333333333
123456789012345678901234567890123456789
LDR          nz a22 n 4500
008 250821n| azannaabn |n aaa
001 n202500340
003 DLC
005 20250821120102.0
010 $a n 202500374
040 $a DLC $b eng $e rda $c DLC
100 1# $a Stenson, Magda

```

```

370 $c United States $2 naf
372 $a Linked data $2 lcsh
377 $a eng
670 $a Linked data and authority records, 2025: $b title page (Magda Stenson)
$u http://id.loc.gov/resources/instances/e0397704

```

Example 2: Creating a Corporate Name Authority Record with a Non-Latin Variant

In this example, there is no associated name authority record for the association. The association is being used as a Contributor, with the relationship Editor of compilation, for this Russian compilation.

Expression of [search for a Hub]	
Expression of [search for a Hub]	
Creator of Work	
Person ▼	
Search LCNAF	
Relationship designator	
Title information	
Work title ▼	
Non-sort character count	
0 ▼	
Preferred title for Work	
Анализ использования связанных данных в славяноязычных странах ru-Cyrl	
Preferred title for Work	
Analiz ispol'zovaniâ svîazannykh dannykh v slavianoiâzychnykh stranakh ru-Latn	
Part number	
Part name	
Contributors	
Corporate body ▼	
Assot's`iat`s`ii`a` bol'shikh dannykh No Link	
Relationship designator(s)	
editor of compilation x ⚡	

The name of the association appears in the resource in Russian, but because authorized access points for non-Latin entities must be in romanized form, the systematically romanized form of the association is used in the Marva search modal.

Marva does not find an authorized access point for the association in this form.

NAF All	NAF Personal Names	NAF Corporate Name	NAF Name/Title	Assot's`iat`s`ii`a` bol'shikh dannykh [Literal] x
NAF Title	NAF Geographic	NAF Conference Name	NAF Auth Names	Add [Shift+Enter] Cancel [ESC]
NAF Geo SubDiv	Wikidata			
Left Anchored	Keyword	<< < Page 1 of Last Page > >>		
Assotsiatsiia bol'shikh dannykh				
Search		Create NAR		
Assotsiatsiia bol'shikh dannykh [Literal]				

You might want to search using other terms, just to be sure. You could use the initialism ABD, or ABD (in Cyrillic), or even try searching for the full Russian form just in case.

NAF All

NAF Personal Names

NAF Corporate Name

NAF Name/Title

NAF Title

NAF Geographic

NAF Conference Name

NAF Auth Names

NAF Geo SubDiv

Wikidata

Left Anchored

Keyword

<< < Page 1 of Last Page > >>

ABD

Search

Create NAR

ABD [Literal]

ABD Architects

ABDesign (Association)

Abdal (Musical group)

Abdalla Giyorgis (Church : Ethiopia)

Abdel Aziz el Mubarak Orchestra

Abdel Gadir Salim All-Stars

Abdel Latif Ellayeb & Co. (USE FOR Abdel Latif Ellayeb and Co.)

No NAR is found with any of these searches, so you can create a new NAR in Marva.

Searching for the Corporate Name

NAF All

NAF Personal Names

NAF Corporate Name

NAF Name/Title

NAF Title

NAF Geographic

NAF Conference Name

NAF Auth Names

NAF Geo SubDiv

Wikidata

Left Anchored

Keyword

<< < Page 1 of Last Page > >>

АБД

Search

Create NAR

АБД [Literal]

NAF All

NAF Personal Names

NAF Corporate Name

NAF Name/Title

NAF Title

NAF Geographic

NAF Conference Name

NAF Auth Names

NAF Geo SubDiv

Wikidata

Left Anchored

Keyword

<< < Page 1 of Last Page > >>

Ассоциация больших данных

Search

Create NAR

Ассоциация больших данных [Literal]

Creating the Corporate NAR

The NAR template will be prepopulated with the authorized access point and information for the 670 Source citation field.

This authority record is for a Russian corporate name with a romanized form in the authorized access point. There is a non-Latin variant form (the Russian form) that can be added as well, so for the Presets, select "1102" & "4102".

NAF All

NAF Personal Names

NAF Corporate Name

NAF Name/Title

NAF Title

NAF Geographic

NAF Conference Name

NAF Auth Names

NAF Geo SubDiv

Wikidata

Left Anchored

Keyword

<< < Page 1 of Last Page > >>

Assotsiatsiia bol'shikh dannykh

Search

Create NAR

Assotsiatsiia bol'shikh dannykh [Literal]

Marva will run a search in the LC/NACO Authority File to be sure that the authorized access point being established does not conflict with any other entries in the file.

Create Name Authority Record

Presets

Presets

"1001 "

"1001 " & "4001 "

"1102 "

"1102 " & "4102 "

"1112 "

"1112 " & "4112 "

Transliterate

Other Checks:
✓ 670 \$a: Found
✓ 670 \$a Date: Found
✓ 670 \$w: Found
✎ 670 \$b: title page (pod redakt's'iei' Assot's'iat's'ii bol'shikh c
670 \$aAnaliz ispol'zovaniia' svi'a'zannykh dannykh v slavi'a'noi'a'zychnykh stranakh,2025: \$btitle page (pod redakt's'iei' Assot's'iat's'ii bol'shikh dannykh)
☐ Add 667 Note

Adding the Non-Latin Variant

To add the non-Latin variant, click on the dropdown Transliterate. This will connect to the scripts you have selected to use in [ScriptShifter](#).

Select 1XX -> 4XX: Russian. This will convert the romanized form in the 110 to the original non-Latin script form and add it as a variant access point.

Create Name Authority Record

Presets

Transliterate

Heading Uniqueness Check:
✓ 1XX: Heading NOT found in LCNAF file:

Other Checks:
✓ 670 \$a: Found
✓ 670 \$a Date: Found
✓ 670 \$w: Found
✎ 670 \$b: title page (pod redakt's'iei' Assot's'iat's'ii bol'shikh c
670 \$aAnaliz ispol'zovaniia' svi'a'zannykh dannykh v slavi'a'noi'a'zychnykh stranakh,2025: \$btitle page (pod redakt's'iei' Assot's'iat's'ii bol'shikh dannykh)
☐ Add 667 Note

The required 667 note (Non-Latin script references not evaluated) will be added automatically.

Create Name Authority Record

Presets

Transliterate

Transliterate
4xx -> 1xx: Russian
1xx -> 4xx: Russian
4xx -> 1xx: Thai
4xx -> 1xx: Korean

Heading Uniqueness Check:
✓ 1XX: Heading NOT found in LCNAF file:

670 \$aAnaliz ispol'zovaniia' svi'a'zannykh dannykh v slavi'a'noi'a'zychnykh stranakh,2025: \$btitle page (pod redakt's'iei' Assot's'iat's'ii bol'shikh dannykh)
☐ Add 667 Note

Checking the 670 Source Citation

Check the 670 Source citation data to be sure that it is correct. In this case, some modifications are needed to conform to the policies on showing systematically romanized forms of names in 670 fields. You can make the modifications directly in the template.

Create Name Authority Record

1102#\$aAssot's`iat`s`ii`a` bol'shikh dannykh

4102#\$aАссоциация больших данных

Presets

Transliterate

Heading Uniqueness Check:
✓ 1XX: Heading NOT found in LCNAF file:
✓ 4XX: Heading NOT found in LCNAF file:

Other Checks:
✓ 670 \$a: Found
✓ 670 \$a Date: Found
✓ 670 \$w: Found
✎ 670 \$b: title page (pod redakt`s`iei` Assot`s`iat`s`ii bol'shikh c
670 \$aAnaliz ispol'zovaniia svi`a`zannykh dannykh v slavi`a`noi`a`zychnykh stranakh,2025: \$btitle page (pod redakt`s`iei` Assot`s`iat`s`ii bol'shikh dannykh)

✓ Add 667 Note

Be sure that everything added to the authorized access point is justified in the 670 field! If you need to add an additional 670 field, wait for the record to synch over to Folio (in 10 minutes), and add the additional 670 field there.

Previewing and Posting the Corporate NAR

Once you are ok with the look of the new NAR, click on Preview NAR to see the complete MARC view.

```
111111111122222222223333333333
123456789012345678901234567890123456789
LDR          nz  a22      ni 4500
008  250508n| azannaabn      |b ana
001  n2025500373
003  DLC
005  20250508085034.0
010  $a n 2025500373
040  $a DLC $b eng $e rda $c DLC
110  2# $a Assotsiatsiia bol'shikh dannykh
410  2# $a A AD >Dd8C FC,,0 C >C`LD,,8DR 4C =CÔKDP
667  $a Non-Latin script references not evaluated.
670  $a Analiz ispol'zovaniia sviazannykh dannykh v slavianoiazychnykh
stranakh, 2025: $b title page ( ... A AD >Dd8C FC,,8 C >C`LD,,8DR 4C =CÔKDR 0 76÷G6- G6--
bol'shikh dannykh) $u http://id.loc.gov/resources/instances/e1408527
```

If you want to change something, click on Go Back and make any edits. If everything looks ok, click on Post NAR. When you click on Post NAR, Marva will assign an LCCN to the new NAR, and a copy will be accessible in ID.LOC.GOV immediately.

```

111111111122222222223333333333
123456789012345678901234567890123456789
LDR      nz  a22      ni 4500
008      250508n| azannaabn      |b ana
001      n2025500373
003      DLC
005      20250508085034.0
010      $a n 2025500373
040      $a DLC $b eng $e rda $c DLC
110 2# $a Assot͡slat͡sliã`bol'shikh dannyykh
410 2# $a Ассоциация больших данных
667      $a Non-Latin script references not evaluated.
670      $a Analiz ispol'zovaniia`sviãžannykh dannyykh v slaviãnoiãžychnykh
stranakh, 2025: $b title page ( ... Ассоциации больших данных = Assot͡slat͡sli
bol'shikh dannyykh) $u http://id.loc.gov/resources/instances/e1408527

```

Post NAR

Go Back

```

111111111122222222223333333333
123456789012345678901234567890123456789
LDR      nz  a22      ni 4500
008      250508n| azannaabn      |b ana
001      n2025500373
003      DLC
005      20250508085034.0
010      $a n 2025500373
040      $a DLC $b eng $e rda $c DLC
110 2# $a Assot͡slat͡sliã`bol'shikh dannyykh
410 2# $a Ассоциация больших данных
667      $a Non-Latin script references not evaluated.
670      $a Analiz ispol'zovaniia`sviãžannykh dannyykh v slaviãnoiãžychnykh
stranakh, 2025: $b title page ( ... Ассоциации больших данных = Assot͡slat͡sli
bol'shikh dannyykh) $u http://id.loc.gov/resources/instances/e1408527

```

The NAR was created! If you would like to see it please click the link, it will open in new tab:

<http://preprod-8080.id.loc.gov/authorities/names/n2025500373>

Close

Wait 10 minutes for the new NAR to synch over to Folio.

MARC authority

Data exportInventoryMARC authorityCentral Tenant

Search & filter

SearchBrowse

Keyword

Search

Reset allAdvanced search

Authority source

ReferencesThesaurusType of headingDate created

MARC authority

0 records found

Actions

Shared • Ассоциация больших данных

Corporate Name • Last updated: 8/21/2025

Actions

Shared MARC authority record

LEADER 00676nz a2200145n 4500
001 n 2025500373
005 20250821143122.8
008 250821n1 azonaaahb 1b ana
010 #a n 2025500373
040 #a DLC \$b eng \$a rda \$c DLC
110 2 #a Ассоциация больших данных
410 2 #a Ассоциация больших данных
667 #a Non-Latin script references not evaluated.
670 #a Analiz ispol'zovaniia sviatennykh dannykh v slavihoisl'nykh stranakh, 2025: 8b title page (... Ассоциация больших данных = Associaziiia bol'shikh dannykh) \$u http://id.loc.gov/resources/instances/e1408527
999 f f \$a a6fce948-17d0-44e6-a404-ab04cabb41b \$1 048f774f-4d2d-4618-b2e3-482043630e54

[Back to Table of Contents](#)

Appendix G: MARC to Marva Mappings

This appendix provides a comprehensive mapping between MARC fields and their corresponding Marva components. Use this reference to understand how traditional MARC cataloging data translates into the BIBFRAME-based Marva editor.

Marva Component Colors

In the original PDF, table cells are color-coded by Marva component type. Since Markdown cannot render cell background colors, the following legend indicates which color corresponds to each component area:

Color	Component Area
Blue tint	Work
Peach/salmon tint	Instance
Green tint	Item
Yellow tint	Admin Metadata

In the tables below, the **Marva Component** column indicates which area each mapping belongs to (Work, Instance, Item, or Admin).

Leader Values

MARC Value	MARC Definition	Marva Component	Comments
Ldr/05	Record status	Admin: Status (new/changed/deleted)	This value should be pre-populated when a MARC bibliographic record from Folio is imported into Marva
Ldr/06	Type of record	none	Determined by profile used in Marva
Ldr/07	Bibliographic level	Instance: Mode of issuance	This is a drop-down list in Marva
Ldr/08	Type of control	none	
Ldr/17	Encoding level	Admin: Encoding level	This value should be pre-populated when a MARC bibliographic from Folio is imported into Marva
Ldr/18	Descriptive cataloging form	Admin: Description conventions	This value should be pre-populated when a MARC bibliographic from Folio is imported into Marva
Ldr/19	Multipart resource record level	none	

MARC Value	MARC Definition	Marva Component	Comments
008/06	Type of date	none	Inferred from Instance: Provision activity: EDTF date (to/from 008)
008/07-10	Date 1	Instance: Provision activity: EDTF date (to/from 008)	Enter single dates in Marva as in the 008/07-10
008/11-14	Date 2	Instance: Provision activity: EDTF date (to/from 008)	Enter multiple dates in Marva following the EDTF specification. EDTF date coding: YYYY for simple years (Example: 1925). YYYYX to indicate unknown (currently 'u' is used; Example: 192X for 192u). YYYY/YYYY to indicate to/from ranges (Example: 1925/1935). YYYY/.. to indicate a range with a defined start date but no current end date (Example: 1925/.. for 1925- in the 264 or 19259999 in the 008). Note, EDTF syntax is two dots. Using the EDTF standard for recording dates will generate the correct 008/06 Type of date value
008/15-17	Place of publication	Instance: Provision activity: Search place of publication (to/from 008)	This is a long drop-down list in Marva just like the drop-down list in Folio for the MARC 008/15-17
008/18, 19, 20, 21	Illustrations	Work: Illustrative content	This is a drop-down list in Marva just like the drop-down list in Folio for the MARC 008/18,19,20,21
008/22	Target audience	Work: Intended audience	This is a drop-down list in Marva just like the drop-down list in Folio for the MARC 008/22
008/23	Form of item	Instance: Media type	This is a drop-down list in Marva
008/24, 25,26,27	Nature of contents	Work: Supplementary content; Work: Genre/Form	This is a drop-down list in Marva just like the drop-down list in Folio for the MARC 008/24,25,26,27, but the Marva drop-down list has more options.
008/24, 25,26,27	Nature of contents: Bibliography	Work: Supplementary content	When a bibliography is present in a resource, bibliography is selected in Work: Supplementary content. This will populate the value "b" in one of the MARC 008/24,25,26,27 bytes in the Modern MARC record. When a 504 note would be recorded indicating the presence of a bibliography, with or without specific pagination, record this information as a textual note in the Instance description, Notes about the Instance, and select bibliography as the Note type. This will populate the 504 field in the Modern MARC record.
008/28	Government publication	Work: Government publication	This is a drop-down list in Marva just like the drop-down list in Folio for the MARC 008/28

008/29	Conference publication	Work: Genre/Form	Use: Conference papers and proceedings
008/30	Festschrift	Work: Genre/Form	Use: Festschriften
008/31	Index	Work: Supplementary content	This is a drop-down list in Marva, not the option in Folio to select only the presence or the absence of an index. Select index from the drop-down list in Marva
008/33	Literary form	Work: Genre/Form	Use the appropriate heading from LCGFT
008/34	Biographical material	Work: Genre/Form	For 008/34 "a": Use: Autobiographies. For 008/34 "b" or "c": Use: Biographies. For 008/34 "d": Do not use an LCGFT heading. Add a Work: Notes about the Work: "Includes biographical information" and Note type biographical data
008/35-37	Language	Work: Language (008 [1st], 041 \$a [others])	This is a drop-down list in Marva just like the drop-down list in Folio for the MARC 008/35-37
008/38	Modified record	none	
008/39	Cataloging source	none	

MARC Bibliographic Fields

MARC Field	MARC Definition	Marva Component	Comments
906	Local Processing Data	none	Recorded in Modern MARC record only
925	Local Selection Decision	none	Recorded in Modern MARC record only
955	Local Functional Identifying Information	none	Recorded in Modern MARC record only
010	Library of Congress Control Number	Instance: Identifiers: LCCN	Record the LCCN if not present. Remember leading spaces! The Invalid/canceled? field is a drop-down list

020	International Standard Book Number	Instance: Identifiers: ISBN	Record the ISBN. The qualifier is a literal value. Do not include parentheses. The Invalid/canceled? field is a drop-down list
024	Other Standard Identifier	Instance: Identifiers: Other identifier	Record Other identifier if appropriate. The qualifier is a literal value. Do not include parentheses.
037	Source of Acquisition	Instance: Identifiers: Acquisitions identifiers: Source of acquisition	This is a literal value in Marva just like in Folio. For example: Library of Congress -- Islamabad Overseas Office
040	Cataloging Source	Admin: Note	This is a recorded value that includes delimiter values to facilitate Modern MARC 040 field generation in Folio: 040 \$aDLC\$beng\$cDLC\$erda
041	Language Code	Work: Language (008 [1st], 041 \$a [others])	This is a drop-down list to the MARC Language Code List. Use the appropriate value that you would select for the MARC 008/35-37 (see above MARC 008/35-37). If there is more than one primary language, repeat this component and add the other language values from the drop-down list
042	Authentication Code	Admin: Description authentication	This value should be pre-populated when a MARC bibliographic from Folio is imported into Marva
043	Geographic Area Code	Work: Geographic coverage	In Marva, this component uses the name of the place, not the Geographic Area Code (GAC). For example, Illinois, not n-us-il. But you can search by GAC as well as by name of the place. Searching by name of the place is a little easier because if you search using GAC, you will get all the place names that have that GAC in the 043 field of the authority record
046	Special Coded Dates	Work: Date of Work	This is a literal field. Use EDTF dates (just like in Folio).
050	Library of Congress Call Number	Work: Classification numbers: Library of Congress classification	
051	Library of Congress Copy, Issue, Offprint Statement	Item: Classification number	Used in Rare Materials profile
082	Dewey Decimal Classification Number	Work: Classification: Dewey Decimal classification	
1XX	Main Entry Fields	Work: Creator of Work	Relationship designator required. Use the drop-down list. It is a MARC list, not an RDA list, but the MARC list is acceptable for RDA cataloging.
240	Uniform Title	Work: Expression of [search for a Hub]	All title and name-title NARs have been created as BIBFRAME Hubs. You should be able to find the expression authorized access point that is needed, using the Hub created from the title or name-title NAR. If there is not a Hub, you can create one directly in Marva.

245 \$a, \$n,\$p	Title Statement	Work: Title information: Work title	Work: Title information: Work title = RDA Preferred Title for Work, which does not include other title information, but does include Part name and/or Part title
245 \$a, \$b,\$n, \$p,\$c	Title Statement	Instance: Title information: Instance title	Instance: Title information: Instance title includes title proper and other title information
246	Varying Form of Title	Work: Title information: Variant title; Work: Title information: Parallel title	In Marva, variant titles and parallel titles are recorded in the Work description.
250	Edition Statement	Instance: Edition statement	
260	Publication, Distribution, etc. (Imprint)	Instance: Provision activity: Publication; Instance: Provision activity: Production; Instance: Provision activity: Distribution; Instance: Provision activity: Manufacture	Only found in older MARC records. Modern MARC records will only use 264 fields. MARC records with 260 fields will be converted to 264 fields when a Modern MARC record is generated
264	Production, Publication, Distribution, Manufacture, and Copyright Notice	Instance: Provision activity: Publication; Instance: Provision activity: Production; Instance: Provision activity: Distribution; Instance: Provision activity: Manufacture	If a resource has more than one element (Production, Publication, Distribution, Manufacture), repeat the Provision activity component to record the information.
300 \$a	Physical Description: Extent	Instance: Extent	
300 \$b	Physical Description: Other physical details	Work: Illustrative content	
300 \$c	Physical Description: Dimensions	Instance: Dimensions	
336	Content Type	Work: Content type	Added to all bibliographic records, including AACR2.
337	Media Type	Instance: Media type	Added to all bibliographic records, including AACR2.
338	Carrier Type	Instance: Carrier type	Added to all bibliographic records, including AACR2.
490	Series Statement	Work: Input transcribed series	
500	General Note	Instance: Notes about the Instance	

504	Bibliography, etc. Note	Instance: Notes about the Instance	When a 504 note would be recorded indicating the presence of a bibliography, with or without specific pagination, record this information as a textual note in the Instance description, Notes about the Instance, and select bibliography as the Note type. This will populate the 504 field in the Modern MARC record. When a bibliography is present in a resource, bibliography is selected in Work: Supplementary content. This will populate the value "b" in one of the MARC 008/24,25,26,27 bytes in the Modern MARC record.
505	Formatted Contents Note	Work: Contents	
506	Restrictions on Access Note	Instance: Access policy	Record as a literal value
520	Summary, etc.	Work: Summary	
521	Target Audience Note	Work: Intended audience	Record as uncontrolled term
540	Terms Governing Use and Reproduction Note	Instance: Access policy	Record as a literal value
546	Language Note	Work: Notes about the Work; Work: Script	Select note type language
600,610,611,630,650,651	Subject Access Fields	Work: Subjects	
653	Index Term-Uncontrolled	Work: Subjects	Uncontrolled index terms may be used in Marva as literal values. These terms will appear in Modern MARC records in the 653 field. Do not select a source in Marva when recording an uncontrolled index term.
655	Index Term - Genre/Form	Work: Genre/Form	
700,710,711,730	Added Entry Fields	Work: Contributors; Work: Search related work	
720	Added Entry-Uncontrolled Name	Work: Creator of Work; Work: Contributors	If there is not enough information available to create a name authority record for the agent, even a Provisional name authority record, the Literal value for the agent can be selected in the search modal. Do not create a NAR. The literal value will appear in the Modern MARC record in the 720 field.
800,810,811,830	Series Added Entry Fields	Work: Search series Hub (optional)	

856	Electronic Location and Access	Instance: Supplementary content URL
880	Alternate Graphic Representation	Work: various
880	Alternate Graphic Representation	Instance: various

[Back to Table of Contents](#)

Appendix H: Copy Cataloging in Marva

Marva can be used to search OCLC and bring in a copy cataloging resource.



The Copy Cat. feature can be used to overlay an existing description in the MARC system, or to import a new description and assign a new LCCN.

The Copy Cat. feature is modeled on the Z-Processor that is used to search for copy cataloging resources through Folio.

Example 1: Using a pcc record in OCLC to overlay an epcn record in MARC

There is an epcn source record in the Cataloging stream.

Inventory

Inventory

Central T

Hydrogels : antimicrobial characteristics, tissue engineering, drug delivery vehicle / edited by Shahid Ali Khan, Abdur Rauf and Guibin Xu.

Shared MARC bibliographic record

LEADER 01312cam a2200337 i 4500
001 23259309
005 20250607122856.2
008 230803s2024 maua b 001 0 eng
035 \$a 23259309
906 \$a 0 \$b ibc \$c orignew \$d 2 \$e epcn \$f 20 \$g y-gencatlg
925 0 \$a acquire \$b 1 shelf copy \$x policy default
955 \$b xd05 2023-08-03 \$a xn16 2024-02-28 1 copy rec'd., to USASH \$a r100 2024-03-04 to SMA \$c r106 2024-07-25 to subject
010 \$a 2023944028
020 \$a 9783111333496 \$q (paperback)
020 \$z 9783111334080 \$q (pdf)
020 \$z 9783111334226 \$q (epub)
040 \$a DLC \$b eng \$e rda \$c DLC
042 \$a pcc
245 0 \$a Hydrogels : \$b antimicrobial characteristics, tissue engineering, drug delivery vehicle / \$c edited by Shahid Ali Khan, Abdur Rauf and Guibin Xu.
264 1 \$a Boston : \$b De Gruyter, \$c [2024]
264 4 \$c ©2024
300 \$a xii, 136 pages : \$b illustrations (chiefly color) ; \$c 24 cm
336 \$a text \$b txt \$2 rdacontent
337 \$a unmediated \$b n \$2 rdamedia
338 \$a volume \$b nc \$2 rdacarrier

Activate the Copy Cat. feature in Marva by clicking on **Menu > Copy Cat.**

Menu

Tools

View



Load Resource



Copy Cat.



LC Marva
Manual

There are four searching options for the Copy Cat. feature:

- Standard Numbers (ISSN, LCCN)
- Title
- Name
- Keyword

Standard Numbers is the default search and is the most precise.

Menu Tools View Preferences

Copy Cat Search

Search OCLC

Enter Value to Search

Field to Search on

- ☒ Standard Numbers
- ☐ Title
- ☐ Name
- ☐ Keyword

What are you looking for: Book (Print)

LCCN:

Check for existing record using:

☒ LCCN ☐ ISBN

Priority:

Does this record contain non-Latin script that should be retained? ☐

Load with profile:

Results

The resource has an ISBN. Input the ISBN in the Enter Value to Search box and click on the search icon (the magnifying glass). The LCCN box can be left blank for now. A priority level was automatically assigned by the Copy Cat. feature. That can be changed if necessary.

Reviewing Search Results

Menu Tools View Preferences

Copy Cat Search

Search OCLC

9783111333496

Field to Search on
☒ Standard Numbers
☐ Title
☐ Name
☐ Keyword

What are you looking for
Book (Print)

Check for existing record using:
LCCN Other Identifier

Showing 4 of 4 results

PccAdapt

Hydrogels :
antimicrobial
characteristics, tissue
engineering, drug
delivery vehicle (eng)
Shahid Ali Khan
Format: PrintBook
Publisher: De Gruyter (Berlin)
008 Date: 2024
Marc 300: 300 \$a xii, 136
pages :\$b illustrations (chiefly
color) ;\$c 24 cm.
ISBNs:
• 9783111333496
• 3111333493
RDA High NLM eng

Four matches were found in OCLC for this ISBN. The Results screen gives some important information about the resources:

Menu Tools View Preferences

Copy Cat Search

Search OCLC

9783111333496

Field to Search on
☒ Standard Numbers
☐ Title
☐ Name
☐ Keyword

What are you looking for
Book (Print)

Check for existing record using:
LCCN Other Identifier

Showing 4 of 4 results

PccAdapt

Hydrogels :
antimicrobial
characteristics, tissue
engineering, drug
delivery vehicle (eng)
Shahid Ali Khan
Format: PrintBook
Publisher: De Gruyter (Berlin)
008 Date: 2024
Marc 300: 300 \$a xii, 136
pages :\$b illustrations (chiefly
color) ;\$c 24 cm.
ISBNs:
• 9783111333496
• 3111333493
RDA High NLM eng

PccAdapt = 042 contains 'pcc' and
Language = eng

RDA = 040 subfield \$e = rda and Ldr/18
is **not** 'a' ('a' = AACR2 record) and
there is no 260 field present

High = Encoding level

NLM = Cataloging agency

eng = Cataloging language

The badges and detail panel provide key information:

- **PccAdapt** = 042 contains 'pcc' and Language = eng
- **RDA** = 040 subfield \$e = rda and Ldr/18 is **not** 'a' ('a' = AACR2 record) and there is no 260 field present
- **High** = Encoding level
- **NLM** = Cataloging agency
- **eng** = Cataloging language

If you want to look at the full MARC record, click on the box in the Results panel.

Selecting a Record and Viewing MARC Preview

Menu Tools View Preferences

Copy Cat Search

Search OCLC

9783111333496

Field to Search on

☒ Standard Numbers

☐ Title

☐ Name

☐ Keyword

What are you looking for

Book (Print)

Check for existing record using:

LCCN

Other Identifier

A record with this LCCN might exist. If you

Showing 4 of 4 results

PccAdapt

Hydrogels : antimicrobial characteristics, tissue engineering, drug delivery vehicle (eng)
Shahid Ali Khan
Format: PrintBook
Publisher: De Gruyter (Berlin)
008 Date: 2024
Marc 300: 300 \$a xii, 136 pages :\$b illustrations (chiefly color) ;\$c 24 cm.
ISBNs:

- 9783111333496
- 3111333493

RDA High NLM eng

Selected OCLC Number: 1424850463

MARC Preview

00000cam a2200000 i 4500
001 on1424850463
003 OCoLC
005 20250622112649.5
008 240302120242024gw a b 001 0 eng
010 \$a 2023944028
040 \$a NLM \$b eng \$e rda \$c NLM \$d BDJ \$d MYG \$d OHX \$d OCLC
041 \$a OCLC
016 7 \$a 9918880483506676 \$2 DNLM
016 7 \$a 1301899097 \$2 DE-101
020 \$a 9783111333496 \$q paperback
020 \$a 3111333493 \$q paperback
020 \$z 9783111334080 \$q PDF
020 \$z 9783111334226 \$q EPUB
024 3 \$a 9783111333496
029 0 \$a NLM \$b 9918880483506676
035 \$a (OCoLC)1424850463
042 \$a pcc
050 4 \$a QP525 \$b .H93 2024

Your cataloger's judgment will determine which of these four records is appropriate for import. PccAdapt is always a good choice for import.

With the selected record highlighted (the beige background shows the highlighted record), insert the LCCN in the LCCN: box and verify that the Priority: value is correct. In this case, the PccAdapt record in OCLC has the LCCN, so it will be automatically populated in the LCCN box.

Menu Tools View Preferences

Copy Cat Search

☐ Title

☐ Name

☐ Keyword

What are you looking for

Book (Print)

Check for existing record using:

LCCN

Other Identifier

A record with this LCCN might exist. If you continue, the copy cat record will be merged with the existing record.

Existing Record with this LCCN: "Hydrogels "

LCCN: 2023944028

This LCCN is from the selected record.

Priority: 3

Does this record contain non-Latin script that should be retained?

Showing 4 of 4 results

PccAdapt

Hydrogels : antimicrobial characteristics, tissue engineering, drug delivery vehicle (eng)
Shahid Ali Khan
Format: PrintBook
Publisher: De Gruyter (Berlin)
008 Date: 2024
Marc 300: 300 \$a xii, 136 pages :\$b illustrations (chiefly color) ;\$c 24 cm.
ISBNs:

- 9783111333496
- 3111333493

RDA High NLM eng

035 \$a (OCoLC)1424850463

042 \$a pcc

050 4 \$a QP525 \$b .H93 2024

060 00 \$a QT 37.5.P7

072 7 \$a QH \$2 lcco

082 04 \$a 541.34513 \$q OCoLC \$1 https://i...

130 0 \$a Hydrogels (Khan)

245 10 \$a Hydrogels : \$b antimicrobial characteristics, tissue engineering, delivery vehicle / \$c edited by Shahid Ali Khan, Abdur Rauf and Guibin Xu.

264 1 \$a Berlin : \$b De Gruyter, \$c [2024]

264 4 \$c ©2024

300 \$a xii, 136 pages : \$b illustrations (chiefly color) ; \$c 24 cm.

336 \$a text \$b txt \$2 rdacontent

337 \$a unmediated \$b n \$2 rdamedia

338 \$a volume \$b nc \$2 rdacarrier

490 1 \$a De Gruyter STEM

504 \$a Includes bibliographical references and index.

505 0 \$a Intro -- Preface -- Contents -- List of contributors -- Chapter 1 Miscellaneous applications of hydrogels -- Chapter 2 An overview of the m behavior of hydrogels -- Chapter 3 Nanoengineering hydrogels with improv antimicrobial characteristics -- Chapter 4 Stimulus-responsive hydrogel for engineering -- Chapter 5 Hydrogel in wound dressing and burn dressing pr

The Copy Cat. feature will check for an existing record with the LCCN. Click on the **Existing Record with this LCCN** to verify. In this case, it is the ibc resource in Folio, so everything is ok.

Verifying via Linked Data Service



Bibframe Instance

Title

Hydrogels antimicrobial characteristics, tissue engineering, drug delivery vehicle

Identified By

- Lccn: 2023944028
- Isbn: 9783111333496 (paperback)
- Isbn: 9783111334080 (pdf) (canceled or invalid)
- Isbn: 9783111334226 (epub) (canceled or invalid)

Supplementary Content

Includes bibliographical references and index

Note

physical details: illustrations (chiefly color)

Dimensions

24 cm

Instance Of

Hydrogels

You can also check for an existing record using ISBN. Toggle the LCCN/ISBN button to ISBN and click on **Existing Record with this ISBN.**

Menu Tools View Preferences

Copy Cat Search

Check for existing record using:

LCCN

Other Identifier

Match on: 9783111333496

A record with this identifier might exist. If you continue, the copy cat record will be merged with the existing record.

Existing Record with this identifier: "Hydrogels"

LCCN: 2023944028

This LCCN is from the selected record.

Priority: 3

Does this record contain non-Latin script that should be retained? ☐

Load with profile:

Monograph

Original BF

Showing 4 of 4 results

PocAdapt Hydrogels : antimicrobial characteristics, tissue engineering, drug delivery vehicle (eng)

Shahid Ali Khan

Format: PrintBook

Publisher: De Gruyter (Berlin)

008 Date: 2024

Marc 300: 300 \$a xii, 136 pages ;\$b illustrations (chiefly color) ;\$c 24 cm.

ISBNs:

- 9783111333496
- 3111333493

RDA High NLM eng

040 \$a NLM \$b eng \$e rda \$c NLM \$d BDx \$d MYG \$d OHX \$d OCLC
OCLC
016 7 \$a 9918880483506676 \$2 DNL
016 7 \$a 1301899097 \$2 DE-101
020 \$a 9783111333496 \$q paperback
020 \$a 3111333493 \$q paperback
020 \$z 9783111334080 \$q PDF
020 \$z 9783111334226 \$q EPUB
024 3 \$a 9783111333496
029 0 \$a NLM \$b 9918880483506676
035 \$a (OCoLC)1424850463
042 \$a pcc
050 4 \$a QP525 \$b .H93 2024
060 00 \$a QT 37.5.P7
072 7 \$a QH \$2 lcco
082 04 \$a 541.34513 \$q OCoLC \$1 https://i...
130 0 \$a Hydrogesl (Khan)
245 10 \$a Hydrogels : \$b antimicrobial characteristics, tissue engineering, delivery vehicle / \$c edited by Shahid Ali Khan, Abdur Rauf and Guibin Xu
264 1 \$a Berlin : \$b De Gruyter, \$c [2024]
264 4 \$c ©2024
300 \$a xii, 136 pages : \$b illustrations (chiefly color) ; \$c 24 cm.

The Copy Cat. feature will check for an existing record with the ISBN. Click on the **Existing Record with this ISBN** to verify. In this case, it is the ibc resource in Folio, so everything is ok.

Loading the Record

Verify that the Priority level is correct. Adjust if necessary.

Using either LCCN or ISBN, click on Load with profile: Monograph.

Bibframe Instance

Title

Hydrogels antimicrobial characteristics, tissue engineering, drug delivery vehicle

Identified By

- Lccn: 2023944028
- Isbn: 9783111333496 (paperback)
- Isbn: 9783111334080 (pdf) (canceled or invalid)
- Isbn: 9783111334226 (epub) (canceled or invalid)

Supplementary Content

Includes bibliographical references and index

Note

physical details: illustrations (chiefly color)

Dimensions

24 cm

Instance Of

Hydrogels

A prompt will ask if you want to continue with the merge.

Menu Tools View Preferences

Copy Cat Search

Book (any)

Check for existing record using:

LCCN

Other Identifier

A record with this LCCN might exist. If you continue, the copy cat record will be merged with the existing record.

Existing Record with this LCCN: "Hydrogels."

LCCN: 2023944028

This LCCN is from the selected record.

Priority: 2

Does this record contain non-Latin script that should be retained? ☐

Load with profile:

Monograph

Original BF

Notated Music

Serial

Showing 4 of 4 results

PccAdapt Hydrogels : antimicrobial characteristics, tissue engineering, drug delivery vehicle (eng)

Shahid Ali Khan

Format: PrintBook

Publisher: De Gruyter (Berlin)

008 Date: 2024

Marc 300: 300 \$a xii, 136 pages :\$b illustrations (chiefly color) ;\$c 24 cm.

ISBNs:

- 9783111333496
- 3111333493

RDA High NLM eng

Selected OCLC Number: 1424850463
MARC Preview

00000cam a2200000 i 4500
001 on1424850463
003 OCoLC
005 20250622112649.5
008 240302120242024gw a b 001 0 eng
010 \$a 2023944028
040 \$a NLM \$b eng \$e rda \$c NLM \$d BDJ \$d MYG \$d OHX \$d OCLC
016 7 \$a 9918880483506676 \$2 DNLN
016 7 \$a 1301899097 \$2 DE-101
020 \$a 9783111333496 \$q paperback
020 \$a 3111333493 \$q paperback
020 \$z 9783111334080 \$q PDF
020 \$z 9783111334226 \$q EPUB
024 3 \$a 9783111333496
029 0 \$a NLM \$b 9918880483506676
035 \$a (OCoLC)1424850463
042 \$a pcc
050 4 \$a DP525 \$b H93 2024

Editing the Imported Record in Marva

Marva will import the PccAdapt record and overlay it on the existing record.

editor.id.loc.gov says

There is a record with the LCCN already. If you continue, the Copy Cat record will be merged with it. Do you want to continue?

OK

Cancel

Edit the description in Marva as needed. Save the updates, Validate, and Post.

Note that the MARC Preview in Marva includes MARC 906, 955, and 925 fields.

Menu Tools View Preferences Layouts Saved Validate Post Open in LCAP Profile: Monograph

Work Instance Library: Library: Defaults:

Expression of [search for a Hub]

Hydrogelsl (Khan) | x

Creator of Work

Person Search LCNAF

Relationship designator

Title information

Work title Non-sort character count

0

Preferred title for Work

Hydrogels

Part number

Part name

Contributors

Person

Khan, Shahid Ali, Dr | x

Relationship designator(s)

editor | x

Contributors

Person

Rauf, Abdur (Lecturer in chemistry) | x

Relationship designator(s)

editor | x

Projected publication date (YYYYMM)

Projected publication date (YYYYMM)

Has Item

Admin Metadata

Your cataloger ID (Windows ID)

pfrank

Encoding level

preliminary | x

Status (new/changed/deleted)

Date

Description authentication

Program for Cooperative Cataloging | x

Description conventions

ISBD: International standard bibliographic description | x

Resource description and access | x

Description language

English | x

Profile

Local Identifier

23259309

Generation process

Process Information

cam a22 5i 4500

001 23259309

003 OCoLC

005 20250708133912.0

007 t

008 250807120242024gw a b i

010 \$a 2023944028

016 7 \$a 9918880483506676

016 7 \$a 1301899097 \$2 DE-

020 \$a 9783111333496 \$q p

020 \$a 3111333493 \$q pape

020 \$z 9783111334080 \$q f

020 \$z 9783111334226 \$q f

024 3 \$a 9783111333496

035 \$a (OCoLC)on1424850-

040 \$a NLM \$b eng \$e rda \$

BDX \$d MYG \$d OHX \$d OCL

OCLCL \$d DLC \$d DLC-MRC

042 \$a pcc

050 14 \$a QP525 \$b .H93 202

060 00 \$a QT 37.5.P7

072 7 \$a QH \$2 lcco

130 0 \$a Hydrogelsl (Khan)

245 00 \$a Hydrogels : \$b anti

characteristics, tissue enginee

delivery vehicle / \$c edited by

Khan. Abdur Rauf and Guibin

```
906 $a 0 $b ibc $c pccadap $d 2 $e epcn $f 20 $g y-gencatlg
955 $b xd05 2023-08-03 $a xn16 2024-02-28 1 copy rec'd., to
USASH $a rl00 2024-03-04 to SMA $c rl06 2024-07-25 to subject $b
jr03 2025-07-08 z-processor
998 $a 2023944028 $b 2 $c false $d PccAdapt $e overlay bib $f
23259309 $z jr03
925 0 $a acquire $b 1 shelf copy $x policy default
```

These fields will migrate to Folio with the Modern MARC record and merge with the existing 906, 955, and 925 fields in the original record.

The default value in 925 subfield \$b is 1 shelf copy. If 2 shelf copies are required, change the value in the Modern MARC record in Folio.

Sending the Description Back to Folio

Be sure to Save, Validate, and Post the description before you send it back to Folio as a Modern MARC record.

There are two ways to get the BIBFRAME description back to Folio as a Modern MARC record:

Method 1: Marva Import App

Use the Marva Import app in the LCAP Productivity Toolkit to send the description back to Folio. Use the Local Identifier in the Marva Import app. You can find the Local Identifier in the Admin Metadata components in Marva.

Menu Tools View Preferences Layouts Saved Validate Post Open in LCAP Profile: Monograph

Work Instance Library: Library: Defaults:

Expression of [search for a Hub]

Hydrogelsl (Khan) | x

Creator of Work

Person Search LCNAF

Relationship designator

Title information

Work title Non-sort character count

0

Preferred title for Work

Hydrogels

Part number

Part name

Contributors

Person

Khan, Shahid Ali, Dr | x

Relationship designator(s)

editor | x

Contributors

Person

Rauf, Abdur (Lecturer in chemistry) | x

Relationship designator(s)

editor | x

Projected publication date (YYYYMM)

Projected publication date (YYYYMM)

Has Item

Admin Metadata

Your cataloger ID (Windows ID)

pfrank

Encoding level

preliminary | x

Status (new/changed/deleted)

Date

Description authentication

Program for Cooperative Cataloging | x

Description conventions

ISBD: International standard bibliographic description | x

Resource description and access | x

Description language

English | x

Profile

Local Identifier

23259309

Generation process

Process Information

science and nanotech

Recently, material scie

therapeutic agents are

global pharmaceutical

are believed to mount

shortly. Among the var

therapeutic agents, hy

one of the most widely

materials used in the t

various diseases, and

most diverse materials

for multipurpose applic

Hydrogels were the fir

used for Human being

are polymeric linkages

insoluble, however, so

established as a collo

water. Hydrogels are t

superabsorbent materi

can absorb more than

and hence regarded as

tissue. Mechanically st

hydrogels were synthe

Tip: even though it will look like you can't copy the Local Identifier, you actually can copy it for pasting into the Marva Import app.

Method 2: Open in LCAP

Click on the **Open in LCAP** icon in the Navigation Bar.

Admin Metadata

Your cataloger ID (Windows ID)
pfrank

Encoding level
preliminary | x

Status (new/changed/deleted)

Date

Description authentication
Program for Cooperative Cataloging | x

Description conventions
ISBD: International standard bibliographic description | x
Resource description and access | x

Description language
English | x

Profile

Local Identifier
23259309

Generation process

Whichever method you use, both the original MARC record and the Modern MARC record will appear together in a single window in the Productivity Toolkit. This is not the Folio Inventory app!

Comparing Records in the Productivity Toolkit

LCAP Productivity Apps

LCAP Productivity Apps

Apps

Central Tenant

Choose Marva Record

Marva Import

Marva ID (001)

There's a record with LCCN 2023944028 in the system (target), it'll be updated with new Marva data (source)

Get!

Open in QuickMarc Editor (Update)

Source BF record 23259309

LEADER cam a22 5i 4500
001 23259309
003 OCoLC
005 20250708094757.0
007 t|
008 250807t20242024gw a b 001 0 eng c
006 \$a 0 \$b ibc \$c pccoadap \$d 2 \$e epcn \$f 20 \$g y-gencatlg
025 0 \$a acquire \$b 1 shelf copy \$x policy default
955 \$b xd05 2023-08-03 \$a xn16 2024-02-28 1 copy rec'd. USASH \$a r100 2024-03-04 to SMA \$c r106 2024-07-25 subject \$b jr03 2025-07-08 z-processor
010 \$a 2023944028
016 7 \$a 9918880483506676 \$2 DNLM
016 7 \$a 1301899097 \$2 DE-101
020 \$a 9783111333496 \$q paperback

Target Folio record

LEADER 01312cam a2200337 i 4500
001 23259309
005 20250607122856.2
008 230803s2024 maua b 001 0 eng
035 \$a 23259309
006 \$a 0 \$b ibc \$c orignew \$d 2 \$e epcn \$f 20 \$g y-gencatlg
025 0 \$a acquire \$b 1 shelf copy \$x policy default
955 \$b xd05 2023-08-03 \$a xn16 2024-02-28 1 copy rec'd., to USASH \$a r100 2024-03-04 to SMA \$c r106 2024-07-25 to subject
010 \$a 2023944028
020 \$a 9783111333496 \$q (paperback)
020 \$z 9783111334080 \$q (pdf)
020 \$z 9783111334226 \$q (epub)

Compare the two versions of the record, and when you are satisfied with the Modern MARC version, click on Open in QuickMARC Editor (Update). You can't edit or save the Modern MARC record in this Productivity Toolkit view.

LCAP Productivity Apps

LCAP Productivity Apps

Apps

Central Tenant

Choose Marva Record

Marva Import

Marva ID (001)

There's a record with LCCN 2023944028 in the system (target), it'll be updated with new Marva data (source)

Get!

Open in QuickMarc Editor (Update)

Source BF record 23259309

LEADER cam a22 5i 4500
001 23259309
003 OCoLC
005 20250708094757.0
007 t
008 250807t20242024gw a b 001 0 eng c
906 \$a 0 \$b ibc \$c pccadap \$d 2 \$e epcn \$f 20 \$g y-genc
925 0 \$a acquire \$b 1 shelf copy \$x policy default
955 \$b xd05 2023-08-03 \$a xn16 2024-02-28 1 copy rec'd.
USASH \$a r100 2024-03-04 to SMA \$c r106 2024-07-25
subject \$b jr03 2025-07-08 z-processor
010 \$a 2023944028
016 7 \$a 9918880483506676 \$2 DNLM
016 7 \$a 1301899097 \$2 DE-101
020 \$a 9783111333496 \$q paperback

Target Folio record

LEADER 01312cam a2200337 i 4500
001 23259309
005 20250607122856.2
008 230803s2024 maua b 001 0 eng
035 \$a 23259309
906 \$a 0 \$b ibc \$c orignew \$d 2 \$e epcn \$f 20 \$g
y-gencatlg
925 0 \$a acquire \$b 1 shelf copy \$x policy default
955 \$b xd05 2023-08-03 \$a xn16 2024-02-28 1 copy
rec'd., to USASH \$a r100 2024-03-04 to SMA \$c
r106 2024-07-25 to subject
010 \$a 2023944028
020 \$a 9783111333496 \$q (paperback)
020 \$z 9783111334080 \$q (pdf)
020 \$z 9783111334226 \$q (epub)

Completing the Record in Folio

LCAP Productivity Apps

LCAP Productivity Apps

Apps

Central Tenant

Edit local MARC record - Hydrogels : antimicrobial characteristics, tissue engineering, drug delivery vehicle / edited by Shahid Ali Khan, Abdur Rauf and Guibin Xu.

Status: Current • Last updated: 6/7/2025 8:28 AM • Source: EBSCOMigration, EBSCOMigration

Link headings

925 0 \ \$a acquire \$b 1 shelf copy \$x policy default

955 \ \ \$b xd05 2023-08-03 \$a xn16 2024-02-28 1 copy rec'd., to USASH \$a r100 2024-03-04 to SMA \$c r106 2024-07-25 to subject \$b jr03 2025-07-08 z-processor

010 \ \ \$a 2023944028

016 7 \ \$a 9918880483506676 \$2 DNLM

016 7 \ \$a 1301899097 \$2 DE-101

020 \ \ \$a 9783111333496 \$q paperback

020 \ \ \$a 3111333493 \$q paperback

020 \ \ \$z 9783111334080 \$q PDF

020 \ \ \$z 9783111334226 \$q EPUB

024 3 \ \$a 9783111333496

035 \ \ \$a (OCoLC)on1424850463

Cancel

Save & close

This image shows the record in the Folio Inventory app.
Complete Holdings and Items in Folio.

Example 2: Using a copycat record in OCLC to overlay and IBC record in MARC

There is an ibc source record with origres in the Cataloging stream. origres indicates that the record was a resource record with minimal cataloging completed. In this case the Z-Processor tool was used to bring in some descriptive elements, but the origres resource lacks LC subject headings and a class number.

Inventory

Inventory

Central Tenant

Trees as Symbol and Metaphor in the Middle Ages : comparative contexts / edited by Michael D. J. Binley and Pippa Salonnus.

Actions

Shared MARC bibliographic record

```

LEADER 01000cam a22002655i 4500
001 23612297
005 20250607125547.8
008 240319s2024    enk          0|| 0 eng
035  $a 23612297
906  $a 0 $b ibc $c origres $d 2 $e ncip $f 20 $g y-gencatlg
925 0  $a acquire $b 1 shelf copy $x policy default
955  $b xn11 2024-03-19 z-processor to USASH $c re24 2024-09-05 to subject (telework)
010  $a 2023290806
020  $a 1843846640
020  $a 9781843846642 $q (hardcover)
040  $a DLC $b eng $e rda $c DLC
042  $a pcc
100 1  $a Binley, Michael D. J. $e author.
245 0 0 $a Trees as Symbol and Metaphor in the Middle Ages : $b comparative contexts / $c edited by Michael D. J. Binley and Pippa Salonnus.
264 1 1 $a Cambridge : $b D. S. Brewer, $c 2024.
300  $a xv, 290 pages ; $c 25 cm.
336  $a text $b txt $2 r dacontent
337  $a unmediated $b n $2 rdamedia
338  $a volume $b nc $2 rdacarrier
999 f f $i a62c724b-ec25-553f-aa5f-038fe685eae5 $s 848f89ca-9978-41c8-b449-07f897dd0766

```

Activate the Copy cat. feature in Marva by clicking on **Menu > Copy Cat.**

Menu

Tools

View

Load Resource

Copy Cat.

LC Marva Manual

There are four searching options for the Copy Cat. feature:

- Standard Numbers (ISSN, LCCN)
- Title
- Name
- Keyword

Standard Numbers is the default search and is the most precise.

Menu Tools View Preferences

Copy Cat Search

Search OCLC

Enter Value to Search 

Field to Search on

☒ Standard Numbers
 ☐ Title
 ☐ Name
 ☐ Keyword

What are you looking for: Book (Print)

LCCN:

Check for existing record using:

☒ LCCN
 ☐ ISBN

Priority:

Does this record contain non-Latin script that should be retained? ☐

Load with profile:

Monograph
 Notated Music
 Serial
 Cartographic
 Sound Recording: Audio CD
 Sound Recording: Audio CD-R

Results

The ibc resource has an ISBN. Input the ISBN in the Enter Value to Search box and click on the search icon (the magnifying glass). The LCCN box can be left blank for now. A priority level was automatically assigned by the Copy Cat. feature. That can be changed if necessary.

Reviewing Example 2 Search Results

Menu Tools View Preferences

Copy Cat Search

Search OCLC

9781843846642 

Field to Search on

☒ Standard Numbers
 ☐ Title
 ☐ Name
 ☐ Keyword

What are you looking for: Book (Print)

Check for existing record using:

LCCN
 Other Identifier

Results

Showing 7 of 7 results

CopyCat

Trees as symbol and metaphor in the Middle Ages : comparative contexts (eng)

Michael D. J. Bintley

Format: PrintBook

Publisher: D.S. Brewer (Cambridge)

008 Date: 2024

Marc 300: 300 \$a xv, 290 pages :\$b illustrations (some color). facsimiles :\$c 24 cm.

Seven matches were found in OCLC for this ISBN. The Results screen gives some important information about the resources:

Menu Tools View Preferences

Copy Cat Search

Search OCLC

Field to Search on
☒ Standard Numbers
☐ Title
☐ Name
☐ Keyword

What are you looking for
Book (Print)

Check for existing record using:
LCCN Other Identifier

CopyCat Trees as symbol and metaphor in the Middle Ages : comparative contexts (eng)
Michael D. J. Bintley
Format: PrintBook
Publisher: D.S. Brewer (Cambridge)
008 Date: 2024
Marc 300: 300 \$a xv, 290 pages ;\$b illustrations (some color), facsimiles ;\$c 24 cm.
ISBNs:
• 9781843846642
• 1843846640

RDA High YDX eng

CopyCat = Encoding level is 'high', not a pcc record, Language = eng

RDA = 040 subfield \$b = rda, Ldr/18 is **not** 'a' (a = AACR2 record), 260 field **not** present

High = Encoding level

YDX = Cataloging agency

The detail panel explains the badges:

- **CopyCat** = Encoding level is 'high', not a pcc record, Language = eng
- **RDA** = 040 subfield \$b = rda, Ldr/18 is **not** 'a' (a = AACR2 record), 260 field **not** present
- **High** = Encoding level
- **YDX** = Cataloging agency
- **eng** = Cataloging language

If you want to look at the full MARC record, click on the box in the Results panel.

Selecting a Record for Example 2

Menu Tools View Preferences

Copy Cat Search

Search OCLC

Field to Search on
☒ Standard Numbers
☐ Title
☐ Name
☐ Keyword

What are you looking for
Book (Print)

Check for existing record using:
LCCN Other Identifier

CopyCat Trees as symbol and metaphor in the Middle Ages : comparative contexts (eng)
Michael D. J. Bintley
Format: PrintBook
Publisher: D.S. Brewer (Cambridge)
008 Date: 2024
Marc 300: 300 \$a xv, 290 pages ;\$b illustrations (some color), facsimiles ;\$c 24 cm.
ISBNs:
• 9781843846642
• 1843846640

RDA High YDX eng

Selected OCLC Number: 1398210665
MARC Preview

00000cam a2200000 i 4500
001 0n1398210665
003 OCoLC
005 20250114115623.0
008 230920t20242024enka b 001 0 eng d
040 \$a YDX \$b eng \$e rda \$c YDX \$d OCLCQ \$d ERASA \$d YDX \$d MUU \$d OCLCO \$d BBH
020 \$a 9781843846642 \$q (hardcover)
020 \$a 1843846640 \$q (hardcover)
020 \$z 9781805432616 \$q (electronic book)
020 \$z 1805432613 \$q (electronic book)
035 \$a (OCoLC)1398210665
050 4 \$a PN682.F6 \$b T74 2024
082 04 \$a 809/.9336 \$2 23
245 00 \$a Trees as symbol and metaphor in the Middle Ages : \$b comparative contexts / \$c edited by Michael D. J. Bintley and Pippa Salonijs.
264 1 \$a Cambridge ; \$a Woodbridge, Suffolk ; \$a Rochester, NY : \$b D.S. \$c 2024.
264 4 \$a ©2024

Your cataloger's judgment will determine which of the records is appropriate for import. CopyCat is a good choice for import. PccAdapt would be better, but there is not a PccAdapt record in this result set.

With the selected record highlighted (the beige background shows the highlighted record), insert the LCCN of the

ibc record in the LCCN: box and verify that the Priority: value is correct.

Menu Tools View Preferences

Copy Cat Search

Search OCLC

Field to Search on

- Standard Numbers
- Title
- Name
- Keyword

What are you looking for: Book (Print)

LCCN:

Check for existing record using:

- LCCN
- ISBN

A record with this LCCN might exist. If you continue, the copy cat record will be merged with the existing record.

Existing Record with this LCCN

Priority:

Does this record contain non-Latin script that should be retained? ☐

Load with profile:

- Monograph
- Notated Music
- Serial

Results

Showing 3 of 3 results

CopyCat Writing for developers : blogs that get read (eng)
Piotr Sama
Format: PrintBook
Publisher: Manning Publications Co. (Shelter Island, NY)
008 Date: 2025
Marc 300: 300 \$a xxviii, 345 pages ;\$b illustrations ;\$c 24 cm
ISBNs:

- 9781633436282
- 1633436284

OrigRes Writing for Developers: Blogs That Get Read : Blogs That Get Read (eng)
Piotr Sama
Format: PrintBook
Publisher: Manning Publications (US)
008 Date: 2025
ISBNa:

- 9781633436282

Selected OCLC Number: 1456981147
MARC Preview

00000cam s2200000 i 4500
001 on1456981147
003 OCoLC
006 20250523181852.3
008 240925c20252025nyua 001 0 eng d
040 \$a YDX \$b eng \$c YDX \$d OCLCO \$d JRZ \$d OCLCO \$d BDX \$d DPL \$d OCLCO \$d OLE \$d OC
020 \$a 9781633436282 \$q (paperback)
020 \$a 1633436284 \$q (paperback)
035 \$a (OCoLC)1456981147
050 4 \$a T11 \$b .S37 2025
082 04 \$a 006.752 \$2 23
082 04 \$a 008.06/66 \$2 23/eng/20250122
100 1 \$a Sama, Piotr. \$e author.
245 10 \$a Writing for developers : \$b blogs that get read / \$c Piotr Sama, Cynthia Dunlop ; foreword by B
afterword by Scott Hanselman.
250 \$a [First edition].
264 1 \$a Shelter Island, NY : \$b Manning Publications Co., \$c [2025]
264 4 \$c ©2025
300 \$a xxviii, 345 pages : \$b illustrations ; \$c 24 cm
336 \$a text \$b txt \$2 rdaccontent
337 \$a unmediated \$b n \$2 rdamedia
338 \$a volume \$b nc \$2 rdacarrier
520 \$a "A well-crafted technical article can spark a new idea, demystify a technology, expand your pers
save you from going down a disastrous path. Even if you don't consider yourself a 'good writer,' you can r
difference by sharing insights and advancing the community. This practical guide shows you how to creat
articles, and other content your fellow developers will want to read and share. Writing for Developers intrc
popular patterns for modern engineering blogs -- such as 'The Bug Hunt,' 'We Rewrote It in X,' and 'How'
and helps you match these patterns with your ideas. This book covers the entire writing process, from bre
planning, and revising, to promoting your blog in ways that build reputation and generate further opportu
Publisher description.
500 \$a Includes index.

The Copy Cat. feature will check for a resource with the LCCN. Click on **Existing Record with this LCCN** to verify. In this case, it is the ibc resource in Folio, so everything is ok.

Verifying via Linked Data Service (Example 2)

LIBRARY

LIBRARY OF CONGRESS

Linked Data Services

The Library of Congress > Linked Data Service > BIBFRAME Instances

Bibframe Instance

Title
Trees as Symbol and Metaphor in the Middle Ages comparative contexts

Identified By
- Lccn: 2023290806
- Isbn: 1843846640
- Isbn: 9781843846642 (hardcover)

Dimensions
25 cm

Extent
xv, 290 pages

Provision Activity
Publication: England 2024
Publication: Cambridge: D. S. Brewer 2024

Instance Of
[Binley, Michael D. J. Trees as Symbol and Metaphor in the Middle Ages](#)

You can also check for an existing record using ISBN, or even another identifier. Toggle the LCCN/ISBN button to ISBN and click on **Existing Record with this ISBN**.

Copy Cat Search

Copy Cat Search
☐ Name
☐ Keyword

What are you looking for
Book (Print) ▾

Check for existing record using:

LCCN

Other Identifier

Match on: 9781843846642

A record with this identifier might exist. If you continue, the copy cat record will be merged with the existing record.

Existing Record with this identifier:
"Trees as Symbol and Metaphor in the Middle Ages"

LCCN: 2023290806

Priority: 2

Does this record contain non-Latin

Publisher: D.S. Brewer
(Cambridge)
008 Date: 2024
Marc 300: 300 \$a xv, 290
pages :\$b illustrations (some
color), facsimiles ;\$c 24 cm.

ISBNs:

- 9781843846642
- 1843846640

RDA High YDX eng

OrigRes Trees as
symbol and metaphor
in the Middle Ages
comparative contexts
(eng)

Michael D. J. Bintley

Format: PrintBook

Publisher: D. S. Brewer

Selected OCLC Number: 1398210665
MARC Preview

00000cam a2200000 i 4500
001 on1398210665
003 OCoLC
005 20250114115623.0
008 230920t20242024enka b 001 0 eng d
040 \$a YDX \$b eng \$e rda \$c YDX \$d OCLCQ \$d ERASA \$d YDX
MUU \$d OCLCO \$d BBH
020 \$a 9781843846642 \$q (hardcover)
020 \$a 1843846640 \$q (hardcover)
020 \$z 9781805432616 \$q (electronic book)
020 \$z 1805432613 \$q (electronic book)
035 \$a (OCoLC)1398210665
050 4 \$a PN682.F6 \$b T74 2024
082 04 \$a 809/.9336 \$2 23
245 00 \$a Trees as symbol and metaphor in the Middle Ages : \$b com
parative contexts / \$c edited by Michael D. J. Bintley and Pippa Saloni
264 1 \$a Cambridge ; \$a Woodbridge, Suffolk ; \$a Rochester, NY : \$
\$c 2024.
264 4 \$c ©2024

The Copy Cat. feature will check for an existing record with the ISBN. Click on the **Existing Record with this ISBN** to verify. In this case, it is the ibc resource in Folio, so everything is ok.

Loading the Record (Example 2)

LIBRARY
LIBRARY
OF CONGRESS

Linked Data Services ▾

Search id.loc.gov



The Library of Congress > Linked Data Service > BIBFRAME Instances

Bibframe Instance

Title

Trees as Symbol and Metaphor in the Middle Ages comparative contexts

Identified By

- Lccn: 2023290806
- Isbn: 1843846640
- Isbn: 9781843846642 (hardcover)

Dimensions

25 cm

Extent

xv, 290 pages

Provision Activity

Publication: England 2024

Publication: Cambridge: D. S. Brewer 2024

Instance Of

Bintley, Michael D. J. Trees as Symbol and Metaphor in the Middle Ages

Using either LCCN or ISBN, click on Load with profile: Monograph.

Copy Cat Search

Copy Cat Search

Check for existing record using:

LCCN

Other Identifier

A record with this LCCN might exist. If you continue, the copy cat record will be merged with the existing record.

Existing Record with this LCCN:
"Trees as Symbol and Metaphor in the Middle Ages"

LCCN: 2023290806

Priority: 2

Does this record contain non-Latin
script that should be retained? ☐

Results

Showing 7 of 7 results

CopyCat Trees as
symbol and metaphor
in the Middle Ages :
comparative contexts
(eng)

Michael D. J. Bintley

Format: PrintBook

Publisher: D.S. Brewer

(Cambridge)

008 Date: 2024

Marc 300: 300 \$a xv, 290

Selected OCLC Number: 1398210665
MARC Preview

00000cam a2200000 i 4500
001 on1398210665
003 OCoLC
005 20250114115623.0
008 230920t20242024enka b 001 0 eng d
040 \$a YDX \$b eng \$e rda \$c YDX \$d OCLCQ \$d ERASA \$d YDX \$d C
MUU \$d OCLCO \$d BBH
020 \$a 9781843846642 \$q (hardcover)
020 \$a 1843846640 \$q (hardcover)
020 \$z 9781805432616 \$q (electronic book)
020 \$z 1805432613 \$q (electronic book)
035 \$a (OCoLC)1398210665
050 4 \$a PN682.F6 \$b T74 2024
082 04 \$a 809/.9336 \$2 23
245 00 \$a Trees as symbol and metaphor in the Middle Ages : \$b compar

A prompt will ask if you want to continue with the merge.

editor.id.loc.gov says

There is a record with the LCCN already. If you continue, the Copy Cat record will be merged with it. Do you want to continue?



Editing the Imported Record in Marva (Example 2)

Marva will import the CopyCat record and overlay it on the existing ibc record.

A screenshot of the Marva interface. The top menu bar includes 'Menu', 'Tools', 'View', 'Preferences', 'Layouts', 'Saved', 'Validate', 'Post', 'Open in LCAP', and 'Profile: Monograph'. The left sidebar has 'Work', 'Instance', 'Library', and 'Defaults'. The main area is divided into three panes. The left pane shows 'Expression of [search for a Hub]' with fields for 'Creator of Work' (Person, Search LCNAP), 'Title information' (Work title, Preferred title for Work, Part number, Part name), and 'Contributors' (Person, Relationship designator(s), editor). The middle pane shows '2024' with fields for 'Search place of publication (to/from 008)', 'England | x', 'Cambridge', 'Woodbridge, Suffolk', 'Rochester, NY', 'D.S. Brewer', '2024', 'Copyright date', '2024', 'Mode of issuance', 'single unit | x', 'Identifiers', 'LCCN', '2023290806', 'ISBN', '9781843846642', and 'hardcover'. The right pane shows '2.10.0' with fields for 'cam a22', '5i 4500', '001 23612297', '003 OCoLC', '005 20250707210106.0', '007 t', '008 250707120242024enka b 001 0 eng d', '010 \$a 2023290806', '020 \$a 9781843846642 \$q hardcover', '020 \$a 1843846640 \$q hardcover', '020 \$z 9781805432616 \$q electronic book', '020 \$z 1805432613 \$q electronic book', '035 \$a (OCoLC)on1398210665', '040 \$a YDX \$b eng \$e rda \$c YDX \$d OCLCQ \$d ERASA \$d YDX \$d OCLCO \$d MUU \$d OCLCO \$d BBH \$d DLC \$d DLC-MRC \$d DLC', '042 \$a lccopcat', '050 14 \$a PN682.F6 \$b T74 2024', '082 04 \$a 809/.9336 \$2 23', '245 00 \$a Trees as symbol and metaphor in the Middle Ages : \$b comparative contexts / \$c edited by Michael D. J. Rintlev and Pinna Saloni', and 'Mirchael D. J. Rintlev and Pinna Saloni'.

Edit the description in Marva as needed. Save the updates, Validate, and Post.

Note that the MARC Preview in Marva includes MARC 906, 955, and 925 fields.

```
906 $a 0 $b ibc $c copycat $d 2 $e ncip $f 20 $g y-gencatlg
955 $b xn11 2024-03-19 z-processor to USASH $c re24 2024-09-05 to
subject (telework) $b jr03 2025-07-07 z-processor
998 $a 2023290806 $b 2 $c false $d CopyCat $e overlay bib $f 23612297
$z jr03
925 0 $a acquire $b 1 shelf copy $x policy default
```

```
906 $a 0 $b ibc $c copycat $d 2 $e ncip $f 20 $g y-gencatlg
955 $b xn11 2024-03-19 z-processor to USASH $c re24 2024-09-05 to
subject (telework) $b jr03 2025-07-07 z-processor
998 $a 2023290806 $b 2 $c false $d CopyCat $e overlay bib $f 23612297
$z jr03
925 0 $a acquire $b 1 shelf copy $x policy default
```


These fields will migrate to Folio with the Modern MARC record and merge with the existing 906, 955, and 925 fields in the original record.

The default value in 925 subfield \$b is 1 shelf copy. If 2 shelf copies are required, change the value in the Modern MARC record in Folio.


Sending the Description Back to Folio (Example 2)

Be sure to Save, Validate, and Post the description before you send it back to Folio as a Modern MARC record.

There are two ways to get the BIBFRAME description back to Folio as a Modern MARC record:

Method 2: Marva Import App

Use the Marva Import app in the LCAP Productivity Toolkit to send the description back to Folio. Use the Local Identifier in the Marva Import app. You can find the Local Identifier in the Admin Metadata components in Marva.



Tip: even though it will look like you can't copy the Local Identifier, you actually can copy it for pasting into the Marva Import app.

Method 3: Open in LCAP

Click on the **Open in LCAP** icon in the Navigation Bar.

Admin Metadata

Your cataloger ID (Windows ID)
pfrank

Encoding level
preliminary | x

Status (new/changed/deleted)

Date

Description authentication
LC Copy Cataloging | x

Description conventions
ISBD: International standard bibliographic description | x

Resource description and access | x

Description language

Whichever method you use, both the original MARC record and the Modern MARC record will appear together in a single window in the Productivity Toolkit. This is not the Folio Inventory app!

Comparing Records in the Productivity Toolkit (Example 2)

⚡ LCAP Productivity Apps

⚡ LCAP Productivity Apps

Apps

Central Tenant

Choose Marva Record

×

Marva Import

Marva ID (001)

Get!

There's a record with LCCN 2023290806 in the system (target), it'll be updated with new Marva data (source)

Open in QuickMarc Editor (Update)

Source BF record 23612297

LEADER cam a22 5i 4500
001 23612297
003 OCoLC
005 20250707172110.0
007 t|
008 250707t20242024enka h b 001 0 eng d
906 \$a 0 \$b ibc \$c copycat \$d 2 \$e ncip \$f 20 \$g y-gencat
925 0 \$a acquire \$b 1 shelf copy \$x policy default
955 \$b xn11 2024-03-19 z-processor to USASH \$c re24 202 to subject (telework) \$b jr03 2025-07-07 z-processor
010 \$a 2023290806
020 \$a 9781843846642 \$q hardcover
020 \$a 1843846640 \$q hardcover
020 \$z 9781805432616 \$q electronic book
020 \$z 1805432613 \$q electronic book
035 \$a (OCoLC)on1398210665
040 \$a YDX \$b eng \$e rda \$c YDX \$d OCLCQ \$d ERASA \$d YD

Target Folio record

LEADER 01000cam a22002655i 4500
001 23612297
005 20250607125547.8
008 240319s2024 enk 0|| 0 eng
035 \$a 23612297
906 \$a 0 \$b ibc \$c origres \$d 2 \$e ncip \$f 20 \$g y-gencatlg
925 0 \$a acquire \$b 1 shelf copy \$x policy default
955 \$b xn11 2024-03-19 z-processor to USASH \$c re24 2024-09-05 to subject (telework)
010 \$a 2023290806
020 \$a 1843846640
020 \$a 9781843846642 \$q (hardcover)
040 \$a DLC \$b eng \$e rda \$c DLC
042 \$a pcc
100 1 \$a Binley, Michael D. J. \$e author.
245 0 0 \$a Trees as Symbol and Metaphor in the Middle

Compare the two versions of the record, and when you are satisfied with the Modern MARC version, click on Open in QuickMARC Editor (Update). You can't edit or save the Modern MARC record in this Productivity Toolkit view.

⚡ LCAP Productivity Apps

⚡ LCAP Productivity Apps

Apps

Central Tenant

Choose Marva Record

×

Marva Import

Marva ID (001)

Get!

There's a record with LCCN 2023290806 in the system (target), it'll be updated with new Marva data (source)

Open in QuickMarc Editor (Update)

Source BF record 23612297

LEADER cam a22 5i 4500
001 23612297
003 OCoLC
005 20250707172110.0
007 t|
008 250707t20242024enka h b 001 0 eng d
906 \$a 0 \$b ibc \$c copycat \$d 2 \$e ncip \$f 20 \$g y-gencat
925 0 \$a acquire \$b 1 shelf copy \$x policy default
955 \$b xn11 2024-03-19 z-processor to USASH \$c re24 202 to subject (telework) \$b jr03 2025-07-07 z-processor
010 \$a 2023290806
020 \$a 9781843846642 \$q hardcover
020 \$a 1843846640 \$q hardcover
020 \$z 9781805432616 \$q electronic book
020 \$z 1805432613 \$q electronic book
035 \$a (OCoLC)on1398210665
040 \$a YDX \$b eng \$e rda \$c YDX \$d OCLCQ \$d ERASA \$d YD

Target Folio record

LEADER 01000cam a22002655i 4500
001 23612297
005 20250607125547.8
008 240319s2024 enk 0|| 0 eng
035 \$a 23612297
906 \$a 0 \$b ibc \$c origres \$d 2 \$e ncip \$f 20 \$g y-gencatlg
925 0 \$a acquire \$b 1 shelf copy \$x policy default
955 \$b xn11 2024-03-19 z-processor to USASH \$c re24 2024-09-05 to subject (telework)
010 \$a 2023290806
020 \$a 1843846640
020 \$a 9781843846642 \$q (hardcover)
040 \$a DLC \$b eng \$e rda \$c DLC
042 \$a pcc
100 1 \$a Binley, Michael D. J. \$e author.
245 0 0 \$a Trees as Symbol and Metaphor in the Middle

Completing the Record in Folio (Example 2)

LCAP Productivity Apps

LCAP Productivity Apps

Apps

Central Ten

×

Edit local MARC record - Trees as Symbol and Metaphor in the Middle Ages : comparative contexts / edited by Michael D. J. Binley and Pippa Salonnus.

Status: Current • Last updated: 6/7/2025 8:55 AM • Source: EBSCOMigration, EBSCOMigration

Link headi

↑ ↓ + 🗑	925	0	\	\$a acquire \$b 1 shelf copy \$x policy default
↑ ↓ + 🗑	955	\	\	\$b xn11 2024-03-19 z-processor to USASH \$c re24 2024-09-05 to subject (telework) \$b jr03 2025-07-07 z-processor
↑ ↓ + 🗑	010	\	\	\$a 2023290806
↑ ↓ + 🗑	020	\	\	\$a 9781843846642 \$q hardcover
↑ ↓ + 🗑	020	\	\	\$a 1843846640 \$q hardcover
↑ ↓ + 🗑	020	\	\	\$z 9781805432616 \$q electronic book
↑ ↓ + 🗑	020	\	\	\$z 1805432613 \$q electronic book
↑ ↓ + 🗑	035	\	\	\$a (OCoLC)on1398210665
↑ ↓ + 🗑	040	\	\	\$a YDX \$b eng \$e rda \$c YDX \$d OCLCQ \$d ERASA \$d YDX \$d OCLCO \$d MUU \$d OCLCO \$d BBH \$d DLC \$d DLC-MRC \$d DLC
↑ ↓ + 🗑	042	\	\	\$a lccopycat
↑ ↓ + 🗑	050	0	0	\$a PN682.F6 \$b T74 2024

Cancel

Save & close

This image shows the record in the Folio Inventory app.

Complete Holdings and Items in Folio.

Copy Cat Preferences

Preferences for Copy Cat. can be set using **Preferences > Copy Cat**

Preferences - Copy Cat



Copy Cat color

The background color of Copy Cat components.

Text Color

The font color of the text searching for a Copy Cat record.

Results Color

The color search results.

Selected Color


The color selected result.

Marc Hover

The color of the subfield when hovering over the MARC.

Font Size

The fontsize of the text in the Copy Cat search.



The preferences include:

- **Copy Cat color** - The background color of Copy Cat components
- **Text Color** - The font color of the text searching for a Copy Cat record
- **Results Color** - The color search results
- **Selected Color** - The color selected result

- **Marc Hover** - The color of the subfield when hovering over the MARC
- **Font Size** - The fontsize of the text in the Copy Cat search

See also [Appendix G: MARC to Marva Mappings](#) for how MARC fields map to Marva components.

[Back to Table of Contents](#)

Appendix I: Working with Non-RDA Records in Marva

The Library of Congress has been using *Resource Description & Access*, RDA, as its cataloging code and standard since 2012. In the MARC Bibliographic Format, all new bibliographic descriptions created since 2012 will be coded "rda" in the 040 field, subfield \$e, and will have the Ldr/18 value, Descriptive cataloging form, set to i: ISBD punctuation included.

RDA Data Elements in Marva

In Marva, these data elements will appear in the Admin Metadata part of the description.

Inventory

Inventory

Central Tenant

X

Trees as Symbol and Metaphor in the Middle Ages : comparative contexts / edited by Michael D. J. Binley and Pippa Salonnus.

Actions

Shared MARC bibliographic record

LEADER 01000cam a22002655 4500
001 23612297
005 20250607125547.8
008 240319s2024 enk 0|| 0 eng
035 \$a 23612297
906 \$a 0 \$b ibc \$c origres \$d 2 \$e ncip \$f 20 \$g y-gencatlg
925 0 \$a acquire \$b 1 shelf copy \$x policy default
955 \$b xn11 2024-03-19 z-processor to USASH \$c re24 2024-09-05 to subject (telework)
010 \$a 2023290806
020 \$a 1843846640
020 \$a 9781843846642 \$g (hardcover)
040 \$a DLC \$b eng \$e rda \$c DLC
042 \$a pcc
100 1 \$a Binley, Michael D. J. \$e author.
245 0 0 \$a Trees as Symbol and Metaphor in the Middle Ages : \$b comparative contexts / \$c edited by Michael D. J. Binley and Pippa Salonnus.

Admin Metadata

Your cataloger ID (Windows ID)

pfrank

Encoding level

preliminary | x

Status (new/changed/deleted)

Date

Description authentication

LC Copy Cataloging | x

Description conventions

ISBD: International standard bibliographic description | x

Resource description and access | x

Description language

English | x

Profile

Data flows for RDA bibliographic records are seamless between the BIBFRAME Database (BFDB) and Folio.

The AACR2 Challenge

But bibliographic records created under other codes or standards do not work as easily. This is because MARC Ldr/18 value, Descriptive cataloging form, has a code for AACR2 records: code **a**: **AACR2**. From the MARC Bibliographic Format:

a - AACR 2

Descriptive portion of the record is formulated according to the description and punctuation provisions as incorporated into the *Anglo-American Cataloging Rules*, 2nd Edition (AACR 2) and its manuals.

There is no corresponding Ldr/18 value for **RDA**. The decision was made when RDA was implemented, that the Ldr/18 value would be set to i: ISBD punctuation included, and RDA would be recorded as a Description convention in the 040 field, subfield \$e.

This decision effectively separated the cataloging code or standard, RDA, from the input conventions, ISBD, that would be used.

In Ldr/18 value **a**, AACR2, the cataloging code or standard, AACR2, is integrated with the input conventions, ISBD.

Because Modern MARC bibliographic records do not follow complete ISBD punctuation as prescribed in AACR2, Modern MARC records cannot be coded with Ldr/18 = a.

When working with AACR2 bibliographic records, re-code the records to RDA in Marva so the Modern MARC record will be represented accurately.

RDA Content Type, Media Type, and Carrier Type

When LC transitioned to Folio in June 2025, RDA Content Type, Media Type, and Carrier Type values were added to all bibliographic records. Using these values in AACR2 records is acceptable, so AACR2 records were not routinely recoded to RDA at the time the RDA Content Type, Media Type, and Carrier Type values were added.

Example: AACR2 Record in Folio

AACR2 record in Folio:

Inventory

Inventory

Municipal government, politics, and policy : a reader / edited by Gunnar Wikstrom, Jr., Nelson Wikstrom.

Shared MARC bibliographic record

```
LEADER 01295cam a2200361 a 4500
001 1825627
005 20250607061526.7
008 811120s1982 dcua b 000 0 eng
035 $a 1825627
906 $a 7 $b cbc $c orignew $d 1 $e ocip $f 19 $g y-gencatlg
955 $a LCAP batch update 2025-06-02-04:00: LCAPM-644, LCAPM-150
010 $a 80005599
020 $a 0819121959 : $c $33.75
020 $a 0819121967 (pbk.) : $c $19.50
020 $a 9780819121950
020 $a 9780819121967
035 $9 (DLC) 80005599
040 $a DLC $c DLC $d DLC $d OCoLC
043 $a n-us---
050 0 $a JS323 $b .M86 1982
082 0 $a 320.8/0973 $2 19
245 0 $a Municipal government, politics, and policy : $b a reader / $c edited by Gunnar Wikstrom, Jr., Nelson Wikstrom.
260 $a Washington, D.C. : $b University Press of America, $c c1982.
300 $a xviii, 460 p. : $b ill. : $c 29 cm.
336 $a text $b txt $2 rdacontent
337 $a unmediated $b n $2 rdamedia
338 $a volume $b nc $2 rdacarrier
504 $a Includes bibliographical references.
```

Record is coded AACR2 (Ldr/18 = a)

RDA Content type, Media type, and Carrier type values were added when the bibliographic record migrated from Voyager to Folio in June 2025

Same record in Marva:

Menu Tools View Preferences Layouts **Save** ✓ Validate Post Open in LCAP Profile: Monograph

Expression of [search for a Hub]
Expression of [search for a Hub]

Creator of Work
Person
Search LCNAF
Relationship designator

Title information
Work title
Non-sort character count
0
Preferred title for Work
Municipal government, politics, and
Part number
Part name

Contributors
Person
Wikstrom, Gunnar | x
Relationship designator(s)
contributor | x
Contributors
Person
Wikstrom, Nelson | x
Relationship designator(s)
contributor | x

Braille?
[Braille?]

URL of Instance
URL

Projected publication date (YYMM)
Projected publication date (YYMM)

Has Item

Admin Metadata
Your cataloger ID (Windows ID)
pfrank
Encoding level
full | x
Status (new/changed/deleted)
Date
Description authentication
Description conventions
Anglo-American cataloguing rules | x
Description language
Profile
Local Identifier
1825627
Generation process
Process Information

005 20250708173424.0
007 t|
008 811120s1982 dcua b 000 0 eng
010 \$a 80005599
020 \$a 0819121959 \$c \$33.75
020 \$a 0819121967 \$c \$19.50 \$q pbk
020 \$a 9780819121950
020 \$a 9780819121967
040 \$a DLC \$c DLC \$d DLC \$d OCoLC \$d DLC
OCoLC
043 \$a n-us--- \$0 http://id...
050 00 \$a JS323 \$b .M86 1982
082 00 \$a 320.8/0973 \$2 19
245 00 \$a Municipal government, politics, and pc
reader / \$c edited by Gunnar Wikstrom, Jr., Nels
264 1 \$a Washington, D.C. : \$b University Press
c1982.
300 \$a xviii, 460 p. \$b ill. \$c 29 cm
334 \$a single unit \$b mono \$0 http://id...
336 \$a text \$b txt \$2 rdacontent \$0 http://id...
337 \$a unmediated \$b n \$2 rdamedia \$0 http://id...
338 \$a volume \$b nc \$2 rdacarrier \$0 http://id...
340 \$p illustrations \$0 http://id...
353 \$a bibliography \$b bibliography \$0 http://id...
504 \$a Includes bibliographical references.
650 0 \$a Municipal government \$z United State:
700 1 \$a Wikstrom, Gunnar \$e contributor \$0 ht

Re-coding to RDA

Record evaluated for RDA and Description conventions value changed in Marva:

Menu Tools View Preferences Layouts **Save** ✓ Validate Post Open in LCAP Profile: Monograph

Expression of [search for a Hub]
Expression of [search for a Hub]

Creator of Work
Person
Search LCNAF
Relationship designator

Title information
Work title
Non-sort character count
0
Preferred title for Work
Municipal government, politics, and policy
Part number
Part name

Contributors
Person
Wikstrom, Gunnar | x
Relationship designator(s)
contributor | x
Contributors
Person
Wikstrom, Nelson | x
Relationship designator(s)
contributor | x

Projected publication date (YYMM)
Projected publication date (YYMM)

Has Item

Admin Metadata
Your cataloger ID (Windows ID)
pfrank
Encoding level
full | x
Status (new/changed/deleted)
Date
Description authentication
Description conventions
Resource description and access | x
ISBD: International standard bibliographic description | x
Description language
Profile
Local Identifier
1825627
Generation process
Process Information

2.10.0
2.10.0
cam a22 i 4500
001 1825627
003 DLC
005 20250708180302.0
007 t|
008 811120s1982 dcua b 000 0 eng
010 \$a 80005599
020 \$a 0819121959 \$c \$33.75
020 \$a 0819121967 \$c \$19.50 \$q pb
020 \$a 9780819121950
020 \$a 9780819121967
040 \$a DLC \$c \$e rda \$c DLC \$d DLC \$
DLC-MRC \$d OCoLC
043 \$a n-us--- \$0 http://id...
050 00 \$a JS323 \$b .M86 1982
082 00 \$a 320.8/0973 \$2 19
245 00 \$a Municipal government, politi
: \$b a reader / \$c edited by Gunnar Wil
Nelson Wikstrom.
264 1 \$a Washington, D.C. : \$b Unive
America, \$c c1982.
300 \$a xviii, 460 p. \$b ill. \$c 29 cm
334 \$a single unit \$b mono \$0 http://i
336 \$a text \$b txt \$2 rdacontent \$0 h
337 \$a unmediated \$b n \$2 rdamedie

Description sent back to Folio as a Modern MARC description:

Choose Marva Record

×

Marva Import

🔗

Marva ID (001)

Get!

Source BF record 1825627

LEADER cam a22 i 4500
001 1825627
003 DLC
005 20250708140450.0
007 t|
008 811120s1982 dcua b 000 0 eng
010 \$a 80005599
020 \$a 0819121959 \$c \$33.75
020 \$a 0819121967 \$c \$19.50 \$q pbk
020 \$a 9780819121950
020 \$a 9780819121967
040 \$a DLC \$e rda \$c DLC \$d DLC \$d OCoLC \$d DLC-MRC \$d
043 \$a n-us--- \$0
http://id.loc.gov/vocabulary/geographicAreas/n-us
050 0 \$a JS323 \$b .M86 1982
0
082 0 \$a 320.8/0973 \$2 19
0
245 0 \$a Municipal government, politics, and policy : \$b
0 / \$c edited by Gunnar Wikstrom, Jr., Nelson Wikstrom
264 \$a Washington, D.C. : \$b University Press of America
1 c1982.
300 \$a xviii, 460 p. \$b ill. \$c 29 cm

Target Folio record

LEADER 01295cam a2200361 a 4500
001 1825627
005 20250607061526.7
008 811120s1982 dcua b 000 0 eng
035 \$a 1825627
906 \$a 7 \$b cbc \$c orignew \$d 1 \$e ocip \$f 19 \$g
y-gencatlg
955 \$a LCAP batch update 2025-06-02-04:00: LCAPM-
644, LCAPM-150
010 \$a 80005599
020 \$a 0819121959 : \$c \$33.75
020 \$a 0819121967 (pbk.) : \$c \$19.50
020 \$a 9780819121950
020 \$a 9780819121967
035 \$9 (DLC) 80005599
040 \$a DLC \$c DLC \$d DLC \$d OCoLC
043 \$a n-us---
050 0 0 \$a JS323 \$b .M86 1982
082 0 0 \$a 320.8/0973 \$2 19
245 0 0 \$a Municipal government, politics, and policy
: \$b a reader / \$c edited by Gunnar Wikstrom,
Jr., Nelson Wikstrom.

See also:

- [Appendix G: MARC to Marva Mappings](#) for details on how Ldr/18 maps to Marva's Description conventions
- [Appendix H: Copy Cataloging](#) for importing records from OCLC that may need re-coding

[Back to Table of Contents](#)

Appendix J: Creating New Descriptions in Marva

Before July 2025, Marva could only work with an existing MARC bibliographic record in the MARC ILS (Voyager, and for a short time starting on June 30, 2025, Folio). This was because Marva required a local system identifier for the MARC bibliographic record to facilitate import, matching, and overlaying the original MARC record with the Modern MARC record.

In July 2025, functionality was added to Marva to allow "native" BIBFRAME descriptions (origbf) to be created in Marva. This functionality will allow Marva to be used as the sole cataloging interface for new descriptions.

There is no limit on the level of bibliographic descriptions that can be created natively in Marva, as long as the format is approved for use in Marva. For example, as of July 2025, only monographic resources are being described in Marva. So any monograph resource that is not represented already by a MARC record in Folio can be described directly in Marva -- IBC description, resource description, completely-cataloged description, etc.

Creating a New Description from a Template

To create a new description in Marva, use one of the templates in the Create Original BIBFRAME (origbf) Descriptions panel.

[Menu](#)
[Tools](#)
[View](#)
[Preferences](#)

Load

Need to search title or author? Use [BEDB](#).

First Enter the URL or identifier for a resource above, then select a profile.

Load Type:

Reconvert from MARC

Continue Editing BF

Load with profile:

[Monograph]
[Original BF]
[Notated Music]
[Serial]
[Cartographic]

[Sound Recording: Audio CD]
[Sound Recording: Audio CD-R]

[Sound Recording: Analog]
[Sound Recording: Cassette]

[Moving Image: DVD]
[Moving Image: Film]
[Rare Materials]

[Prints & Photographs]
[HUB]

Default profile to use on [Enter] key Monograph

Your Records

Show All Records

<i>Hariŋguk chonghŏk' rŭl ingnŏn 22-kae ūi k'wŏddŭ</i> by Hong, Ik-p'yŏ. 1961- (2019437065) Posted 20 hours ago	☒
<i>Municipal government, politics, and policy</i> by Wikstrom, Gunnar (80065599) Posted 2 days ago	☒
<i>Trees as symbol and metaphor in the Middle Ages</i> by Binfield, Michael D. J. Posted 2 days ago	☒
0 last edited 2 days ago	☒
<i>Hydrogesit (Khan)</i> by Khan, Shahid Ali, Dr () Posted 2 days ago	☒
0 last edited 2 weeks ago	☒
<i>The 2013 general elections</i> by Mokun, Elias (2012311874) Posted 3 days ago	☒
<i>Test (2025909990)</i> Posted 3 days ago	☒
<i>The senatorial career of Harley Martin Kilgore</i> by Maddox, Robert Franklin, 1942- (98207268) Posted 3 days ago	☒
<i>7th international symposium on advanced optical manufacturing and testing technologies</i> by International Symposium on Advanced Optical Manufacturing and Testing Technologies: Smart structures and materials for manufacturing and testing (Conference) (7th : 2014 : Harbin, China) (2016439046) Posted 3 days ago	☒
<i>"Dear Kitchen Bazaar"</i> by Cohen, Rona (7708519) last edited 1 week ago	☒
<i>"Ace" any test</i> by Fry, Ronald W. (92013764) last edited 1 week ago	☒
<i>Istizbna izdavačke djelatnosti hrvatskih muzeja i galerija</i> by Muzejski dokumentacioni centar (Zagreb, Croatia) (2012380845) last edited 1 week ago	☒

Click on **Tools > Add All Defaults**. This will add the RDA Content type, Media type, and Carrier type, the Mode of issuance, and will set the authentication to pcc. It will also identify the cataloging code as RDA.

The Modern MARC Record

The resulting Modern MARC record will contain the standard fields:

2.10.0



2.10.0

```
nam a22 i 4500
001 e1837470
003 DLC-MRC
005 20250710114938.0
007 t|
008 250710|||||||xx 000 0 c
035 $a (dlcmrc)e1837470
040 $a DLC $b eng $e rda $c DLC $d DLC
042 $a pcc
334 $a single unit $b mono $0 http://id...
336 $a text $b txt $2 rdacontent $0 http://id...
337 $a unmediated $b n $2 rdamedia $0 http://id...
338 $a volume $b nc $2 rdacarrier $0 http://id...
758 $4 http://id.loc.gov/ontologies/bibframe/instanceOf $1 http://id...
758 $1 http://id...
884 $a DLC bibframe2marc v2.10-dev (libxslt) $g 20250710 $q DLC $u
https://github.com/lcnetdev/bibframe2marc/releases/tag/v2.10-dev
```

```
2.10.0
nam a22 i 4500
001 e1837470
003 DLC-MRC
005 20250710114938.0
007 t|
008 250710|||||||xx 000 0 c
035 $a (dlcmrc)e1837470
040 $a DLC $b eng $e rda $c DLC $d DLC
042 $a pcc
334 $a single unit $b mono $0 http://id...
336 $a text $b txt $2 rdacontent $0 http://id...
337 $a unmediated $b n $2 rdamedia $0 http://id...
338 $a volume $b nc $2 rdacarrier $0 http://id...
758 $4 http://id.loc.gov/ontologies/bibframe/instanceOf $1 http://id...
758 $1 http://id...
884 $a DLC bibframe2marc v2.10-dev (libxslt) $g 20250710 $q DLC $u
https://github.com/lcnetdev/bibframe2marc/releases/tag/v2.10-dev
```

Assigning an LCCN

Be sure to assign an LCCN in the Instance LCCN Identifier component. The spacing values for the LCCN will be correct in the Modern MARC record. There is no need to regularize the spacing in Marva.

Identifiers
LCCN
LCCN
2025999999
Invalid/canceled?

Complete work in Marva to the point where you are done with the description.

Save, Validate, Post. Send to Folio by clicking on the Open in LCAP icon in Marva.

Sending to Folio via LCAP

LCAP Productivity Apps

LCAP Productivity Apps
Settings
Central Tenant

Choose Marva Record
X
Marva Import

Marva ID (001)
Get!

Head-ups! Folio will assign its own 001/HRID even though the incoming record has 001

Open in QuickMarc Editor (New Record)

Source BF record e1537720

```

LEADER      nam a22      1 4500
001 e1537720
003 DLC-MRC
005 20250710075927.0
007 1
008 250710|||||||xx      000 0      c
010 $a      2025999999
035 $a (DLC-MRC)e1537720
040 $a DLC $b eng $e rda $c DLC $d DLC
042 $a pcc
334 $a single unit $b mono $0 http://id.loc.gov/vocabulary/issuance/mono
336 $a text $b txt $2 rdacontent $0 http://id.loc.gov/vocabulary/contentTypes/txt
337 $a unmediated $b n $2 rdamedia $0 http://id.loc.gov/vocabulary/mediaTypes/n
338 $a volume $b nc $2 rdacarrier $0 http://id.loc.gov/vocabulary/carriers/nc
500 $a Text record. Please delete
758 $1 http://id.loc.gov/resources/instances/e1537720
758 $4 http://id.loc.gov/ontologies/bibframe/instanceOf $1 http://id.loc.gov/resources/works/e1537720
884 $a DLC bibframe2marc v2.10-dev $g 20250710 $g DLC $u https://github.com/lonetdev/bibframe2marc/releases/tag/v2.10-dev
985 $e BIBFRAME $d 2025-07-1007:59:26

```

Open in QuickMarc Editor (New Record) and add 906, 925, and 955 data. Use origbf for the 906 subfield \$c value.

906	\	\	\$a 0 \$b ibc \$c origbf \$d 3 \$e ncip \$f 20 \$g y-gencatlg
925	0	\	\$a acquire \$b 1 shelf copies \$x policy default
955	\	\	\$b jr03 2025-07-10 origbf

```

906      $a 0 $b ibc $c origbf $d 3 $e ncip $f 20 $g y-gencatlg
925 0    $a acquire $b 1 shelf copies $x policy default
955      $b jr03 2025-07-10 origbf

```

See also:

- [Appendix G: MARC to Marva Mappings](#) for understanding how Marva components map to MARC fields in the generated record
- [Appendix H: Copy Cataloging](#) for importing existing records from OCLC instead of creating new ones
- [Appendix I: Working with Non-RDA Records](#) for handling records that need to be re-coded to RDA

[Back to Table of Contents](#)


Appendix K: Shelf Listing Browser

Marva has a shelflisting tool that allows users to assign complete LC Classification call numbers to bibliographic resources. Library of Congress shelflisting is based on the LC Classification numbers assigned in the bibliographic description (Marva: Work: Classification numbers; MARC Bibliographic: 050, Library of Congress Call Number). Shelflisting based on LC Classification numbers assigned in bibliographic descriptions is a unique need for the Library of Congress. Many libraries shelflist against the Library of Congress Call Number assigned in Holdings records, since Holdings records represent resources that are present and accessible in a library's collections. Library of Congress bibliographic resources do not always have associated Holdings records. For example, CIP policies do not require a Holdings record for a bibliographic resource until the resource is received. But the shelflisting needs to be done in anticipation of receiving the resource. Bibliographic descriptions for Do Not Acquire resources are accessible in the LC catalog, but do not have associated Holdings records.

Accessing the Shelf Listing Browser

The Shelf Listing Browser may be accessed in three ways:

1. As a stand-alone tool outside of Marva: <https://editor.id.loc.gov/bfe2/quartz/#shelflisting>
2. As a stand-alone tool in Marva at: **Tools > Shelf Listing Browser**



If you access the Shelf Listing Browser from Tools > Shelf Listing Browser from the Navigation Bar on the Marva landing page, the Class and Cutter boxes will be empty.

☐ Preserve Cutter Spaces

No Results

3. As a link identified as "Shelf List Search" integrated into the Marva: Work: Classification numbers component

Classification numbers

Library of Congress classification

Classification number

PK3799.P2734

[ClassWeb Search: PK3799.P2734](#)
[ClassWeb Browse: PK3799.P2734](#)
[ClassWeb Search: Pāṇḍeya, Kamalā, Rakṣata-Gaṅgām](#)

Additional call number information

R356 2011

Cutter Calculator

Taṃvara, Sīmā, 1984-
 [Use](#)

aṃvara, Sīmā, 1984-
 [Use](#)

*Ādhunika SaṃskṛtA34
[Use](#)

Free Form Cutter Input

 Calc Length (3)

- [Cutter Table](#)
- [Biography Table](#)
- [Translation Table](#)
- [true](#)

Shelf List Search

If you access the Shelf Listing Browser from the Classification component, the classification numbers already in the component will appear in the Class and Cutter boxes.

PK3799.P2734	R356 2011	Save	Preserve Cutter Spaces			
Number	Main Author, Creator, etc.	Uniform Title	Title	Subject	Date	
PK3799.P2725 M36 1998	Pāṇḍeya, Amaranātha, 1937-2015		Mangīyā		1998	view
PK3799.P2725 S28 1995	Pāṇḍeya, Amaranātha, 1937-2015	Saundaryavallī. Hindi & Sanskrit	Saundaryavallī		1995	view
PK3799.P273 B53 1997	Pāṇḍeya, Devendra Nātha		Bhārata-cintanam		1997	view
PK3799.P273122 2022	Pāṇḍeya, Dīnēśaprasāda, 1915-1987	Works	Dīnēśavāgvilāsaḥ		2022	view
PK3799.P2732	Pāṇḍeya, Gāyatrīprasāda, 1949-	Vāyasah pūjate. Hindi & Sanskrit	Vāyasah pūjate.		2008	view
PK3799.P2732+	Pāṇḍeya, Gāyatrīprasāda, 1949-		Classification number reserved for: Pāṇḍeya, Gāyatrīprasāda, 1949-			view
PK3799.P2734	Pāṇḍeya, Kamalā		Śrīgaṅgā-daṇḍakam		1998	view
PK3799.P2734 B43 2012	Gūjara, Rājāśrī		"Bhagavān Śankarācārya āvirbhūyāt punarbhuvī" meṃ sāhityika evaṃ dārśanika cintana		2012	view
PK3799.P2734 R35 1999	Pāṇḍeya, Kamalā	Rakṣata-Gaṅgām. Polyglot	Rakṣata-Gaṅgām		1999	view
PK3799.P2734 R356 2011	Taṃvara, Sīmā, 1984-		*Ādhunika Saṃskṛta mahākāvya Rakṣata Gaṅgām": eka adhyayana		2011	view
PK3799.P27345 Z873 2006			Samajyā		2006	view
PK3799.P2735	Pāṇḍeya, Kṛṣṇanārāyaṇa		Mānavatā yātrā		1999	view
PK3799.P2735 G67 1997	Pāṇḍeya, Kṛṣṇanārāyaṇa		Gosvāmī		1997	view
PK3799.P2735 M36 1997	Pāṇḍeya, Kṛṣṇanārāyaṇa		Mānavatāvijayam		1997	view
PK3799.P27355+	Pāṇḍeya, Mahārājādīna, 1956-		Classification number reserved for: Pāṇḍeya, Mahārājādīna, 1956-			view
PK3799.P27357	Pāṇḍeya, Mathurādatta	Ekāṅka-pañcadaśī. Hindi & Sanskrit	Ekāṅka-pañcadaśī		2011	view
PK3799.P27357 E536 2005	Śaṇḍīya, Rāja Kumāra, 1969-		Ācārya Mathurādatta Pāṇḍeya kṛta Ekāṅka pañcadaśī kā anuśīlana		2005	view
PK3799.P2736	Pāṇḍeya, Mohanalālaśarmā, 1934-	Patradōta. Hindi & Sanskrit	Patradōtam		1999	view
PK3799.P2736 P33 1999	Pāṇḍeya, Mohanalālaśarmā, 1934-		Padmīnī		1999	view

Components of the Shelf Listing Browser

Class: the Library of Congress Classification number as it appears in the LC Classification schedules. In some cases, when working with complex Library of Congress Classification numbers, the Class box might include some "Item" number or "Book" number information. In MARC terms, the Class box will include the complete contents of the 050 subfield \$a.

Cutter: the "Item" or "Book" number. The Cutter serves to organize works on one subject (in one classification number) by reflecting, normally, an alphabetical arrangement by the resource's creator and/or title. Since 1982, monograph call numbers contain a third element, a date.

Save: clicking on Save will add the information from the Class box and the Cutter box to the bibliographic description in the Classification numbers component of the Marva Work.

Preserve Cutter Spaces: the Preserve Cutter Spaces toggle prevents the system from removing the spaces from the beginning of the Cutter.

Browse Display Columns

Number: this is the shelflist browse, showing complete call numbers in shelflist order for Library of Congress resources.

Main Author, Creator, etc.: If there is a creator (Marva: Work: Creator of Work; MARC 1XX) associated with the resource, it will appear here.

Uniform Title: If there is a uniform title (Marva: Work: Expression of; MARC 130 or 240) associated with the resource, it will appear here.

Title: the title proper of the resource (Marva: Instance: Instance title: Title, Part number, Part name; MARC 245 subfield \$a, \$n, \$p).

Subject: subject headings associated with the resource.

Date: the date(s) associated with the resource (Marva: Instance: Provision Activity: EDTF date; MARC 008/Date 1, Date 2).

view: click to see the complete description of the resource in BFDB.

Using the Shelf Listing Browser

Input an LC Classification number in the Class box. This is the broadest search and will give results for every resource in that class. The search will begin automatically. Scroll through the results to find the correct location for the resource you are shelflisting. When you identify a unique "Item" or "Book" number, input that information in the Cutter box. Click Save and the complete call number will be added to the Marva description.

If you are using the Shelf Listing Browser tool when working in an external application such as the Folio Inventory app, you can copy the call number from the display list and paste it into the external application. If the external application is a MARC system, remember to insert the subfield values!

HC340.12.Z65	B57 2024	Save	☐ Preserve Cutter Spaces			
Number	Main Author, Creator, etc.	Uniform Title	Title	Subject	Date	
HC340.12.Z54 2023			modernizat's'ii (kon. XIX--nach. XXI vv.)		2023	view
HC340.12.Z57 1996	Zotova, N. A. (Nina Alekseevna)		Integrat's'ii a` i konflikty		1996/9999	view
HC340.12.Z59 1999	Zubov, V. M. (Valerii Mikhailovich)		Ot neplatezhei k razvitiu`u		1999	view
HC340.12.Z5923 2005	Zverev, V. S.		Institut's'ional'nai'a sreda ekonomiki		2005	view
HC340.12.Z5925 1999	Zvi`a`gin, A. A. (Aleksei Alekseevich)		Voprosy politiki, ekonomiki i upravleniia` na makrourovne		1999	view
HC340.12.Z65 B53 2021	Blanut's`a, V. I. (Viktor Ivanovich)		Geograficheskai'a` ekspertiza strategii ekonomicheskogo razvitiia` Rossii		2021	view
HC340.12.Z65 B57 2024	Class would appear here.		Class would appear here.			
HC340.12.Z65 D65 2007		Click here to copy the call number	Doklad o sostoi'a`nii prirodoopol'zovaniia` i ob okhrane okruzhaiu` shchei sredy Krasnodarskogo...		2007	view
HC340.12.Z65 D68 2007	Dovgot'ko, N. A.		Mekhanizm stimulirovaniia` rat's'ional'nogo prirodoopol'zovaniia` v aspekte territorial'nogo...		2007	view

Using with External Applications

When using the call number in an external application like the Folio Inventory app, paste the call number into the appropriate field:

Inventory

Create a new shared MARC bib record
Status: New

LDR	Status	Type*	BLvl*	Ctrl	ELvl	Desc	MultiLvl
00000	n -	\ -	\ -	\ -	a2200000	u	u - \ - 4500
001							
005							
008							
050	0	0	\$a HC340.12.Z65 B57 2024				
245	\	\	\$a				
999	f	f					

Inventory

Create a new shared MARC bib record
Status: New

LDR	Status	Type*	BLvl*	Ctrl	ELvl	Desc	MultiLvl
00000	n -	\ -	\ -	\ -	a2200000	u	u - \ - 4500
001							
005							
008							
050	0	0	\$a HC340.12.Z65 \$b B57 2024				
245	\	\	\$a				
999	f	f					

See also:

- [Appendix G: MARC to Marva Mappings](#) for how the 050 Library of Congress Call Number maps to Marva's Classification numbers component

[Back to Table of Contents](#)