# Test post 3

ttmmghmm

2014 December

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed           dist
##  Min.   : 4.0   Min.   :  2.00
##  1st Qu.:12.0   1st Qu.: 26.00
##  Median :15.0   Median : 36.00
##  Mean   :15.4   Mean   : 42.98
##  3rd Qu.:19.0   3rd Qu.: 56.00
##  Max.   :25.0   Max.   :120.00
```

You can also embed plots, for example:

Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

```r
sessionInfo()
```

```
## R version 3.1.2 (2014-10-31)
## Platform: x86_64-pc-linux-gnu (64-bit)
##
## locale:
##  [1] LC_CTYPE=en_US.UTF-8 LC_NUMERIC=C         LC_TIME=C
##  [4] LC_COLLATE=C         LC_MONETARY=C        LC_MESSAGES=C
##  [7] LC_PAPER=C           LC_NAME=C            LC_ADDRESS=C
## [10] LC_TELEPHONE=C       LC_MEASUREMENT=C     LC_IDENTIFICATION=C
##
## attached base packages:
## [1] stats     graphics  grDevices utils     datasets  methods   base
##
## other attached packages:
## [1] rmarkdown_0.4.2
##
## loaded via a namespace (and not attached):
##  [1] RCurl_1.95-4.5  bitops_1.0-6    devtools_1.6.1  digest_0.6.7
##  [5] evaluate_0.5.5  formatR_1.0     htmltools_0.2.6 httr_0.6.0
##  [9] knitr_1.8       stringr_0.6.2   tools_3.1.2     yaml_2.1.13
```