

Test Plan – Snow Calls

Necessary cases to test will vary by problem.

As a starting point, test plans should include cases that cover:

- · the typical cases for the problem given
- the boundary conditions on all input values
- invalid inputs

Test Cases			
Description	Given Input (in bold) and Expected Output	Points	
Typical case Covers translation of all individual letters to their respective numbers Also covers a number with no dashes Output is exactly as shown	How many phone numbers will be provided? 3 Enter phone number 1: ABC-DEF-GHIJ This is 222-333-4445. Enter phone number 2: KLM-NOP-QRST This is 556-667-7778. Enter phone number 3: UVMXYZ0000 This is 889-999-0000.	0 (1) 2 3 4	
Typical case Covers situation where input has more digits and numbers than needed in the input to produce a 10-digit phone number for the output All other output is exactly as shown	How many phone numbers will be provided? 1 Enter phone number 1: 416-PIZZA-BOX This is 416-749-9226.	<u>(0)</u> 1 2	

Test Cases			
Description	Given Input (in bold) and Expected Output	Points	
Typical case Covers situation where input dashes are not in expected positions All other output is exactly as shown	How many phone numbers will be provided? 1 Enter phone number 1: 99-SNACKS-99 This is 997-622-5799.	0 1 2	
Boundary condition • 10 is accepted • All other output exactly as shown	How many phone numbers will be provided? 10 Enter phone number 1: 111-111-1111 This is 111-111-1111. Enter phone number 2: 222-222-2222 This is 222-222-2222 Enter phone number 3: 333-333-333 This is 333-333-3333. Enter phone number 4: 444-444-4444 This is 444-444-4444 Enter phone number 5: 555-555-555-555 This is 555-555-5555. Enter phone number 6: 666-666-6666 This is 666-666-6666 Enter phone number 7: 777-777777 This is 777-77777 This is 777-77777 Enter phone number 8: 888-888-8888 This is 888-888-8888 Enter phone number 9: 999-999-9999 This is 999-999-9999 Enter phone number 10: 000-000-0000 This is 000-000-0000.	0 1 2	



Test Cases		
Description	Given Input (in bold) and Expected Output	Points
Boundary condition • 1 is accepted • All other output is exactly as shown	How many phone numbers will be provided? 1 Enter phone number 1: 123-456-7890 This is 123-456-7890.	0 1 2
Invalid input Input below range is rejected Input above range is rejected	How many phone numbers will be provided? 11 How many phone numbers will be provided? 11 How many phone numbers will be provided? 1 Enter phone number 1: 123-456-7890 This is 123-456-7890.	0 1 (2)
Invalid input • String input is rejected for how many numbers to expect	How many phone numbers will be provided? one How many phone numbers will be provided? 1 Enter phone number 1: 123-456-7890 This is 123-456-7890.	0
Invalid input • Decimal input is rejected for how many numbers to expect	How many phone numbers will be provided? 1.3 How many phone numbers will be provided? 1 Enter phone number 1: 123-456-7890 This is 123-456-7890.	0 (1)

Total score 7 / 16

Comments