



中国海洋大学
OCEAN UNIVERSITY OF CHINA

第一周实验报告


系统开发工具基础

刘晨希

25020007076

信息科学与工程学部
计算机科学与技术学院
计算机科学与技术专业
系统开发工具基础

2026 年 8 月 31 日



中国海洋大学



中国海洋大学
OCEAN UNIVERSITY OF CHINA

第一周实验报告

系统开发工具基础


刘晨希

25020007076

指导老师: 周小伟

信息科学与工程学部
计算机科学与技术学院
计算机科学与技术专业
系统开发工具基础

2026 年 8 月 31 日



中国海洋大学

目录

目录	1
1 Document Variables	2
2 Custom Notes	3
3 Annex A	4

Document Variables

In this document, it is possible to change the value of various variables, such as the author's name, the title of the work, and others, so that the author has greater flexibility in their work. The file that operates these variables is `Variables/Variables.tex`. Below, in [Table 1.1](#), you can see all the variables that can be changed, as well as whether or not they must be filled in for the theme to work correctly. Please note that in order to omit a variable, it is only necessary to comment it out. Additionally, if you wish to suggest any other variable, please contact me via the contacts available on GitHub or in the class file of the template.

表 1.1: Document variables that can be changed.

Variable	Mandatory	Optional
Title	✓	-
Subtitle	✓	-
University	✓	-
School	✓	-
Department	✓	-
Degree	✓	-
Course	-	✓
Local and date	✓	-
First author name	✓	-
First author identification	✓	-
Second author name	-	✓
Second author identification	-	✓
Third author name	-	✓
Third author identification	-	✓
Supervisor name	✓	-
Supervisor e-mail	✓	-
Supervisor title and affiliation	✓	-
Co-supervisor name	-	✓
Co-supervisor e-mail	-	✓
Co-supervisor title and affiliation	-	✓
Second co-supervisor name	-	✓
Second co-supervisor e-mail	-	✓
Second co-supervisor title and affiliation	-	✓

Custom Notes

In the course of writing, it is sometimes necessary to insert notes in the middle of the document so that in the future we can return to them and read what we have written. Sometimes we need a space to jot down a quick TODO. With this in mind, two commands have been developed: `\todo{TEXT}` and `\note{TEXT}`. These commands accept normal text and produce two different types of boxes, respectively, for each type of use. These boxes are “breakable”, which means that they can be placed anywhere in the document and will behave as if they were text. Below is a simple usage of both environments. Please note that both of these environments were created with the intention of helping you develop your work and **should not be used in the final version of your document!**

TODO

Write about X! Later, we should remove Y.

NOTE

Come to me, all you who are weary and burdened, and I will give you rest. (一个人
类, 1985). Take my yoke upon you and learn from me, for I am gentle and humble in
heart, and you will find rest for your souls.

Annex A

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

