

Manuscript Number: ENVINT-D-14-00019R1

Title: mSpray: a mobile phone technology to improve malaria control efforts and monitor human exposure to malaria control pesticides in Limpopo, South Africa

Article Type: Research Paper

Keywords: malaria control; IRS (indoor residual spraying); pesticides; mobile technology; cell phones; mHealth

Corresponding Author: Professor Brenda Eskenazi, PhD

Corresponding Author's Institution: University of California, Berkeley

First Author: Brenda Eskenazi, PhD

Order of Authors: Brenda Eskenazi, PhD; Lesliam Quiros-Alcala, PhD; Jonah M Lipsitt, BA; Lemuel D Wu; Philip Kruger, BA; Tzundzukani Ntimbane, BSc; John Burns Nawn, MSc; M.S. Riana Bornman, MD, DSc; Edmund Seto, PhD

Abstract: Recent estimates indicate that malaria has led to over half a million deaths worldwide, mostly to African children. Indoor residual spraying (IRS) of insecticides is one of the primary vector control interventions. However, current reporting systems do not obtain precise location of IRS events in relation to malaria cases, which poses challenges for effective and efficient malaria control. This information is also critical to avoid unnecessary human exposure to IRS insecticides. We developed and piloted a mobile-based application (mSpray) to collect comprehensive information on IRS spray events. We assessed the utility, acceptability and feasibility of using mSpray to gather improved homestead- and chemical-level IRS coverage data. We installed mSpray on 10 cell phones with data bundles, and pilot tested it with 13 users in Limpopo, South Africa. Users completed basic information (number of rooms/shelters sprayed; chemical used, etc.) on spray events. Upon submission, this information as well as geographic positioning system coordinates and time/date stamp were uploaded to a Google Drive Spreadsheet to be viewed in real time. We administered questionnaires, conducted focus groups, and interviewed key informants to evaluate the utility of the app. The low-cost, cell phone-based "mSpray" app was learned quickly by users, well accepted and preferred to the current paper-based method. We recorded 2,865 entries (99.1% had a GPS accuracy of 20 m or less) and identified areas of improvement including increased battery life. We also identified a number of logistic and user problems (e.g., cost of cell phones and cellular bundles, battery life, obtaining accurate GPS measures, user errors, etc.) that would need to be overcome before full deployment. Use of cell phone technology could increase the efficiency of IRS malaria control efforts by mapping spray events in

relation to malaria cases, resulting in more judicious use of chemicals that are potentially harmful to humans and the environment.

## **mSpray: a mobile phone technology to improve malaria control efforts and monitor human exposure to malaria control pesticides in Limpopo, South Africa**

Brenda Eskenazi<sup>a</sup>, Lesliam Quirós-Alcalá<sup>a</sup>, Jonah M. Lipsitt<sup>a</sup>, Lemuel D. Wu<sup>a</sup>, Philip Kruger<sup>b</sup>, Tzundzukani Ntimbane<sup>b</sup>, John Burns Nawn<sup>c</sup>, M. S. Riana Bornman<sup>d</sup>, and Edmund Seto<sup>e,f</sup>

<sup>a</sup> Center for Environmental Research and Children's Health (CERCH), School of Public Health, University of California, Berkeley, 1995 University Ave, Suite 265, Berkeley, CA 94704.

<sup>b</sup> Malaria Control Programme, Limpopo Department of Health, South Africa

<sup>c</sup> Malaria Control Programme, National Department of Health, Johannesburg, South Africa

<sup>d</sup> Center for Sustainable Malaria Control and the Department of Urology, University of Pretoria, Pretoria, South Africa

<sup>e</sup> Center for Information Technology in the Interest of Society (CITRIS) Health Care Initiative, University of California, Berkeley, Sutardja Dai Hall, Room 330E, Berkeley, CA 94720, USA

<sup>f</sup> University of Washington, Environmental & Occupational Health Sciences Department, 1959 NE Pacific Street, Campus Box 357234, Seattle, WA 98195, USA

### **Highlights**

- mSpray is the first cell-phone app developed to document IRS spray operations.
- Information collected could improve efficiency of malaria control operations.
- Real-time homestead-level data allows for more targeted malaria intervention.
- mSpray allows for real-time spatial overlay of malaria cases and spray events.
- mSpray could result in reduced human exposure to potentially harmful pesticides.

**mSpray: a mobile phone technology to improve malaria control efforts and monitor human exposure to malaria control pesticides in Limpopo, South Africa**

Brenda Eskenazi<sup>a</sup>, Lesliam Quirós-Alcalá<sup>a</sup>, Jonah M. Lipsitt<sup>a</sup>, Lemuel D. Wu<sup>a</sup>, Philip Kruger<sup>b</sup>, Tzundzukani Ntimbane<sup>b</sup>, John Burns Nawn<sup>c</sup>, M. S. Riana Bornman<sup>d</sup>, and Edmund Seto<sup>e,f</sup>

<sup>a</sup> Center for Environmental Research and Children’s Health (CERCH), School of Public Health, University of California, Berkeley, 1995 University Ave, Suite 265, Berkeley, CA 94704.

<sup>b</sup> Malaria Control Programme, Limpopo Department of Health, South Africa, Voortrekker Street, Tzaneen, Limpopo South Africa 0850

<sup>c</sup> Malaria Control Programme, National Department of Health, Johannesburg, South Africa

<sup>d</sup> Center for Sustainable Malaria Control and the Department of Urology, University of Pretoria, Pretoria, South Africa

<sup>e</sup> Center for Information Technology in the Interest of Society (CITRIS) Health Care Initiative, University of California, Berkeley, Sutardja Dai Hall, Room 330E, Berkeley, CA 94720, USA

<sup>f</sup> University of Washington, Environmental & Occupational Health Sciences Department, 1959 NE Pacific Street, Campus Box 357234, Seattle, WA 98195, USA

**Author Email Addresses:**

Brenda Eskenazi: [eskenazi@berkeley.edu](mailto:eskenazi@berkeley.edu)  
Lesliam Quirós-Alcalá: [lquiros@berkeley.edu](mailto:lquiros@berkeley.edu)  
Jonah M. Lipsitt: [jonahlipsitt@gmail.com](mailto:jonahlipsitt@gmail.com)  
Lemuel D. Wu: [ldanielcwu@gmail.com](mailto:ldanielcwu@gmail.com)  
Philip Kruger: [malaria\\_limpopo@yahoo.com](mailto:malaria_limpopo@yahoo.com)  
Tzundzukani Ntimbane: [ntimbanemasesi@yahoo.com](mailto:ntimbanemasesi@yahoo.com)  
John Burns Nawn: [jbnawn@hotmail.com](mailto:jbnawn@hotmail.com)  
M.S. Riana Bornman: [Riana.Bornman@up.ac.za](mailto:Riana.Bornman@up.ac.za)  
Edmund Seto: [eseto@uw.edu](mailto:eseto@uw.edu)

**Corresponding Author:**

Professor Brenda Eskenazi  
Center for Environmental Research and Children’s Health (CERCH)  
School of Public Health, University of California, Berkeley  
1995 University Ave, Suite 265, Berkeley, CA 94704, USA.  
Telephone: (510) 642-3496  
Email: [eskenazi@berkeley.edu](mailto:eskenazi@berkeley.edu)

**ABSTRACT:** Recent estimates indicate that malaria has led to over half a million deaths worldwide, mostly to African children. Indoor residual spraying (IRS) of insecticides is one of the primary vector control interventions. However, current reporting systems do not obtain precise location of IRS events in relation to malaria cases, which poses challenges for effective and efficient malaria control. This information is also critical to avoid unnecessary human exposure to IRS insecticides. We developed and piloted a mobile-based application (mSpray) to collect comprehensive information on IRS spray events. We assessed the utility, acceptability and feasibility of using mSpray to gather improved homestead- and chemical-level IRS coverage data. We installed mSpray on 10 cell phones with data bundles, and pilot tested it with 13 users in Limpopo, South Africa. Users completed basic information (number of rooms/shelters sprayed; chemical used, etc.) on spray events. Upon submission, this information as well as geographic positioning system coordinates and time/date stamp were uploaded to a Google Drive Spreadsheet to be viewed in real time. We administered questionnaires, conducted focus groups, and interviewed key informants to evaluate the utility of the app. The low-cost, cell phone-based “mSpray” app was learned quickly by users, well accepted and preferred to the current paper-based method. We recorded 2,865 entries (99.1% had a GPS accuracy of 20 m or less) and identified areas of improvement including increased battery life. We also identified a number of logistic and user problems (e.g., cost of cell phones and cellular bundles, battery life, obtaining accurate GPS measures, user errors, etc.) that would need to be overcome before full deployment. Use of cell phone technology could increase the efficiency of IRS malaria control efforts by mapping spray events in relation to malaria cases, resulting in more judicious use of chemicals that are potentially harmful to humans and the environment. **Keywords:** malaria control; IRS (indoor residual spraying); pesticides; mobile technology; cell phones; mHealth

## INTRODUCTION<sup>1</sup>

In 2012, malaria resulted in an estimated 627,000 deaths, primarily to African children under the age of five (WHO 2013a). Indoor residual spraying (IRS) is one of the primary vector control interventions in many malaria-endemic countries (WHO 2006). IRS involves the application of insecticides, including DDT and pyrethroids, to the internal walls and ceilings of dwellings or structures where mosquito vectors alight (WHO 2013b). IRS coverage in 2011 included 4.7 million structures across 13 African countries (PMI 2013), and estimated 2010 costs of IRS chemicals for just 10 of these countries totaled 7 million US dollars (Sine J et al. 2011).

Although the benefits of IRS are clear, there may also be associated risks from residential and occupational exposure to IRS pesticides (deJager et al. 2009, Eskenazi et al. 2009, Horton et al. 2011).

In addition to rapid case identification and treatment, monitoring of IRS is important for malaria control efficiency and efficacy. For example, in South Africa, the Limpopo Province Malaria Control Programme (MCP) directs province-wide IRS spray operations and maintains a database of all diagnosed malaria cases as mandatorily reported by all health care providers. Though the computerized MCP database of malaria cases includes their exact residence (with geographic positioning system (GPS) coordinates), the current IRS documentation system is less comprehensive. Spray operators provide a paper record of the spray event to residents of a sprayed home, but this is frequently lost. They also maintain paper-and-pencil-based daily summaries (SP forms) of rooms and structures sprayed and the insecticides used (type and quantity). However, this information is only available at the village level rather than at the

---

<sup>1</sup> List of Abbreviations: IRS: Indoor Residual Spraying; MCP: Malaria Control Programme; GPS: Global Positioning System; PDAs: personal digital assistants.

homestead level. Homestead level IRS spray information would allow public health government authorities to document with certainty whether homesteads where malaria patients reside have been sprayed and with which pesticide as it is possible that not all homesteads in a given village undergo IRS applications or that there is pesticide resistance. This level of information could potentially aid in planning future malaria control efforts. Herein, we describe and test a method to gather real-time homestead- and chemical-level IRS spray data through the use of simple, cell phone based technology in an effort to improve IRS monitoring.

## **METHODS**

### *Ethical Review*

In consultation with the University of California Center for Protection of Human Subjects, it was determined that the activities undertaken to develop, test, and improve the mSpray app did not constitute "Human Subjects Research" because: 1) the mSpray app testing and the group discussions were conducted within the Limpopo Malaria Control Programme for the purpose of quality improvement of its internal IRS operations, and 2) surveys completed by staff contained no personally identifying information. Additionally, no other personal or demographic information was obtained from the residents of the homesteads where information on IRS events was recorded.

### *Development of mSpray*

Development of the mSpray app was an iterative process involving input from the UC Berkeley and University of Pretoria researchers, the Limpopo Malaria Control Programme (MCP), and spray foremen. Through meetings with the MCP staff, we determined the importance of

1  
2  
3  
4 geocoding spray information. UC Berkeley staff presented multiple geocoding options to MCP  
5  
6 staff including GPS bar coding of structures, direct entry of sprayed homesteads on a map, using  
7  
8 cameras with GPS capacity to document sprayings, etc. We considered the pros and cons of  
9  
10 each option and weighed such factors as cost, carrying size, ease of data collection, storage  
11  
12 capacity, battery life and charging of the device, ease of access to and use of the data afterwards,  
13  
14 potential of device theft, the skill and literacy level of the user, and other user barriers to  
15  
16 acceptance (cultural, language, etc.). We determined that cell phone technology would likely be  
17  
18 the best option. We then compared the GPS accuracy of a smartphone relative to a hand-held  
19  
20 research-grade Garmin unit (*Garmin eTrex®30 Handheld GPS*). Both devices produced  
21  
22 comparable and acceptable accuracy ( $\leq 10$  meters) in a large town and in outlying rural areas in  
23  
24 Limpopo, South Africa. We selected an Android-based smartphone (*Samsung Y GT-S5360*  
25  
26 *Android 2.3.6 Smartphone*; cost ~US\$300) based on its affordability, the ease with which new  
27  
28 applications (or “apps”) could be programmed and installed, and its ability to obtain GPS  
29  
30 coordinates. Cell phones were acquired through donations.  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40

41 In communication with MCP leadership staff, we identified critical IRS event information to be  
42  
43 collected with the app. An app prototype was then developed by UC Berkeley programmers  
44  
45 and it was beta tested with spray workers/foremen in Limpopo. Preliminary training occurred in  
46  
47 October 2012, two weeks prior to the start of the spray season. Over the subsequent month, we  
48  
49 received extensive feedback on the prototype’s user interface and verified that the app was  
50  
51 functioning properly. A number of problems were identified and, based on responses from the  
52  
53 MCP collaborators and spray workers/foremen, the app was revised. A total of five mSpray  
54  
55 versions were created before it was finally launched in the pilot study. Throughout the pre-  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65



1  
2  
3  
4 testing and during the field study, researchers at UC Berkeley responsible for programming the  
5 app and summarizing the real-time data collected with mSpray continuously verified that  
6  
7 information was being uploaded onto the Google spreadsheet properly.  
8  
9

10  
11  
12  
13  
14 The final mSpray app comprised 24 simple data entry screens and a summary screen (Figure 1;  
15 see also Supplemental Figure 1 for entire flow diagram) and it was installed on 10 data-enabled  
16 cell phones. Screens prompted the user to enter the name of the IRS supervisor (foreman) and the  
17 worker(s) conducting the spraying (spray worker), the number of rooms/shelters sprayed and  
18 unsprayed on a homestead, the insecticide(s) used, and whether insecticide compression sprayers  
19 were refilled, and to capture the GPS coordinates of the homestead. A date/time stamp was  
20 automatically applied to each entry. Once submitted, encrypted data were stored on the phone's  
21 memory card and automatically transferred via internet to a Google Drive Spreadsheet  
22 (<http://developers.google.com>) where it could be viewed in real time.  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37

### 38 *Pilot testing*

39  
40 We pilot tested mSpray in the Vhembe district of Limpopo province. Thirteen MCP staff (users  
41 included one team leader, 11 foremen, one spray worker) were assigned to record all sprayings  
42 for five spray teams consisting of 41 workers total. Prior to initiating the pilot study, MCP staff  
43 provided a final two-hour, hands-on training to the mSpray users. The protocol specified that  
44 once a spraying had been completed at a homestead, the foreman who followed the spray team  
45 would complete the mSpray entry. To ensure accurate GPS readings, they were instructed to  
46 complete all data entry for a spray event while standing still outside the entryway of the main  
47 structure of the homestead with a clear view of the sky. A refresher training was given in  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

December to answer any questions and to confirm protocols. Official mSpray pilot testing began November 20, 2012 and sprayings were documented until the spray season ended in March 2013. A summary of spray events was generated on a weekly basis to verify proper use and functioning of the app.

### *Evaluation*

Evaluation of mSpray occurred at three levels. First, we overlaid GPS coordinates of mSpray events upon high-resolution satellite imagery (Spot 5 2009), using ArcGIS Version 10.0 (Redlands, CA, USA), and used the resulting maps to confirm that sprays were recorded at visually-identifiable village and homestead locations. Second, we compared mSpray data with SP record forms to electronically quantify the percentage of successfully captured homestead spray events. Third, we gathered evaluation data from mSpray users at two time points: midway through spray season (January 2013) and soon after spray season (April 2013). Respondents answered multiple-choice and open-ended survey questions anonymously and then participated in group discussions. Survey data were described using STATA v11 (StataCorp, College Station, TX).

## **RESULTS**

### **Spray events**

The map in Figure 2 displays the location of spray events captured with mSpray, and includes a close-up of spray locations in one village. In most cases, the data entry appeared to occur in the center of the homestead. Our map suggests that villages may have been incompletely sprayed. Though this may be due to missed households and refusals to spray from residents, it likely also

reflects incomplete use of mSpray, for reasons we describe below. Figure 3 presents the numbers of structures sprayed by date, as captured by mSpray and by SP form records. A total of 2,865 spray events were recorded on mSpray, comprising 22,301 rooms and 2,904 shelters. These constituted 19% of rooms/shelters logged in SP form records (n=134,901) during the study period. For a given date and spray worker, SP forms had an average of 35.6 (95% Confidence Interval=32.6, 38.7) more rooms/structures. By the end of spray season, 82% of users had recorded 200 spray events or more on mSpray, though only one reported having recorded information for all spray events (Table 1). The cost for data bundles per phone for the season was approximately US\$28.

### *Logistical and technical challenges*

According to the 13 mSpray users who participated in evaluation sessions, logistical and technical challenges were to blame for the majority of missed mSpray entries. A main challenge was that too few workers were equipped with phones. Our intention was that a foreman with a phone would follow a spray crew and record spray events. Spray crews typically spread out to cover different streets; however, foremen expressed difficulty keeping up. In group discussions, foremen stated that they sometimes guessed how many rooms were in a house because the spray operators had moved on. The foremen also resorted to using SP record forms completed by the spray workers to enter the data in mSpray, sometimes combining data from multiple homesteads when they fell behind. These practices resulted in large single entries (e.g., > 10 shelters/rooms) with one GPS coordinate. Approximately 18% of entries had >10 and 3.7% had >20 rooms and/or shelters entered on a single occasion. Almost all the users reported that they had done this at least some of the time (Table 1). As a solution, users suggested increasing the number of

1  
2  
3  
4 phones, though it was unclear who should carry the phones. Users expressed concerns over how  
5  
6 spray workers could manage both phones and heavy compression sprayers or how foremen could  
7  
8 input all data while performing other essential functions. It was suggested that if foremen  
9  
10 continued to carry the phones, they would need to follow fewer sprayers, but this would require  
11  
12 additional foremen.  
13  
14

15  
16  
17  
18  
19 Technical problems were another source of omissions in mSpray entries. Though we had no  
20  
21 reported problems of poor cellular coverage or upload speeds, we encountered issues with  
22  
23 uncharged cell phones, cell phone failure (one never linked to satellites and was  
24  
25 decommissioned), and exhausted data bundles. Users reported that not having a charged phone  
26  
27 was the leading reason for not using mSpray, and that cell phone failure was the second leading  
28  
29 cause. Charging issues were traceable to short battery life of the cell phones (possibly  
30  
31 exacerbated by heat and continued search functions), inability to charge phones in the field, and  
32  
33 failures to charge overnight. Cell phone malfunctions included freezing and network problems.  
34  
35  
36 In late November, all phones ran out of data bundles but researchers discovered the problem  
37  
38 immediately when there were no entries on the server. Though data collected during this period  
39  
40 were stored on the memory of the cell phone and later downloaded, users may have stopped  
41  
42 recording when their data bundles were exhausted if they were unaware that the phone could still  
43  
44 store entries.  
45  
46  
47  
48  
49

50  
51  
52  
53 Some technical problems were exacerbated by logistical challenges. Because MCP staff who  
54  
55 could troubleshoot technical problems were at a distance from the field, users could not readily  
56  
57 access help when problems arose. Users who were unaware of the free “call me” function (i.e., a  
58  
59  
60  
61  
62  
63  
64  
65

function which allows users to send a free text message asking for a callback) on the mSpray phone and who either did not have a cell phone with airtime or did not want to pay for a call expressed frustration with this. Each round of program updates also resulted in missed data entry days, since it required a round-up of phones to MCP headquarters for installation of the updated app.

Finally, some users expressed concerns about use of the cell phones themselves, including that the keys on the phones were too small to use easily, and that they had difficulty seeing the phone screen or reading the text due to small font size and glare from sunlight.

#### *Human error*

We also identified cases of human error. Despite the fact that DDT was not used in the region during the pilot period, three foremen recorded a total of 12 DDT sprayings; in later discussions it was confirmed that these were mistakes. The sprayer IDs in SP forms and mSpray were occasionally discordant. These were likely data entry errors attributable to a long drop-down list with similar last names. Human error was likely to blame for 26 cases (0.9% of all readings) of inadequate GPS accuracy (>20 meters); 15 of these inadequate readings were made by a single user. Finally, prior to our December refresher training, some users were not aware that they needed to remain in one place for the entire entry; some may have moved around while they entered the data, including in vehicles.

#### *Overall user experience with mSpray*

Most users (69%) had experience using smartphone devices prior to mSpray and were not afraid of the new technology. Users' responses to survey questions (Table 1) indicated that almost all

1  
2  
3  
4 felt comfortable using mSpray within a week of using the app and none found it difficult to use.  
5  
6 Responses also indicated that recording events with mSpray was relatively quick: almost all  
7  
8 users reported taking 5 minutes or less to record spray events and by survey 2, 36% took only 1  
9  
10 to 2 minutes. All users agreed that keeping track of IRS operations is a good idea and by the  
11  
12 second survey, almost all felt mSpray allowed them to monitor their team's work and provided  
13  
14 accurate data on spray events. Though by the second survey, a little over a third of users reported  
15  
16 that mSpray made it difficult to follow the sprayers and more than half reported that mSpray  
17  
18 interfered with their normal work, almost all felt mSpray was easy and fun to use and were  
19  
20 satisfied with the app. In addition, all would recommend mSpray to other spray teams and only  
21  
22 27% preferred the paper forms to mSpray for IRS event documentation.  
23  
24  
25  
26  
27  
28  
29  
30

### 31 *Overall MCP experience with mSpray*

32  
33 MCP officials had some concerns about mSpray, including about the time it took to get accurate  
34  
35 GPS readings and potential resistance by workers with set work routines and little familiarity  
36  
37 with technology. MCP was also concerned that use of mSpray prevented foremen from  
38  
39 performing other essential duties, such as assisting their crews in moving furniture from homes  
40  
41 prior to spraying.  
42  
43  
44  
45  
46  
47

48 In considering revisions to mSpray, MCP officials emphasized the importance of knowing not  
49  
50 only the GPS coordinates of the sprayings but the names of the villages since this will help them  
51  
52 in mop-up (going back to homesteads not initially sprayed). (However, we note that village  
53  
54 names can be generated readily and accurately from the GPS coordinates.) MCP also wanted  
55  
56 mSpray to record unsprayed as well as sprayed homesteads and to record the reason why  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4 unsprayed homesteads were not sprayed.  
5  
6  
7

8  
9 MCP officials did, however, identify some clear advantages of mSpray over the current system.  
10  
11 For one, they appreciated the ability to produce maps using GPS coordinates gathered by  
12  
13 mSpray, which helped them to visualize where sprayings had occurred and could be compared  
14  
15 with residential information on malaria cases. In addition, they appreciated that mSpray records  
16  
17 were available in real time, whereas the current system entails an approximate 4-week delay to  
18  
19 access paper records. This usual lag prevents timely mop-up activities. Lastly, they recognized  
20  
21 that mSpray has the potential to track sprayer's paths and could thus be used to increase  
22  
23 efficiency of IRS operations.  
24  
25  
26  
27  
28  
29  
30

## 31 **DISCUSSION**

32

33 Mobile telephony subscription in South Africa has increased fivefold over the past decade and  
34  
35 dramatically surpasses that of fixed landlines. By 2012, mobile telephone subscriptions were  
36  
37 estimated to reach 68, 394, 000 (138.4 per 100 inhabitants) (ITU World Telecommunication  
38  
39 2013). In this project in Limpopo, South Africa, we harnessed this growing technology to  
40  
41 increase the utility of data gathered by indoor residual spray (IRS) workers who apply  
42  
43 insecticides for malaria control purposes. We found that the low-cost, cell phone-based  
44  
45 "mSpray" app was learned quickly by spray teams, well accepted, and preferred to the current  
46  
47 paper-based method, although we also identified some logistic and user problems that would  
48  
49 need to be overcome before full deployment.  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4 To our knowledge, technology has only been used to support IRS activities in one other setting.  
5  
6 In Zambia, hand-held personal digital assistants (PDAs) were used in a pilot study to enumerate  
7  
8 and geocode IRS target structures. The purpose was to estimate the volume of pesticides  
9  
10 required and to inform distribution of spray workers based on density of dwellings; the PDAs  
11  
12 were not used in the monitoring of the spray applications (National Malaria Control Centre  
13  
14 Zambia Ministry of Health 2007). Thus, mSpray is likely the first cell phone technology  
15  
16 developed to document spray applications. However, cell phone technology has been used in a  
17  
18 variety of public health activities in developing countries. For example, mobile phones have been  
19  
20 used to track chlorine usage in drinking water in Haitian homes (Kaye J et al. 2012); to record  
21  
22 adverse events among patients undergoing tuberculosis therapy in KwaZulu Natal, South Africa  
23  
24 (Chaiyachati et al. 2013); for the tracking and care of patients in Pakistan (Marcus A et al. 2009)  
25  
26 and along the Thai-Myanmar border (Meankaew et al. 2010); for the tracking and reporting of  
27  
28 real-time disease worldwide (Outbreaks Near Me) (Freifeld et al. 2010); and to target emergency  
29  
30 care with phone messaging by pregnant women in Iraq (Ismaeel AG and Jabar EK 2013).  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40

41 The mSpray application has numerous advantages over the current paper-based documentation  
42  
43 system used in South Africa and elsewhere, the most important of which is the accurate  
44  
45 monitoring of spray events at the homestead level (GPS coordinates). This has the potential of  
46  
47 allowing map overlays of malaria cases, entomological data, and IRS use, increasing possibilities  
48  
49 for more targeted vector control by location. In addition, data is recorded with a time/date stamp  
50  
51 and can be provided to MCP and other data users in real time (Table 2). These features allow for  
52  
53 a spatial and temporal merging of both spray events and malaria cases. In addition, these data  
54  
55 could be used to target unsprayed homesteads for end-of-season “mop-up” spray operations.  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65



1  
2  
3  
4 Thus, this method has the potential to increase efficiency in the use of expensive pesticides and  
5  
6 reduce human exposure to these potentially hazardous agents. It can furthermore be a powerful  
7  
8 tool in the management of vector resistance, by planning the use of different insecticide groups at  
9  
10 the local level. Another advantage is that the routes of spray workers could be monitored.  
11  
12

13  
14 Although the spray workers might not welcome this close oversight, it may lead to greater  
15  
16 efficiency in work practices. Providing maps to workers could be a motivator and a learning tool.  
17  
18

19 Although we did not use this in the current application, smartphones are also equipped with  
20  
21 cameras, so photographs could be taken to document the appropriate use of personal protective  
22  
23 equipment and/or unusual observations and these could be readily linked to the date and location  
24  
25 of the spray event.  
26  
27

28  
29  
30  
31 However, our project also identified limitations of mSpray, key among these being the need for  
32  
33 intensive, ongoing and on-site technical support for spray teams using the technology and the  
34  
35 need to develop site-specific mSpray use protocols that take into account the work roles and  
36  
37 competing personnel responsibilities. In our case, we learned that the foremen to whom we had  
38  
39 assigned the task of entering data in mSpray often lagged behind the actual spray team and  
40  
41 therefore did not know information about specific homesteads that was necessary for accurate  
42  
43 data entry. While distributing mSpray phones to individual sprayers could help solve this  
44  
45 problem, workers pointed out that it would be difficult for them to carry both their phones and  
46  
47 their spray compression sprayers. Certain limitations we encountered (e.g., short battery life,  
48  
49 poor visibility of cell phone screens, occasional poor GPS accuracy) could easily be improved  
50  
51 with better programming of the app, a slightly larger cell phone screen, setting adjustments on  
52  
53 phones, and improved training. Human error issues we encountered are not specific to mSpray.  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2  
3  
4 While cell phones have a limited lifespan and additional costs will be incurred with the purchase  
5  
6 of newer models, the cost of data bundles may continue to decrease. Although the cost of phones  
7  
8 and data bundles should be considered, these costs might be outweighed by increased  
9  
10 efficiencies.  
11  
12  
13  
14

15  
16 Efforts are currently underway to revise mSpray for future use, incorporating the feedback of the  
17  
18 users and end-users. With our next generation of mSpray, we hope to improve the efficiency and  
19  
20 utility of the app so that its overarching aims may be achieved: allowing the monitoring of IRS in  
21  
22 relation to malaria cases, increasing the effectiveness and efficiency of malaria control  
23  
24 operations and through this increased efficiency, ensuring the judicious use of insecticides as part  
25  
26 of an integrated vector management strategy. However, the full deployment of mSpray would  
27  
28 require the commitment of malaria control agencies to invest in the cost of cell phones, cellular  
29  
30 bundles, training and oversight.  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

## Acknowledgements

Smartphones were donated by the Zinto Corporation, South Africa. We gratefully acknowledge the Malaria Control staff in Vhembe and the team leaders, foremen and spray workers who piloted mSpray. We would also like to acknowledge Jonathan Chevrier PhD, Taneshka Kruger PhD, Katherine Kogut, MPH, MSc and Katherine España who have provided technical and editorial assistance. We also acknowledge the continued work of the computer science students who are currently revising mSpray: Lemuel Daniel Wu (coauthor), Brent Batas, Jeffery Butler and Annie (Eun Sun) Shin.

**Competing Interests:** The authors declare that they have no competing interests.

## References

- Chaiyachati, K.H.; Loveday, M.; Lorenz, S.; Lesh, N.; Larkan, L.M.; Cinti, S.; Friedland, G.H.; Haberer, J.E. A pilot study of an mHealth application for healthcare workers: poor uptake despite high reported acceptability at a rural South African community-based MDR-TB treatment program. *PloS One*. 8:e64662; 2013
- deJager, C.; Aneck-Hahn, N.H.; Bornman, M.S.; Farias, P.; Leter, G.; Eleuteri, P.; Rescia, M.; Spano, M. Sperm chromatin integrity in DDT-exposed young men living in a malaria area in the Limpopo Province, South Africa. *Human Repro.*(10):2429-38; 2009.
- Eskenazi, B.; Chevrier, J.; Rosas, L.G.; Anderson, H.A.; Bornman, M.S.; Bouwman, H.; Chen, A.; Cohn, B.A.; de Jager, C.; Henshel, D.S.; Leipzig, F.; Leipzig, J.S.; Lorenz, E.C.; Snedeker, S.M.; Stapleton, D. The Pine River statement: human health consequences of DDT use. *Environ Health Perspect.* 117:1359-1367; 2009
- Freifeld, C.C.; Chunara, R.; Mekaru, S.R.; Chan, E.H.; Kass-Hout, T.; Ayala Iacucci, A.; Brownstein, J.S. Participatory epidemiology: use of mobile phones for community-based health reporting. *PLoS medicine*. 7:e1000376; 2010
- Horton, M.K.; Rundle, A.; Camann, D.E.; Boyd Barr, D.; Rauh, V.A.; Whyatt, R.M. Impact of prenatal exposure to piperonyl butoxide and permethrin on 36-month neurodevelopment. *Pediatrics*. 127:e699-706; 2011
- Ismaeel AG; Jabar EK. Effective System for Pregnant Women using Mobile GIS. *International Journal of Computer Applications*. 64:1-7; 2013
- ITU World Telecommunication. Mobile cellular subscriptions (2000-2012). Available at: <http://www.itu.int/en/ITU-D/Statistics/Pages/stat/default.aspx>. Accessed on: September 2, 2013; 2013
- Kaye J; Holstius D; Seto E; Eddy B; Ritter M. Using NFC phones to track water purification in Haiti. CHI '12 Extended Abstracts on Human Factors in Computing Systems; pp 677-90. Austin, Texas.; 2012
- Marcus A; Guido D; Law D; Namrata V; Fletcher R; Khan A; Sarmenta L. Using NFC-enabled mobile phones for public health in developing countries. *Near Field Communication*, 2009. First International Workshop on Near Field Communication; Available at: <http://web.media.mit.edu/~lfgs/papers/nfc09-mit-ird.pdf>; 2009
- Meankaew, P.; Kaewkungwal, J.; Khamsiriwatchara, A.; Khunthong, P.; Singhasivanon, P.; Satimai, W. Application of mobile-technology for disease and treatment monitoring of malaria in the "Better Border Healthcare Programme". *Malaria journal*. 9:237; 2010
- National Malaria Control Centre Zambia Ministry of Health. Geocoding Structures for Indoor Residual Spray Mapping in Zambia: Efforts in Chingola, Kabwe, and Solwezi Districts. Available at: <http://www.nmcc.org.zm/files/GeocodingStructuresforIRSInZambia.pdf> 2007
- PMI. President's Malaria Initiative. Indoor residual spraying (IRS) 2 for Malaria Control. Task Order I- Final Report Available at: [http://pmi.gov/technical/irs/irs\\_taskorder1\\_finalreport.pdf](http://pmi.gov/technical/irs/irs_taskorder1_finalreport.pdf). Accessed: June 6, 2013.; 2013
- Sine J; Colaco R; Frawley H. An economic analysis of the costs of indoor residual spraying in 12 PMI countries, 2008–2010. Available at: [http://www.pmi.gov/technical/irs/IRS\\_economic\\_analysis.pdf](http://www.pmi.gov/technical/irs/IRS_economic_analysis.pdf). Research Triangle Park, NC: RTI International for the United States Agency for International Development; 2011
- WHO. World Health Organization. WHO gives indoor use of DDT a clean bill of health for controlling malaria. Available at: <http://www.who.int/mediacentre/news/releases/2006/pr50/en/>. 2006

WHO. (World Health Organization). World Malaria Report 2013. Geneva, Switzerland.

Available at:

[http://www.who.int/malaria/publications/world\\_malaria\\_report\\_2013/report/en/index.html](http://www.who.int/malaria/publications/world_malaria_report_2013/report/en/index.html).  
2013a.

WHO. World Health Organization. Indoor Residual Spraying: An operational manual for indoor residual spraying (IRS) for malaria transmission, control, and elimination. Available at:  
[www.who.int/malaria/publications/atoz/9789241505123/en/](http://www.who.int/malaria/publications/atoz/9789241505123/en/). 2013b.

**Table 1. Responses from users about mSpray, Limpopo, South Africa, 2013.<sup>a</sup>**

	Survey 1 (n=13)		Survey 2 (n=11)	
	n	(%)	n	(%)
<b>Prior experience using smart phone devices</b>				
a lot	1	(7.7)	6	(54.5)
some	8	(61.5)	5	(45.5)
very little	2	(15.4)	0	(0.0)
none at all	2	(15.4)	0	(0.0)
<b>Time it took to become comfortable with mSpray</b>				
one day	5	(38.5)	3	(27.3)
a few days (<1 week)	7	(53.9)	4	(36.4)
a few weeks (<1 month)	1	(7.7)	3	(27.3)
> 1 month	0	(0.0)	0	(0.0)
still not comfortable	0	(0.0)	1	(9.1)
<b>Number of events recorded on mSpray</b>				
<20	1	(7.7)	0	(0.0)
20-50	5	(38.5)	1	(9.1)
50-100	0	(0.0)	1	(9.1)
100-150	0	(0.0)	0	(0.0)
150-200	1	(7.7)	0	(0.0)
200-250	0	(0.0)	2	(18.2)
250-300	0	(0.0)	2	(18.2)
More than 300	4	(30.8)	3	(27.3)
Don't Know	2	(15.4)	2	(18.2)
<b>Average length of time to record spray information</b>				
1-2 minutes	3	(23.1)	4	(36.4)
3-5 minutes	10	(76.9)	6	(54.5)
Don't Know	0	(0.0)	1	(9.1)
<b>Behaviors</b>				
<b>During the time that user had mSpray, information was collected for...</b>				
All of the homes	2	(15.4)	1	(9.1)
Most of the homes, but not all of them	9	(69.2)	6	(54.6)
Some of the homes (<1/2 of the homes sprayed)	2	(15.4)	4	(36.4)
<b>Reason for not using mSpray<sup>b</sup></b>				
forgot the phone	2	(9.5)	3	(13.0)
did not have time	5	(23.8)	2	(8.7)
made job harder	0	(0.0)	2	(8.7)
phone was not charged or battery died	10	(47.6)	8	(34.8)
phone not working properly	4	(19.0)	5	(21.7)
did not get a phone	0	(0.0)	3	(13.0)
<b>User combined information for multiple homes (rather than one entry per homestead)</b>				
Did not record any information on mSpray	0	(0.0)	1	(9.1)
Never	5	(38.5)	1	(9.1)
Some of the time (<1/2 of the time, but more than 1/4 of the time)	4	(30.8)	6	(54.6)
Most of the time (>1/2 of the time)	3	(23.1)	3	(27.3)
All of the time	1	(7.7)	0	(0.0)
<b>Collected GPS data at the main entrance of homestead</b>				
Never	0	(0.0)	2	(18.2)
Some of the time	1	(7.7)	4	(36.4)
Most of the time	6	(46.2)	3	(27.3)
All of the time	6	(46.2)	2	(18.2)

**Table 1. Responses from users about mSpray, Limpopo, South Africa 2013. (continued)<sup>a</sup>**

		Survey 1 (n=13)		Survey 2 (n=11)	
		n	(%)	n	(%)
<b>User knew exact number of rooms sprayed every time</b>					
	Strongly agree	4	(30.8)	2	(18.2)
	Agree	5	(38.5)	6	(54.5)
	Undecided	1	(7.7)	3	(27.3)
	Disagree	2	(15.4)	0	(0.0)
	Strongly disagree	1	(7.7)	0	(0.0)
<i>Opinions of mSpray</i>					
<b>Could monitor sprayer's work</b>					
	Strongly agree	3	(23.1)	5	(45.5)
	Agree	6	(46.2)	5	(45.5)
	Undecided	1	(7.7)	1	(9.1)
	Disagree	2	(15.4)	0	(0.0)
	Strongly disagree	1	(7.7)	0	(0.0)
<b>mSpray provides accurate data on spray events</b>					
	Strongly agree	--	--	3	(27.3)
	Agree	--	--	7	(63.6)
	Undecided	--	--	0	(0.0)
	Disagree	--	--	1	(9.1)
	Strongly disagree	--	--	0	(0.0)
<b>mSpray interfered with normal work</b>					
	Strongly agree	0	(0.0)	1	(9.1)
	Agree	5	(38.5)	6	(54.5)
	Undecided	0	(0.0)	1	(9.1)
	Disagree	3	(23.1)	2	(18.2)
	Strongly disagree	5	(38.5)	1	(9.1)
<b>mSpray adds work</b>					
	Strongly agree	4	(30.8)	3	(27.3)
	Agree	8	(61.5)	4	(36.4)
	Undecided	0	(0.0)	0	(0.0)
	Disagree	0	(0.0)	2	(18.2)
	Strongly disagree	1	(7.7)	2	(18.2)
<b>It takes too long to input data on mSpray</b>					
	Strongly agree	0	(0.0)	--	--
	Agree	2	(15.4)	--	--
	Undecided	2	(15.4)	--	--
	Disagree	5	(38.5)	--	--
	Strongly disagree	4	(30.8)	--	--
<b>mSpray made it difficult to follow sprayers</b>					
	Strongly agree	2	(15.4)	1	(9.1)
	Agree	3	(23.1)	3	(27.3)
	Undecided	2	(15.4)	2	(18.2)
	Disagree	3	(23.1)	4	(36.4)
	Strongly disagree	3	(23.1)	1	(9.1)
<b>mSpray was...</b>					
				Mean $\pm$ SD	
	easy to use	--	--	7.8 $\pm$ 2.7	
	fun to use	--	--	8.3 $\pm$ 3.0	
	user-friendly	--	--	8.0 $\pm$ 2.8	
<b>mSpray provides better data than SP forms</b>					
	Strongly agree	5	(38.5)	--	--
	Agree	5	(38.5)	--	--
	Undecided	0	(0.0)	--	--
	Disagree	3	(23.1)	--	--
	Strongly disagree	0	(0.0)	--	--

**Table 1. Responses from users about mSpray, Limpopo, South Africa 2013. (continued)<sup>a</sup>**

		Survey 1 (n=13)		Survey 2 (n=11)	
		n	(%)	n	(%)
<b>mSpray is easier to use than SP forms</b>					
	Strongly agree	7	(53.9)	--	--
	Agree	4	(30.8)	--	--
	Undecided	1	(7.7)	--	--
	Disagree	1	(7.7)	--	--
	Strongly disagree	0	(0.0)	--	--
<b>mSpray is better than SP forms</b>					
	Strongly agree	7	(53.9)	--	--
	Agree	6	(46.2)	--	--
	Undecided	0	(0.0)	--	--
	Disagree	0	(0.0)	--	--
	Strongly disagree	0	(0.0)	--	--
<b>mSpray takes more time to complete than SP forms</b>					
	Strongly agree	0	(0.0)	--	--
	Agree	4	(30.8)	--	--
	Undecided	0	(0.0)	--	--
	Disagree	3	(23.1)	--	--
	Strongly disagree	6	(46.2)	--	--
<b>Overall satisfied with mSpray</b>					
	Strongly agree	10	(76.9)	2	(18.2)
	Agree	3	(23.1)	8	(72.7)
	Undecided	0	(0.0)	0	(0.0)
	Disagree	0	(0.0)	1	(9.1)
	Strongly disagree	0	(0.0)	0	(0.0)
<b>User would recommend use of mSpray</b>					
	Yes	--	--	11	(100.0)
	No	--	--	0	(0.0)
<b>Preferred method to record spray events</b>					
	mSpray	--	--	4	(36.4)
	SP forms (paper-based forms)	--	--	3	(27.3)
	Either	--	--	4	(36.4)
<b>Desired changes in future revisions<sup>b</sup></b>					
	colorful background	--	--	2	(6.1)
	font that is easier to read	--	--	3	(9.1)
	nicer font	--	--	2	(6.1)
	colorful buttons on the screen	--	--	2	(6.1)
	automated SP forms	--	--	3	(9.1)
	longer battery life	--	--	10	(30.3)
	better GPS	--	--	4	(12.1)
	better way to input IDs (i.e., no drop down menu)	--	--	7	(21.2)

a. Responses are from surveys conducted midway and at the end of the spray season

b. Question allowed for multiple responses; thus, values reported were calculated by using the number of positive responses (yes) for each specific question divided by the total number of positive responses for all options and then multiplied by 100 to get a percent. The n's reported are number of respondents that selected a given item. For example, at the first survey, two respondents indicated that a missed event was attributable to a forgotten phone; this was two out of 21 total attributions or 9.5%.




**Table 2.** Strengths and limitations of a cell phone-based technology, mSpray, for documenting IRS applications, Limpopo, South Africa.

Strengths	Limitations
<ul style="list-style-type: none"> <li>• Readily available technology</li> <li>• Good coverage in most places</li> <li>• Easy to use</li> <li>• Gets GPS coordinates to generate maps</li> <li>• Has a time-date stamp</li> <li>• Allows for tracking routes of workers</li> <li>• Can overlay malaria cases</li> <li>• Can use phone camera to document</li> <li>• Data stored locally on phone and free on Google secure server</li> <li>• Gives real-time spray information</li> <li>• Stored GPS data is encrypted on the phone</li> </ul>	<ul style="list-style-type: none"> <li>• Targeted theft item</li> <li>• Needs activated Sim Card to work.</li> <li>• Not human error-proof</li> <li>• Current phones will become obsolete</li> <li>• Must record GPS outdoors and away from structures</li> <li>• Tech savvy person needed to merge data onto Google spreadsheet and to map</li> <li>• Needs to be customized for setting</li> </ul>

Figure 1

**Figure 1. Select screens on the mSpray app.** a. Startup screen for mSpray. b. GPS coordinate reading at the site of the spray event. c. Insecticide applied by user (Sprayer 1). d. Number of rooms sprayed with the insecticide specified. e and f. Summary of spray event.



**Figure 2. Maps of IRS sprayings in Limpopo, South Africa as documented with mSpray.** a. Vhembe district of Limpopo Province (upper left); b. Village-level sprayings (middle). c. Close-up of sprayings on a section of the village (SPOT-5 2009 (2.5m) satellite multi-spectrum imagery).






Figure 3

**Figure 3. Total number of structures (rooms+shelters) sprayed by date according to mSpray and SP form records. No**  
sprayings were conducted in the field on certain dates: 2012- November 26, December 6 and 12, and on 2013- February 25 and March  
21.





Supplemental Material, Figure 1. Flow diagram of questions in the mSpray app.