

BI / read / 13

query	BI / read / 13				
title	Zombies in a country				
pattern	1. zombies = collect(zombie) Country name = \$country City zombie: Person creationDate < \$endDate and (messageCount / months < 1) message: Message creationDate < \$endDate Country -- isPartOf --> City City -- isLocatedIn --> zombie: Person zombie: Person -- «opt» hasCreator --> message: Message messageCount = count(message) 2. For each zombie IN zombies, calculate: zombieScore = zombieLikeCount / totalLikeCount zombie: Person likerPerson: Person creationDate < \$endDate Message likerZombie: Person creationDate < \$endDate and likerZombie IN zombies likerPerson -- «opt» likes --> Message Message -- «opt» likes --> likerZombie: Person likerPerson -- hasCreator --> zombie: Person totalLikeCount = count(likerPerson) zombieLikeCount = count(likerZombie)				
description	Find zombies within the given \$country, and return their zombie scores. A zombie is a Person created before the given \$endDate, which has created an average of [0, 1) Messages per month, during the time range between profile’s creationDate and the given \$endDate. The number of months spans the time range from the creationDate of the profile to the \$endDate with partial months on both end counting as one month (e.g. a creationDate of Jan 31 and an \$endDate of Mar 1 result in 3 months). For each zombie, calculate the following: - zombieLikeCount: the number of likes received from other zombies. - totalLikeCount: the total number of likes received. - zombieScore: zombieLikeCount / totalLikeCount. If the value of totalLikeCount is 0, the zombieScore of the zombie should be 0.0. For both zombieLikeCount and totalLikeCount, only consider likes received from profiles that were created before the given \$endDate.				
params	1	\$country	Long String	Selected from the largest Countries (India, China)	
	2	\$endDate	Date	Selected from the last days of the initial data set	
result	1	zombie.id	ID	R	
	2	zombieLikeCount	32-bit Integer	A	
	3	totalLikeCount	32-bit Integer	A	
	4	zombieScore	32-bit Float	A	Determined as zombieLikeCount / totalLikeCount
sort	1	zombieScore	↓		
	2	zombie.id	↑		
limit	100				
CPs	1.2, 2.1, 2.3, 2.4, 2.6, 3.2, 3.3, 4.2, 5.1, 5.3, 8.2, 8.4, 8.5				