Interactive / insert / 1

INS 1
INS 2
INS 3
INS 4
INS 5
INS 6
INS 7
INS 8

query	Interactive / insert / 1
title	Add person
pattern	
desc.	Add a Person *node*, connected to the network by 4 possible *edge* types.
params	
CPs	9.1, 9.2

1	`personId`	ID	
2	`personFirstName`	String	
3	`personLastName`	String	
4	`gender`	String	
5	`birthday`	Date	
6	`creationDate`	DateTime	
7	`locationIP`	String	
8	`browserUsed`	String	
9	`cityId`	ID	
10	`languages`	{String}	
11	`emails`	{Long String}	
12	`tagIds`	{ID}	
13	`studyAt`	{<ID, 32-bit Integer>}	`{‹universityId, classYear›}`
14	`workAt`	{<ID, 32-bit Integer>}	`{‹companyId, workFrom›}`

Interactive / insert / 2

INS 1
INS 2
INS 3
INS 4
INS 5
INS 6
INS 7
INS 8

query	Interactive / insert / 2
title	Add like to post
pattern	
desc.	Add a likes *edge* to a Post.
params	
CPs	9.2

1	`personId`	ID	
2	`postId`	ID	
3	`creationDate`	DateTime	

Interactive / insert / 3

query	Interactive / insert / 3
title	Add like to comment
pattern	
desc.	Add a likes *edge* to a Comment.
params	1 personId ID 2 commentId ID 3 creationDate DateTime
CPs	9.2

Interactive / insert / 4

query	Interactive / insert / 4
title	Add forum
pattern	
desc.	Add a Forum *node*, connected to the network by 2 possible *edge* types.
params	1 forumId ID 2 forumTitle Long String 3 creationDate DateTime 4 moderatorId ID 5 tagIds {ID}
CPs	9.1, 9.2

Interactive / insert / 5

query	Interactive / insert / 5
title	Add forum membership
pattern	
desc.	Add a Forum membership *edge* (hasMember) to a Person.
params	1 personId ID 2 forumId ID 3 creationDate DateTime
CPs	9.1, 9.2

Interactive / insert / 6

INS 1
INS 2
INS 3
INS 4
INS 5
INS 6
INS 7
INS 8

query	Interactive / insert / 6
title	Add post
pattern	
desc.	Add a Post *node* to the social network connected by 4 possible *edge* types (hasCreator, containerOf, isLocatedIn, hasTag).
params	

1	postId	ID	
2	imageFile	String	
3	creationDate	DateTime	
4	locationIP	String	
5	browserUsed	String	
6	language	String	
7	content	Text	
8	length	32-bit Integer	
9	authorPersonId	ID	
10	forumId	ID	
11	countryId	ID	
12	tagIds	{ID}	

CPs	9.1, 9.2

Interactive / insert / 7

INS 1
INS 2
INS 3
INS 4
INS 5
INS 6
INS 7
INS 8

query	Interactive / insert / 7
title	Add comment
pattern	
desc.	Add a Comment *node* replying to a Post/Comment, connected to the network by 4 possible *edge* types (replyOf, hasCreator, isLocatedIn, hasTag).
params	

1	commentId	ID	
2	creationDate	DateTime	
3	locationIP	String	
4	browserUsed	String	
5	content	Text	
6	length	32-bit Integer	
7	authorPersonId	ID	
8	countryId	ID	
9	replyToPostId	ID	−1 if the Comment is a reply of a Comment
10	replyToCommentId	ID	−1 if the Comment is a reply of a Post
11	tagIds	{ID}	

CPs	9.1, 9.2

Interactive / insert / 8

INS 1
INS 2
INS 3
INS 4
INS 5
INS 6
INS 7
INS 8

query	Interactive / insert / 8
title	Add friendship
pattern	
desc.	Add a friendship *edge* (knows) between two Persons.
params	

1	person1Id	ID	
2	person2Id	ID	
3	creationDate	DateTime	

CPs	9.2