
**Baseline alexis** Created by create<sub>o</sub>verlaid<sub>s</sub>pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m DT\_1 DT\_2 SP\_3 1.0 1.0 1,0 SP\_2 DT\_3 0.7 0/7 03 SP\_1 0.3 ET\_1 1.0 1.0 0.7 0,0000 0,3 0.0 0.0 0.0 RP1\_3 0.3 ET\_2 0.0 0/0 0.3 <del>1</del>,0 0.7 0.0 000000P 0.0 0.3 0.3 0.7 1.0 1.0 RP1\_2 ET\_3 0.3 0.7 0.7



Baseline aladdin **Baseline andrea** Created by create<sub>o</sub>verlaid<sub>s</sub>pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m DT\_1 DT\_2 SP\_3 1.0 1.0 1,0 SP\_2 DT\_3 0.7 0/7 03 SP\_1 0.3 ET\_1 1.0 1.0 0.0000000 0.7 0.7 0.3 0.3 0.0 RP1\_3 0.3 ET\_2 0.0 0.3 <del>1</del>,0 0.7 0.0 0.0 0.00000 0.0 0.3 1.0 1.0 RP1\_2 ET\_3 0.3 0.7 0.7 <del>0</del>\7 0.7 RP1\_1 M\_1 1.0 M\_4 M\_2


M\_3

Baseline aladdin Baseline andrea Baseline carl


Created by create verlaid pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m

DT\_1

DT\_2




**Baseline fiona** Created by create<sub>o</sub>verlaid<sub>s</sub>pider<sub>p</sub>lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m DT\_1 DT\_2 SP\_3 1.0 1.0 1,0 SP\_2 DT\_3 0.7 0/7 03 SP\_1 0.3 ET\_1 0.31.0 1.0 0.7




**Baseline harley** Created by create<sub>o</sub>verlaid<sub>s</sub>pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m DT\_1 DT\_2 SP\_3 1.0 1.0 1,0 SP\_2 DT\_3 0.7 0/7 03 SP\_1 ET\_1 0.3 0/3 1.0 1.0 0.3 0.000000 0.7 0.3 0.0 0.0 0.0 RP1\_3 0.0 ET\_2 0.3 0.0 <del>1</del>,0 0.7 0.0 0.0 9.00000 0.0 0.3 0.3 0.7 0.3 1.0 1.0 ET\_3 RP1\_2 0.3 0.7 0.7 <del>0</del>\7 0.7 RP1\_1 M\_1 1.0


M\_4



Baseline jafar Created by create<sub>o</sub>verlaid<sub>s</sub>pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m DT\_1 DT\_2 SP\_3 1.0 1.0 1,0 SP\_2 DT\_3 0.7 0/7 03 SP\_1 0.3 ET\_1 1.0 1.0 0.7 00000 0.3 0.3 0.0 0.0 0.0 RP1\_3 0.0 ET\_2 0.3 0/0 0.3 <del>1</del>,0 0.7 0.0




Baseline jimi Created by create<sub>o</sub>verlaid<sub>s</sub>pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m DT\_1 DT\_2 SP\_3 1.0 1.0 1,0 SP\_2 DT\_3 0.7 0/7 03 SP\_1 0/3 ET\_1 0\3 1.0 1.0 0.7 0.7 00000 0.0 0.0 0.0 RP1\_3 0.0 ET\_2 0.3 0/0 <del>1</del>,0 0.7 0.0 0.0 0.00000 0.3 0.7 1.0 1.0 RP1\_2 ET\_3 0.3 0.7 0.7 <del>0</del>\7



**Baseline johnny** Created by create<sub>o</sub>verlaid<sub>s</sub>pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m DT\_1 DT\_2 SP\_3 1.0 1.0 1,0 SP\_2 DT\_3 0.7 0/7 0.3 SP\_1 0.3 ET\_1 1.0 1.0 000000 0.7 0.7 0.0 0.0 0.0 RP1\_3 0.0 ET\_2 0.3 0/0 0.3 <del>1</del>,0 0.0 0.0 0.0000 0.7 1.0 1.0 ET\_3 RP1\_2 0.3 0.7 0.7 <del>0</del>\7 0.7 RP1\_1 M\_1 1.0 1.0 M\_4 M\_2 M\_3

> Baseline aladdin Baseline johnny


Baseline aladdin Baseline jr Created by create<sub>o</sub>verlaid<sub>s</sub>pider<sub>p</sub>lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m DT\_1 DT\_2 SP\_3 1.0 1.0 1,0 SP\_2 DT\_3 0.7 0/7 03 SP\_1 ET\_1 1.0 1.0 0.3 0.000000 0.7 0.7 0,3 0.0 0.0 RP1\_3 0.0 ET\_2 0.3 0/0 <del>1</del>,0 0.7 0.0 0.0 000000 0.3 0.7 1.0 1.0 RP1\_2 ET\_3 0.3 0.7



Baseline juana
Created by create verlaid pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m

DT\_1

Baseline aladdin




Baseline juana

Baseline kobe

Created by create verlaid pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m

Baseline aladdin




Baseline kobe

Baseline kryssia Created by create<sub>o</sub>verlaid<sub>s</sub>pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m DT\_1 DT\_2 SP\_3 1.0 1.0 1,0 SP\_2 DT\_3 0.7 0/7 03 SP\_1 ET\_1 0.31.0 1.0 0.000000 0.7 0.7 0,3 0.3 0.0 RP1\_3 0.3 0.0 ET\_2 0/0 <del>1</del>,0 0.7 0.0 0.0 000000 0.7 1.0 1.0 RP1\_2 ET\_3 03 0.7 0.7 0.7 0.7

RP1\_1

Baseline aladdin




M\_1

Baseline mike

Created by create verlaid pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m

DT\_1

Baseline aladdin



Baseline mike

Baseline neftali Created by create<sub>o</sub>verlaid<sub>s</sub>pider<sub>p</sub>lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m DT\_1 DT\_2 SP\_3 1.0 1.0 1,0 SP\_2 DT\_3 0.7 0/7 03 SP\_1 0.3 ET\_1 0.31.0 1.0 0.3 0.00000 0.7 0. 0,3 0.0 0.0 RP1\_3 0.0 ET\_2 0.3 0/0 <del>1</del>,0 0.7 0.0 0.0 0.00000 0.3 0.7 1.0 1.0 RP1\_2 ET\_3 0.3 0.7 <del>0</del>\7 0.7 RP1\_1 M\_1

Baseline aladdin



1.0


M\_3

M\_2

M\_4

Baseline raissa

Created by create verlaid pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m




Baseline raven


Created by create verlaid pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m

DT\_1

DT\_2




**Baseline renata** Created by create<sub>o</sub>verlaid<sub>s</sub>pider<sub>p</sub>lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m DT\_1 DT\_2 SP\_3 1.0 1.0 1,0 SP\_2 DT\_3 0.7 0/7 03 SP\_1 0.3 ET\_1 0/3 1.0 1.0 0.3 000000 0.7 0,3 0.3 0.0 0.0 RP1\_3 0.0 ET\_2 0.3 0/0 <del>1</del>,0 0.7 0.0 0.0 0.00000 0.0 0.3 0.7 1.0 1.0



Baseline sarah

Created by create verlaid pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m

DT\_1




Baseline scar

Created by create verlaid pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m

DT\_1


Baseline aladdin



Baseline scar

Baseline shakira Created by create<sub>o</sub>verlaid<sub>s</sub>pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m DT\_1 DT\_2 SP\_3 1.0 1.0 1,0 SP\_2 DT\_3 0.7 0/7 03 SP\_1 ET\_1 1.0 1.0 0.000000 0.7 0.7 0.3 0.0 0.0 RP1\_3 0.0 ET\_2 0.3 0/0 0.3 <del>1</del>,0 0.7 0.0 0.00000 0.0 0.7 1.0 1.0 RP1\_2 ET\_3 0.3 0.7 <del>0</del>\7 0.7 RP1\_1 M\_1

Baseline aladdin



M\_3


1.0

M\_2

M\_4

**Baseline simba**Created by create verlaid pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m

Baseline aladdin



Baseline simba

Baseline sully

Created by create verlaid pider lots. Called by get\_individual\_rats\_spider\_plots\_for\_every\_feature.m

SP\_3

DT\_1

DT\_2

SP\_2

DT\_3

DT\_3

