

Introduction to python

Digital lab, 2017

Ludovic Dutoit

Today's main challenge



Learning a language in 3h:

Plan

- What is python?
- Play around
- Providing resources

***“Not everything is at
your level, but there is
something for all levels”***

Density	Total Larvae	Habitat type
3	111	A
5	1322	A
11	123	A
23	123	A
43	342	A
2	123	A
31	143	A
4	54	A
3	123	A
5	4	A
11	1235	B
23	2	B
12	879	B
2	132	B
31	1	B
4	124	B
43	32	B
6	442	B
25	615	B
12	235	B




```

1 N00001 555 . C T 941.40 . AC=21;AF=0.228;AN=92;BaseQRankSum=0.431;ClippingRankSum=0.00;DP=222;ExcessHet=0.000;FS=0.000;InbreedingCoeff=0.5692;MLEAC=19;MLEAF=0.207;MQ=29.01;MQRankSum=0.00;QD=20.03;ReadPosRankSum=0.00;SOR=3.611
GT:AD:DP:GQ:PGT:PID:PL 1/1:0,2:2:6:...:55,6,0 1/1:0,2:2:6:...:58,6,0 1/1:0,2:2:6:...:58,6,0 0/0:3,0:3:9:...:0,9,84 0/0:7,0:7:21:...:0,21,194 0/0:2,0:2:6:...:0,6,54 0/0:9,0:9:27:...:0,27,250 0/0:9,0:9:27:...:0,27,250
:0,2:2:6:...:0,0,0 0/0:5,0:5:15:...:0,15,137 0/0:5,0:5:15:...:0,15,135 0/0:8,0:8:24:...:0,24,221 0/0:6,0:6:18:...:0,18,165 0/1:3,5:8:94:0|1:555_C_T:112,0,94 1/1:0,7:7:21:...:198,21,0 0/0:4,0:4:12:...:0,12,108 0/1:1,2:3:36:...:0,49,0,36 0/0:4,0:4:12:...:0,12,109 0/0:4,0:4:12:...:0,12,111 0/0:7,0:7:21:...:0,21,194 0/0:3,0:3:9:...:0,9,83
0/0:6,0:6:18:...:0,18,161 0/0:6,0:6:18:...:0,18,167 0/0:8,0:8:24:...:0,24,225 0/0:9,0:9:24:...:0,24,360
0/0:2,0:2:6:...:0,6,53 1/1:0,8:8:24:...:228,24,0 0/0:1,0:1:3:...:0,3,27 0/0:14,0:14:39:...:0,39,585 1/1:0,2:2:6:...:57,6,0 1/1:0,4:4:12:...:120,12,0 0/0:2,0:2:6:...:0,6,58 0/0:3,0:3:9:...:0,9,82 0/0:5,0:5:15:...:0,15,141
0/1:2,2:4:44:...:44,0,78 0/0:5,0:5:15:...:0,15,139 0/0:4,0:4:12:...:0,12,98 0/0:5,0:5:15:...:0,15,139
0/0:6,0:6:18:...:0,18,166 0/0:1,0:1:3:...:0,3,28 0/0:5,0:5:15:...:0,15,138 1/1:0,3:3:9:...:85,9,0 0/0:3,0:3:0:...:0,0,27 0/0:3,0:3:0:...:0,31 0/0:3,0:3:9:...:0,9,85 1/1:0,2:2:6:...:58,6,0 0/0:6,0:6:15:...:0,15,225
2 N00001 564 . C T 2389.72 . AC=34;AF=0.370;AN=92;BaseQRankSum=0.444;ClippingRankSum=0.00;DP=255;ExcessHet=1.4812;FS=4.461;InbreedingCoeff=-0.0155;MLEAC=39;MLEAF=0.424;MQ=30.27;MQRankSum=0.00;QD=14.75;ReadPosRankSum=-4.500e-02;SOR=2.647
GT:AD:DP:GQ:PGT:PID:PL 0/0:13,0:3:0:...:0,45 0/0:2,0:2:6:...:0,6,57 0/0:6,0:6:18:...:0,18,145
1/1:0,4:4:12:...:115,12,0 1/1:0,7:7:21:...:201,21,0 ./:2,0:2:6:...:0,0,0 0/1:5,4:9:88:...:88,0,110
0/1:4,5:9:84:...:117,0,84 0/0:4,0:4:12:...:0,12,99 0/0:5,0:5:15:...:0,15,137 0/0:6,0:6:0:...:0,0,113
0/1:4,5:9:84:...:118,0,84 0/1:6,3:9:59:...:59,0,140 0/1:5,2:7:36:1|0:555_C_T:36,0,204 0/0:8,0:8:24:...:0,24,227
1/1:0,3:3:9:...:85,9,0 0/1:2,2:4:45:...:45,0,78 0/1:1,2:3:18:...:47,0,18 0/0:5,0:5:15:...:0,15,139
0/1:4,3:7:60:...:60,0,91 0/1:3,2:5:42:...:42,0,71 0/0:6,0:6:18:...:0,18,161 0/1:4,2:6:37:...:37,0,94
0/0:9,0:9:0:...:0,0,146 1/1:0,9:9:27:...:237,27,0 0/0:2,0:2:6:...:0,6,53 0/0:10,0:10:30:...:0,30,277 0/0:1,0:1:3:...:0,3,27 0/0:1:7,8:15:99:...:183,0,152 0/0:3,0:3:0:...:0,28 0/0:4,0:4:12:...:0,12,111 0/1:2,3:5:43:...:72,43
1/1:0,7:7:21:...:201,21,0 0/1:2,3:5:42:...:69,0,42 0/1:2,2:4:43:...:43,0,78 1/1:0,6:16:18:...:172,18,0
1/1:0,4:4:12:...:115,12,0 0/0:5,0:5:12:...:0,12,180 0/1:3,4:7:64:...:75,0,64 0/0:1,0:1:3:...:0,3,28
0/1:2,3:5:41:...:68,0,41 0/0:4,0:4:0:...:0,0,53 0/1:1,2:3:20:...:47,0,20 0/1:1,3:4:17:...:75,0,17 0/0:3,0:3:9:...:0,9,77 0/0:4,0:4:0:...:0,0,58 1/1:0,6:6:18:...:169,18,0
3 N00001 636 . A T 506.60 . AC=4;AF=0.043;AN=94;BaseQRankSum=0.00;ClippingRankSum=0.00;DP=482;ExcessHet=3.2983;FS=0.000;InbreedingCoeff=-0.0427;MLEAC=4;MLEAF=0.043;MQ=32.87;MQRankSum=1.38;QD=14.90;ReadPosRankSum=0.319;SOR=1.329
GT:AD:DP:GQ:PL 0/0:7,0:7:21:0,21,192 0/0:6,0:6:18:0,18,166 0/0:11,0:11:33:0,33,316 0/0:8,0:8:24:0,24,224
0/0:13,0:13:36:0,36,540 0/0:5,0:5:15:0,15,140 0/0:20,0:20:57:0,57,855 0/1:7,7:14:99:162,0,163 0/0:8,0:8:24:0,24,231
0/0:6,0:6:18:0,18,169 0/0:15,0:15:45:0,45,413 0/0:16,0:16:48:0,48,446 0/0:16,0:16:48:0,48,447 0/0:7,0:7:18:0,18,270
0/0:17,0:17:51:0,51,459 0/0:3,0:3:9:0,9,81 0/0:7,0:7:21:0,21,196 0/0:8,0:8:24:0,24,207 0/0:8,0:8:24:0,24,227
0/0:11,0:11:30:0,30,450 0/1:2,11:13:19:279,0,19 0/0:12,0:12:36:0,36,327 0/0:10,0:10:30:0,30,290 0/0:10,0:10:30:0,30,280
0/0:10,0:10:27:0,27,405 0/0:4,0:4:12:0,12,110 0/0:17,0:17:51:0,51,460 0/1:3,1:4:16:16:0,54 0/0:24,0:24:72:0,72,667
0/0:6,0:6:18:0,18,170 0/0:6,0:6:16:48:0,48,461 0/0:7,0:7:21:0,21,195 0/0:13,0:13:39:0,39,367 0/0:7,0:7:18:0,18,270
0/0:6,0:6:18:0,18,171 0/0:11,0:11:33:0,33,313 0/0:5,0:5:15:0,15,140 0/0:8,0:8:24:0,24,223 0/0:12,0:12:36:0,36,336
0/0:7,0:7:21:0,21,198 0/0:10,0:10:30:0,30,284 0/0:13,0:13:39:0,39,364 0/0:11,0:11:33:0,33,312 0/0:9,0:9:27:0,27,254
0/1:2,5:7:35:124,0,35 0/0:18,0:10:30:0,30,287 0/0:14,0:14:42:0,42,390
4 N00001 648 . A G 6378.34 . AC=51;AF=0.543;AN=94;BaseQRankSum=-9.570e-01;ClippingRankSum=0.00;DP=521;ExcessHet=1.4574;FS=0.000;InbreedingCoeff=0.0661;MLEAC=52;MLEAF=0.553;MQ=32.36;MQRankSum=0.114;QD=14.97;ReadPosRankSum=-1.910e-01;SOR=1.474
GT:AD:DP:GQ:PL 0/0:8,0:8:24:222,24,0 1/1:0,14:14:42:371,42,0 0/1:4,4:8:88:88,0,88 0/1:11,9:20:99:192,0,246
0/1:7,7:14:99:155,0,155 0/0:11,0:11:30:0,30,450 0/0:6,0:6:18:0,18,170 0/1:7,7:14:99:152,0,149 0/1:7,11:18:99:246,0,142
0/1:10,0:16:99:122,0,212 1/1:0,4:4:12:111,12,0 0/1:12,9:21:99:183,0,247 1/1:0,6:6:18:162,18,0
1/1:0,7:7:21:196,21,0 0/1:3,6:9:55:118,0,55 0/0:10,0:10:30:0,30,276 0/1:5,6:11:99:114,0,109 0/1:11,2:13:18:18,0,266
0/0:12,0:12:36:0,36,327 0/1:8,4:12:59:59,0,187 0/1:6,5:11:99:107,0,139 1/1:0,9:9:27:249,27,0 0/0:5,0:5:0:0,0,89
0/1:9,11:20:99:208,0,194 0/0:6,0:6:18:0,18,170 0/1:11,15:26:99:338,0,238 1/1:0,8:8:24:221,24,0
1/1:1,14:15:15:32,15,0 0/1:3,5:8:62:109,0,62 1/1:0,14:14:42:385,42,0 0/1:4,2:6:37:37,0,95 1/1:0,6:6:18:165,18,0
1/1:0,10:10:30:276,30,0 1/1:0,5:5:15:140,15,0 0/0:8,0:8:24:0,24,222 0/1:9,4:13:71:71,0,218 0/0:10,0:10:30:0,30,272
0/1:3,5:8:62:113,0,62 0/1:8,15:13:97:97,0,189 1/1:0,13:13:39:357,39,0 0/1:4,8:12:79:183,0,79 0/0:8,0:8:13:0,13,189
0/1:7,5:12:99:104,0,164 1/1:0,15:15:45:45,45,0
5 N00001 833 . T C 1408.78 . AC=5;AF=0.053;AN=94;BaseQRankSum=-2.020e-01;ClippingRankSum=0.00;DP=1114;ExcessHet=3.4957;FS=0.000;InbreedingCoeff=-0.0552;MLEAC=5;MLEAF=0.053;MQ=41.48;MQRankSum=0.831;QD=12.81;ReadPosRankSum=-2.690e-01;SOR=0.733
GT:AD:DP:GQ:PL 0/0:12,0:12:35:0,35,262 0/0:17,0:17:51:0,51,485 0/1:3,17:20:26:387,0,26
0/0:15,0:15:45:0,45,427 0/0:32,0:32:90:0,90,1350 0/0:19,0:19:57:0,57,526 0/0:27,0:27:69:0,69,1035
0/0:20,0:20:60:0,60,583 0/0:29,0:29:84:0,84,1260 0/0:12,0:12:36:0,36,339 0/0:32,0:32:87:0,87,1305
0/0:30,0:30:90:0,90,834 0/0:34,0:34:99:0,99,935 0/0:25,0:25:75:0,75,621 0/0:35,0:35:99:0,99,1485
0/0:27,0:27:80:0,80,685 0/0:24,0:24:63:0,63,945 0/0:23,0:23:63:0,63,945 0/0:24,0:24:72:0,72,657 0/0:27,0:27:81:0,81,759
0/0:32,0:32:90:0,90,901 0/0:21,0:21:60:0,60,586 0/0:30,0:30:90:0,90,834 0/0:30,0:30:90:0,90,845 0/0:28,0:28:81:0,81,711
0/0:19,0:19:57:0,57,550 0/1:13,14:27:99:292,0,289 0/0:19,0:19:57:0,57,519 0/0:34,0:34:99:0,101,895
0/0:16,0:16:23:0,23,392 0/0:28,0:28:81:0,81,738 0/0:22,0:22:63:0,63,596 0/0:13,0:13:39:0,39,368 0/0:27,0:27:81:0,81,752
0/0:15,0:15:42:0,42,630 0/0:24,0:24:69:0,69,1035 0/0:15,0:15:45:0,45,416 0/0:27,0:27:81:0,81,746
0/0:23,0:23:69:0,69,627 0/0:26,0:26:75:0,75,1125 0/0:27,0:27:81:0,81,739 0/1:8,15:23:99:347,0,152
0/0:17,0:17:48:0,48,720 0/1:10,12:22:99:266,0,211 0/0:20,0:20:60:0,60,512 0/1:9,9:18:29:202,0,184
0/0:27,0:27:81:0,81,712

```

Why programming

- After some size, hand is impossible!
- Reproducible
- Adaptable
- Tools available



Why python?

Why python?

Matlab

Java

Ruby

Perl

Fortran

C

R

C++

Why python?

+


1. Modern
2. Widely used (in Science too!)
3. High level
4. Highly transferable skill
5. Free

Bonus: considered good for learning

-

1. Learning a new language is in investment
2. You might not need to master all languages!
3. Field tradition

Top Computer Languages (Feb 2017)



TIOBE Index

Feb 2017	Feb 2016	Change	Programming language	Ratings	Change
1	1		Java	16.676 %	-4.47 %
2	2		C	8.445 %	-7.15 %
3	3		C++	5.429 %	-1.48 %
4	4		C#	4.902 %	+0.50 %
5	5		Python	4.043 %	-0.14 %
6	6		PHP	3.072 %	+0.30 %
7	9	↑	JavaScript	2.872 %	+0.67 %
8	7	↓	Visual Basic .NET	2.824 %	+0.37 %
9	10	↑	Delphi/Object Pascal	2.479 %	+0.32 %
10	8	↓	Perl	2.171 %	-0.08 %

PYPL Index (Worldwide)

Feb 2017	Change	Programming language	Share	Trends
1		Java	22.6 %	-1.3 %
2		Python	14.7 %	+2.8 %
3		PHP	9.4 %	-1.2 %
4		C#	8.3 %	-0.3 %
5	↑↑	Javascript	7.7 %	+0.4 %
6		C	7.0 %	-0.2 %
7	↓↓	C++	6.9 %	-0.6 %
8		Objective-C	4.2 %	-0.6 %
9	↑	R	3.4 %	+0.4 %
10	↓	Swift	2.9 %	+0.1 %

Duck typed

```
#In C
```

```
int x;  
x = 4;
```

```
#In Python
```

```
x = 4
```

“If it walks like a duck if it quacks like a duck, let’s just assume it is a a duck”

```
# whatever is after # is not read,  
it is a comment  
  
x = 4 # x is an integer  
y = "4" # y is a string or  
z = 4. # is a float  
test = True # boolean: True/False
```

Some more


```
list_a = [4,'3'] # list
list_b = [[2,3],[1]] # list of list

set_d = set([1,2])

dict_e = {"days": ["Mon","Tue"], month :
["Jan"] }
```

Procedural programming

- Procedural programming focuses on the series of actions.
- It contains data and actions all mixed together.
- Very linear!
- C, Fortran



Indentation in python

```
if a == 2 and len(b) == 3: #check
    tab print a,b
else:
    print a

for i in range(10):
    tab print i,i*2,i**2,i.bit_length()
```

Objects

```
a = "awekjbcdba" # string
type(a) # print out the type of a, a is a
dir(a) #string
help(a.count()) # print help for the count
method
a.count("b") # count the b
a.split("j") # split a in a list
```

Indentation in python

```
def is_even(x): #create your own funct  
    return x%2 == 0
```

```
is_even(2)
```

```
#module  
import os # import the module os  
help(os) # list possibilities of os  
os.listdir() # function listdir of os
```

Today's goal

You play around and familiarise yourself with python

It might take a tiny bit of time to get everyone up and running

BONUS: You try to see if you can apply it to your own needs.

If you have never programmed


codecademy

Upgrade to Pro Learn

Dashboard

▼ Courses

 Learn Python
Currently on: Python Syntax.

 Resume (0%)
Reset Progress

Learn Python 0%
Learn the Command Line 0%

Codecademy.com



You need:

1. Windows Command Prompt

It will read python code if you type:
ipython

A screenshot of a Microsoft Windows XP Command Prompt window titled 'cmd.exe'. The window shows the following text:

```
c:\> C:\WINDOWS\System32\cmd.exe
Microsoft Windows XP [Version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.

C:\Documents and Settings\Gay>
```

A cursor arrow is visible at the bottom left of the command window.

2. A Text editor. You can open scripts there.
For example *Wordpad*. All the scripts are
Textfiles that can be ran bit by bit or at once.
Today we want to run them bit by bit.

A screenshot of a Microsoft WordPad window titled 'NaiveBayes.py - WordPad'. The window shows a Python script named 'NaiveBayes.py'. The code is as follows:

```
import os
import sys

#####
# Execute
#####

def Execute (cmd):
    print "Exec: " + cmd
    os.system(cmd + " >> run.log")

#####
# Main
#####

# Check the number of command line arguments
if (len(sys.argv) != 2):
    print "Usage: NaiveBayes.py <basename>"
    sys.exit(1)
base = sys.argv[1]

# split the data file into training and test cases\
Execute("ITSC_Sample -c class -i " + base + ".arff -o trn.arff -t tst.arff -p 0.66")

# Train the classifier
Execute("ITSC_NaiveBayesTrain -c class -i trn.arff -b bayes.txt")

# Apply the classifier
Execute("ITSC_NaiveBayesApply -c class -i trn.arff -b bayes.txt -o res_trn.arff")
Execute("ITSC_NaiveBayesApply -c class -i tst.arff -b bayes.txt -o res_tst.arff")

# Evaluate the results
Execute("ITSC_Accuracy -c class -t res_trn.arff -v trn.arff -o acc_trn.txt")
Execute("ITSC_Accuracy -c class -t res_tst.arff -v tst.arff -o acc_tst.txt")
```

For Help, press F1



You need:



1. Terminal (in Applications/Utilities)

It will read python code if you type:
ipython



A screenshot of a Mac OS X Terminal window titled "Terminal — bash — 80x24". The window shows the following command being run and its output:

```
Last login: Fri Jan 30 19:47:33 on ttys000
Macintosh:~ amitbhawani$ defaults write com.apple.dashboard devmode YES
Macintosh:~ amitbhawani$
```

2. A Text editor. You can open scripts there.
For example *TextEdit*. All the scripts are
Textfiles that can be ran bit by bit or at once.
Today we want to run them bit by bit.



<http://tinyurl.com/k9ore9o>

- GettingStarted.pdf
 - How to open python on your own computer
- AdvancedBasics.py
 - data structures and python basics
- Summary_fasta.py
 - Output a brief summary from an input file
- data_and_plotting.py
 - process data using python and easy plotting
- resources.txt
 - Some links to a few nice resources