

1.) A programmer accidentally created an infinite loop. Which issue MOST likely caused it?

- A. Too many variables
- B. The condition has arithmetic operators
- C. Loop condition never becomes false
- D. Missing HTML tags

Answer: C. Loop condition never becomes false

2.) Complete the nested function call so that it will display Inside.

```
function outer(){
    function inner(){
        echo "Inside";
    }
    _____;
}

outer();
```

Answer: inner();

3.) Analyze the code:

```
for($i=1; $i<=3; $i++){
    echo $i;
}
```

What is the output?

- A. 012
- B. 0123
- C. 12
- D. 123

Answer: D. 123

4.) What is the output?

```
echo "5" + "5 students";
```

- A. 10
- B. 55 students
- C. 5
- D. Error

Answer: A. 10

5.) A grading system must store Student Name, Subject, and Grade for hundreds of students. Which structure is MOST appropriate?

- A. Multiple arrays
- B. A single multi-dimensional array
- C. Multiple single-dimensional array
- D. Multiple variables

Answer: B. A single multi-dimensional array

6.) Complete the function declaration:

```
_____ greet(){
    echo "Hello";
}
```

Answer: function

7.) Which software package is MOST suitable for beginners setting up PHP locally?

- A. XAMPP
- B. Visual Studio Code
- C. Composer
- D. Git

Answer: A. XAMPP

8.) Complete the function declaration.

```
_____ displayMessage(){
    echo "Welcome";
}
```

Answer: function

9.) What will be the output?

```
$x = 5;

if($x > 3){
    if($x < 10){
        echo "A";
    }else{
        echo "B";
    }
}
```

- A. No output
- B. A
- C. AB
- D. B

Answer: B. A

10.) What is the problem in this code?

```
1    $x = 5;
2
3    function test(){
4        echo $x;
5    }
6    test();
```

- A. Missing echo in line 6
- B. Undefined variable inside function
- C. Missing return statement
- D. No problem

Answer: B. Undefined variable inside function

11.) What will be the output?

```
$x = 0;

if($x = 1){
    echo "YES";
}else{
    echo "NO";
}
```

- A. NO
- B. YES
- C. Unknown
- D. Error

Answer: B. YES

12.) Given:

```
$x = 5 + 3 * 2;
```

What is the value of \$x?

- A. 13
- B. 16
- C. 10
- D. 11

Answer: D. 11

13.) Analyze the code:

```
$numbers = array(10,20,30);

echo count($numbers);
```

What is the output?

- A. Error
- B. No output
- C. 2
- D. 3

Answer: D. 3

14.) What is wrong with this code?

```
if($x = 5){
    echo "True";
}
```

- A. No problem in the code
- B. Condition will always be true
- C. Undefined variable
- D. Syntax error

Answer: B. Condition will always be true

15.) A developer wants a webpage to automatically generate customized greetings for each user visiting the site. Which feature of PHP is MOST useful?

- A. CSS animation
- B. Browser caching
- C. Static HTML rendering
- D. Server-side scripting

Answer: D. Server-side scripting

16.) In PHP, the return datatype of a function MUST be specified when declaring an function.

- A. True
- B. False

Answer: B. False

17.) Which scenario BEST demonstrates dynamic web content?

- A. Fixed image gallery
- B. Offline text editor
- C. A printed brochure
- D. A webpage displaying current weather data from a database

Answer: D. A webpage displaying current weather data from a database

18.) PHP is embedded directly within HTML and CANNOT be placed in a separate file.

- A. True
- B. False

Answer: B. False

19.) goto helps programs to be more organized and easier to maintain in the long run.

- A. True
- B. False

Answer: B. False

20.) Complete the loop so that it will execute 5 times:

```
for($i = 1; _____; _____ )
```

Answer: \$i <= 5; \$i++

21.) What is the output?

```
$a = "10";
$b = "2a";
echo $a + $b;
```

- A. 10
- B. Error
- C. 12
- D. 102a

Answer: C. 12

22.) Which of the choices correctly reflects the output of the statement?

```
echo date("m d,Y h:i:A");
```

- A. 06 19, 2026 08:05:57 PM
- B. 6 19, 2026 8:5:57 PM
- C. Error
- D. Jun 19, 2026 08:05:57 PM

Answer: A. 06 19, 2026 08:05:57 PM

23.) Complete the statement so that it will return the remainder of the two parameters.

```
function multiply($a,$b){  
    _____;  
}
```

Answer: return \$a % \$b

24.) Which data type is MOST appropriate for storing a student’s GPA?

- A. Integer
- B. Boolean
- C. Array
- D. Float

Answer: D. Float

25.) Fill in the missing operator:

```
$x _____ 5;
```

to increase \$x by 5.

Answer: +=

26.) Analyze the code:

```
$i = 1;  
  
while($i <= 3){  
    echo $i;  
}
```

What is the output?

- A. 12
- B. 123
- C. Infinite loop
- D. 012

Answer: C. Infinite loop

27.) Analyze the code:

```
function add($a,$b){  
    return $a + $b;  
}  
  
echo add("5","3");
```

What is the output?

- A. Error
- B. 8
- C. 53
- D. Unknown

Answer: B. 8

28.) A developer accidentally declared both \$Score and \$score and the program did not show the output as expected. Why did the program produce unexpected results?

- A. PHP ignores capitalization
- B. PHP variables are case-sensitive
- C. Variables are automatically merged
- D. PHP converts all variables to lowercase

Answer: B. PHP variables are case-sensitive

29.) Complete the statement so that it will return the remainder of the two parameters.

```
function multiply($a,$b){  
    _____;  
}
```

Answer: return \$a % \$b

30.) Complete the logical operator:

```
if($x > 0 _____ $y > 0)
```

Both conditions must be true.

Answer: &&

31.) A student placed a PHP file on the desktop and attempted to run it directly in the browser. The PHP code appeared as plain text. What is the BEST explanation?

- A. PHP requires JavaScript to run
- B. The browser does not support HTML
- C. PHP scripts require a web server environment and must be placed in a server-specific directory
- D. The file must be compressed first

Answer: C. PHP scripts require a web server environment and must be placed in a server-specific directory

32.) What is wrong with this code?

```
function calc($a, $b){  
    $a + $b;  
}  
  
echo calc(2,3);
```

- A. Missing echo statement inside the function
- B. Missing return statement
- C. Parameters are declared wrong
- D. Wrong arguments

Answer: B. Missing return statement

33.) Complete the code so that ‘Access Granted’ will be displayed if both the conditions are true.

```
if($username == "admin" _____ $password ==  
"1234"){  
    echo "Access Granted";  
}
```

Answer: &&

34.) Match the term to its purpose.

Browser — _____
MySQL — _____
Apache — _____

- Dropdown:
- Displays webpages
 - Stores data
 - Host websites

Answer:
Browser - Displays webpages
MySQL - Stores data
Apache - Host websites

35.) Complete the function declaration.

```
_____ displayMessage(){  
    echo "Welcome";  
}
```

Answer: function

36.) Analyze the code:

```
function add($a,$b){  
    return "$a" + "$b";  
}  
  
echo add(5,3);
```

What is the output?

- A. 8
- B. Unknown
- C. Error
- D. 53

Answer: A. 8

37.) A grading system must store Student Name, Subject, and Grade for hundreds of students. Which structure is MOST appropriate?

- A. Multiple variables
- B. Multiple arrays
- C. Multiple single-dimensional array
- D. A single multi-dimensional array

Answer: D. A single multi-dimensional array

38.) Analyze the code:

```
$grades = array(  
    array("Ana",90),  
    array("Ben",85)  
);  
  
echo $grades[1][0];
```

What is displayed?

- A. Ben 90
- B. Ben

Answer: B. Ben

39.) Complete the statement:

```
echo _____("hello");
```

Convert “hello” to uppercase.

Answer: strtoupper

40.) Why are variables important in programming?

- A. They replace servers
- B. They remove HTML
- C. They prevent loops
- D. They store reusable data values

Answer: D. They store reusable data values

41.) A webpage updates product prices automatically from a database every hour. Which concept is MOST related?

- A. Static rendering
- B. File compression
- C. Browser plugins
- D. Dynamic scripting

Answer: D. Dynamic scripting

42.)

```
$x = 2;  
$y = 3;  
$z = 4;  
echo $x + $y * $z - $y;
```

What is the output?

Answer: 11

43.) Complete the PHP code:

```
<?php
echo "Welcome to PHP";
_____
```

Answer: ?>

44.) Complete the loop so that it will execute 5 times:

```
for($i = 1; _____; _____)
```

Answer: \$i <= 5; \$i++

45.) Multiplication has higher precedence than addition, but lower than division.

- A. True
- B. False

Answer: B. False

46.) Complete the function declaration.

```
_____ displayMessage(){
    echo "Welcome";
}
```

Answer: function

47.) Which loop is MOST appropriate when the number of repetitions is known beforehand?

- A. do..while
- B. for
- C. foreach
- D. while

Answer: B. for

48.) PHP files commonly use the .php extension.

- A. True
- B. False

Answer: A. True

49.) Arrange the correct flow of web architecture.

Response is generated in HTML form
Browser sends request
Server processes PHP
Browser receives response

Answer:

1. Browser sends request
2. Server processes PHP
3. Response is generated in HTML form
4. Browser receives response

50.) include_once() allows duplicate file inclusion.

- A. True
- B. False

Answer: B. False

51.) Complete the constant declaration:

```
_____("SITE","My Website");
```

Answer: define

52.) Why is PHP commonly paired with MySQL?

- A. PHP cannot display HTML
- B. MySQL compiles PHP code
- C. MySQL replaces Apache
- D. PHP is optimized for database interaction

Answer: D. PHP is optimized for database interaction

53.) Arrange the steps in evaluating this expression:

```
$x > 5 && $y < 10
```

Answer:

1. Compare \$x > 5
2. Compare \$y < 10
3. Apply logical AND

54.) What is the issue with this code?

```
for($i=1; $i>0; $i++){
    echo $i;
}
```

- A. Infinite loop
- B. Nothing
- C. Syntax error
- D. Undefined variable

Answer: A. Infinite loop

55.) A developer wants a webpage to automatically generate customized greetings for each user visiting the site. Which feature of PHP is MOST useful?

- A. Browser caching
- B. Server-side scripting
- C. Static HTML rendering
- D. CSS animation

Answer: B. Server-side scripting

56.) Complete the code so that 3 will not be displayed in the output.

```
for($i=1; $i<=5; $i++){  
  
    if($i == 3){  
        _____;  
    }  
  
    echo $i;  
}
```

Answer: continue

57.) Complete the parameter list so that each parameter variable will have a default value of 0.

```
function add(_____, _____){  
    return $a + $b;  
}
```

Answer: \$a = 0, \$b = 0

58.) Complete the alternative syntax.

```
if($age >= 18):  
    echo "Adult";  
    _____;
```

Answer: endif

59.) Complete the loop to print numbers from 1 to 5.

```
for($i=1; $i<=5; $i _____){  
    echo $i;  
}
```

Answer: ++

60.) Complete the command to display output.

```
<?php  
_____ "PHP";  
?>
```

Answer: echo

61.) Type casting permanently changes the original datatype stored in all variables referencing the value.

- A. True
- B. False

Answer: B. False

62.) Analyze the code:

```
$x = 5;  
  
if($x > 3){  
    echo "A";  
}else{  
    echo "B";  
}
```

What is displayed?

- A. No output
- B. A
- C. AB
- D. B

Answer: B. A

63.) What will be the output?

```
$x = 0;  
  
if($x = 1){  
    echo "YES";  
}else{  
    echo "NO";  
}
```

- A. NO
- B. Unknown
- C. Error
- D. YES

Answer: D. YES

64.) A grading system must store Student Name, Subject, and Grade for hundreds of students. Which structure is MOST appropriate?

- A. Multiple variables
- B. Multiple arrays
- C. Multiple single-dimension array
- D. A single multi-dimension array

Answer: D. A single multi-dimension array

65.)

```
$x = 2;  
$y = 3;  
$z = 4;  
  
echo $x + $y * $z - $y;
```

What is the output?

- A. 10
- B. 11
- C. 14

Answer: B. 11

66.) Analyze the code:

```
for($i=1; $i<=5; $i++){  
  
    if($i == 4){  
        break;  
    }  
  
    echo $i;  
}
```

- A. 1234
- B. 123
- C. 12345
- D. 1235

Answer: B. 123

67.) Which of the choices correctly reflects the output of the statement?

```
echo date("m d,Y h:i:s A");
```

- A. 06 19, 2026 08:05:57 PM
- B. Jun 19, 2026 08:05:57 PM
- C. Error
- D. 6 19, 2026 8:5:57 PM

Answer: A. 06 19, 2026 08:05:57 PM

68.) What is the PRIMARY advantage of functions?

- A. Replace loops
- B. improves code readability
- C. Eliminate variables
- D. Encourage code reuse

Answer: D. Encourage code reuse

69.) Analyze the code:

```
$grades = array(  
    array("Ana",90),  
    array("Ben",85)  
);  
  
echo $grades[1][0];
```

What displayed?

- A. 90
- B. Ben
- C. Ben 90
- D. Ana

Answer: B. Ben

70.) What is wrong with this code?

```
if($x = 5){  
    echo "True";  
}
```

- A. No problem in the code
- B. Undefined variable
- C. Syntax error
- D. Condition will always be true

Answer: D. Condition will always be true

71.) What will be displayed?

```
$x = 2;  
  
switch($x){  
    case 1:  
        echo "A";  
    case 2:  
        echo "B";  
    case 3:  
        echo "C";  
}
```

- A. ABC
- B. B
- C. Error
- D. BC

Answer: D. BC

72.) Match the function with its description.

asort() — _____
rsort() — _____
sort() — _____

- Dropdown:
- Sort values ascending, gives new index to values.
 - Sort values ascending, retains the index of the values.
 - Sort values descending, gives new index to values.

Answer:
asort() - Sort values ascending, retains the index of the values.
rsort() - Sort values descending, gives new index to values.
sort() - Sort values ascending, gives new index to values.

73.) Analyze the code:

```
function display(){
    echo "PHP";
}

echo display();
```

Which statement BEST explains the result?

- A. Function is invalid
- B. Function returns “PHP”
- C. Error because echo cannot call functions
- D. Function displays “PHP” but returns NULL

Answer: D. Function displays “PHP” but returns NULL

74.) PHP can process form submissions.

- A. True
- B. False

Answer: A. True

75.) include_once() allows duplicate file inclusion.

- A. True
- B. False

Answer: B. False

76.) Fill the blank with the correct casting operator to convert the string into an integer.

```
$age = "20";

$age = _____ $age;
```

Answer: (int)

77.) Analyze the code:

```
$x = 5;
$y = 10;

if($x > 0 || $y < 0){
    echo "Valid";
}else{
    echo "Invalid";
}
```

What is the output?

- A. Valid
- B. Error
- C. Invalid
- D. No output

Answer: A. Valid

78.) A developer needs to store multiple student names under one variable. Which datatype is MOST suitable?

- A. Float
- B. Boolean
- C. Integer
- D. Array

Answer: D. Array

79.) PHP files commonly use the .php extension.

- A. True
- B. False

Answer: A. True

80.) Multi-dimensional arrays can represent tabular data.

- A. True
- B. False

Answer: A. True

81.) Which data type is MOST appropriate for storing a student’s GPA?

- A. Float
- B. Integer
- C. Boolean
- D. Array

Answer: A. Float

82.) Complete the code so that ‘Access Granted’ will be displayed if both the conditions are true.

```
if($username == "admin" _____ $password == "1234"){
    echo "Access Granted";
}
```

Answer: &&

83.) Fill the blank with the correct casting operator to convert the string into an integer.

```
$age = "20";

$age = _____ $age;
```

Answer: (int)

84.) Which statement BEST describes a do-while loop?

- A. Used only for arrays
- B. Checks condition first
- C. Never repeats
- D. Executes at least once

Answer: D. Executes at least once

85.) Which statement BEST describes a do-while loop?

- A. Used only for arrays
- B. Checks condition first
- C. Never repeats
- D. Executes at least once

Answer: D. Executes at least once

86.) Complete the code so \$x is accessible inside the function.

```
$x = 20;

function show(){
    _____ $x;
    echo $x;
}
```

Answer: global

87.) Match the structure with its use.

switch — _____
if — _____
for — _____

Dropdown:

- Multi-selection
- Decision making
- Repetition

Answer:
switch - Multi-selection
if - Decision making
for - Repetition

88.) Why are arrays useful in web applications?

- A. They allow grouped data management
- B. They avoid using variables
- C. They replace HTML
- D. They avoid the usage of loops

Answer: A. They allow grouped data management

89.) Why are predefined functions important?

- A. They simplify HTML
- B. They simplify common programming tasks
- C. They replace PHP syntax
- D. They eliminate servers

Answer: B. They simplify common programming tasks

90.) What is the output?

```
echo "5" + "5 students";
```

- A. 10
- B. 55 students
- C. 5
- D. Error

Answer: A. 10

91.) Which mathematical function calculates square root?

- A. Sqr()
- B. sqrt()
- C. sqr()
- D. Sqrt()

Answer: B. sqrt()

92.)

```
$x = 2;
$y = 3;
$z = 4;

echo $x + $y * $z - $y;
```

What is the output?

- A. 14
- B. 11
- C. 10
- D. 8

Answer: B. 11

93.) Analyze the code:

```
$numbers = array(
    1 => 30,
    2 => 10,
    0 => 20
);

ksort($numbers);
echo $numbers[0];
```

What is the output?

- A. 10
- B. 20
- C. Error

Answer: B. 20

94.) Which statement skips the current iteration and continues the loop?

- A. exit
- B. break
- C. return
- D. continue

Answer: D. continue

95.) Analyze the code:

```
function greet($name = "Juan"){  
    echo "Hello, $name";  
}  
$name = "Jose";  
greet();
```

What is displayed?

- A. Error
- B. Hello, Juan
- C. Hello,
- D. Hello, Jose

Answer: B. Hello, Juan

96.) A PHP script generates different outputs based on the current date. What characteristic does this demonstrate?

- A. Dynamic con
- B. Browser rendering
- C. Static processing
- D. Offline compilation

Answer: A. Dynamic con

97.) Complete the loop to print numbers from 1 to 5.

```
for($i=1; $i<=5; $i _____){  
    echo $i;  
}
```

Answer: ++

98.) What will happen when this code runs?

```
$x = 10;  
  
function demo(){  
    global $x;  
    echo $x;  
}  
  
demo();
```

- A. Unknown
- B. It will display Null
- C. Error
- D. It will display 10

Answer: D. It will display 10

99.) What is the PRIMARY advantage of functions?

- A. Replace loops
- B. Eliminate variables
- C. improves code readability
- D. Encourage code reuse

Answer: D. Encourage code reuse

100.) PHP is embedded directly within HTML and CANNOT be placed in a separate file.

- A. True
- B. False

Answer: B. False