

PARR DASHBOARDS

12TH MAY 2026

2A.1 ESTIMATED & CHECK READS - PRODUCT CLASSES 1 & 2

Report measures the average percentage across all Shippers portfolio in each market, where estimated reads were provided. Count of each Shippers portfolio where check reads were not provided

PC1

Industry movement:
↓ 0.13% - Monthly change
↑ 4.50% - Annual change

Monthly changes:
↑ 6.13% Tehran ↓ 5.95% Brazzaville
↑ 1.08% Monaco ↓ 1.56% Taipei
↑ 0.65% Valletta ↓ 1.40% Manama

PC2


Industry movement:
↓ 0.07% - Monthly change
↑ 3.72% - Annual change

Monthly changes:
↑ 16.61% Bangui ↓ 19.17% Thimphu
↑ 9.00% Papeete ↓ 12.51% Valletta
↑ 7.20% Manama ↓ 3.19% Philipsburg


Observations:

- The number of uncompleted check reads in PC2 has shown a slight decrease from the previous month.
- The percentage of estimated reads in both PC1 and PC2 has shown a slight decrease in March compared to the previous months. Both will continue to be monitored..

2A.1 Percentage of Estimated Reads for PC1 & PC2




2A.1 Count of Check Reads not completed for PC1 and PC2




2A.1 ESTIMATED & CHECK READS - PRODUCT CLASSES 1 & 2



2A.1- 12 Month comparison (Average of PC1 Estimated Reads)



2A.1- 12 month comparison (Average of PC2 Estimated Reads)



2A.2 – NO METER RECORDED



Report measures the percentage of each Shipper's portfolio where no meter is recorded in the Supply Point (SP) Register

PC1

0% for all Shippers

PC2

0% for all Shippers

PC3

Highest Shippers:


0.05% Mogadishu
0.30% Washington
1.13% Belmopan

PC4

Highest Shippers:

25.29% Dili
66.67% Yerevan
100.00% Tiraspol

2A.2 Percentage of No Meter recorded by Product Class



Observations:

- The volume of PC4 SP's where no meter is recorded within the CDSP systems have shown a slight increase from the previous month and will continue to be monitored.

2A.3 NO METER RECORDED AND DATA FLOWS RECEIVED



Report measures the percentage of each Shipper's portfolio where no meter is recorded in the Supply Point Register and data flows received

PC1

0% for all Shippers

PC2

0% for all Shippers

PC3

Highest Shippers:


0.02% Mogadishu
0.30% Washington
0.81% Belmopan

PC4

Highest Shippers:

1.06% Damascus
2.50% Dili
29.27% Yerevan

2A.3 No Meter recorded by Product Class and data flows received



Observations:

- There has continued to be a slight increase in the volume of PC4 SPs whereby a dataflow has been submitted yet no meter is recorded within the CDSP system in the last month.

2A.4 - SHIPPER TRANSFER READ PERFORMANCE





Report measures the percentage of Shipper portfolio of opening meter readings provided by the incoming Shipper passing read validation following transfer of ownership

Industry movement:

↑ **0.88%** - Monthly change

↑ **5.16%** - Annual change



Observations:



- The average Shipper Transfer Read Performance (measured across all PC categories) of which entails the provision of an opening meter reading by the incoming Shipper remains at approx 30% in March 2026.
- Shipper party Castries has achieved a 12-month average figure of 70.48%, this is by far the highest percentage achieved for a party with a full 12 month of data (next highest is 68.17%)

2A.5 - READ PERFORMANCE



Report measures the average percentage of Shipper portfolio submitting reads in March 2026.

PC4 Monthly and Annually read measures the average percentage of Shipper portfolio submitting reads in February 2026.



Poorest performing Shippers:

PC1

50.00% Warsaw
57.26% Tehran
66.67% Khartoum

PC2

74.36% Khartoum
75.37% Lisbon
82.20% Bangui

PC3

0% Dili
0% Islamabad
0% Ashgabat
0% Pristina
0% Doha
0% Philipsburg
0% Pristina

PC4 (Monthly)

0% Zagreb
0% Maputo
0% Dili
0% Sarajevo
0% Tiraspol
0.27% Victoria


PC4 (Annual)

0% Bamako
0% Maputo
0% Sarajevo
0% Zagreb
0.44% Dili


2A.5 - READ PERFORMANCE (PC1)



Read Performance - PC1




2A.5 Distribution of percentage of PC1 sites providing meter reads




2A.5 - READ PERFORMANCE (PC2)



Read Performance - PC2



2A.5 Distribution of percentage of PC2 sites providing meter reads







2A.5 - READ PERFORMANCE (PC3)



Read Performance - PC3




2A.5 Distribution of percentage of PC3 sites providing meter reads




2A.5 - READ PERFORMANCE (PC4)




Read Performance - PC4



2A.5 Distribution of percentage of PC4 Monthly sites providing meter reads



2A.5 Distribution of percentage of PC4 Annual sites providing meter reads






2A.6 METER READ VALIDITY MONITORING

Report measures the percentage of Shipper portfolio where readings submitted failed read validation

2A.6 Industry total percentage of meter read validity failure by Product Class - March 2026





Product Class	Reads where logic check* failed as a % of submitted readings	MRE01030 – Override Tolerance passed & override flag provided.	MRE01026 – Reading breached the lower Outer Tolerance.	MRE01027 – Reading breached the Upper Outer Tolerance.	MRE01028 - Reading breached the lower inner tolerance value and no override flag provided	MRE01029 - Reading breached the Upper Inner Tolerance value and no Override flag provided.
1	Warsaw – 33.33%	N/A	N/A	N/A	N/A	N/A
2	Papeete – 40.48%	Manama – 0.73%	Gitega – 1.02%	Khartoum – 3.19%	N/A	Bangui – 1.28%
3	Ashgabat/ Douglas – 100.00%	Valletta – 3.50%	Washington / Gitega – 0.01%	Monaco – 5.02%	N/A	Valletta – 18.33%
4	Mogadishu– 80.65%	Tarawa – 20.86%	Kampala – 16.67%	Belmopan – 5.84%	N/A	Stanley – 50.00%

* “Logic check” is the term used for the validation of the data in the U01 records, prior to the validation of the reading value itself.


2A.7 NO READS RECEIVED FOR 1, 2, 3 OR 4 YEARS – PRODUCT CLASS 1







All reports measures the percentage of Shipper portfolio in the specified AQ band without a meter reading for the specified period







2A.7 NO READS RECEIVED FOR 1, 2, 3 OR 4 YEARS – PRODUCT CLASS 2




2A.7 NO READS RECEIVED FOR 1, 2, 3 OR 4 YEARS – PRODUCT CLASS 3







2A.7 NO READS RECEIVED FOR 1, 2, 3 OR 4 YEARS – PRODUCT CLASS 3




2A.7 NO READS RECEIVED FOR 1, 2, 3 OR 4 YEARS – PRODUCT CLASS 3



2A.7 NO READS RECEIVED FOR 1, 2, 3 OR 4 YEARS – PRODUCT CLASS 4



2A.7 NO READS RECEIVED FOR 1, 2, 3 OR 4 YEARS – PRODUCT CLASS 4



2A.8 AQ CORRECTION BY REASON CODE



Report measures the count of Shipper Portfolio of MPRNs where successful AQ Correction(s) has been submitted

Changes in total number of AQ corrections used

Reason Code 01- Confirmed Theft
No Monthly or Annual Change

Reason Code 02- Change in Consumer Plant
↓ 130 Monthly Change
↓ 83 Annual Change

Reason Code 03- Commencement of New Business Activity
↓ 17 Monthly Change
↓ 37 Annual Change

Reason Code 04- Tolerance Change
↑ 56 Monthly Change
↑ 193 Annual Change


Reason Code 6 - Erroneous AQ based on Read History.
↓ 62 Monthly Change
↑ 74 Annual Change

Reason Code 7 - Erroneous AQ Change in operation and/or use.
↓ 1843 Monthly Change
↑ 337 Annual Change

Reason Code 8 - AQ decrease due to the site being Vacant.
↑ 60 Monthly Change
↑ 377 Annual Change

Reason Code 9 - AQ increase due to the site no longer being Vacant.
↓ 11 Monthly Change
↑ 37 Annual Change

2A.8 Count of AQ Corrections used by reason code



Observations:

- The PAC are continuing to monitor the use of AQ Correction Codes and would remind parties of the implementation of [UNC Modification 0876S – Updates to the Annual Quantity \(AQ\) amendment process](#) which took place in February 2026 which will provide a process for the CDSP to complete AQ reinstatements and/or Capacity adjustment charges, for any instance of AQ Amendment misuse identified by and, requested by the PAC.

2A.9 STANDARD CF AQ > 732,000 KWH



Report measures the count of sites with an AQ >732,000 kWh whereby a standard correction factor (1.02264) is associated with the relevant SP yet an individual (bespoke) correction factor is required

EUC04

↓ 7 Monthly Change
↑ 85 Annual Change

EUC07

↑ 4 Monthly Change
↑ 12 Annual Change

EUC05

↑ 7 Monthly Change
↑ 40 Annual Change

EUC08

No Monthly Change
↑ 10 Annual Change


EUC06

↑ 1 Monthly Change
↑ 22 Annual Change

EUC09

↑ 1 Monthly Change
↑ 2 Annual Change

2A.9 Count of sites above >732,000 kWh using standard CF



Observations:

- EUC04 continues to have a significantly higher number of standard correction factors incorrectly used compared to other EUC bands and has averaged circa 1,200k SPs per month in the last calendar year.

2A.10 REPLACED METER READ



Report measures the count of meter reading replacements which results in reconciliation adjustments

EUC01

↓ 4844 Monthly Change
↑ 6541 Annual Change

EUC02

↑ 213 Monthly Change
↑ 207 Annual Change

EUC03

↑ 15 Monthly Change
↑ 17 Annual Change

EUC04

↑ 17 Monthly Change
↑ 33 Annual Change

EUC05

↓ 4 Monthly Change
↑ 1 Annual Change

EUC06

↑ 3 Monthly Change
↓ 1 Annual Change

EUC07


↓ 1 Monthly Change
↓ 2 Annual Change

EUC08

↓ 1 Monthly Change
No Annual Change

EUC09

No Monthly Change
No Annual Change







2A.11 SITES ABOVE CLASS 1 THRESHOLD NOT IN CLASS 1

Report measures the number of sites meeting, approaching or have reached the criteria for re-confirmation as Class 1 as set out in UNC G2.3.15b

Supply points above the Class 1 threshold



Total AQ (GWh) of supply points above Class 1 threshold



Observations:


- There are currently 6 SPs within the PC4 sector of which meet PC1 threshold requirements (RAQ = 58.6m kWh)
- There is currently 1 SP within the PC3 sector of which meet PC1 threshold requirements (RAQ = 58.6m kWh)
- There are currently 8 SPs within the PC2 sector of which meets PC1 threshold requirements (RAQ = 58.6m kWh)
- 3 SPs were reclassified by a Shipper party in the month of March 2026.

2A.12A AQ READ PERFORMANCE – PC4 MONTHLY




Report measures the percentage of PC4 monthly read performance at AQ level for sites with an AQ $\geq$ 293,000 kWh

2A.12 AQ at Risk - Monthly >293k kWh industry average



2A.12a Distribution of AQ read performance for PC4 Monthly >293k kWh - 12 month average




Observations:

- There has been a slight decrease in the percentage of PC4 monthly read performance at AQ level for sites with an AQ $\geq$ 293,000 kWh compared to the previous couple of months.


2A.12B AQ READ PERFORMANCE – PC4 MONTHLY ‘SMART/AMR’

Report measures the percentage of PC4 monthly read performance at AQ level for sites with a SMART/AMR meter with an AQ <293,000 kWh

2A.12 AQ at Risk - Monthly SMART/AMR industry average



2A.12b Distribution of AQ read performance for PC4 Monthly sites <293,000kWh SMART/AMR - 12 month average



Observations:


- There has been a slight increase in the percentage of PC4 monthly read performance at AQ level for sites with a SMART/AMR meter with an AQ<293,000 kWh compared to the previous month.

2A.12C AQ READ PERFORMANCE – PC4 ANNUAL




Report measures the percentage of PC4 annual read performance at AQ level for sites <293,000 kWh with no SMART/AMR

2A.12 AQ at Risk - Annual read industry average



2A.12c Distribution of AQ read performance for PC4
Annual sites -12 month average



Observations:


- There has been a slight decrease in the percentage of PC4 annual read performance at AQ level for sites <293,000 kWh with no SMART/AMR meters compared to the previous month.

2A.13 AQ AT RISK



Report measures the percentage of Annual Quantity within each product class without a meter reading within timescales as set out in the UNC

2A.13 AQ at Risk - Product Class split



Shippers with the highest percentage of AQ at Risk within their portfolio in March 2026:

Product Class 1

Rome **14.40%**
Valletta **8.42%**
Thimphu **3.55%**

Product Class 4 – AQ >293000 kWh

Maputo **100%**
Douglas **100%**
Warsaw **100%**
Yerevan **100%**
Dili **100%**

Product Class 2

Lisbon **2.10%**
Rome **1.25%**

Product Class 4 – Monthly SMART

Zagreb **100%**
Dili **100%**
Yerevan **89.12%**
Roseau **71.05%**

Product Class 3

Ashgabat **100.00%**
Philipsburg **100.00%**
Pristina **99.36%**

Product Class 4 - Annual

Bamako **100%**
Maputo **100%**
Yerevan **91.96%**
Dili **91.74%**




2A.14 CONFIRMED ENERGY THEFT NOTIFICATION SUBMISSIONS AND OBJECTION INSTANCES

Please note that no data has yet been received relating to this report
i.e. there have been no instances to report upon.

2A.15 CDSP SITES CONVERTED PC4



The report measures the volume of SPs converted from PC 2/3 to PC4 by the CDSP due to low read submission levels at individual supply points.




Observations:

- There was a large increase in the volume of sites that have been converted from Class 3 to Class 4 at the beginning of 2025. This is down to the threshold for the minimum valid Meter Reading requirement increasing from 25% to 50% (as a result of the implementation of Modification 0664VVS – Transfer of Sites with Low Valid Meter Reading Submission Performance from Classes 2 and 3 into Class 4).
- However, it has been highlighted that there is a reporting difference within Class 2. This was identified by a Shipper that had a greater number of Class 2 sites re-classified in February 2025 than they anticipated. The CDSP have put a hold on the further re-classification of any Class 2 sites until investigations are concluded. Any re classifications for Class 3 have been confirmed as being correct and will continue.

2A.16 PC2/PC3 READ PERFORMANCE



The report measures the Percentage of individual Supply Points where the Minimum Percentage Requirement of 50% has been achieved by month




Observations:

- The Minimum Percentage Requirement is currently set at 50%.
- This threshold is subject to review by PAC no later than August 31st each year and following the last review in 2025 PAC decided that there would be no changes to the Minimum Percentage Requirement in 2025.

2A.17 IGT MUST READ PROCESS



This report measures IGT sites within a Shipper's portfolio with a known meter issue where the Must Read trigger has been excluded (due to having a known meter issue).




2A.18 CORRECTIVE OPENING METER READING REJECTIONS



The report measures the following:


- The Count of Corrective Opening Meter Readings received by the Proposing User where raised by the Withdrawing User.
- The Percentage of rejections raised against a Corrective Opening Meter Reading.
- The Percentage of rejections received for a Corrective Opening Meter Reading raised.



2A.19 CLASS 4 VACANT SITES



The report helps to identify any Shippers which have a disproportionate proportion of their Class 4 portfolio flagged as vacant. These obligations are in line with the obligations in UNC Section G10.



Observations:

- This report was recently introduced to support implementation of UNC Modification 0819 (Establishing/Amending a Gas Vacant Site Process).

APPENDIX – PARR REPORT DETAILS



Report ID	Topic	Details	Split By	12 Rolling Months	Report Format	Report Period	Condition
2A.1	Estimated & Check Reads	Estimated Reads: The percentage of Shippers portfolio where actual reads were not provided. Excludes NTS and Telemetered sites. Check Reads: The number of MPRNS which have not had a site visit read for <=13 months.	Class	Annual	Percentage	March	M-1
2A.2	No Meter Recorded on the Supply Point Register	The percentage of a Shipper's portfolio where no meter is fitted at the supply point for more than 6 months.	Class	Annual	Percentage	March	M-1
2A.3	No Meter Recorded on the Supply Point Register and Data Flows Received	The percentage of a Shipper's portfolio where no meter is fitted at the supply point for more than 6 months but data flows are received.	Class	Annual	Percentage	March	M-1
2A.4	Shipper Transfer Read Performance	Shipper provided an opening meter read within D+10 of transfer of ownership.	Total	Annual	Percentage	March	M-1
2A.5	Read Performance	Shipper to provide read as per frequency for each Product Class. Class and Shipper transfer are excluded. 6 monthly are considered as annual sites.	Class	Monthly	Percentage	March/ February (PC4 Only).	M-1/M-2 (PC4)
2A.6	Meter Read Validity Monitoring	Percentage of Shippers portfolio which failed meter read validation. MRE01026: Reading Breached lower outer tolerance MRE01027: Reading Breached upper outer tolerance MRE01028: Reading Breached lower inner tolerance and no override flag provided MRE01029: Reading Breached upper outer tolerance and no override flag provided MRE01030: Override tolerance passed and no override flag provided.	Class	Monthly	Percentage	March	M-1

APPENDIX – PARR REPORT DETAILS



Report ID	Topic	Details	Split By	12 Rolling Months	Report Format	Report Period	Condition
2A.7	No read for 1,2,3 or 4 years	Percentage of Shipper portfolio in the specified EUC band which has not received a read for the specified period. Estimates are not counted.	EUC Band and Class	Annual	Percentage	March	M-1
2A.8	AQ Corrections by reason code	Count of MPRNs on each Shippers portfolio where the AQ correction process was used.	Reason code	Annual	Count	March	M-1
2A.9	Standard Correction Factors	Count of sites with an AQ>732,000 kWh which have used a standard correction factor instead of using a site specific correction factor as per the requirements.	EUC Band	Annual	Count	March	M-1
2A.10	Replaced Meter Reads	Count of sites which have replaced a meter read (actual meter reading with another actual meter read), with an updated AQ for the MPRN.	EUC Band	Annual	Count	March	M-1
2A.11a	Sites above the Class 1 threshold which are not in Class 1	Reports on all sites with an Annual Quantity over the mandatory Daily Metered threshold which are not in Class 1 as a count and as a total AQ. Separated between those that have fully met the UNC G2.3.15b criteria, and those that have not yet met them.	Current Class	Annual	Count and sum of AQ	March	M
2A.11b	Count of sites reclassified to Class 1 by the Shipper and CDSP	Compares the number of qualifying sites which have been moved to Class 1 by the Shipper and by the CDSP each calendar month.	Shipper v CDSP	Annual	Count and sum of AQ	March	M-1

APPENDIX – PARR REPORT DETAILS



Report ID	Topic	Details	Split By	12 Rolling Months	Report Format	Report Period	Condition
2A.12	Class 4 read submission performance as a percentage of portfolio AQ	Assesses performance against the Class 4 meter read performance, expressed as a percentage of total AQ in that Shipper's ownership. Targeting larger AQ sites would aid settlement by ensuring that more energy is reconciled more quickly. Sites are excluded if there was a change of Shipper or where an "operational" Smart or Advanced meter was fitted for the first time in the calendar month. Sub-divided by Meter reading obligations, a = Monthly due to AQ, b = Smart/AMR fitted c = non-Monthly	Meter reading obligation	Annual	Percentage Read	March	M-1
2A.13	Breakdown of AQ overdue for a Meter Reading	Reports on the total AQ by Shipper which is overdue for a meter reading. "Overdue" for the purposes of this report is UNC obligation plus 2 or 3 months, i.e. - Class 1, 2, 3 - no read for three months - Class 4 monthly read sites - no read for three months - Class 4 non-monthly read sites - no read for 15 months	Meter reading obligation	Current and prior month only	Percentage overdue	March	M-1

APPENDIX – PARR REPORT DETAILS



Report ID	Topic	Details	Split By	12 Rolling Months	Report Format	Report Period	Condition
2A.14	Confirmed Energy Theft Notification submissions and Objection instances	Estimated Reads: The percentage of Shippers portfolio where actual reads were not provided. Excludes NTS and Telemetered sites. Check Reads: The number of MPRNS which have not had a site visit read for <=13 months.	Claims & Withdrawals	Annual	Percentage	March	M-1
2A.15	Sites converted from PC2/3 to PC4 by the CDSP due to low read submission levels at individual supply points	Reports on the numbers of sites which the CDSP have converted to PC4, following failure to meet the minimum requirements at levels over the Performance Period.	Current Class	Annual	Count	March	M-1
2A.16	Class 2 and 3 Individual Read Performance against the Minimum Percentage Requirement.	Reports on the proportion of the Shippers portfolio achieving the applicable Minimum Percentage Requirement (50%) by month.	Current Class	Annual	Percentage	March	M-1
2A.17	IGT must read process – use of Known Meter Issue flag.	Percentage of SMPs which would have triggered a must read but have been excluded due to a known issue in the previous month and the proportion of sites with a known issue with an age breakdown of how long the issue has been recorded.	Count/Percentage	Annual	Percentage/Count	March	M-1
2A.18	Corrective Opening Meter Reading Rejections	Provides a view where the Corrective Opening Meter Reading process has been initiated and where such Read has been rejected.	Count/Percentage	Annual	Percentage/Count	February	M-2
2A.19	Class 4 Vacant Sites	Reports on the number of PC4 meter points which have been updated to Vacant in the previous month and an age breakdown of how long those sites have been flagged as vacant.	Count/Percentage	Annual	Percentage/Count	March	M-1



PAFA@talan.com

TALAN