

ECOGLO DIRECTIONAL SIGNAGE EXIT SIGNS

[Home](#) / [Category](#) / [Ecoglo Directional Signage](#) / [Ecoglo Directional Signage Exit Signs](#)

[REQUEST A QUOTE](#)



Ecoglo Directional Signage
Ecoglo Directional Signage Exit Signs
From: \$30.05

Ecoglo Directional Signage
Photoluminescent Exit Signs

[MORE INFORMATION](#)

Detail

Ecoglo is a leading global innovator of UL certified Photoluminescent Exit Signs and Emergency Signage that exceed worldwide code requirements. Ecoglo's Photoluminescent Exit Sign systems are durable against UV and all-weather conditions making them the leading solution for indoor and outdoor photoluminescent illuminated egress exit guidance system applications. Ecoglo Photoluminescent Exit Signs and Emergency Exit Pathmarking signs, are manufactured using a patented process embedding photoluminescent particles in a clear durable polymer to ensure maximum efficiency and uses a dry powder for maximum luminance. The Ecoglo Exit Signs and Pathfinding Emergency Exit signs photoluminescent pigment, allow them to be seen in all light conditions and is fast charging by natural and artificial light making them the most cost efficient and reliable exit sign system.

Ecoglo Photoluminescent Exit Signs:

- Multiple directions
- Choice of a universal wall mounting kit or Sign only

Ecoglo Photoluminescent Pathmarking Exit Signs:

- Multiple Directins

Product Features

- High Visibility in Dark or Light Conditions
- High Durability Indoors and Outdoors
- Abrasion Resistant
- Easy to Clean

Canadian Federal & Provincial Accessibility Codes

Western Canada

+

Central Canada

+

The Maritimes

+

Northern Canada

+

Additional References

Code requirements tactile

Code requirements Safe Way

+

Tactile product drawings









+

Tactile products instalation guides

+

- Environmentally Friendly- No Radioactivity or Toxicity
- Flammability- Do Not Burn
- Visible for 2 hours or more in the event of a blackout


Available Options and Sizes with Prices

IMAGE	DESCRIPTION	PRICE	ADD TO CART
	Exit to the right- 8" x 4.6"	30.05	ADD TO CART
	Exit to the Left- 8" x 4.6"	30.05	ADD TO CART
	Exit Down and to the Right- 8" x 4.6"	30.05	ADD TO CART
	Exit Down and to the left- 8" x 4.6"	30.05	ADD TO CART
	Exit Up and to the Right- 8" x 4.6"	30.05	ADD TO CART
	Exit Straight Ahead and Up- 8" x 4.6"	30.05	ADD TO CART
	Exit Straight Ahead and Down- 8" x 4.6"	30.05	ADD TO CART
	Exit up and to the Left- 8" x 4.6"	30.05	ADD TO CART

Specifications (in mm)

- LEED points qualified for energy conservation and sustainability ULC S572 listed for Photoluminescent and Self-Luminous Exit Signs
- 50/75 foot visibility rating
- No electricity or batteries required
- Indoor installation, only
- Standard twenty-five year warranty
- Requires exposure to at least 54 lux (5 foot-candles) of fluorescent, metal halide, mercury vapor, or other 4000K light illumination for a minimum of 60 minutes to become fully operational
- Non-toxic and non-radioactive
- ULC certified/listing no. E344049/4RG2

Applications




Important Links

[Home](#) [About](#)
[Solutions](#) [Reference](#)
[Codes](#) [Categories](#)
[Blog](#) [Contact](#)

Other Links

[Terms and Conditions](#)
[Privacy Policy](#)



Sign Up For Newsletter

✉ Email

SUBSCRIBE NOW!