

ECOGLO DIRECTIONAL SIGNAGE PHOTOLUMINESCENT EXIT SIGNS

[Home](#) / [Category](#) / [Ecoglo Directional Signage](#) / [Ecoglo Directional Signage Photoluminescent Exit Signs](#)

[REQUEST A QUOTE](#)



Ecoglo Directional Signage
Ecoglo Directional Signage Photoluminescent Exit Signs
From: \$90.00

Ecoglo Directional Signage Exit Signs

[MORE INFORMATION](#)

Detail

Compliance Solutions Canada can provide your facility with a variety of Canada code compliant Ecoglo Photoluminescent products. Ecoglo photoluminescent signs are the number one choice for ECOGLO emergency exit signs offering the safest back up technology for any emergency. Ecoglo photoluminescent exit signs are charged by natural light requiring no electricity or batteries illuminating your path while providing the lowest life cycle costs available for any exit sign. This Ecoglo photoluminescent exit sign is available in Standard Series 50-foot rated visibility with right facing running man with a down arrow with the option of clear anodized frame and universal mounting kit or exit sign only

Product Features

- LEED points qualified for energy conservation and sustainability
- ULC S572 listed for Photoluminescent and Self-Luminous Exit Signs
- 50/75 foot visibility rating
- No electricity or batteries required
- Requires exposure to at least 54 lux (5 foot-candles) of fluorescent, metal halide, mercury vapor, or other 4000K light illumination for a minimum of 60 minutes to become fully operational
- Indoor installation
- Standard twenty-five (25) year warranty
- Non- toxic and non radioactive
- ULC testing/listing no. E344049/4RG2
- Frame and universal mounting kit constructed of clear anodized aluminum













Canadian Federal & Provincial Accessibility Codes

- [Western Canada](#) +
- [Central Canada](#) +
- [The Maritimes](#) +
- [Northern Canada](#) +

Additional References

- [Code requirements tactile](#)
- [Code requirements Safe Way](#) +
- [Tactile product drawings](#) +
- [Tactile products instalation guides](#) +

Available Options and Sizes with Prices

IMAGE	DESCRIPTION	PRICE	ADD TO CART
	Right-Facing Running man sign with down arrow (sign only)1-Sided	90.00	ADD TO CART
	Right-Facing running man with down arrowIncludes clear anodized frame and universal mounting kit1-Sided	105.00	ADD TO CART
	Left-Facing running man with arrow (sign only)1-sided	90.00	ADD TO CART
	Left-Facing running man with arrow Includes clear anodized frame and universal mounting kit1-sided	105.00	ADD TO CART
	Right-Facing Running man sign with arrow (sign only)1-Sided	90.00	ADD TO CART
	Right-Facing running man with arrow (sign only)Includes clear anodized frame and universal mounting kit1-Sided	105.00	ADD TO CART
	Right-Racing running man with up arrow (sign only)1-Sided	90.00	ADD TO CART
	Right-Racing running man with up arrow Includes clear anodized frame and universal mounting kit1-Sided	105.00	ADD TO CART
	Double sided single direction with arrowsIncludes clear anodized frame and universal mounting kit	194.00	ADD TO CART
	Running man sign with bi-directional arrows (sign only)1-sided	\$194.00	ADD TO CART
	Running man with bi-directional arrowsIncludes clear anodized frame and universal mounting kit1-Sided	325.00	ADD TO CART
	Double sided bi-directional with arrowsIncludes clear anodized frame and universal kit	325.00	ADD TO CART

Specifications (in mm)


Fluorescent Charging of Ecoglo Pathmarking Material

20 LUX, 4000K in a Poorly Lit Area		150 LUX, 4000K in a Reasonably Lit Area		300 LUX, 4000K in a Well Lit Area	
Activation Time	Hours of Visibility	Activation Time	Hours of Visibility	Activation Time	Hours of Visibility
5 minutes	0.50 hours	5 minutes	2.50 hours	5 minutes	4.00 hours
10 minutes	1.00 hours	10 minutes	4.00 hours	10 minutes	6.00 hours
20 minutes		20 minutes	6.00 hours		
		30 minutes	7.00 hours		

20 minutes	2.25 hours	20 minutes	7.00 hours
30 minutes	3.00 hours	30 minutes	8.00 hours

Applications

Where to install



○ Directional Markers
○ Aisle Markers
○ Step Edging
○ Handrail Strips

Important Links

[Home](#)

[Solutions](#)

[Codes](#)

[Blog](#)

[About](#)

[Reference](#)

[Categories](#)

[Contact](#)

Other Links

[Terms and Conditions](#)

[Privacy Policy](#)

[f](#) [t](#) [in](#) [v](#)

Sign Up For Newsletter

✉ Email

SUBSCRIBE NOW!