

TP 1 Déploiement de service

Compte rendu

On cherche à créer une zone de dépôt commune pour partager nos TP avec le professeur

Tout d'abord la commande **pwd** qui permet de rentrer dans le dossier

Cd Desktop permet d'accéder au bureau (on peut faire Tab pour vérifier si notre dossier crée est bien présent)

On accède au dossier repositories grâce a **cd repositories**

Ls Deploimentdeservice permet de voir ce qu'il y a à l'intérieur de mon dossier

Deploimentdeservice, c'est également le même dossier que j'ai crée dans GitHub

Git statues permet de voir les changements qu'on a pu opéré

J'ai ensuite ajouté mon TP 0 à l'intérieur

Ensuite pour montrer que j'ai ajouté un document, j'ai fais un ensemble de commandes en commençant par **git add**. Pour ajouter le dossier.

Puis **git commit** et **git commit -m « ajoute fichier rendu »** pour ajouter un message à l'ajout.

La dernière commande à rentrer est **git push** pour finaliser l'envoi du tp

```
Deploimentdeservice — zsh — 80x24
Last login: Tue Oct 11 10:22:33 on console
leadubosse@MacBook-Pro-de-Lea-5 ~ % pwd
/Users/leadubosse
leadubosse@MacBook-Pro-de-Lea-5 ~ % cd Desktop
cd: no such file or directory: Desktop
leadubosse@MacBook-Pro-de-Lea-5 ~ % ls
<!DOCTYPE html>.html      Magazin APFS Sep-07 19_47.ddsc
Applications              Movies
Creative Cloud Files      Music
Desktop                   Pictures
Documents                 Public
Documents-assets          Sans titre.txt
Downloads                 Sites
Google Drive              photographie.pdf
Library
```

```
Library
leadubosse@MacBook-Pro-de-Lea-5 ~ % pwd
/Users/leadubosse
leadubosse@MacBook-Pro-de-Lea-5 ~ % cd Desktop
leadubosse@MacBook-Pro-de-Lea-5 Desktop % cd repositories
leadubosse@MacBook-Pro-de-Lea-5 repositories % ls
Deploimentdeservice
leadubosse@MacBook-Pro-de-Lea-5 repositories % cd Deploimentdeservice
leadubosse@MacBook-Pro-de-Lea-5 Deploimentdeservice % ls
README.md
```

```
README.md
leadubosse@MacBook-Pro-de-Lea-5 Deploimentdeservice % git status
On branch main
Your branch is up to date with 'origin/main'.
```

```
Untracked files:
  (use "git add <file>..." to include in what will be committed)
  "TP1 Dubosse L\303\251a.pdf"

nothing added to commit but untracked files present (use "git add" to track)
leadubosse@MacBook-Pro-de-Lea-5 Deploimentdeservice % git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .' ?
hint: Turn this message off by running
hint: "git config advice.addEmptyPaths false"
```

```
hint: Turn this message off by running
hint: "git config advice.addEmptyPaths false"
leadubosse@MacBook-Pro-de-Lea-5 Deploimentdeservice % git add .
leadubosse@MacBook-Pro-de-Lea-5 Deploimentdeservice % git commit
Aborting commit due to empty commit message.
leadubosse@MacBook-Pro-de-Lea-5 Deploimentdeservice % git commit -m "ajoute fichier rendu"
[main b439047] ajoute fichier rendu
Committer: Lea Dubosse <leadubosse@MacBook-Pro-de-Lea-5.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
```

```
create mode 100644 "TP1 Dubosse L\303\251a.pdf"
leadubosse@MacBook-Pro-de-Lea-5 Deploimentdeservice % git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 24.75 KiB | 6.19 MiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/leadubosse/Deploimentdeservice.git
 ad06c64..b439047  main -> main
leadubosse@MacBook-Pro-de-Lea-5 Deploimentdeservice %
```