

CFB 27 Recruiting Tunables – Weights and Math Reference

Derived from `dynasty-tuning-binary.FTC` (CFB 27, patch `cfb27-db-data/2/`).
Source command: `cfb-dynasty recruiting-tunables -schema-dir ./data`

This document records tuning constants and inferred influence arithmetic only.
Compiled formula bytecode is not available; evaluation order below is inferred from schema field structure
(`RecruitingActionInfo`, `RecruitTarget`, `ProspectTargetSchool`).

Save fields vs tuning constants

Role	Save export field	Table / notes
Per-school influence	<code>recruiting[].schoolInterest[].influence</code>	<code>ProspectTargetSchool.TeamInfluence</code>
Total influence pool	<code>recruits[].commitScore</code>	<code>Recruit.CommitScore</code>
Recruit stage	<code>recruits[].recruitStage</code>	<code>Recruit.RecruitStage</code>
Weekly influence change	<code>recruiting[].prospectInfluenceDelta</code>	<code>RecruitTarget.ProspectInfluenceDelta</code>
Cumulative influence	<code>recruiting[].prospectInfluenceTotal</code>	<code>RecruitTarget.ProspectInfluenceTotal</code>
Hours this week	<code>recruiting[].prospectHoursSpentCurrent</code>	<code>RecruitTarget.ProspectHoursSpentCurrent</code>
School letter grades	<code>schoolGrades[]</code>	<code>MySchoolTrackingTable</code>
Recruit motivations	<code>recruits[].player.motivations[]</code>	Recruit motivation fields
Active pitch + intensity	<code>recruiting[].activePitches[]</code>	<code>ActiveRecruitingPitch</code>

School share of commit score is computed in-game by `RecruitingStageDetails_GetSchoolPercentageOfCommitScore(recruit schoolRank)` (expression asset; bytecode not decoded).

Influence model (inferred)

Weekly influence gain for an hour-based action:

```
influenceGain = BaseInfluenceGranted
               + PipelineInfluenceBonusTable[pipelineLevel]
               + sum of MotivationGradeBonus(pitchMotivationSlot_i, schoolLetterGrade)
               + matchingMotivationBoosts (see ChanceToSwayBoostPerMatchingMotivation)
               + NonMatchingMotivationPenalty    (PITCH only; negative when pitch mismatches)
```

- `pipelineLevel` is indexed **0-5** (six entries in every `PipelineInfluenceBonusTable`).
- `MotivationGradeBonus` uses `LetterGradeValueTable` rows attached to the action (three rows for PITCH; one row per motivation slot).
- `NonMatchingMotivationPenalty` is **0** for non-pitch actions and for PITCH / Sway.

Stage visibility thresholds

Percentage of commit score required for stage visibility (from `RecruitingTunables` scalars):

Threshold	Value
PointsPercentageThresholdTop5	35
PointsPercentageThresholdTop3	75
PointsPercentageThresholdCommit	100

Stage school-count caps:

Field	Value
RecruitStageTop10SchoolCount	10
RecruitStageTop5SchoolCount	5
RecruitStageTop3SchoolCount	3
RecruitStageBattleSchoolCount	3
RecruitStageSoftCommittedSchoolCount	3
RecruitStageHardCommittedSchoolCount	1
RecruitStageSignedSchoolCount	1

Recruit stage enum values present in tuning (`RecruitingStageDetails`):

Top10, Top5, Top3, Battle, SoftCommitted, HardCommitted

Battle proximity threshold: `TriggerRecruitingBattleWithinCommitThreshold = 10`

Commit-score modifiers:

Field	Value
BattleAdditionalCommitScorePercentage	25
HardCommitAdditionalCommitScorePercentage	50
TransferDefaultCommitScore	1000

Weekly limits

Field	Value
MaxTotalHoursOnRecruitPerWeek	50
MaxRecruitingBoardTargets	35
MaxTeamScholarshipOffers	35
MaxRecruitVisitsPerWeek	4
MaxTimesScouted	5
CPU_AI_MaxPitchCount	2

Recruiting actions

From `RecruitingActionInfo` tuning table.

Action	Intensity	Cost (hrs)	Base influence	Penalty
SearchSocialMedia	n/a	5	4	0
SCOUTING	n/a	10	0	0
ContactHighSchoolCoaches	n/a	10	8	0

Action	Intensity	Cost (hrs)	Base influence	Penalty
ContactFriendsAndFamily	n/a	25	20	0
OFFERSCHOLARSHIP	n/a	5	0	0
PITCH	SoftSell	20	20	-20
PITCH	HardSell	40	40	-40
PITCH	Sway	30	15	0
SCHEDULEVISIT	n/a	40	0	0
VisitRecruitsSchool	n/a	50	40	0
SendTheHouse	n/a	50	50	0

SearchSocialMedia aliases GenericHoursAction_First. SendTheHouse aliases GenericHoursAction_Last.

Base efficiency (BaseInfluenceGranted / Cost):

Action	Ratio
GenericHoursAction_First	0.80
ContactHighSchoolCoaches	0.80
ContactFriendsAndFamily	0.80
VisitRecruitsSchool	0.80
GenericHoursAction_Last	1.00
PITCH SoftSell	1.00
PITCH HardSell	1.00
PITCH Sway	0.50

Pipeline influence bonus by action

Add PipelineInfluenceBonusTable[pipelineLevel] where pipelineLevel is in {0, 1, 2, 3, 4, 5}.

Action	L0	L1	L2	L3	L4	L5
ContactHighSchoolCoaches	0	1	1	2	3	4
GenericHoursAction_First	0	1	1	1	1	2
ContactFriendsAndFamily	0	2	4	6	8	10
VisitRecruitsSchool	0	4	8	12	16	20
PITCH SoftSell	0	2	4	6	8	10
PITCH HardSell	0	4	8	12	16	20
PITCH Sway	0	0	0	0	0	0
GenericHoursAction_Last	0	0	0	0	0	0
OFFERSCHOLARSHIP, SCHEDULEVISIT, SCOUTING	0	0	0	0	0	0

Pitch motivation grade bonuses

Each PITCH row has MotivationGradesInfluenceBonusTable with **three** LetterGradeValueTable rows (motivation slots 1-3, aligned with AssociatedMotivation1..3 on RecruitingPitchInfo).

When a recruit motivation matches a pitch motivation slot, the school's letter grade for the mapped MySchoolGrade (see below) selects a bonus from that slot's row.

PITCH / Sway has no motivation grade table attached in tuning.

Grade column order: F, D-, D, D+, C-, C, C+, B-, B, B+, A-, A, A+

SoftSell slot 1

-6 -5 -4 -3 -2 -1 0 0 1 2 3 4 6

SoftSell slot 2

-7 -6 -5 -4 -3 -2 -1 0 1 2 4 5 7

SoftSell slot 3

-9 -8 -6 -5 -4 -2 -1 0 2 4 6 8 10

HardSell slot 1

-14 -12 -10 -8 -6 -4 -1 1 2 4 8 10 14

HardSell slot 2

-20 -18 -16 -14 -10 -6 -2 2 4 6 10 14 20

HardSell slot 3

-12 -10 -8 -6 -4 -2 -1 0 2 4 6 8 12

Matching-motivation scalar: `ChanceToSwayBoostPerMatchingMotivation` = **15**

Motivation to school grade mapping

From `RecruitingMotivationToMySchoolGradeMapping`. The school grade field used for pitch bonus lookup is the recruit motivation’s mapped `MySchoolGrade` (exported under `schoolGrades`).

Recruiting motivation	MySchoolGrade key
AcademicPrestige	AcademicPrestige
AthleticFacilities	AthleticFacilities
BrandExposure	BrandExposure
CampusLifestyle	CampusLifestyle
ChampionshipContender	ChampionshipContender
CoachPrestige	CoachPrestige
CoachStability	CoachStability
ConferencePrestige	ConferencePrestige
PlayingStyle	PlayingStyle
PlayingTime	PlayingTime
ProgramTradition	ProgramTradition
ProPotential	ProPotential
ProximityToHome	ProximityToHome
StadiumAtmosphere	StadiumAtmosphere

Pitch catalog

From `RecruitingPitchInfo` (20 pitches). `hasDealbreakerMotivation` is stored on pitches that declare it in tuning.

Pitch ID	Display name
Aspirational	Aspirational Goals
CampusPersonality	Campus Personality
TimeToGetToWork	Clocked In
CoachsFavorite	Coach Connection
CollegeExperience	College Experience
ConferenceSpotlight	Conference Legend
FootballInfluencer	Football Influencer
ItsGameTime	Gamer

Pitch ID	Display name
Grassroots	Grassroots Traditionalist
WorkHorse	Gym Rat
HometownHero	Hometown Hero
ToTheHouse	House Call
TVTime	Primetime Player
Prestigious	Standard Bearer
Starter	Star Search
ProveYourself	Status Seeker
StudentOfTheGame	Student of the Game
SundayBound	Sunday Player
TeamPlayer	Team Player
TheClutch	The Clutch

Motivations by pitch (slots 1, 2, 3), part 1:

Pitch ID	Motivation 1	Motivation 2	Motivation 3
Aspirational	ChampionshipContender	ConferencePrestige	CoachPrestige
CampusPersonality	CampusLifestyle	PlayingTime	PlayingStyle
TimeToGetToWork	PlayingStyle	PlayingTime	ProPotential
CoachsFavorite	AthleticFacilities	CoachPrestige	ProximityToHome
CollegeExperience	AcademicPrestige	CampusLifestyle	StadiumAtmosphere
ConferenceSpotlight	ChampionshipContender	ConferencePrestige	ProximityToHome
FootballInfluencer	BrandExposure	PlayingTime	ProPotential
ItsGameTime	ConferencePrestige	PlayingStyle	ProPotential
Grassroots	ProgramTradition	ProximityToHome	StadiumAtmosphere
WorkHorse	AthleticFacilities	BrandExposure	ProPotential

Motivations by pitch, part 2:

Pitch ID	Motivation 1	Motivation 2	Motivation 3
HometownHero	ChampionshipContender	ProgramTradition	ProximityToHome
ToTheHouse	BrandExposure	CoachPrestige	ChampionshipContender
TVTime	BrandExposure	ChampionshipContender	PlayingTime
Prestigious	CoachPrestige	ConferencePrestige	PlayingStyle
Starter	BrandExposure	PlayingTime	ProximityToHome
ProveYourself	BrandExposure	CoachPrestige	ConferencePrestige
StudentOfTheGame	AcademicPrestige	CoachPrestige	ProximityToHome
SundayBound	ChampionshipContender	ConferencePrestige	ProPotential
TeamPlayer	CoachStability	PlayingStyle	ProximityToHome
TheClutch	CoachStability	PlayingStyle	PlayingTime

Visit tunables

Scalars (**VisitTunables**):

Field	Value
competitiveVisitPenalty	5
complimentaryVisitBonus	5

SCHEDULEVISIT costs **40** hours with **0** base influence; influence from visit activities is applied separately via **VisitActivityInfluenceTable**.

Visit activity types

From VisitActivityInfo:

AttendLecture, AttendPositionMeeting, AttendPractice, AttendTeamMeeting, CampusTour, FamilyVisit, MeetAlumni, OneOnOneCoaching, PodcastInterview, Tailgate, TeamDinner, TeamHistory, TeamWorkout, TrophyTour

Visit influence by recruit interest level

Each activity maps to an interest level (Dealbreaker, Interested, NotInterested). The selected LetterGradeValueTable row provides a bonus from the school's grade for the activity's associated motivation.

Grade column order: F, D-, D, D+, C-, C, C+, B-, B, B+, A-, A, A+

Dealbreaker

-48 -40 -32 -24 -16 -8 0 8 16 24 32 40 48

Interested

-36 -30 -24 -18 -12 -6 0 6 12 18 24 30 36

NotInterested

-24 -22 -20 -18 -16 -14 -12 -10 -8 -6 -4 -2 0

Scholarship and NIL

Field	Value
ScholarshipOfferWeeklyBonus	5
ScholarshipBonusLowExpectationCutoff	10
MinimumNILToOfferPercentage	0.80
SoftCommitInfluenceVariance	10

Pipeline and initial interest arrays

Indexed arrays from RecruitingTunables (index meaning is game-defined; pipeline tables use indices **0-5**).

Array	Values
RecruitInitialInfluencePerPipelineLevel	0, 5, 15, 25, 75, 100
InitialInterest_Pipeline	0, 5, 10, 15, 25, 35
InfluenceRequiredPerPipelineLevel	0, 1, 30, 90, 175, 300
ChanceToSwayBoostFromPipelineInfluenceLevel	0, 5, 10, 15, 20, 25
InitialInterest_AlmaMater_Starlevel	10, 10, 10, 10, 10
InterestBoost_Start_Awards_Starlevel	10, 10, 10, 10, 10

Scouting arrays

Array	Values
ScoutingAttributesUnlockPercentage	10 entries of 10
ScoutingPhysicalAbilityUnlockPercentage	5 entries of 20
ScoutingAttributeLongSliderWidth (scalar)	28
ScoutingAttributeShortSliderWidth (scalar)	13

Instant commit and class ranking

Array	Values
InstantCommitOddsPerStarLevel	10, 8, 6, 4, 2
InstantCommitBonusPrestige	0, 1, 2, 5, 15, 25, 40, 70, 100
TopClassesStarRatingTable	5, 10, 15, 20, 25
TopClassesRankWeightPercentageTable	see below

TopClassesRankWeightPercentageTable (35 entries):

100, 99, 98, 95, 91, 86, 80, 74, 67, 61, 54, 47, 41, 35, 30, 25, 21, 17, 14, 11, 8, 7, 5, 4, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3

Transfer portal TransferValueCutOffs:

76, 76, 78, 78, 80, 80, 82, 82, 84, 84, 86

Recruiting points abstraction

RecruitingPointsAbstractionTable maps raw influence totals to UI tiers (15 entries):

141, 100, 61, 41, 21, 11, 6, 1, 0, -5, -10, -20, -40, -60, -99

High school recruit generation

From HighSchoolRecruitingTunables (single tuning row):

Field	Value
AcademicsMeterBonusMax	30
BrandMeterBonusMax	75000
ChallengePerformanceThreshold	10
CoachTrustBonusMax	1000
FitnessMeterBonusMax	16
InitialTapeScoreBoostDecrementRate	20
LeadershipMeterBonusMax	25
NumberOfRecommendedSchoolScholarshipOffers	3
RankChangeExpectedPerformanceMax	10
RankChangeOverPerformanceMax	25
RankChangeUnderPerformanceMax	25
ScholarshipBonusDecommitPenalty	1
ScholarshipBonusVariance	10
ScholarshipScoreDecommitPenalty	1500
SchoolPrestigeFactorWeight	1.0
SkillPointsBonusMax	600
TeamNeedFactorWeight	1.0

Remaining scalars

Field	Value
AIAggressivenessSlider	1.15
AINILAggressivenessSlider	2.25
CPU_AI_SpendScoutingWeeklyMaxRecruitsToScout	35
ChanceToSwayBoostPerMatchingMotivation	15

Field	Value
EventRankingCutoff	10
MaxCollegeYearsRemaining	4
MaxFiveStarsInClass	32
MaxJumpBacks	0
OVRProjection	2
RecruitsToGenerateGroupMax	20
RecruitsToGenerateMinimum	4100
RecruitsToGenerateMaximum	4100
Stage2WarningThreshold	50

UI strings

Field	Text
EarlySigningDayActionItemString	Early National Signing Day
PreseasonRecruitingActionItemString	Set Up Recruiting Board and Scout
TransferPortalActionItemString	Transfer Portal and Offseason Recruiting

Encoding note

Tuning FTC array elements use EA `s_int` storage with `minValue = 0x80000000`. Exported values in `cfb-dynasty-recruiting-tunables` decode this bias automatically.

Not decoded

- Compiled expression bodies (`RecruitingStageDetails_GetSchoolPercentageOfCommitScore`, `RecruitingEval_ApplyWeeklyRecruitingHours`, etc.)
- Exact stacking order of additive bonuses vs multipliers
- Per-activity motivation to interest-level mapping (which visit activity triggers which `VisitActivityInterestLevel`)
- `RecruitingActionFeedbackEntry` / `RecruitingActionBonus` runtime bonus breakdown on executed actions