

macOS · OMNIWM WORKFLOW CHEATSHEET

OmniWM workspaces · Corne HOST actions · MacBook equivalents

WORKSPACE MODEL

Persistent workspaces and deliberate new-window defaults

WORKSPACE	ROLE	LAYOUT
1 WEB	Browser / research	Niri
2 DEV	Editor / development	Niri
3 COMMS	Chat / email / meetings	Default
4 RUN	Running apps / testing	Niri
5 AUX	Miscellaneous	Niri

CONSERVATIVE ROUTING

Chrome / Safari / Zen / Firefox / Dia / com.google.chrome.for.testing → WEB

Codex / Zed / com.microsoft.VSCode / md.obsidian → DEV

Spotify / Discord / Outlook / Messages / dev.vencord.vesktop / com.vng.zalo → COMMS

CORNE HOST ACTIONS

Semantic window, workspace, and desktop actions for daily use

Workspace	WEB / DEV / COMMS / RUN / AUX
Move→workspace	WEB / DEV / COMMS / RUN / AUX
Focus	← ↓ ↑ →
Move	← ↓ ↑ →
Window	Prev WS Size Full Float
Desktop	Launch Quake NewTerm Prev Win LANG Overview

MACBOOK EQUIVALENTS

Option-held shortcuts through the OmniWM IPC adapter

CHORD	ACTION
1...5	workspace
1...5	move workspace
HJKL	focus
HJKL	move
Tab	previous workspace
Tab	previous window
.	size
O	overview
Return	fullscreen
Space	float
`	Quake
Space	palette

BEHAVIOR NOTES

The same semantic actions follow the active layout

Niri:

Size → 33 / 50 / 67 / 100% container span

Dwindle:

Size → cycle split ratio when a workspace selects Dwindle

Quake

= OmniWM embedded persistent drop-down terminal

NewTerm

= independent Ghostty window in current workspace

Hold Option ~200 ms

= reveal OmniWM workspace bar after ~200 ms

Launch shortcuts and workspace shortcuts remain separate concepts.