

```

<?php // Includes pdo file
    include_once('pdo.inc');
    redirectUser(verifyUserType(VOLUNTEER),"index.php");
    include_once('PHP_Process_Files/processViewQuotes.php');
    include_once('PHP_Process_Files/processRequestDetails.php');
    include_once('PHP_Process_Files/processSelectAvailableRequests.php');
    include_once('PHP_Process_Files/processSelectServiceProviders.php');
    include_once('PHP_Process_Files/processCheckForFeedback.php');
    verifyIfUserIsSignedIn();
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <?php include 'head.inc'; ?>
    <link href="css/bootstrap-datepicker3.css" rel="stylesheet">
    <link rel="stylesheet" type="text/css" href="css/bootstrap-clockpicker.css">
</head>

<body id="page-top" class="index">
    <?php include 'navigation.inc' ; // Includes logo and menu ?>

    <section id="workOnRequest">

        <div class="container">
            <div class="row">
                <div class="col-lg-12 text-center">
                    <br><br>
                    <h2>Request Details</h2>
                    <hr class="star-primary">
                </div>
            </div>

            <div class="row">
                <div class="col-lg-8 col-lg-offset-2">
                    <?php
                        if($myRequest['statusID'] == OPEN)
                            echo "<img class='img-responsive' src='img/status_img/waiting_volunteer_open.png'
alt=" style='width: 100%; height: 100%'>";
                        if($myRequest['statusID'] == CLOSED)
                            echo "<img class='img-responsive' src='img/status_img/booked_closed.png' alt="
style='width: 100%; height: 100%'>";
                        if($myRequest['statusID'] == WAITING_APPROVAL)
                            echo "<img class='img-responsive' src='img/status_img/waiting_approval.png' alt="
style='width: 100%; height: 100%'>";
                        if($myRequest['statusID'] == IN_PROGRESS)

```

```

        echo "<img class='img-responsive' src='img/status_img/waiting_quotes_inprogress.png'
alt='' style='width: 100%; height: 100%'>";
        if($myRequest['statusID'] == CANCELLED)
            echo "<img class='img-responsive' src='img/status_img/cancelled.png' alt='' style='width:
100%; height: 100%'>";
        if($myRequest['statusID'] == WAITING_BOOKING)
            echo "<img class='img-responsive' src='img/status_img/waiting_booking_conf.png' alt=''
style='width: 100%; height: 100%'>";
    ?>
</div>
</div>

```

```

<div class="container">
<div class="row">
<div class="col-lg-4 text-center">
<h3>Client</h3>
</div>
</div>
</div>

```

<!-- Create table to view client's details -->

```

<div class="row">
<div class="col-lg-6 col-lg-offset-3">

<table class="table table-striped table-bordered table-hover" id="dataTables-example">
<tr>
<th class="col-md-3">ID</th>
<td class="col-md-8"><?php echo $myRequest['clientID']; ?></td>
</tr>
<tr>
<th>Name</th>
<td><?php echo $myRequest['firstName']; ?> <?php echo $myRequest['lastName']; ?></td>
</tr>
</table>
</div>
</div>

```

```

<div class="container">
<div class="row">
<div class="col-lg-4 text-center">
<h3>Request</h3>
</div>
</div>
</div>

```

<!-- Create table to view myRequest's details -->

```

<div class="row">

```

```

<div class="col-lg-6 col-lg-offset-3">
  <table class="table table-striped table-bordered table-hover" id="dataTables-example">
    <tr>
      <th class="col-md-3">ID</th>
      <td class="col-md-8"><?php echo $myRequest['requestID']; ?></td>
    </tr>
    <tr>
      <th>Request</th>
      <td><?php echo $myRequest['requestName']; ?></td>
    </tr>
    <tr>
      <th>Date Range</th>
      <td><?php echo date('d M Y', strtotime($myRequest['startDate'])); ?> - <?php echo date('d
M Y', strtotime($myRequest['endDate'])); ?></td>
    </tr>
    <tr>
      <th>Time Range</th>
      <td><?php echo date('g:i a', strtotime($myRequest['startTime'])); ?> - <?php echo date('g:i
a', strtotime($myRequest['endTime'])); ?></td>
    </tr>
    <tr>
      <th>Price Range</th>
      <td>$<?php echo $myRequest['minPrice']; ?> - $<?php echo $myRequest['maxPrice'];
?></td>
    </tr>
    <tr>
      <th class="col-md-3">Description</th>
      <td class="col-md-8"><?php echo $myRequest['comment']; ?></td>
    </tr>
    <tr>
      <th>Priority</th>
      <td><?php echo $myRequest['priority']; ?></td>
    </tr>
    <tr>
      <th class="col-md-3">Location</th>
      <td class="col-md-8"><?php echo $myRequest['unitNumber']; ?> <?php echo
$myRequest['street']; ?>, <?php echo $myRequest['suburb']; ?>, <?php echo $myRequest['state']; ?>
<?php echo $myRequest['postcode']; ?></td>
    </tr>
    <tr>
      <th>Status</th>
      <td><?php echo $myRequest['status']; ?></td>
    </tr>
    <tr>
      <th>Creation Date</th>
      <td><?php echo date('d-M-Y H:i:s', strtotime($myRequest['creationDate'])); ?></td>
    </tr>
  </table>

```

```

        <th>Last Modified</th>
        <td><?php echo date('d-M-Y H:i:s', strtotime($myRequest['lastModified'])); ?></td>
    </tr>
</table>
</div>
</div>
<?php
    if(isset($quotes) && $quotes != null){

?>
<div class="container">
    <div class="row">
        <div class="col-lg-12 text-center">
            <hr>
            <h3>QUOTES</h3>

            <hr>

            <?php
                // Print quotes information
                foreach ($quotes as $aQuote) {
                    if(($myRequest['statusID'] == WAITING_BOOKING && $aQuote['approved'] == 1) ||
$myRequest['statusID'] == WAITING_APROVAL || ($myRequest['statusID'] == IN_PROGRESS &&
$aQuote != null) || ($myRequest['statusID'] == CLOSED && $aQuote['approved'] == 1)){
                        ?>
                            <div class="row">
                                <div class="col-lg-6 col-lg-offset-3">
                                    <table class="table table-striped table-bordered table-hover" id="dataTables-example">
                                        <?php if($aQuote['approved'] == 1){ $approvedID = $aQuote['quoteID'];?>
                                            <tr><td colspan="2">APPROVED QUOTE</button></td></tr>
                                            <?php } ?>
                                        <tr>
                                            <th class="col-md-3">ID</th>
                                            <td class="col-md-8"><?php echo $aQuote['quoteID']; ?></td>
                                        </tr>
                                        <tr>
                                            <th class="col-md-3">Service Provider</th>
                                            <td class="col-md-8"><?php echo $aQuote['name']; ?></td>
                                        </tr>
                                        <tr>
                                            <th>Date Range</th>
                                            <td><?php echo date('d M Y', strtotime($aQuote['startDateTime'])); ?> - <?php echo
date('d M Y', strtotime($aQuote['endDateTime']));?></td>
                                        </tr>
                                        <tr>
                                            <th>Time Range</th>
                                            <td><?php echo date('g:i a', strtotime($aQuote['startTime'])); ?> - <?php echo date('g:i a',
strtotime($aQuote['endTime'])); ?></td>

```

```

</tr>
<tr>
  <th>Price Range</th>
  <td>$<?php echo $aQuote['minPrice']; ?> - $<?php echo $aQuote['maxPrice']; ?></td>
</tr>
<tr>
  <th class="col-md-3">Description</th>
  <td class="col-md-8"><?php echo $aQuote['description']; ?></td>
</tr>
<tr>
  <th>Creation Date</th>
  <td><?php echo date('d-M-Y H:i:s', strtotime($aQuote['creationDate'])); ?></td>
</tr>
<tr>
  <th>Last Modified</th>
  <td><?php echo date('d-M-Y H:i:s', strtotime($aQuote['lastModified'])); ?></td>
</tr>
<?php if($aQuote['approved'] == 1){ ?>
  <tr><th>User Booking Comment:</th>
  <td><?php echo $aQuote['clientComment']; ?></td></tr>
  <?php }
  if($aQuote['approved'] == 1 && $myRequest['statusID'] == CLOSED){ ?>
    <tr><th>Volunteer Booking Comment:</th>
    <td><?php echo $aQuote['volunteerComment']; ?></td></tr>
    <?php } ?>
<tr>
  <form action="PHP_Process_Files/processQuote.php" method="POST">
    <input type="hidden" name="action" id="action" value="Remove">
    <input type="hidden" name="quoteID" id="quoteID" value="<?php echo
$aQuote['quoteID']; ?>">
    <input type="hidden" name="requestID" id="requestID" value="<?php echo
$_GET['request']; ?>">
    <?php if($myRequest['statusID'] == IN_PROGRESS){ ?>
    <td colspan="2"><button type="submit" class="btn btn-danger">Remove
Quote</button></td>
    <?php } ?>
  </form>
</tr>
</table>
</div>
</div>
<hr>
<?php }}echo "</div></div>"; ?>
</div>
</div>
</div>
<div class="row">
  <div class="col-lg-6 col-lg-offset-3">

```

```

<?php if($myRequest['statusID'] == IN_PROGRESS){ ?>
<div class="container">
<div class="row">
  <div class="col-lg-4 text-center">
    <h5>Add Quote</h5>
  </div>
</div>
</div>
<div class="row">
  <div class="col-lg-6 col-lg-offset-2">
    <form action="PHP_Process_Files/processQuote.php" onsubmit="return
validateRequestDetails()" method="POST">
      <div class="row control-group">
        <div class="form-group col-xs-12 label-form-group controls">
          <label>Service Provider</label>
          <select class="form-control" id="serviceProvider" name="serviceProvider"
required>
            <?php foreach ($serviceProviders as $aServiceProvider) {
              echo'<option
value="'. $aServiceProvider['serviceProviderID'].'">'. $aServiceProvider['name']. '</option>';
            }?>
          </select>
          <p class="help-block text-danger"></p>
        </div>
      </div>
      <div class="row control-group">
        <div class="form-group col-xs-12 label-form-group controls">
          <label>Description</label>
          <textarea class="form-control" id="description" rows="4" placeholder="Describe
details of the quote" name="description" required data-validation-required-message="Please enter
a description for your quote"></textarea>
          <p class="help-block text-danger"></p>
        </div>
      </div>
      <div class="row control-group">
        <div class="form-group col-xs-6 label-form-group controls">
          <label>Minimum Quote Price</label>
          <input type="number" min="0" step="0.01" maxlength="10" onkeypress="return
isNumber(event)" class="form-control" placeholder="Minimum Quote Price" id="minPrice"
name="minPrice" required data-validation-required-message="Please enter minimum quote price">
          <p class="help-block text-danger"></p>
        </div>
      </div>
      <!-- Creates field for user to enter maximum amount they will pay for service -->
      <div class="row control-group">
        <div class="form-group col-xs-6 label-form-group controls">
          <label>Maximum Quote Price</label>

```

```
        <input type="number" min="0" step="0.01" maxlength="10" onkeypress="return
isNumber(event)" class="form-control" placeholder="Maximum Quote Price" id="maxPrice"
name="maxPrice" required data-validation-required-message="Please enter maximum quote
price">
```

```
        <p class="help-block text-danger"></p>
```

```
    </div>
```

```
</div>
```

```
<!-- Creates field for user to enter range of dates they would like the service provider to
perform the service.-->
```

```
<div class="row control-group">
```

```
    <div class="control col-xs-12">
```

```
        <label>Date</label>
```

```
        <br>
```

```
        Specify the <b>days</b> the service provider can work on the request.
```

```
    </div>
```

```
<div class="control col-xs-6">
```

```
    <div class="input-group">
```

```
        <input id="startDate" type="text" placeholder="Start Date" required value=""
style="background-color:White;" name="startDate" class="date-picker form-control" />
```

```
        <label for="startDate" class="input-group-addon btn">
```

```
            <span class="glyphicon glyphicon-calendar"></span>
```

```
        </label>
```

```
    </div>
```

```
<!-- Creates field for user to enter range of times they would like the service provider to
perform the service.-->
```

```
<div class="input-group">
```

```
    <input id="endDate" type="text" placeholder="End Date" required value=""
style="background-color:White;" name="endDate" class="date-picker form-control" />
```

```
    <label for="endDate" class="input-group-addon btn">
```

```
        <span class="glyphicon glyphicon-calendar"></span>
```

```
    </label>
```

```
</div>
```

```
</div>
```

```
<div class="control col-xs-12">
```

```
    <label>Time</label>
```

```
    <br>
```

```
    Specify the <b>times</b> the service provider can work on the request.
```

```
</div>
```

```
<div class="control col-xs-6">
```

```
    <div class="input-group">
```

```
        <input type="text" step='1' readonly min="00:00" max="24:00" value=""
name="startTime" id="startTime" class="form-control clockpicker" style="background-color:White;"
required placeholder="Start Time">
```

```
        <span class="input-group-addon">
```

```
            <span class="glyphicon glyphicon-time"></span>
```

```
        </span>
```

```
    </div>
```

```

        <div class="input-group">
            <input type="text" step='1' readonly min="00:00" max="24:00" value=""
name="endTime" id="endTime" class="form-control clockpicker" style="background-color:White;"
required placeholder="End Time ">
            <span class="input-group-addon">
                <span class="glyphicon glyphicon-time"></span>
            </span>
        </div>
    </div>
</div><br>
</div>
</div>
<br>
<div class="container">
<div class="row">
    <div class="col-lg-6 text-center">
        <input type="hidden" name="action" id="action" value="Add">
        <input type="hidden" name="requestID" id="requestID" value="<?php echo
$_GET['request']; ?>">
        <button type="submit" class="btn btn-success btn-lg" id="addQuote" name="addQuote"
value="<?php echo $_GET['request']; ?>">Add Quote</button>
    </form>
    </div>
</div>
<hr><br>
<?php if(isset($quotes) && $quotes != null){?>
<div class="row">
    <div class="col-lg-12 text-center">
        <form action="PHP_Process_Files/processWorkOnRequest.php" onsubmit="return
validateRequestDetails()" method="POST">
            <input type="hidden" name="action" id="action" value="RequestApproval">
            <input type="hidden" name="requestID" id="requestID" value="<?php echo
$_GET['request']; ?>">
            <button type="submit" class="btn btn-info btn-lg" >Send Quotes to Approval</button>
        </form>
    </div>
</div>
<?php } ?>
</div>
<?php
}
if($myRequest['statusID'] == WAITING_BOOKING){
?>
    <div class="row">
        <div class="col-lg-8 col-lg-offset-2">
            <form action="PHP_Process_Files/processWorkOnRequest.php" method="POST">
                <div class="row control-group">

```



```

        <div class="form-group col-xs-12 label-form-group controls">
            <label>Booking Information</label>
            <input type="hidden" name="action" id="action" value="FinishBooking">
            <input type="hidden" name="requestID" id="requestID" value="<?php echo
$_GET['request']; ?>">
            <textarea class="form-control" id="comment" name="comment" <?php
if($myRequest['status'] == "Closed") echo "readonly"; ?> rows="4" placeholder="Describe details of
the final booking information" name="requestDescription" required></textarea>
            <p class="help-block text-danger"></p>
        </div>
    </div>
</div>
</div>
<!-- Start button assigns volunteer to request-->
<div class="row">
    <div class="col-lg-12 col-lg-offset-3">
        <div style="display:inline-block;">
            <button type="submit" class="btn btn-success btn-lg" id="startBtn" name="quoteID"
value="<?php echo $approvedID; ?>">Send Final Booking Information</button>
        </div>
    </div>
</div>
</div>
<?php }
    if($myRequest['statusID'] == CLOSED && $feedbackVolunteer != NULL && $feedbackSP !=
NULL){ ?>
        <div class="row">
            <div class="col-lg-12 col-lg-offset-3">
                <h3>FEEDBACK</h3>
                <div class="row control-group">
                    <label>Service Provider - <?php echo $feedbackSP[0][0];?></label><br>
                </div>
                <div class="row control-group">
                    <label>Volunteer - <?php echo $feedbackVolunteer[0][0];?></label><br>
                </div>
            </div>
        </div>

        <?php } ?>

    </div>
</div>

</section>

<?php
// Includes logo and menu
include 'footer.inc';

```

```
// Includes Javascript files
include 'javascripts.inc';
?>
<script type="text/javascript" src="js/bootstrap-datepicker.js"></script>
<script type="text/javascript" src="js/bootstrap-clockpicker.js"></script>
<script>
    $('#startDate').datepicker({});
    $('#endDate').datepicker({});
    $('.clockpicker').clockpicker({
        placement: 'top',
        align: 'left',
        donetext: 'Done'
    });
</script>
</body>
</html>
```