

```

<?php
    // Includes pdo file
    include_once('pdo.inc');
    redirectUser((verifyUserType(VOLUNTEER) || verifyUserType(CUSTOMER) ||
verifyUserType(ADMIN)), "index.php");
    include_once('PHP_Process_Files/processViewQuotes.php');
    include_once('PHP_Process_Files/processViewRequest.php');
    include_once('PHP_Process_Files/processCheckForFeedback.php');
?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <?php include 'head.inc'; // Includes head content ?>
    </head>
    <body id="page-top" class="index">
        <?php include 'navigation.inc'; // Includes logo and menu?>
        <section id="createRequest">
            <div class="container">
                <div class="row">
                    <div class="col-lg-12 text-center">
                        <br><br>
                        <h2>View Help Request <?php echo $myRequest['requestID'];?></h2>
                        <hr class="star-primary">
                    </div>
                </div>
                <div class="row">
                    <div class="col-lg-8 col-lg-offset-2">
                        <?php
                            if($myRequest['statusID'] == OPEN)
                                echo "<img class='img-responsive'
src='img/status_img/waiting_volunteer_open.png' alt='\" style='width: 100%; height: 100%'>";
                            if($myRequest['statusID'] == CLOSED)
                                echo "<img class='img-responsive' src='img/status_img/booked_closed.png' alt='\"
style='width: 100%; height: 100%'>";
                            if($myRequest['statusID'] == WAITING_APROVAL)
                                echo "<img class='img-responsive' src='img/status_img/waiting_approval.png'
alt='\" style='width: 100%; height: 100%'>";
                            if($myRequest['statusID'] == IN_PROGRESS)
                                echo "<img class='img-responsive'
src='img/status_img/waiting_quotes_inprogress.png' alt='\" style='width: 100%; height: 100%'>";
                            if($myRequest['statusID'] == CANCELLED)
                                echo "<img class='img-responsive' src='img/status_img/cancelled.png' alt='\"
style='width: 100%; height: 100%'>";
                            if($myRequest['statusID'] == WAITING_BOOKING)
                                echo "<img class='img-responsive' src='img/status_img/waiting_booking_conf.png'
alt='\" style='width: 100%; height: 100%'>";
                        ?>
                    </div>
                </div>
            </div>
        </section>
    </body>
</html>

```

```

<div class="container">
<div class="row">
  <div class="col-lg-8 text-center">
    <table class="table table-striped table-bordered table-hover" id="dataTables-
example">
      <tr>
        <th class="col-md-3">ID</th>
        <td class="col-md-8"><?php echo $myRequest['requestID']; ?></td>
      </tr>
      <tr>
        <th>Request</th>
        <td><?php echo $myRequest['requestName']; ?></td>
      </tr>
      <tr>
        <th>Date Range</th>
        <td><?php echo date('d M Y', strtotime($myRequest['startDate'])); ?> - <?php
echo date('d M Y', strtotime($myRequest['endDate'])); ?></td>
      </tr>
      <tr>
        <th>Time Range</th>
        <td><?php echo date('g:i a', strtotime($myRequest['startTime'])); ?> - <?php
echo date('g:i a', strtotime($myRequest['endTime'])); ?></td>
      </tr>
      <tr>
        <th>Price Range</th>
        <td>$<?php echo $myRequest['minPrice']; ?> - $<?php echo
$myRequest['maxPrice']; ?></td>
      </tr>
      <tr>
        <th class="col-md-3">Description</th>
        <td class="col-md-8"><?php echo $myRequest['comment']; ?></td>
      </tr>
      <tr>
        <th>Priority</th>
        <td><?php echo $myRequest['priority']; ?></td>
      </tr>
      <tr>
        <th class="col-md-3">Location</th>
        <td class="col-md-8"><?php echo $myRequest['unitNumber']; ?> <?php echo
$myRequest['street']; ?>, <?php echo $myRequest['suburb']; ?>, <?php echo $myRequest['state']; ?>
<?php echo $myRequest['postcode']; ?></td>
      </tr>
      <tr>
        <th>Status</th>
        <td><?php echo $myRequest['status']; ?></td>
      </tr>
      <tr>
        <th>Creation Date</th>

```

```

        <td><?php echo date('d-M-Y H:i:s', strtotime($myRequest['creationDate']));
?></td>

    </tr>
    <tr>
        <th>Last Modified</th>
        <td><?php echo date('d-M-Y H:i:s', strtotime($myRequest['lastModified']));
?></td>

    </tr>
</table>
</div>
</div>
</div>

<br><br>
<?php
    if($myRequest['statusID'] == OPEN){
?>
<div>
    <form action="editRequest.php" method="GET">
        <button type="submit" value="<?php echo $myRequest['requestID'];?>"
name="request" id="request" class="btn btn-info btn-lg" id="createBtn">Edit </button>
        <button type="button" value="Create Help Request" class="btn btn-danger btn-lg"
id="createBtn" data-toggle="modal" data-target="#confirmDeleteModal">Delete</button>
    </form>
</div>
<?php } ?>
</div></div>
<?php
    if(isset($quotes) && $quotes != null && $myRequest['statusID'] != OPEN &&
$myRequest['statusID'] != IN_PROGRESS){
?>
<div class="container">
    <div class="row">
        <div class="col-lg-12 text-center">
            <hr>
            <h3>QUOTES</h3>

            <hr>
            <?php if($myRequest['statusID'] == WAITING_APROVAL){ ?>
<form action="PHP_Process_Files/processApproveRequest.php" method="POST">

            <?php }
            // Print quotes information
            foreach ($quotes as $aQuote) {
                if(($myRequest['statusID'] == WAITING_BOOKING && $aQuote['approved'] == 1)
|| ($myRequest['statusID'] == WAITING_APROVAL) || ($myRequest['statusID'] == CLOSED &&
$aQuote['approved'] == 1)){
                    ?>

```

```

<div class="row">
<div class="col-lg-6 col-lg-offset-3">
<table class="table table-striped table-bordered table-hover" id="dataTables-
example">
<?php $serviceProviderID;
if($aQuote['approved'] == 1){
    $serviceProviderID= $aQuote['serviceProviderID'] ?>
<tr><td colspan="2">APPROVED QUOTE</button></td></tr>
<?php } ?>
<tr>
<th class="col-md-3">ID</th>
<td class="col-md-8"><?php echo $aQuote['quoteID']; ?></td>
</tr>
<tr>
<th class="col-md-3">Service Provider</th>
<td class="col-md-8"><?php echo $aQuote['name']; ?></td>
</tr>
<tr>
<th>Date Range</th>
<td><?php echo date('d M Y', strtotime($aQuote['startDateTime'])); ?> - <?php
echo date('d M Y', strtotime($aQuote['endDateTime']));?></td>
</tr>
<tr>
<th>Time Range</th>
<td><?php echo date('g:i a', strtotime($aQuote['startTime'])); ?> - <?php echo
date('g:i a', strtotime($aQuote['endTime'])); ?></td>
</tr>
<tr>
<th>Price Range</th>
<td><$<?php echo $aQuote['minPrice']; ?> - $<?php echo $aQuote['maxPrice'];
?></td>
</tr>
<tr>
<th class="col-md-3">Description</th>
<td class="col-md-8"><?php echo $aQuote['description']; ?></td>
</tr>
<tr>
<th>Creation Date</th>
<td><?php echo date('d-M-Y H:i:s', strtotime($aQuote['creationDate'])); ?></td>
</tr>
<tr>
<th>Last Modified</th>
<td><?php echo date('d-M-Y H:i:s', strtotime($aQuote['lastModified'])); ?></td>
</tr>

<?php if($myRequest['statusID'] == WAITING_APROVAL){ ?>
<tr>
<td colspan="2">

```

```

                <label><input type="radio" name="approvedQuote" required value="<?php
echo $aQuote['quoteID']; ?>"> Approve this quote</label>
            </td>
        </tr>
    <?php } ?>

```

```

        <?php if($aQuote['approved'] == 1){ ?>
            <tr><th>User Booking Comment:</th>
            <td><?php echo $aQuote['clientComment']; ?></td></tr>
        <?php }

```

```

            if($aQuote['approved'] == 1 && $myRequest['statusID'] == CLOSED){ ?>
                <tr><th>Volunteer Booking Comment:</th>
                <td><?php echo $aQuote['volunteerComment']; ?></td></tr>
            <?php } ?>
        </table>
    </div>
</div>

```

```

        <hr>
        <?php } } if($myRequest['statusID'] == WAITING_APROVAL){ ?>
        <div class="row">
            <div class="col-lg-6 col-lg-offset-3">
                <td colspan="2">
                    <label><input type="radio" name="approvedQuote" required
value="nonce">None. (Ask for new quotes)</label>
                </td><br>
                <label>Quote Comment</label>
                <textarea class="form-control" id="comment" rows="4" placeholder="Write
a comment for the selected quote" name="comment"></textarea>
                <p class="help-block text-danger"></p>
                <input type="hidden" name="requestID" id="requestID" value="<?php echo
$myRequest['requestID']; ?>">
                <button type="submit" class="btn btn-success btn-lg" id="approveBtn"
name="approveBtn" >Send Quote Approval</button>
            </div>
        </div>

```

```

        <?php }if($myRequest['statusID'] == CLOSED && $feedbackVolunteer == NULL &&
$feedbackSP == NULL){?>
            <form action="PHP_Process_Files/processInsertFeedbacks.php" method="POST">
                <div class="row">
                    <div class="col-lg-6 col-lg-offset-3">
                        <h3>FEEDBACK</h3>
                        <div class="row control-group">
                            <label>Service Provider</label><br>
                            <label><input type="radio" class="radio"
name="serviceProviderFeedback" value="1" required>1</label>

```

```

        <label><input type="radio" class="radio"
name="serviceProviderFeedback" value="2" required>2</label>
        <label><input type="radio" class="radio"
name="serviceProviderFeedback" value="3" required>3</label>
        <label><input type="radio" class="radio"
name="serviceProviderFeedback" value="4" required>4</label>
        <label><input type="radio" class="radio"
name="serviceProviderFeedback" value="5" required>5</label>
    </div>
    <hr>
    <div class="row control-group">
        <label>Volunteer</label><br>
        <label><input type="radio" class="radio" name="volunteerFeedback"
value="1" required>1</label>
        <label><input type="radio" class="radio" name="volunteerFeedback"
value="2" required>2</label>
        <label><input type="radio" class="radio" name="volunteerFeedback"
value="3" required>3</label>
        <label><input type="radio" class="radio" name="volunteerFeedback"
value="4" required>4</label>
        <label><input type="radio" class="radio" name="volunteerFeedback"
value="5" required>5</label>
    </div>
    <br>
    <input type="hidden" name="requestID" id="requestID" value="<?php echo
$myRequest['requestID']; ?>">
    <input type="hidden" name="volunteerID" id="volunteerID" value="<?php
echo $myRequest['volunteerID']; ?>">
    <input type="hidden" name="serviceProviderID" id="serviceProviderID"
value="<?php echo $serviceProviderID; ?>">
    <button type="submit" class="btn btn-info btn-lg" id="approveBtn"
name="approveBtn" >Send FeedBacks</button>
    </div>
</div>

```

```

<?php }
if($myRequest['statusID'] == CLOSED && $feedbackVolunteer != NULL &&
$feedbackSP != NULL){ ?>
    <div class="row">
        <div class="col-lg-6 col-lg-offset-3">
            <h3>FEEDBACK</h3>
            <div class="row control-group">
                <label>Service Provider - <?php echo $feedbackSP[0][0]; ?></label><br>
            </div>
            <div class="row control-group">
                <label>Volunteer - <?php echo $feedbackVolunteer[0][0]; ?></label><br>
            </div>
        </div>
    </div>

```

```

        </div>

        <?php }} ?>

    </div>
</div>
</div>
</section>
<div id="confirmDeleteModal" class="modal fade" tabindex="-1" role="dialog">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span
aria-hidden="true">&times;</span></button>
                <h4 class="modal-title">ATTENTION!</h4>
            </div>
            <div class="modal-body">
                <p>You're about to delete your request and all information associated with it.</p>
                <p>Are you sure you want do delete it?</p>
                <br>
                <p>You won't be able to recover it later.</p>
            </div>
            <div class="modal-footer">
                <form action="PHP_Process_Files/processDeleteRequest.php" method="POST">
                    <input type="hidden" name="locationID" value="<?php echo
$myRequest['locationID'];?>" />
                    <button type="submit" class="btn btn-danger" name="requestID" id="requestID"
value="<?php echo $myRequest['requestID'];?>">YES, I WANT TO DELETE REQUEST <?php echo
$myRequest['requestID'];?></button>
                    <button type="button" class="btn btn-success" data-dismiss="modal">NO</button>
                </form>
            </div>
        </div>
    </div>
</div>
<?php
    // Includes logo and menu
    include 'footer.inc';
    // Includes Javascript files
    include 'javascripts.inc';
    ?>

    <div id="modalEditRequestSuccess-content" class="modal fade" tabindex="-1"
role="dialog">
        <div class="modal-dialog">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span
aria-hidden="true">&times;</span></button>

```

```
        <h4 class="modal-title">Request's details successfully updated!</h4>
    </div>
    <div class="modal-footer">
        <a href="#" class="btn btn-primary" data-dismiss="modal">Close</a>
    </div>
</div>
</div>
</div>
</body>
</html>
```