



# CUSTOM ARCHES & ARCHITECTURAL ACCENTS

Garden State Lumber and Hinchman Architectural Millwork have come together to bring you our newest offering of custom millwork products. Whether trimming your basic arched opening or tackling the most complex of architectural styles, we can accommodate the most elaborate fabrications your imagination can create.

## CUSTOM ARCHES & Architectural Accents

- Available in Primed MDF, PVC, most hardwood species
- 3/16" Reveal will be added to all supplied measurements & templates

### ARCH CASINGS

- Reveal can be adjusted upon specification
- Most casings for Andersen units can be manufactured by Andersen unit number

### ELLIPTICALS

SHOWN: ESI EASTERN WHITE PINE

TEMPLATE REQUIRED

Measurement Required:  $\Delta$  Measurement Only - Inside Width Jamb to Jamb

Elliptical units require a template of the jamb supplied on Red Rosin paper, Tyvek, or any flat surface durable paper (cardboard templates tend to lose the measurement accuracy required once folded). A measurement must be supplied with template to ensure accuracy of finished product.

### EYEBROWS / ARCHES

SHOWN: GS419 IN AMERICAN CHERRY

Measurements Required:

- $\Delta$  Measurement - Unit Width/Inside Jamb to Jamb
- $\square$  Measurement - Chord Height to Inside of Jamb

## HALF ROUNDS

SHOWN: PLASS PRIME MDF

Measurements Required:

- $\Delta$  Measurement Only - Inside Jamb To Jamb

## OVALS

SHOWN: ESI IN PVC

Measurements Required:

- $\Delta$  Measurement - Unit Width Inside Jamb to Jamb
- $\square$  Measurement - Unit Height Inside Jamb to Jamb

\* All our milled PVC Arches will have a factory applied bonding primer to obtain a smooth finished product

Oval units require a template of the jamb supplied on Red Rosin paper, Tyvek, or any flat surface durable paper (cardboard templates tend to lose the measurement accuracy required once folded). A and B measurements must be supplied with template to ensure accuracy of finished product.

## FULL ROUNDS

SHOWN: 5/4 X 4 (7' X 3 1/2") PVC

Measurements Required:

- $\Delta$  Measurement Only - Unit Width/Inside Jamb to Jamb (diameter)

WWW.GARDENSTATELUMBER.COM

NORTHEAST REGION: PHONE: (800)526-4708

SOUTHEAST REGION: PHONE: (800)296-0288

WWW.GARDENSTATELUMBER.COM

NORTHEAST REGION: PHONE: (800)526-4708

SOUTHEAST REGION: PHONE: (800)296-0288

## CUSTOM ARCHES & Architectural Accents

### PRE-FABRICATED ARCHED OPENINGS

- CHOOSE ANY GARDEN STATE LUMBER CASING OR CUSTOM CASING
- PICK YOUR ARCH STYLE
- SELECT YOUR SPECIES (MDF, PVC, ANY HARDWOOD SPECIES)
- SUPPLY US WITH YOUR OPENING DIMENSIONS AND JAMB WIDTH
- FOLLOW INSTALLATION INSTRUCTIONS

### OPTIONAL KEYS

Can Be Ordered Loose Or Applied

FLAT FLAT W/GAP

ROUTED ROUTED W/GAP

CUSTOM

- Available In MDF, PVC, Most Hardwood Species
- Made To Any Jamb Width
- Easy Installation

## INSTALLATION INSTRUCTIONS

STEP 1

Drywall hangs past rough opening 16"

Rough opening

STEP 3

Cut drywall along template line

STEP 2

Align center of supplied template to center of rough opening at desired height

Level and trace template

STEP 4

Slide in Pre-Fabricated Casing with jamb around wall

Center... Level and fasten in place

WWW.GARDENSTATELUMBER.COM

NORTHEAST REGION: PHONE: (800)526-4708

SOUTHEAST REGION: PHONE: (800)296-0288

WWW.GARDENSTATELUMBER.COM

NORTHEAST REGION: PHONE: (800)526-4708

SOUTHEAST REGION: PHONE: (800)296-0288






**GS MILLWORK**'s rigorous quality control standards ensure that we deliver only the finest quality finished goods on the market. All of their products are manufactured to the proprietary GSM QC Specifications which results in a premium FAS+ hardwood S4S trimboard. Precision End-Trimmed and End-Stamped with length designation, we can supply any one of our stock sizes and species or custom specification your project requires.







*You Can Now  
Custom Run Any  
Pattern in Finger  
Joint Pine Primed*



## Custom Run Mouldings and Millwork

- Most domestic and import hardwood species
- ALL Garden State Lumber patterns available
- Custom patterns up to 11-1/2" wide
- Finish options: Unfinished, Primed, Clear Coated
- In house CAD Design and Toolings
- Short lead times of 3 weeks or sooner
- No minimum quantity requirements

SCALE 1/4" = 1 FT.  
DRAWN BY:  
TRACED BY:  
CHECKED BY:

REVISION 1 2 3  
BY

## Tongue & Groove – Nickel Gap

Solid Poplar & White Oak

## Custom S4S Capabilities

Most domestic and import hardwood species

PREMIUM  
GS  
MILLWORK  
ARCHITECTURAL  
WOOD PRODUCTS