## Senador Cassiano Projetos e Cortes.skp

## Summary

## Settings

Optimization Level : AdvancedPreferred Direction : No preference

Blade Thickness : 3mmTrimming : 5mm


• Shape of Parts : Hidden

## Statistics

Number of Cuts: 61
Length of Cuts: 65,08 m
Overall Efficiency: 71,13%

• Leftovers to keep : 5 (L x W > 100mm x 100mm)

Panel	Qty.	Length	Width	Σ Area	# Parts
	3	2750mm	1850mm	15,26 m²	36



		· · · · · · · · · · · · · · · · · · ·		
No.	Designation	Qty.	Finished	
	Designation		L	W
Α	Lat	2	2200mm	500mm
В	Lat ► 4	1	2200mm	500mm
Е	Reforço	1	1764mm	180mm
F	Fun Cabos	1	1764mm	134mm
I	Piso	2	564mm	500mm
J	Piso •Id	1	564mm	500mm
R	Div nicho	1	332mm	270mm
■ No grain   Trimming: 5mm   9 parts   Length of Cuts: 2		: 21,79 m	Efficiency: 95,00%	

2750mm

Α

В


Е


1850mm

332mm

R

332mm 397mm





No.	Designation	Qty.	Finished		
	Designation		L	W	
В	Lat ▶!∢	1	2200mm	500mm	
С	Nicho Base	1	1800mm	350mm	
D	Nicho Base ▶i⁴	1	1800mm	350mm	
G	Cabos	1	1764mm	70mm	
Н	Lat 2	2	700mm	152mm	
J	Piso Pia	1	564mm	500mm	
K	Piso#1	2	564mm	484mm	
L	Prat	3	564mm	400mm	
М	Sep	2	564mm	~ 86mm	
N	Soleira	4	564mm	62mm	
0	Tecl	1	502mm	170mm	
No grain   Trimming: 5mm   19 parts   Length of Cuts: 30,84 m   Efficiency: 89,72%					

