Senador Cassiano Projetos e Cortes.skp

Summary

Settings

Optimization Level : AdvancedPreferred Direction : No preference

Blade Thickness : 3mmTrimming : 5mm

• Shape of Parts : Hidden

Statistics


Number of Cuts: 29
Length of Cuts: 50,52 m
Overall Efficiency: 61,24%

• **Leftovers to keep**: 7 (L x W > 100mm x 100mm)


Panel	Qty.	Length	Width	Σ Area	# Parts
	3	2750mm	1850mm	15,26 m²	19







No.	Designation	Qty.	Finished		
			L	W	
Α	Lat#1	1	2200mm	550mm	
В	Lat#1 ▶ 4	1	2200mm	550mm	
С	Meio#1	1	2104mm	500mm	
F	Soleira quarto	2	1764mm	60mm	
G	Prat#1	2	873mm	434mm	
J	Meio quarto	1	479mm	60mm	
⊠ No	☑ No grain Trimming : 5mm 8 parts Length of Cuts : 22,65 n		Efficiency: 88,67%		



No.	Designation	Qty.	Finished	
			L	W
G	Prat#1	2	873mm	434mm
Н	PratM	6	873mm	350mm
1	Div	1	600mm	434mm
☑ No grain Trimming : 5mm 9 parts Length of Cuts : 17,66 m Efficiency : 56				

