

In Lua, things like local keyword scoping, end blocks instead of curly braces {}, and dynamic typing are the main differences.

Roblox Studio's visual editor (No Code) and where we actually write Lua scripts, mapped directly across our 3-day workshop schedule.

Day 1 Breakdown: Building the Stage

- **Setup to Environmental Manipulation:** ❌ **No Code.** Purely UI navigation, terrain tools, and importing 3D models.
- **Feedback & Parts:** ❌ **No Code.** Placing visual blocks, sizing them, and coloring them.
- **Conveyor Belt:**
 - *Building the belt:* ❌ **No Code** (making a long brick).
 - *Scripting / Adding the Script / Coding the Conveyor:* ✅ **CODE.** This is where you write your first script to move parts across the belt (usually altering CFrame or using AssemblyLinearVelocity).

Day 2 Breakdown: The Economy Engine

- **Click Dropper & Editing Parts:** ❌ **No Code.** Creating the 3D model that acts as the dropper.
- **Variables & Click Events:** ✅ **CODE.** This is a classroom conceptual lesson + writing code to listen for player clicks (.MouseButton1Click or .Touched).
- **Collection Point:**
 - *Building the pad:* ❌ **No Code.**
 - *Coding the Collection Point:* ✅ **CODE.** Writing a .Touched event to detect when a dropped item hits the bin and triggers a score update.
- **Auto Dropper & Debounces:** ✅ **CODE.** Writing a while true do loop for automated spawning, and using a boolean debounce variable to stop players from glitching/spamming triggers.

- **GUI & Money Label:**

- *Designing the screen:* ❌ **No Code** (dragging and dropping text labels on the screen).
- *Updating the GUI:* ✅ **CODE**. Writing a script that listens to the player's cash value changing and updates the text on their screen.

Day 3 Breakdown: Polish & Launch

- **Improving Tycoon & Price Labels:** Mixed. Building the text label parts above items is visual, but making them change text dynamically to show prices requires a short script.
- **Obby:** ❌ **No Code**. Pure level design (jump puzzles are just physical parts).
- **Publishing & Wrap Up:** ❌ **No Code**. Clicking "Publish to Roblox" and adjusting game settings.

Quick Lua Cheat Sheet (From a C++ Perspective)

To save you time, here is how standard C++ concepts translate into Roblox Lua:

Concept	C++ Style	Roblox Lua Style
Variables	int cash = 10; or auto cash = 10;	local cash = 10 (dynamic, use local always to avoid global scope pollution).
Conditionals	if (x == 5) { ... }	if x == 5 then ... end (Note: uses not, and, or instead of !, &&, `
Loops	while(true) { ... }	while true do ... end
Events / Callbacks	Function pointers / lambdas	part.Touched:Connect(function(hit) ... end)
Object Creation	Part* p = new Part();	local p = Instance.new("Part")

Since you are mapping out your teaching notes, would you like the exact, commented Lua script for one of the trickier spots—like the **Debounce on the Buy Buttons** or **Updating the GUI**—so you can review how it works beforehand?