NeuroAssist Clinical Assessment Report

Patient Information

Patient Name	Demo Patient
Patient ID	P001
Age Range	N/A
Gender	N/A
Assessment Date	2026-07-03
Assessor	Demo GP
Informant Information	Yes. Informant input was available and contributed to the assessment.


Assessment Summary

Final Risk Score	5.0 / 11
Risk Classification	Moderate Risk
Recommendation	Possible cognitive or functional impairment may be present. Further clinical evaluation and monitoring may be recommended.
Suggested Follow-up	Further monitoring is recommended. A follow-up assessment may be considered within 6 months.


Domain Score Summary

Domain	Raw Score	Normalized	Severity	Weight	Weighted Score
Memory	7	0.58	Moderate Impairment	3	1.8
Orientation	2	0.17	Normal / No Impairment	1	0.2
Executive	4	0.33	Mild Impairment	2	0.7
Informant	7	0.58	Moderate Impairment	3	1.8
IADL	4	0.33	Mild Impairment	2	0.7

Domain Severity Chart



Risk Trend Chart



Clinical Findings

Moderate memory impairment detected.
Moderate informant-reported cognitive concern identified.
Combined patient and informant findings suggest possible cognitive decline.

Triggered Rules

R1 - Memory Impairment Rule Triggered
R2 - Informant Concern Rule Triggered
R6 - Memory and Informant Pattern Rule Triggered

Referral Summary

Patient Demo Patient (P001) was assessed using NeuroAssist on 2026-07-03. The final weighted score was 5.0 out of 11, classified as Moderate Risk. Informant Information: Yes. Informant input was available and contributed to the assessment. Clinical findings identified: Moderate memory impairment detected. | Moderate informant-reported cognitive concern identified. | Combined patient and informant findings suggest possible cognitive decline.. Triggered rules: R1 - Memory Impairment Rule Triggered | R2 - Informant Concern Rule Triggered | R6 - Memory and Informant Pattern Rule Triggered. Recommendation: Possible cognitive or functional impairment may be present. Further clinical evaluation and monitoring may be recommended.. Suggested follow-up: Further monitoring is recommended. A follow-up assessment may be considered within 6 months.

Questionnaire Responses

Domain	Question	Selected Answer
Memory	Q1	2 - Moderate Impairment
Memory	Q2	2 - Moderate Impairment
Memory	Q3	2 - Moderate Impairment
Memory	Q4	1 - Mild Impairment
Orientation	Q1	1 - Mild Impairment
Orientation	Q2	1 - Mild Impairment
Orientation	Q3	0 - Normal / No Impairment
Orientation	Q4	0 - Normal / No Impairment
Executive	Q1	1 - Mild Impairment
Executive	Q2	1 - Mild Impairment
Executive	Q3	1 - Mild Impairment
Executive	Q4	1 - Mild Impairment
Informant	Q1	2 - Moderate Impairment
Informant	Q2	2 - Moderate Impairment
Informant	Q3	2 - Moderate Impairment
Informant	Q4	1 - Mild Impairment
IADL	Q1	1 - Mild Impairment
IADL	Q2	1 - Mild Impairment
IADL	Q3	1 - Mild Impairment
IADL	Q4	1 - Mild Impairment

Disclaimer: NeuroAssist is intended to support screening and referral decisions. It does not provide a medical diagnosis and should not replace clinical judgement.