



deeplearning.ai

Basics of Neural Network Programming

Broadcasting in Python

Broadcasting example

Calories from Carbs, Proteins, Fats in 100g of different foods:

	Apples	Beef	Eggs	Potatoes
Carb	56.0	0.0	4.4	68.0
Protein	1.2	104.0	52.0	8.0
Fat	1.8	135.0	99.0	0.9

= A
(3,4)

59 cal

$$\frac{56}{59} \approx 94.9\%$$

Calculate % of calories from Carb, Protein, Fat. Can you do this without explicit for-loop?

```
cal = A.sum(axis = 0)
```

```
percentage = 100 * A / (cal.reshape(1,4))
```

$\uparrow (3,4) \quad / \quad (1,4)$

Broadcasting example

$$\begin{bmatrix} 1 \\ 2 \\ 3 \\ 4 \end{bmatrix} + \begin{bmatrix} 100 \\ 100 \\ 100 \\ 100 \end{bmatrix} \quad \text{with a crossed-out } 100 \text{ to the right}$$

$$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} \quad \text{with } (m,n) \text{ and } (2,3) \text{ below} + \begin{bmatrix} 100 & 200 & 300 \\ 100 & 200 & 300 \end{bmatrix} \quad \text{with } (1,n) \rightsquigarrow (m,n) \text{ and } (2,3) \text{ below}$$

↓ ↓ ↓

$$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} \quad \text{with } (m,n) \text{ below} + \begin{bmatrix} 100 & 100 & 100 \\ 200 & 200 & 200 \end{bmatrix} \quad \text{with } (m,1) \text{ below, then } \downarrow \text{ to } (m,n) \text{ below}$$

= ←
←

General Principle

$$\begin{array}{ccc} (m, n) & + & (1, n) \rightsquigarrow (m, n) \\ \text{matrix} & * & \\ \hline & / & (m, 1) \rightsquigarrow (m, n) \end{array}$$

$$\begin{array}{ccccc} (m, 1) & + & \mathbb{R} & & \\ \begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix} & + & 100 & = & \begin{bmatrix} 101 \\ 102 \\ 103 \end{bmatrix} \\ [1 \ 2 \ 3] & + & 100 & = & [101 \ 102 \ 103] \end{array}$$

Matlab/Octave: bsxfun