


LEAP datasets across scales (751 of 811 datasets with a spatial scale; [n] = datasets per family; extents approximate)

Idealized benchmark    Model simulation    Derived / generated product    Observation / reanalysis    Other



- 1 Other observation: site/point [28]
- 2 Warm-rain bin microphysics box/column (TAU) [5]
- 3 Convective boundary layer LES/DNS [3]
- 4 Cloud-scene LES + 3D radiation (Powell) [6]
- 5 GOES geostationary imagery [4]
- 6 Other (misc.) [11]
- 7 Other model simulation: process-scale [18]
- 8 DYAMOND / ICON storm-resolving (NARVAL, QUBICC [10]
- 9 SPCAM / SPCEM superparameterized runs [17]
- 10 Other model simulation: global [16]
- 11 CloudSat / CALIPSO [5]
- 12 ClimSim (E3SM-MMF) [11]
- 13 GISS ModelE runs (incl. PPE/CPE) [12]
- 14 Other observation: regional [9]
- 15 E3SM-MMF online / hybrid runs [3]
- 16 ERA5 reanalysis [42]
- 17 Other derived: regional [14]
- 18 MAC-LWP liquid water path [5]
- 19 Other derived: global [16]
- 20 JRA-55 reanalysis / JRA55-do forcing [5]
- 21 MERRA-2 reanalysis [4]
- 22 ChaosBench S2S benchmark [3]
- 23 Other observation: global [29]
- 24 Satellite precipitation (GPCP, IMERG) [8]
- 25 CESM2/CAM6 perturbed parameter ensembles [13]
- 26 CERES radiative fluxes [6]
- 27 CMIP5/6 multi-model archive [6]

- 1 Other observation: regional [13]
- 2 Other model simulation: process-scale [4]
- 3 Other derived: regional [12]
- 4 Other model simulation: regional [9]
- 5 NSIDC sea-ice concentration [6]
- 6 ERA5 reanalysis [3]
- 7 NOAA OISST sea surface temperature [9]
- 8 GFDL SPEAR sea-ice DA increments [4]
- 9 MOM6 idealized (NeverWorld2, double gyre) [3]
- 10 Argo / BGC-Argo floats [3]
- 11 GFDL OM4 / MOM6 ocean runs [3]
- 12 Other observation: global [16]
- 13 Other derived: global [40]
- 14 Other model simulation: global [14]
- 15 pCO2 Large Ensemble Testbed [3]
- 16 Met Office EN4 temperature/salinity [7]
- 17 SOCAT surface ocean CO2 [18]
- 18 CMIP5/6 multi-model archive [4]
- 19 GLODAP ocean carbon/bottle data [10]

- 1 Other observation: regional [17]
- 2 Other model simulation: regional [4]
- 3 Site eddy covariance + SIF [8]
- 4 ERA5 reanalysis [8]
- 5 MODIS products [14]
- 6 FLUXNET / FLUXCOM eddy covariance [17]
- 7 Other derived: regional [21]
- 8 Other derived: site/point [5]
- 9 Other (misc.) [9]
- 10 Other observation: global [9]
- 11 Other derived: global [26]
- 12 WUMI wildfire dataset [3]
- 13 CLM5 perturbed parameter ensembles [11]

- 1 Other idealized benchmark: misc. [20]
- 2 Quasi-geostrophic turbulence (pyqg) [6]
- 3 Other derived: regional [9]
- 4 GFDL CM2.6 eddy-resolving [3]
- 5 ERA5 reanalysis [3]
- 6 S2S forecast archives (ECMWF, NCEP, UKMO, CMA) [4]
- 7 Other model simulation: global [15]
- 8 Other derived: global [8]
- 9 Other (misc.) [16]
- 10 CMIP5/6 multi-model archive [17]
- 11 CESM / multi-model large ensembles [8]