# maven配置

## 本地仓库

maven-repository

D:\maven\maven-repository

将settings.xml文件的 localRepository 节点修改为如下代码:

```xml
<localRepository>D:\maven\maven-repository</localRepository>
```

## 镜像配置

[IntelliJ IDEA设置Maven国内阿里镜像_idea国内镜像-CSDN博客](#)

将settings.xml文件的 mirror 节点修改为如下代码:

```xml
<?xml version="1.0" encoding="UTF-8"?>
<settings xmlns="http://maven.apache.org/SETTINGS/1.0.0"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://maven.apache.org/SETTINGS/1.0.0 http://maven.apache.org/xsd/settings-1.0.0.xsd">

  <mirrors>
    <mirror>
      <id>alimaven</id>
      <mirrorOf>central</mirrorOf>
      <name>aliyun maven</name>
      <url>http://maven.aliyun.com/nexus/content/repositories/central/</url>
    </mirror>

  </mirrors>
</settings>

```

## springboot 配置

☐ Work offline
☐ Use plugin registry
☑ Execute goals recursively
☐ Print exception stack traces
☐ Always update snapshots

Output level:                Info
Checksum policy:             No Global Policy
Multiproject build fail policy: Default
Thread count
Maven home path:    D:/maven/apache-maven-3.9.8
                    (Version: 3.9.8)
User settings file:  D:\maven\apache-maven-3.9.8\conf\settings.xml    ☑ Override
Local repository:    D:\maven\maven-repository                        ☑ Override
☑ Use settings from .mvn/maven.config