

# The Command Line



## Basic Terminal

ssh	<ul style="list-style-type: none"> <li>• short for <b>secure shell</b></li> <li>• <b>usage:</b> <code>ssh [host]@[computer].[otherIPstuff]</code> <ul style="list-style-type: none"> <li>◦ for lab computers: <code>ssh [CSID]@[comp].cs.utexas.edu</code></li> <li>◦ can get a list of active computers from the UTCS web page by searching "lab machines"</li> </ul> </li> <li>• works natively for Macs and Linux machines</li> <li>• for Windows machines will need to use Putty <ul style="list-style-type: none"> <li>◦ WinSCP is also a great program for Windows</li> </ul> </li> <li>• there is also a secure shell extension for Chrome</li> </ul>
[ctrl] + [alt] + t	<ul style="list-style-type: none"> <li>• this will open up a new terminal window for you</li> <li>• is super convenient on the computers in the lab</li> </ul>
[up arrow]	<ul style="list-style-type: none"> <li>• this will bring up the last command you used in the your terminal <ul style="list-style-type: none"> <li>◦ if used multiple times will keep going up in your command history</li> </ul> </li> <li>• can be useful when using long/ repeated commands</li> <li>• the down arrow will go back through commands in the other direction</li> </ul>
history	<ul style="list-style-type: none"> <li>• this will print out a list of your previous terminal commands</li> <li>• can be useful if you are trying to remember a complex command you did previously but can't quite remember</li> </ul>
clear	<ul style="list-style-type: none"> <li>• this will totally clear your terminal screen</li> <li>• can be useful when have just run something really complex and would like a clean slate</li> </ul>
man	<ul style="list-style-type: none"> <li>• short for <b>man</b>ual</li> <li>• <b>usage:</b> <code>man [something confusing]</code> <ul style="list-style-type: none"> <li>◦ example: <code>man grep</code></li> </ul> </li> <li>• will give you helpful usage information about certain commands/ system calls <ul style="list-style-type: none"> <li>◦ is especially useful to look at the flags for commands</li> </ul> </li> </ul>
echo	<ul style="list-style-type: none"> <li>• this will basically just print something to your terminal window</li> <li>• <b>usage:</b> <code>echo "hello world"</code></li> </ul>

	<ul style="list-style-type: none"> <li>is really useful in bash scripts <ul style="list-style-type: none"> <li><b>NOTE:</b> bash scripts are a way to run a collection of terminal commands as a single command</li> </ul> </li> </ul>
<b>[ctrl] + c</b>	<ul style="list-style-type: none"> <li>this will stop whatever is currently running in your terminal</li> <li>can be especially useful when you accidentally run a program with an infinite loop <ul style="list-style-type: none"> <li>Or any other long running program/ script that you want to stop</li> </ul> </li> </ul>
<b>[ctrl] + [shift] + c</b>	<ul style="list-style-type: none"> <li>this will let you copy something from you terminal</li> <li>useful if trying to Google what an error means</li> </ul>
<b>[ctrl] + [shift] + v</b>	<ul style="list-style-type: none"> <li>this will let you paste into the terminal</li> <li>useful if just Googled a way to do something cool</li> </ul>
<b>sudo</b>	<ul style="list-style-type: none"> <li>short for <b>super user do</b></li> <li>will allow you to run commands you normally aren't allowed to</li> <li><b>usage:</b> <b>sudo</b> [command] <ul style="list-style-type: none"> <li><b>NOTE:</b> you cannot run sudo on the lab machines</li> </ul> </li> </ul>
<b>exit</b>	<ul style="list-style-type: none"> <li>will close out of the terminal window without having to hit the little x in the corner</li> </ul>

## Directories and Files

<b>ls</b>	<ul style="list-style-type: none"> <li>short for <b>list</b></li> <li>lists all the files/ directories in the current directory</li> <li>you might also want to try the <b>sl</b> command on the lab machines</li> </ul>
<b>ls -al</b>	<ul style="list-style-type: none"> <li>will list all the files in the current directory along with their permissions</li> <li>permissions: <ul style="list-style-type: none"> <li>read - can view the stuff</li> <li>write - can edit the stuff</li> <li>execute - can run (for scripts and such)</li> </ul> </li> <li>3 sets <ul style="list-style-type: none"> <li>(owner) (group) (anyone)</li> </ul> </li> </ul>
<b>pwd</b>	<ul style="list-style-type: none"> <li>short for <b>print working directory</b></li> <li>any easy way to know where you are in the file hierarchy if you forget</li> </ul>
<b>cd</b>	<ul style="list-style-type: none"> <li>short for <b>change directory</b></li> <li>used to navigate between directories in your file structure</li> <li><b>usage:</b> <b>cd</b> [directory] <ul style="list-style-type: none"> <li>can use "cd .." to go back up the directory structure</li> <li>can also put in a full path instead of just a directory name <ul style="list-style-type: none"> <li>"/" at front of directory will be an absolute path from your root</li> </ul> </li> </ul> </li> </ul>

	<ul style="list-style-type: none"> <li>directory <ul style="list-style-type: none"> <li>■ no "/" at front of directory will be a relative path</li> <li>■ "." just means current directory so ./hello.txt is the same as hello.txt</li> </ul> </li> </ul>
<b>[tab]</b>	<ul style="list-style-type: none"> <li>this will autocomplete whatever you are currently doing in the terminal</li> <li>ex: <code>cd Doc + [tab]</code> would autocomplete Doc to Documents without you having to type out the whole thing</li> </ul>
<b>mkdir</b>	<ul style="list-style-type: none"> <li>short for <b>make directory</b></li> <li>will make a new directory for you</li> <li><b>usage:</b> <code>mkdir [directory name]</code> <ul style="list-style-type: none"> <li><b>NOTE:</b> can also use relative vs. absolute paths instead of just a directory name</li> </ul> </li> </ul>
<b>cp</b>	<ul style="list-style-type: none"> <li>short for <b>copy</b></li> <li>a way to make a copy of something in a different directory</li> <li><b>usage:</b> <code>cp [source/file name] [destination]</code> <ul style="list-style-type: none"> <li>again can use relative or absolute paths for the source and destination</li> <li><b>NOTE:</b> This copies to destination and keeps the original in source as well</li> </ul> </li> </ul>
<b>scp</b>	<ul style="list-style-type: none"> <li>short for <b>secure copy</b></li> <li>a way to copy files between computers</li> <li><b>usage:</b> <code>scp [source] [destination]</code> <ul style="list-style-type: none"> <li>from other computer: <code>scp [host]:[source/file name] [destination on your computer]</code></li> <li>to other computer: <code>scp [source/file name] [host]:[destination on other computer]</code></li> </ul> </li> </ul>
<b>mv</b>	<ul style="list-style-type: none"> <li>short for <b>move</b></li> <li>a way to actually move files/directories around on your computer <ul style="list-style-type: none"> <li>also an easy way to rename directories</li> </ul> </li> <li><b>usage:</b> <code>mv [source] [destination]</code> <ul style="list-style-type: none"> <li>as usual you can use either a relative or absolute path for the source and destination</li> </ul> </li> </ul>
<b>rm</b>	<ul style="list-style-type: none"> <li>short for <b>remove</b></li> <li>deletes a file</li> <li><b>usage:</b> <code>rm [file name]</code></li> <li>helpful things: <ul style="list-style-type: none"> <li><code>rm -rf [directory name]</code> <ul style="list-style-type: none"> <li>will delete a directory and everything inside it</li> <li>use with caution, if you don't give a destination for this it will delete EVERYTHING from your current directory down</li> </ul> </li> </ul> </li> </ul>
<b>touch</b>	<ul style="list-style-type: none"> <li>will either create a new file or update the last modified date on a file to the current date</li> </ul>

	<ul style="list-style-type: none"><li>• <b>usage:</b> touch [file]</li></ul>															
cat	<ul style="list-style-type: none"><li>• short for <b>cat</b>enate</li><li>• will print a file's contents to the terminal</li><li>• <b>usage:</b> cat [file]</li></ul>															
chmod	<ul style="list-style-type: none"><li>• used to change permissions</li><li>• <b>usage:</b> chmod [new settings] [file]</li><li>• new setting options</li></ul> <table><tr><td>Reference</td><td>Operator</td><td>Mode</td></tr><tr><td>u - user</td><td>add</td><td>r - read</td></tr><tr><td>g - group</td><td>remove</td><td>w - write</td></tr><tr><td>o - others</td><td>= set exactly</td><td>x - execute</td></tr><tr><td>a - all (everybody)</td><td></td><td></td></tr></table>	Reference	Operator	Mode	u - user	add	r - read	g - group	remove	w - write	o - others	= set exactly	x - execute	a - all (everybody)		
Reference	Operator	Mode														
u - user	add	r - read														
g - group	remove	w - write														
o - others	= set exactly	x - execute														
a - all (everybody)																
grep	<ul style="list-style-type: none"><li>• a way to search through file(s)</li><li>• <b>usage:</b> grep [search for] [file]<ul style="list-style-type: none"><li>◦ can search for things using regex</li></ul></li><li>• helpful flags:<ul style="list-style-type: none"><li>◦ -n lists the line number next to matches</li><li>◦ -r search recursively</li><li>◦ * instead of a file name will search the whole directory</li></ul></li></ul>															
find	<ul style="list-style-type: none"><li>• used to find out where a file lives in your file hierarchy</li><li>• <b>usage:</b> find [path] -name [file]<ul style="list-style-type: none"><li>◦ if path is not given then will search the current directory and every directory it contains</li></ul></li></ul>															
diff	<ul style="list-style-type: none"><li>• short for <b>diff</b>erence</li><li>• shows the difference between 2 files</li><li>• <b>usage:</b> diff [file 1] [file 2]</li><li>• helpful flags:<ul style="list-style-type: none"><li>◦ -b ignore white space diffs</li><li>◦ -i ignore case</li><li>◦ --side-by-side - see differences next to each other</li></ul></li></ul>															

## Redirection Input/ Output

<b> </b>	<ul style="list-style-type: none"> <li>• will make the output from command on the left the input for the command on the right</li> <li>• ex: <code>man hello   grep "hello"</code> <ul style="list-style-type: none"> <li>◦ will search for the word hello in the man pages for hello (this will actually work on the lab machines)</li> </ul> </li> </ul>
----------	--

> <b>and</b> >>	<ul style="list-style-type: none"> <li>• will redirect output on left into the file on the right</li> <li>• single &gt; will replace the contents of the file with the given output and double &gt;&gt; will append to the file</li> <li>• ex: <code>echo "hello" &gt; hello.txt</code></li> <li>• ex: <code>cat [file1] [file2] &gt; [file3]</code></li> </ul>
<	<ul style="list-style-type: none"> <li>• will redirect thing on the right to be the input for the thing on the left</li> <li>• ex: <code>ProgramTakesInAge &lt; 12</code></li> <li>• is really good for testing projects that take in user input</li> </ul>

## Java Specific

<code>java -version</code>	<ul style="list-style-type: none"> <li>• will tell you what version of Java is currently installed on your machine</li> <li>• will also tell you if java is not installed on your machine at all</li> </ul>
<code>javac</code>	<ul style="list-style-type: none"> <li>• used to compile a java program</li> <li>• <b>usage:</b> <code>javac [file]</code> <ul style="list-style-type: none"> <li>◦ must have the .java extension</li> </ul> </li> <li>• if successful will create a .class file with the same name as the original Java file</li> </ul>
<code>java</code>	<ul style="list-style-type: none"> <li>• used to run a compiled Java file</li> <li>• <b>usage:</b> <code>java [name of .class file]</code> <ul style="list-style-type: none"> <li>◦ ex: <code>java Test</code> <ul style="list-style-type: none"> <li>■ don't put .class at the end of the file name</li> <li>■ this would have come from compiling a file called Test.java</li> </ul> </li> </ul> </li> </ul>

## UTCS Specific

<code>lpq</code>	<ul style="list-style-type: none"> <li>• short for <b>list printer queue</b> <ul style="list-style-type: none"> <li>◦ or at least that is how I remember it</li> </ul> </li> <li>• will give you a list of pending jobs on a given printer</li> <li>• <b>usage:</b> <code>lpq -P[printer name]</code> <ul style="list-style-type: none"> <li>◦ no space between the -P and the printer's name</li> <li>◦ the Linux printer in the 3rd floor lab is lw301</li> </ul> </li> </ul>
<code>lprm</code>	<ul style="list-style-type: none"> <li>• can use to remove all your pending jobs from a printer's queue</li> <li>• <b>usage:</b> <code>lprm -P[printer name] [CSID]</code></li> <li>• very useful if the printer is backed up/ not working and you need to run to class soon without worrying about wasting paper</li> </ul>
<code>chkquota</code>	<ul style="list-style-type: none"> <li>• short for <b>check quota</b></li> <li>• each UTCS student only gets a certain amount of space so it is important to check how much you are using at any given time</li> <li>• if you reach 100% you will stop being able to save files/ do certain things</li> <li>• <b>NOTE:</b> caching on certain browsers can cause this quota to fill up</li> </ul>

	quickly, to fix just clear your cache folder
<b>du -sk ~/* ~/.??*   sort -n</b>	<ul style="list-style-type: none"> <li>• will basically tell you which files are using the most memory</li> <li>• super useful if your disk quota is at 100% and you need to figure out what to delete</li> </ul>

## Fun Stuff

<b>cal</b>	<ul style="list-style-type: none"> <li>• will give you a little ASCII calendar of the current month with the current day highlighted</li> <li>• can be useful when you are having a tired moment and forget what your life looks like</li> </ul>
<b>date</b>	<ul style="list-style-type: none"> <li>• will give you the current date and time as a string</li> <li>• again useful if you are having a tired moment and just need to know time still works properly</li> </ul>
<b>yes</b>	<ul style="list-style-type: none"> <li>• will print the same phrase repeatedly in your terminal until you hit [ctrl] + c</li> <li>• <b>usage:</b> yes [some words]</li> </ul>
<b>cowsay</b>	<ul style="list-style-type: none"> <li>• will take a phrase and print a little ASCII art cow saying that phrase</li> <li>• <b>usage:</b> cowsay "[some words]"</li> <li>• can also pipe things into cowsay <ul style="list-style-type: none"> <li>◦ you could have a cow tell you your grep output</li> </ul> </li> <li>• there are also many other animals you could do <ul style="list-style-type: none"> <li>◦ for a list do cowsay -l</li> <li>◦ <b>usage for different animal:</b> cowsay -f [animal file] [some words]</li> <li>◦ ■ ex: cowsay -f dragon-and-cow "hello"</li> </ul> </li> </ul>
<b>fortune</b>	<ul style="list-style-type: none"> <li>• will print a random fortune to your screen <ul style="list-style-type: none"> <li>◦ there are some fun flags for this like, you should man fortune to see what they are</li> </ul> </li> <li>• these are particularly fun to pipe into cowsay</li> </ul>
<b>xeyes</b>	<ul style="list-style-type: none"> <li>• will pop up a screen with little eyes on your screen that will follow your cursor around</li> <li>• can be entertaining when you are super stressed/ tired</li> <li>• <b>NOTE:</b> won't work over ssh</li> </ul>