

Link



STITEK Bontang

klik [Di Sini](https://stitek.ac.id/) Untuk Mengunjungi halaman STITEK Bontang.

```
<html>
  <head>
    <title>Membuat Link</title>
  </head>
  <body>
    <h1>STITEK Bontang</h1>
    klik <a href="https://stitek.ac.id/">Di Sini</a>
    Untuk Mengunjungi halaman STITEK Bontang.
  </body>
</html>
```

Form

Membuat Form

Data Diri

Nama Lengkap :

Password :

Jenis Kelamin : Laki-Laki Perempuan

Tanggal Lahir :

Hobi : Futsal Berenang Bolavoli Membaca

Agama :

Alamat :


```
<html>
<head>
    <title>Membuat Form</title>
</head>
<body>
    <form>
        <fieldset>
            <legend>Data Diri</legend>
            <table>
                <tr>
                    <td>Nama Lengkap</td>
                    <td></td>
                    <td><input type="text" name="" placeholder="Nama Lengkap"></td>
                </tr>
                <tr>
                    <td>Password</td>
                    <td></td>
                    <td><input type="password" name="" placeholder="Password"></td>
                </tr>
                <tr>
                    <td>Jenis Kelamin</td>
                    <td></td>
                    <td>
                        <input type="radio" name="" value="Laki-laki">Laki-Laki
                        <input type="radio" name="" value="Perempuan">Perempuan
                    </td>
                </tr>
                <tr>
                    <td>Tanggal Lahir</td>
                    <td></td>
                    <td><input type="date" name=""></td>
                </tr>
                <tr>
                    <td>Hobi</td>
                    <td></td>
                    <td>
                        <input type="checkbox" name="h1" value="Futsal">Futsal
                        <input type="checkbox" name="h2" value="Berenang">Berenang
                        <input type="checkbox" name="h3" value="Bolavoli">Bolavoli
                        <input type="checkbox" name="h3" value="Membaca">Membaca
                    </td>
                </tr>
                <tr>
                    <td>Agama</td>
                    <td></td>
                    <td>
                        <select name="agama">
                            <option>----pilih----</option>
                            <option value="Islam">Islam</option>
                            <option value="Kristen">Kristen</option>
                            <option value="Budha">Budha</option>
                            <option value="Hindu">Hindu</option>
                            <option value="Konghucu">Konghucu</option>
                        </select>
                    </td>
                </tr>
                <tr>
                    <td>Alamat</td>
                    <td></td>
                    <td>
                        <textarea></textarea>
                    </td>
                </tr>
                <tr>
                    <td></td>
                    <td></td>
                </tr>
                <tr>
                    <td>
                        <input type="submit" value="Kirim">
                        <input type="reset" value="reset">
                    </td>
                </tr>
            </table>
        </fieldset>
    </form>
</body>
</html>
```

Audio

A screenshot of a code editor window showing an HTML file. The code is as follows:

```
<html>
  <head>
    <title> Elemen audio </title>
  </head>
  <body>
    <h3> lofi type beat "biscuit" </h3>
    <audio controls = "">
      <source src = "biscuit.mp3" type = "audio/mp3"/>
    </audio>
  </body>
</html>
```

Datalist



A screenshot of a Windows desktop. The taskbar at the top shows various pinned icons. The main area displays the source code of the 'Datalist' page in a dark-themed code editor window. The code is as follows:

```
<html>
  <head>
    <title> Elemen datalist </title>
  </head>
  <body>
    <h2> Taufik Hidayat </h2>
    <h3> 202012027 </h3>
    <h4> Teknik Informatika </h4>
    Hobi : <input list="daftar"/>
    <datalist id = "daftar">
      <option value="Sepakbola">Sepakbola</option>
      <option value="Badminton">Badminton</option>
      <option value="Memancing">Memancing</option>
      <option value="Bersepeda">Bersepeda</option>
    </datalist>
  </body>
</html>
```

Mark




```
<html>
  <head>
    <title> Elemen tag mark </title>
  </head>
  <body>
    <p> nama saya <mark> Taufik Hidayat </mark> jurusan <mark> teknik informatika </mark> </p>
  </body>
</html>
```

Meter


A screenshot of a code editor window with a dark theme. The title bar has red, yellow, and green circular icons. The code editor displays the following HTML code:

```
<html>
  <head>
    <title> Elemen Meter </title>
  </head>
  <body>
    nilai 0 sampai dengan 11
    <meter value = "7" min = "3" max="11"></meter>
  </body>
</html>
```

Progress



Video



```
<html>
  <head>
    <title> Elemen video </title>
  </head>
  <body>
    <h3>Outwild x She Is Jules - Golden</h3>
    <video controls="">
      <source src = "NCS.mp4" type = "video/mp4"/>
    </video>
  </body>
</html>
```

A screenshot of a code editor window. The code editor has a dark theme with red, yellow, and green circular status indicators at the top. The main pane contains the following HTML code:

```
<html>
  <head>
    <title> Elemen video </title>
  </head>
  <body>
    <h3>Outwild x She Is Jules - Golden</h3>
    <video controls="">
      <source src = "NCS.mp4" type = "video/mp4"/>
    </video>
  </body>
</html>
```

The code uses color-coded syntax highlighting where tags are in purple, attributes in green, and values in yellow.

Semantik

A screenshot of a Mac OS X terminal window. The title bar has red, yellow, and green dots. The text area contains the same semantic HTML code as the browser screenshot:

```
<html>  
  <head>  
    <title>semantic HTML</title>  
  </head>  
  <body>  
    <header>Ini bagian Header</header>  
    <nav>Ini bagian navigation</nav>  
    <aside>Ini bagian aside/sidebar</aside>  
    <section>Ini bagian section/content</section>  
    <footer>Ini bagian footer</footer>  
  </body>  
</html>
```