

## Building-wise IP Address Allocation Details

### **Academic Building (JEE Building)**

IP Address : Use DHCP.

Static IP Range : 172.26.142.2 – 172.26.142.16  
(For Gate Office)

: 172.26.142.17 – 172.26.142.32  
(For JEE Office)

: 172.26.142.64 – 172.26.142.79  
(For DOAA Office)

: 172.26.142.80  
(For Mr.M K Diwakar)

: 172.26.142.81 - 172.26.142.85  
(For Gate Office)

: 172.26.142.86  
(For Dr.S.K Choudhury)

### **Building Name : ACES**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.82.2 - 172.26.82.7  
(For Dr.Rajesh Hegde)

: 172.26.82.8 – 172.26.82.39  
(For Dr.Y.N.Singh)

: 172.26.82.40 – 172.26.82.55  
(For Dr.Joseph John)

: 172.26.82.56 – 172.26.82.71  
(For Dr.Priya Ranjan)

: 172.26.82.72 – 172.26.82.79  
(For Dr.Neeru Chabra)

: 172.26.82.80 – 172.26.82.87  
(For Dr.A.Harish)

: 172.26.82.88 – 172.26.82.91  
(For Dr.S.N.Singh)

: 172.26.82.92 – 172.26.82.100  
(For Dr.A.Harish)

: 172.26.82.101 – 172.26.82.105  
(For Dr.Jaleel Akhtar)

: 172.26.82.106  
(For Dr. R Vijaya)

: 172.26.82.128 – 172.26.82.191  
(For Mr.A Roy)

: 172.26.82.192  
(For Dr.Saikat Chakrabarti)

: 172.26.82.193 – 172.26.82.195  
(For Dr.Bahniman Ghosh)

: 172.26.82.196 – 172.26.82.220  
(For Dr. Aditya Jagannatham)

: 172.26.82.221 – 172.26.82.254  
(For Dr.S C Srivastava)

: 172.26.83.1 – 172.26.83.10  
(For Dr. K S Venkatesh)

: 172.26.83.11 – 172.26.83.23  
(For Dr. Rajesh Hegde)

: 172.26.83.24 – 172.26.83.33  
(For Dr. L Behera)

: 172.26.83.34 – 172.26.83.53  
(For Dr. Adrish Banerjee)

: 172.26.83.54 – 172.26.83.63

(For For Head EE)

: 172.20.82.1 – 172.20.82.2  
(For Dr.A.K.Jagannatham)

: 172.26.83.64

: 172.26.83.65 – 172.26.83.74  
(For Dr.Sandeep Anand)

: 172.26.83.75  
(For Dr.Dipanjan Basu)

: 172.26.83.76  
(For Dr.Ketan Rajawat)

: 172.26.83.77  
(For Ms.Neeru Chhabra : VC Client)

: 172.26.83.78 – 172.26.83.80  
(For Dr.Utpal Das)

: 172.26.83.81  
(For Dr.Naren Naik)

: 172.26.83.82 - 172.26.83.99  
(For Dr.Ketan Rajawat(ACES-305 Lab))

: 172.20.82.4  
(For Dr.K.S.Venkatesh)

: 172.26.83.100  
(For Dr.Shilpi Gupta(ACES-224))

: 172.26.83.101 - 172.26.83.106  
(For Dr.Ketan Rajawat(ACES-305 Lab))

: 172.26.83.107 - 172.26.83.110  
(For Dr.Gaurav Pandey(ACES 401B))

: 172.20.82.5  
(For Dr.Rajesh Hegde(ACES 203))

: 172.26.83.111 - 172.26.83.115

(For Dr.Tanaya Guha(ACES 412))

: 172.26.83.116

(For Dr.Nischal Verma(ACES 107))

: 172.26.83.117

(For Dr.Tanaya Guha(ACES 412))

: 172.20.82.6 - 172.20.82.8

(For Mr.Nagendra Kumar Singh)

: 172.26.83.118

(For Biometric Attendance System)

: 172.26.83.119

(For Dr.S.N.Singh)

: 172.26.83.120 - 172.26.83.123

(For Dr.Tanaya Guha(ACES 412))

: 172.20.82.9

(For Dr.Nischal Verma(ACES 107))

: 172.26.83.124

(For EE Office Printer)

: 172.26.83.125

(For Dr.Rohit Budhiraja(Printer))

: 172.26.83.126 - 172.26.83.128

(For EE Office)

: 172.26.83.129

(For ACES 225 CCTV Camera)

: 172.26.83.130

(For ACES 401 UI-ASSIST)

: 172.26.83.131

(For Dr.Santanu K.Mishra(ACES 410))

: 172.26.83.132

(For Dr.S.S.Peruru(ACES 401A))

: 172.26.83.133  
(For Dr.Twinkle Tripathy(ACES 412))

: 172.26.83.134 - 172.26.83.140  
(For Dr.Vipul Arora(ACES 305D))

: 172.26.83.141 - 172.26.83.166  
(For Mr.Ram Krapal, Office)

Subnet Mask : 255.255.252.0  
Gateway : 172.26.83.254  
DNS : 172.31.1.1  
172.31.1.130

: 172.26.189.1  
(For Dr.Adrish Banerjee)

: 172.26.189.2  
(For Dr.Tanaya Guha)

: 172.26.189.3  
(For Dr.Shilpi Gupta(ACES-224))

: 172.26.189.4  
(For 6KV UPS)

: 172.26.189.5 - 172.26.189.14  
(For ACES 105)

: 172.26.189.15 - 172.26.189.19  
(For ACES 404)

: 172.26.189.19 - 172.26.189.23  
(For Dr.Santanu Mishra, ACES 101)

: 172.26.189.24  
(For Dr.Alok Ranjan Verma(401B))

: 172.26.189.25 - 172.26.189.27  
(For Mr.Ram Kripal (EE))

: 172.26.189.28  
(For Dr.K Vasudevan)

: 172.26.189.29 - 172.26.189.58  
(For Dr.Saikat Chakrabarti(105))

: 172.26.189.59  
(For Dr.K Vasudevan)

: 172.26.189.60  
(For Dr.Piyush Kant(205B))

: 172.26.189.61  
(For Dr.Avinash Lahgere(401B))

: 172.26.189.62  
(For Dr.Sourav Mondal(404))

: 172.26.189.63  
(For Dr.Raghvendra Chaudhary(325A))

: 172.26.189.64  
(For Dr.Abhilash Patel (308))

: 172.26.189.65  
(For Dr.Twinkle Tripathy (ACES 115))

: 172.26.189.66  
(For Dr.Subrahmanya Swamy Peruru (for Network Printer))

: 172.26.189.67  
(For Dr.Abhilash Patel (for Network Printer Room No. 114))

: 172.26.189.68  
(For Prof.Venkatesh K Subramanian 207A/ACES (Server) , external  
IP address is 202.3.77.133)

: 172.26.189.69 - 172.26.189.70  
(For DR. Tushar Sandhan (for Server room no. 408A))

: 172.26.189.71  
(For DR. Tushar Sandhan (for 408 office Network Printer))

: 172.26.189.72  
(For Dr. Kumar Vaibhav Srivastava for HPC Server)

: 172.26.189.73  
(For Dr. Rohit Budhiraja for Server 5G Lab)

: 172.26.189.74 - 172.26.189.76  
(For Electrical Building cameras)

: 172.26.189.77  
(For Dr. Subrahmanya Swamy Peruru for intentlab.iitk.ac.in server)

: 172.26.189.78 - 172.26.189.80  
(For Dr. Kumar Vaibhav Srivastava for Servers ACES 323 room no.)

: 172.26.189.81 - 172.26.189.82  
(For Dr. Subrahmanya Swamy Peruru for Servers R.no 408E)

: 172.26.189.83  
(For Dr. Rohit Budhiraja for 5G Test Lab)

Subnet Mask : 255.255.248.0  
Gateway : 172.26.191.254  
DNS : 172.31.1.1  
172.31.1.130

## **Building Name : ACMS**

IP Addresses of the Selected Building are listed below:  
IP Address : Use DHCP.

Static IP Range : 172.26.74.1 – 172.26.74.25  
(For Dr.Sanjay Gupta)

: 172.26.74.26 – 172.26.74.27  
(For Dr.Rajeev Gupta)

: 172.26.74.28  
(For Mr.Somnath)

: 172.26.74.29  
(For Dr.Shobit Omar)

: 172.26.74.30  
(For Dr.Sarang Ingole)

: 172.26.73.201  
(For Dr.Shobit Omar)

: 172.26.73.202 - 172.26.73.203  
(For Head, MSP)

: 172.26.73.204  
(For Dr.M.Jaleel Akhtar)

: 172.26.74.31  
(For Dr.Rajeev Gupta)

: 172.26.74.32  
(For Mechanical Testing Lab-104 Printer)

: 172.26.74.33  
(For Dr.G.P.Bajpai)

Subnet Mask : 255.255.252.0  
Gateway : 172.26.75.254  
DNS : 172.31.1.1  
172.31.1.130

## **Building Name : AEROSOL**

IP Addresses of the Selected Building are listed below:  
IP Address : Use DHCP.

Static IP Range : 172.26.210.1 - 172.26.210.2  
(For CCTV)

: 172.26.210.3 - 172.26.210.10  
(For CCTV-National Aerosol FB)

: 172.26.210.11  
(For Techno Park Department Biometric)

: 172.26.210.12 - 172.26.210.51  
(For Fire Study Lab)

: 172.26.210.52



(For Dr.Sachchida Tripathi)

: 172.26.210.53

(For Dr.Sachchida Tripathi(for CCTV NVR))

: 172.26.210.54

(For Dr.Arghya Das(for Server))

: 172.26.210.55

(For Technopark-407(for Printer))

: 172.26.210.56 - 172.26.210.58

(For Technopark CCTV system)

: 172.26.210.59

(For Room No.406(Printer))

: 172.26.210.61 - 172.26.210.70

(For Dr.Abhijit Kushari)

: 172.26.210.71 - 172.26.210.72

(For Dr. S.N Tripathi National Aerosol Facility (for 2 Server of data dashboard))

: 172.26.210.73

(For Dr.Pranamesh Chakraborty for Network Printer)

: 172.26.210.74

(For Dr. Krishna Mohan for TISA Aerospace Pvt. Ltd., Room No.702)

: 172.26.210.75

(For Dr. Hemant Gehlot for Server R.No 808)

: 172.26.210.76

(For Dr. Syam Nair for NAS server R.no 804)

: 172.26.210.77

(For Mr. Govind Bahadur for Network printer R.no 609)

: 172.26.210.78

(For Head-CE for civil engineering Seminar room for booking portal PC Room no. 808)

Subnet Mask : 255.255.252.0  
Gateway : 172.26.211.254  
DNS : 172.31.1.1  
172.31.1.130

## **Building Name : AEROSPACE**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.62.2 – 172.26.62.31  
(For Dr.T.K.Sengupta)

: 172.26.62.32 – 172.26.62.35  
(For Dr.Brijesh Eshpuniyani)

: 172.26.62.36 – 172.26.62.40  
(For Dr.Sanjay Mittal)

: 172.26.62.41 – 172.26.62.45  
(For Dr.S.Kamle)

: 172.26.62.46  
(For Dr. Rathakrishnan)

: 172.26.62.47  
(For Dr. Rakesh K. Mathpal)

: 172.26.62.48  
(For Dr. Abhishek)

: 172.26.62.49 – 172.26.62.50  
(For Dr. Rakesh K. Mathpal)

: 172.26.62.51  
(For Sathesh Mariappan)

: 172.26.62.52  
(For Mr.Pronabh Barua)

: 172.26.62.53 – 172.26.62.54  
(For Dr.P M Mohite)

: 172.26.62.55  
(For Dr.Mangal Kothari)

: 172.26.62.56  
(For Dr.Rakesh K.Mathpal)

: 172.26.62.57 - 172.26.62.61  
(For Dr.Ashoke De)

: 172.26.62.63  
(For Dr.A.Kushari)

: 172.26.62.64  
(For Dr.Rakesh K Mathpal)

: 172.26.62.65 - 172.26.62.66  
(For Bio-metric Attendance System)

: 172.26.62.67  
(For Mr.Deepak Jain)

: 172.26.62.69 - 172.26.62.72  
(For Dr.Kamal Poddar)

: 172.26.62.73  
(For Propulsion Lab Bio-metric Lock)

: 172.26.62.74  
(For Dr.Subrahmanyam Saderla Printer)

: 172.26.62.75  
(For Mr.Abhinath Kumar Yadav Printer)

: 172.26.62.76  
(For Dr.Subrahmanyam Saderla Smart Monitor)

: 172.26.62.77  
(For Mr.Suresh Mishra)

: 172.26.62.78 - 172.26.62.79  
(For Dr.Mohammed Ibrahim.S, HEAL Lab)

: 172.26.62.81 - 172.26.62.82  
(For Dr.Arun kumar)

: 172.26.62.83 - 172.26.62.92  
(For Dr.Navrose(HPC))

: 172.26.62.83 - 172.26.62.92  
(For Mr.Suresh Mishra)

: 172.26.62.94  
(For Dr.Tufan Kumar Guha (for Network Printer))

: 172.26.62.95 - 172.26.62.97  
(For Arun Kumar Perumal (for Virtual Instrumentation Lab for CCTV  
camera))

: 172.26.62.98  
(For Dr. Arun Kumar Perumal (for Network Printer))

: 172.26.62.96 - 172.26.62.97  
(For Dr. G.M Kamath for CCTV structure extension lab)

Netmask : 255.255.252.0  
Gateway : 172.26.63.254  
DNS : 172.31.1.1,  
172.31.1.130

## **Building Name : AIRSTRIP**

IP Addresses of the Selected Building are listed below:  
IP Address : Use DHCP.

Static IP Range : 172.20.126.1  
(For Flight Control Tower)

: 172.26.126.2  
(For Quality Control Cell Photocopier)

: 172.26.126.3 – 172.26.126.6  
(For Dr.Omkar Dixit)

: 172.26.126.7

(For Dr.S.N Tripathi)

: 172.20.126.2

(For Dr.S.N Tripathi)

: 172.26.126.8 - 172.26.126.9

(For CCTV)

: 172.26.126.11

(For Aeromodeling Lab)

: 172.26.126.12 - 172.26.126.28

(For CCTV Cameras)

: 172.26.126.29

(For Dr.Subrahmanyam Saderla)

: 172.26.126.30 - 172.26.126.34

(For Dr.Subrahmanyam Saderla Lab)

: 172.26.126.35 - 172.26.126.70

(For Dr.Onkar Dixit, NCG bldg.(PEB B block))

: 172.26.126.71

(For Dr.D.Balaji)

: 172.26.126.72

(For Mr. Abhishek (Room No: 106 (GSMST Office) & 212.))

: 172.26.126.73 - 172.26.126.102

(For Dr.Onkar Dikshit)

: 172.26.126.103

(For Dr.Bharat Lohani)

: 172.26.126.105 - 172.26.126.109

(For Dr.D.Balaji)

: 172.26.126.110 - 172.26.126.111

(For Geoinformatics Lab(PEB B block))

: 172.26.126.113 - 172.26.126.119.

(For Roji Siksha Kendra (A Block))

: 172.26.126.120  
 (For Dr.Subrahmanyam Saderla(UAV Lab))

: 172.26.126.121  
 (For Dr.G.M.Kamath(AHSL))

: 172.26.126.123  
 (For Dr. Subrahmanyam Saderla(for Network Printer UAV lab))

: 172.26.126.124  
 (For DR. Sandeep Sangal(for Network Printer Rozi Shiksha Kendra))

: 172.26.126.125  
 (For Dr.Bharat Lohani (for NCG lab PC))

: 172.26.126.126 - 172.26.126.127  
 (For Dr.Arnab Bhattacharya (for project- Fog Detection using Data Science))

: 172.26.126.128  
 (For Dr. Balaji Devaraju (for 64 Core Server))

: 172.26.126.129  
 (For Dr. Onkar Dixit for GNSS router)

: 172.26.126.130  
 (For Mrs.Rita Singh for Network Printer A-Block RSK office)

: 172.26.126.132 - 172.26.126.134  
 (For Security Section CCTV Camera)

: 172.26.126.135  
 (For Mr. Deepak for Network Printer R.no 213 GSMST)

  

Netmask : 255.255.252.0  
 Gateway : 172.26.127.254  
 DNS : 172.31.1.1,  
 172.31.1.130

## **Building Name : ALUMINI**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.86.1 – 172.26.86.15

: 172.26.86.16  
(For Outreach Building Vedio Conferencing)

: 172.26.86.17  
(For Outreach Building Alumni Office)

: 172.26.86.19  
(For Outreach Building SPO)

: 172.26.86.20  
(For Chairman Mobile)

: 172.26.86.21  
(For Mycloud SPO Dr.Shyam Nayar)

: 172.26.86.22 – 172.26.86.25  
(For CCTV)

: 172.26.86.26  
(For CDTE)

: 172.26.86.27  
(For Room No: 109 (for Xerox machine))

: 172.26.86.28  
(For Alumni office for OOA server)

Netmask : 255.255.252.0

Gateway : 172.26.87.254

DNS : 172.31.1.1,  
172.31.1.130

## **Building Name : Annexe Building**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range :

Netmask : 255.255.252.0  
Gateway : 172.26.135.254  
DNS : 172.31.1.1,  
172.31.1.130

## **Building Name : ANIMAL HOUSE**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.234.1 - 172.26.234.5  
(For C3i Center)

: 172.26.234.6 - 172.26.234.8  
(For C3i CDAC project)

: 172.26.234.9 - 172.26.234.58  
(For Central Exp.Animal Facility(CEAF))

: 172.26.234.59 - 172.26.234.64  
(For Facility Room No. S-AR 3 IP Camera)

: 172.26.234.65 - 172.26.234.68  
(For Dr.Amitabha Bandyopadhyay)

: 172.26.234.69 - 172.26.234.72  
(For Dr.Ashok Kumar(ARG3, ARG4))

: 172.26.234.73  
(For Mr.Praveen Soni)

: 172.26.234.74  
(For Room No.S-AR 3(2nd Floor))

: 172.26.234.75



(For Dr.Sandeep Shukla(C3i))

: 172.26.234.76

(For Dr.Jayandharan G Rao, Room No.S-AR 3(2nd Floor))

: 172.26.234.77

(For Ms.Mariam Singh)

: 172.26.234.79

(For Dr.Sandeep Shukla)

: 172.26.234.80 - 172.26.234.99

(For Dr.Sandeep Shukla(C3i))

: 172.26.234.101 - 172.26.234.102

(For Dr. Rachit Agarwal)

: 172.26.234.103

(For AC Plant)

: 172.26.234.108 - 172.26.234.109

(For Dr. Bushra Ateeq (for CCTV camera))

: 172.26.234.107

(For Dr. Rashmi (for Network Printer))

: 172.26.234.104 - 172.26.234.106

(For Dr Sai Prasad Pydi (for ARF-5))

: 172.26.234.110

(For Prof. Sandeep Shukla (for C3i HRMS portal))

: 172.26.234.111

(For Mr. Nitin Kumar (Offcie for CCTV Camera))

: 172.26.234.112 - 172.26.234.114

(For Mr. Ghanshyam (for CCTV Camera))

: 172.26.234.115 - 172.26.234.116

(For Dr. Sandeep Shukla for C3I Hub)

: 172.26.234.117

(For Mr. Ghanshyam for office PC)

: 172.26.234.118  
(For Dr. Sandeep Shukla for Server)

: 172.26.234.119  
(For Dr. Shanu Jain for Room ARF3)

: 172.26.234.120 - 172.26.234.122  
(For Sub station-12 Near C3i cameras)

: 172.26.234.123 - 172.26.234.137  
(For Dr. Sandeep Shukla C3I hub)

: 172.26.234.138  
(For Mr. Nitin Kumar for Lab F1 Animal House building)

: 172.26.234.139  
(For Dr. Debapriya Basu Roy for NAS machine C3i building)

Netmask : 255.255.252.0  
Gateway : 172.26.235.254  
DNS : 172.31.1.1  
172.31.1.130

### **Building Name : AUDITORIUM**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.138.1 – 172.26.138.5  
(For Security People at Auditorium)

Netmask : 255.255.252.0  
Gateway : 172.24.139.254  
DNS : 172.31.1.1,  
172.31.1.130

### **Building Name : BSBE**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.90.2, 172.26.90.5 – 172.26.90.14  
(For Dr.R.Shanker)

: 172.26.90.3 – 172.26.90.4  
(For Dr.Anupam Pal)

: 172.26.90.15 – 172.26.90.20  
(For Dr.Jonaki Sen)

: 172.26.90.21 – 172.26.90.25  
(For Dr.Amitabha Bandyopadhyay)

: 172.26.90.26 – 172.26.90.30  
(For Dr.Pradip Sinha)

: 172.26.90.31  
(For Dr. Mainak Das)

: 172.26.90.32  
(For BSBE Office)

: 172.26.90.33 – 172.26.90.42  
(For Dr.R.Shanker)

: 172.26.90.43  
For Dr.S. Ganesh)

: 172.26.90.44  
(For Dr.Arun Kumar Shukla)

: 172.26.90.45  
(For Dr.Bushra Ateeq)

: 172.26.90.46 - 172.26.90.47  
(For MGT Lab)

: 172.26.90.48  
(For Biometrics)

: 172.26.90.49  
(For Mr.Parth Sharma(Lab 14))

: 172.26.90.51  
(For Skyscan server)

: 172.26.90.52

(For Skyscan client)

: 172.26.90.53

(For Dr.Dhirendra S.Katti)

: 172.26.90.54

(For Dr.Ashok Kumar)

: 172.26.90.55

(For Mr.Rohit Srivastava(BSBE Office))

: 172.26.90.56

(For Dr.Amitabha Bandyopadhyay)

: 172.26.90.57

(For Dr.Jayandharan G Rao)

: 172.26.90.58 - 172.26.90.59

(For Dr.Appu Kumar Singh)

: 172.26.90.60

(For Dr.Sai Prasad Pydi)

: 172.26.90.61

(For Dr.Arjun Ramakrishnan)

: 172.26.90.62

(For Dr.Nitin Mohan (NAS System))

: 172.26.90.63 - 172.26.90.64

(For Biometric Device (for Lab-15))

: 172.26.90.65

(For Dr.Amitabha Bandyopadhyay (for Lab-10))

: 172.26.90.66

(For Dr.Arjun Ramakrishnan)

: 172.26.90.67

(For Dr.Dibyendu Kumar Das)

: 172.26.90.75 - 172.26.90.77

(For Dr. Bushra Ateeq (for CCTV camera))

: 172.26.90.70 - 172.26.90.74  
(For Lab 18 CCTV cameras)

: 172.26.90.68 - 172.26.90.69  
(For Dr Sai Prasad Pydi (for lab 20))

: 172.26.90.70  
(For Mr. Rohit Mishra (for CCTV BSBF building))

: 172.26.90.71  
(For Mr. Ankit (for Network Printer))

: 172.26.90.72  
(For Dr. Appu Singh for Server)

: 172.26.90.74 - 172.26.90.78  
(For Dr. Appu Singh for CCTV camera)

: 172.26.90.79 - 172.26.90.81  
(For Dr.Appu Singh for CCTV)

: 172.26.90.82  
(For Dr. Saravanan Matheshwaran for CCTV camera Lab-1)

: 172.26.90.83 - 172.26.90.85  
(For Dr. Saravanan Matheshwaran for CCTV Cameras)

: 172.26.90.86  
(For Dr. Sai Chaitanya Chiliveri for Network Printer Lab 13)

: 172.26.90.87  
(For Dr. Appu Kumar Singh for Network Printer Lab-19)

: 172.26.90.88  
(For Dr. Appu Singh for IP camera)

Netmask	: 255.255.252.0
Gateway	: 172.26.91.254
DNS	: 172.31.1.1, 172.31.1.130

## **Building Name : CAMPUS SCHOOL**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.102.1 - 172.26.102.28  
(For CCTV Cameras)

: 172.26.102.29  
(For Smart Meter)

Netmask : 255.255.252.0

Gateway : 172.26.103.254

DNS : 172.31.1.1,  
172.31.1.130

## **Building Name : CC**

IP Addresses of the Selected Building are listed below:

Static IP Range : 172.31.3.1 – 172.31.3.5  
(For Security People at CC)

: 172.31.3.6  
(For Dr. Mahendra Verma)

: 172.28.57.2 – 172.28.57.4  
(For Dr. T.V.Prabhakar CC 222)

: 172.28.57.5 – 172.28.57.6  
(For Dr. S N Tripathi)

: 172.28.57.7 – 172.28.57.8  
(For Dr.Javed Malik : CC201 Printer)

: 172.28.57.9  
(For Mr.Girish K Gandhi : CC218 Printer)

: 172.28.57.10  
(For Dr.Javed Malik : CC201)

: 172.28.57.11 - 172.28.57.13  
(For Dr.Vinay P Namboodiri: CC202)

: 172.28.59.11  
(For Dr.Javed Malik : CC201)

: 172.28.57.14 - 172.28.57.17  
(For Ms.Rachna Agrawal: CC 220)

: 172.28.57.18 - 172.28.57.48  
(For Mr.Khaleeq Ahmad)

: 172.28.57.49  
(For Ms.Rachna Agarwal: CC 219)

: 172.28.57.50 - 172.28.57.60  
(For Mr. Khaleeq Ahmed)

: 172.28.57.61  
(For Ms.Rachna Agarwal: CC 219)

: 172.31.2.8 - 172.31.2.17  
(For Mr.Prajwal Bajpai: CC 220-221)

: 172.28.57.62 - 172.28.57.63  
(For Mohd Aamir Khan : CC 218)

: 172.28.57.65 - 172.28.57.70  
(For Mr.Prajwal Bajpai)

For Fortigate-

Netmask : 255.255.0.0  
Gateway : 172.31.1.250  
DNS : 172.31.1.1  
172.31.1.130

\*\*\*\*\*

: 172.20.174.4  
(For Dr.Javed Malik : CC201)

: 172.20.174.15  
(For Dr.Rachna Agarwal :  
IIT Council Website)

For Iron Port-

Netmask : 255.255.252.0

Gateway : 172.20.175.254  
DNS : 172.31.1.1  
172.31.1.130

\*\*\*\*\*

: 172.20.160.38  
(For Hall-7 Mess Automation)

: 172.20.160.44  
(For Student Gymkhana  
virtual server)

For Iron Port-  
Netmask : 255.255.248.0  
Gateway : 172.20.167.254  
DNS : 172.31.1.1  
172.31.1.130

\*\*\*\*\*

Static IP Range : 172.28.57.71  
(For Dr. Javed Malik (for PC))  
  
: 172.28.57.71 - 172.28.57.72  
(For CC office network printer)

Netmask : 255.255.0.0  
Gateway : 172.28.1.254  
DNS : 172.31.1.1  
172.31.1.130

## **Building Name : CENTRAL SCHOOL**

IP Addresses of the Selected Building are listed below:  
IP Address : Use DHCP.

Static IP Range : 172.26.106.2  
  
: 172.26.106.3 - 172.26.106.4  
(For Smart City Project)



: 172.26.106.5 - 172.26.106.7  
(For Desktops)

: 172.26.106.8 - 172.26.106.12  
(For Substation-2 CCTV Camera)

: 172.26.106.13  
(For Wifi Router)

: 172.26.106.14  
(For Language Lab Computer)

: 172.26.106.15  
(For Smart Meter)

: 172.26.106.16  
(For Substation No.2 KV)

: 172.26.106.17 – 172.26.106.22  
(For CCTV)

: 172.26.106.23  
(For Language Lab)

: 172.26.106.24  
(For Music room)

: 172.26.106.25 - 172.26.106.26  
(For Wifi Router)

Netmask : 255.255.252.0  
Gateway : 172.26.107.254  
DNS : 172.31.1.1  
172.31.1.130

## **Building Name : CENTRAL STORES**

IP Addresses of the Selected Building are listed below:  
IP Address : Use DHCP.

Static IP Range : 172.26.14.1  
(For Mr.Raj Kumar Srivastava)

: 172.26.14.2 – 172.26.14.7

(For CCTV)

: 172.26.14.8 - 172.26.14.9

(For Mr.Ayodhya Prasad Prajapati)

: 172.26.14.10

(For Mr. Raj Kumar Srivastava for NAS server)

Netmask : 255.255.252.0

Gateway : 172.26.15.254

DNS : 172.31.1.1,  
172.31.1.130

## **Building Name : CENTRAL WORKSHOP**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.110.1 – 172.26.110.64

(For Dr. Subrata Sarkar in Energy  
Conversion LAB)

: 172.26.110.65

(For 4i Lab Web Server)

: 172.26.110.66

(For Dr.Avinash Agarwal)

: 172.26.110.67

(For Transportation Engg Lab)

: 172.26.110.68 - 172.26.110.71

(For Dr.Avinash Agarwal)

: 172.26.110.72

(For Transportation Engg Lab)

: 172.26.110.73 - 172.26.110.80

(For TA 202 Lab camera)

: 172.26.110.81 - 172.26.110.87

(For Mr.Saurabh Srivastava  
(CCTV camera))

: 172.26.110.88  
(For Mr.Saurabh Srivastava  
(CCTV Recorder))

: 172.26.110.89  
(For Dr.Syam Nair Student)

: 172.26.110.90 - 172.26.110.91  
(For Engine Research Lab Servers)

: 172.26.110.92  
(For Engine Research Lab- Biometric)

: 172.26.110.93  
(For Dr.Bhaswati Bora (for Transportation Lab))

: 172.26.110.94  
(For Dr.Santanu De (for Combustion & Energy Conversion Systems  
Lab))

: 172.26.110.95  
(For Dr.Santanu De (for NAS server))

Netmask : 255.255.252.0  
Gateway : 172.26.111.254  
DNS : 172.31.1.1,  
172.31.1.130

## **Building Name : CEM (Mehta Family Centre)**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.158.1 - 172.26.158.2  
(For Office Incharge for CCTV and Bio-matric server (for Bio-matrice  
servers))

: 172.26.158.3 - 172.26.158.47  
(For Office Incharge for CCTV and Bio-matric server (for CCTV  
cameras))

: 172.26.158.48- 172.26.158.49

: 172.26.158.50 - 172.26.158.55  
(For Dr. Sai Prasad Pydi (for LAB machines))

: 172.26.158.56  
(For Dr. Jayandharan G. Rao (for Camera level 5))

: 172.26.158.57  
(For Mr. Ankit (for Network Printer MFCEM office))

: 172.26.158.58  
(For Mr. Sagar Gupta (for Network Printer Lab 12))

: 172.26.158.59  
(For Dr. Sai Prasad Pydi for surveillance camera)

: 172.26.158.60 - 172.26.158.63  
(For Dr. shanu Jain for Lab 102)

: 172.26.158.64 - 172.26.158.70  
(For Dr. Jayandharan G. Rao for Bio Metric Laurus center for Gene  
therapy)

: 172.26.158.71 - 172.26.158.72  
(For Mr. Sandeep Kumar, office for Bio Matric Devices)

: 172.26.158.73  
(For Dr. Ramkumar for IP camera Lab-16, 4th Floor)

: 172.26.158.74  
(For Dr. Jonaki Sen for NVR Lab no. 202)

: 172.26.158.75  
(For Dr. Debanjan Dasgupta for Network Printer Lab 303)

: 172.26.158.76 - 172.26.158.100  
(For Dr. Hamim Zafar for Lab Use)

: 172.26.158.101  
(For Dr. Jonaki Sen for Central facility Central facility Microscopy  
(Room no-002))

Netmask : 255.255.252.0  
Gateway : 172.26.159.254

DNS : 172.31.1.1,  
172.31.1.130

## **Building Name : CORE LAB**

IP Addresses of the Selected Building are listed below:  
IP Address : Use DHCP.

Static IP Range : 172.26.70.1 – 172.26.70.5  
(For Dr.V.K.Yadav)

: 172.26.70.6 – 172.26.70.15  
(For Dr.Amalendu Chandra)

: 172.26.70.16 – 172.26.70.20  
(For Dr.S.A.Ramakrishnan)

: 172.26.70.21 – 172.26.70.36  
(For Dr.M.K.Verma)

: 172.26.70.37 – 172.26.70.38  
(For Dr.Nitin Kaistha)

: 172.26.70.39  
(For Dr. Nishith Verma)

: 172.26.70.40  
(For Dr. M L N Rao)

: 172.26.70.41 – 172.26.70.45  
(For Dr.Ashish K.Patra)

: 172.26.70.46 – 172.26.70.47  
(For Dr.Nishith Verma)

: 172.26.70.48 – 172.26.70.67  
(For Dr.Sandeep Anand)

: 172.26.69.201  
(For Dr.Gurunath Ramanathan)

: 172.26.70.68  
(For Dr.Dattatraya Dethe)

: 172.26.70.69  
(For Dr.S.Anantha Ramakrishna)

: 172.26.70.70  
(For Dr.Sandeep Verma)

: 172.26.70.71  
(For Dr.Basker Sundararaju)

: 172.26.70.72 - 172.26.70.75  
(For Dr.Pratik Sen)

: 172.26.70.76  
(For 6KV UPS)

: 172.26.69.202  
(For Dr.Ashis K.Patra)

: 172.26.70.77  
(For Dr.Basker Sundararaju)

: 172.26.70.78  
For Dr.S P Rath)

: 172.26.70.79  
(For CL107B Printer)

: 172.26.70.80  
(For Dr.Saurabh Mani Tripathi)

: 172.26.70.82 - 172.26.70.96  
(For Dr.Sagar Chakraborty)

: 172.26.70.97  
(For Dr.Raja Angamuthu)

: 172.26.70.98  
(For Dr.Sandeep Verma)

: 172.26.70.99 - 172.26.70.103  
(For CCTV)

: 172.26.70.104  
(For Dr.Ashis K.Patra)

: 172.26.70.105 - 172.26.70.106  
(For CCTV)

: 172.26.70.107  
(For Old Core Lab Biometric)

: 172.26.70.109  
(For Dr.Arnab Bhattacharya)

: 172.26.70.110 - 172.26.70.112  
(For Dr.Anand Kumar Jha)

: 172.26.70.113  
(For NMR lab (106A&B))

: 172.26.70.114  
(For Dr.Venkata Jayasurya Yallapragada (104B))

: 172.26.70.115  
(For Biometric Device)

: 172.26.70.116 - 172.26.70.118  
(For Dr.Venkata Jayasurya Yallapragada (for Lab PC and License  
server))

: 172.26.70.119  
(For Dr.Venkata Jayasurya Yallapragada)

: 172.26.70.120 - 172.26.70.121  
(For Dr.Venkata Jayasurya Yallapragada (for Lab PC and License  
Server))

: 172.26.70.122  
(For Dr. Chandrima Banerjee (for Lab PC (Diksha))

: 172.26.70.123  
(For Dr.Devendra Mani (for Network Printer))

: 172.26.70.124 - 172.26.70.128  
(For Dr. Abhishek Sharma (for Printers and Camera))

: 172.26.70.129 - 172.26.70.131  
(For Old Core Lab Cameras)

: 172.26.70.132

(For Dr. Rohit Medwal for Network printer 103 C)

: 172.26.70.133 - 172.26.70.134

(For Dr. Srinivas Dharavath for Network Printer and CCTV Camera)

: 172.26.70.135

(For Prof. Chandrima Banerjee for LAB PC no. 104 B)

Netmask : 255.255.252.0

Gateway : 172.26.71.254

DNS : 172.31.1.1,  
172.31.1.130

### **Building Name : CSE**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.27.16.2 – 172.27.19.253

Netmask : 255.255.240.0

Gateway : 172.27.16.254

DNS : 172.31.1.1,  
172.31.1.130

### **Building Name : C3I\_SNT**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.24.2

(Dr. Sandeep Shukla for Lab No 330, C3i Hub GPU server)

Netmask : 255.255.252.0

Gateway : 172.26.27.254

DNS : 172.31.1.1,  
172.31.1.130



## **Building Name : DOAA**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.142.80 – 172.26.142.84  
(For Mrs. Neeru Chhabra)

: 172.26.142.85  
(For Mr. Kingshuk Dey)

: 172.26.142.86 – 172.26.142.87  
(For TEQIP Room no.204)

: 172.26.142.91  
(For Ms.Jaya Chauhan)

: 172.26.142.92  
(For Bio-metric Server)

: 172.26.142.93  
(For 5-KVA UPS)

: 172.26.142.94  
(For CDTE Printer)

: 172.26.142.95  
(For Gate Office Photocopier)

: 172.26.142.96  
(For Mr.Sarang(AR))

Netmask : 255.255.252.0

Gateway : 172.26.143.254

DNS : 172.31.1.1  
172.31.1.130

## **Building Name : Diamond Jubilee Academic Complex**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.240.6  
(For Dr Pranav Ramkrishna Joshi (Ansys system - room number 501)

H))

- : 172.26.240.5  
(For Vaibhav Gupta (Lab no. 306 for NVR))
- : 172.26.240.4  
(For Dr. Adhip Agarwala (501H-A))
- : 172.26.240.6  
(For Dr. Pranav Ramkrishna Joshi (for Ansys system))
- : 172.26.240.14 - 172.26.240.15  
(For Prof. Rajeev Jindal (for VC System))
- : 172.26.240.16  
(For Prof. Nachiketa Tewari, Department of Design (for Photocopier machine))
- : 172.26.240.18  
(For Dr. Satyaki Ray (for NPTEL Live streaming Machine))
- : 172.26.240.19  
(For Emasters NAS server room no. 602 H)
- : 172.26.240.20 - 172.26.240.30  
(For Dr. Seema Awasthi (for Room No. 201H-202-H))
- : 172.26.240.31  
(For Veenu (for 203H-B Network Printer))
- : 172.26.240.32 - 172.26.240.36  
(For Mr. Sanjeev Kumar Verma (for Manufacturing Science Lab, Room 102))
- : 172.26.240.37  
(For Prof. Ankush Sharma for CCTV Camera)
- : 172.26.240.38  
(For Dr. Vishwanatha Siddhartha (for Lab 302 network Printer))
- : 172.26.240.39  
(For Dr. Vivek Kant Ram for Network Printer 605H )
- : 172.26.240.41

(For Mr. Virendra Kumar Dixit for Network Printer 404 office)

: 172.26.240.42

(For CC Store room Camera)

: 172.26.240.47 - 172.26.240.55

(For Mr. Virendra Kumar Dixit for Network Printer 404 office)

: 172.26.240.56 - 172.26.240.57

(For Dr. Satyaki Ray for Media Centre biometric Building)

: 172.26.240.58

(For Dr. Lalit Pant, for Network Printer R.no 301)

: 172.26.240.59 - 172.26.240.60

(For Mr. Sanjeev Kumar Verma for Manufacturing Science Lab,  
Room 102 camera)

: 172.26.240.61

(For Mr. Jitendra K. Sharma for 403 H NVR)

: 172.26.240.62

(For Pingala Team for 605H attendance machine)

: 172.26.240.63

(For Mr. Aman Singh for Network Printer TA 212 LAB)

: 172.26.240.64 - 172.26.240.65

(For Dr. Satyaki Roy for Web Server)

: 172.26.240.66 - 172.26.240.75

(For Dr. Satayaki Roy for CCTV Camera's 4th and 5th floor)

: 172.26.240.76

(For Dr. Laltu Chandra for Flownex software R.no 301)

: 172.26.240.77

(For Mr. Chandan Kumar for Network Printer R.No 304)

: 172.26.240.78

(For Dr. Satyaki Roy for NVR R.NO 503HN)

: 172.26.240.79

(For Dr. Rohit Budhiraja for R.NO 406H 5G Test bid)

: 172.26.240.80  
(For Dr. Satyaki Roy for MFM Printer)

: 172.26.241.1 - 172.26.241.200  
(For Mr. Gopesh Tiwari (for 204H Computer Lab))

Subnet Mask : 255.255.248.0  
Gateway : 172.26.247.254  
DNS : 172.31.1.1  
172.31.1.130

## **Building Name : Earth Science**

IP Addresses of the Selected Building are listed below:  
IP Address : Use DHCP.

Static IP Range :

Netmask : 255.255.252.0  
Gateway : 172.26.255.254  
DNS : 172.31.1.1,  
172.31.1.130

IP Address : Use DHCP

Static IP Range : 172.26.248.5  
(For Dr. Amey Karkare (for Network printer R.NO 514))

: 172.26.248.6  
(For Network Printer in ESB-3 Building Room No.516)

: 172.26.248.7  
(For Dr.Akash Choudhary for Network Printer R.no 615)

: 172.26.248.8 - 172.26.248.11  
(For Dr Tajdarul Hassan Syed for Room NO, 216-217)

: 172.26.248.12 - 172.26.248.41  
(For Dr. Indranil Saha Dalal for Lab PCs)

: 172.26.248.42 - 172.26.248.43  
(For Mr. Rahul Kumar for Printer and Bio-Metric devices)

: 172.26.248.44  
(For ESB-3(Earth Science) Security Section CCTV Camera)

: 172.26.248.45 - 172.26.248.49  
(For Dr. Ishan Bajaj for Room #715)

: 172.26.248.50  
(For Dr. Dipin S. Pillai for Network Printer R.no 712)

: 172.26.248.51  
(For Dr. Pankaj A. Apte for Room 613 CCTV Camera)

: 172.26.248.52 - 172.26.248.53  
(For Mr. Rahul Kumar for Bio-metric Devices R.No 112)

: 172.26.248.54  
(For Dr. Amey Karkare for IP camera R.no 514)

: 172.26.248.55  
(For Dr. Amar Agarwal for Network Printer)

Netmask : 255.255.248.0  
Gateway : 172.26.255.254  
DNS : 172.31.1.1,  
172.31.1.130

## **Building Name : ENVIRONMENTAL**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.2.2  
(For Dr.Abhas Singh)

: 172.26.2.3 - 172.26.2.4  
(For Dr.Rajiv Sinha)

: 172.26.2.5  
(For Dr.Animangsu Ghatak)

: 172.26.2.6  
(For IP Camera(Room 119))

: 172.26.2.7  
(For Dr.Anubha Goel)

: 172.26.2.8  
(For C.E.S.E.Building(Room No.214))

: 172.26.2.9  
(For Smart Meter)

: 172.26.2.10  
(For Dr.Jitendra K.Bera (for CESE faculty office -125))

: 172.26.2.11  
(For Thermal Storage System-UIASIST)

: 172.26.2.12  
(For Dr.Jitendra K.Bera (for CESE faculty office -125))

: 172.26.2.13  
(For Dr.Anandh Subramaniam)

: 172.26.2.14 - 172.26.2.16  
(For Dr.Saravanan Matheshwaran for CCTV Camera)

Netmask : 255.255.252.0  
Gateway : 172.26.3.254  
DNS : 172.31.1.1,  
172.31.1.130

## **Building Name : ESB-2**

IP Addresses of the Selected Building are listed below:  
IP Address : Use DHCP.

Static IP Range : 172.21.0.3 - 172.21.0.34  
(For Mr. B.M Shukla (CGS Dept. 5th Floor))

: 172.21.0.35  
(For Dr. Mahamitra Das (for Network Printer Room No. 433))

: 172.21.0.36 - 172.21.0.55  
(For Department of Economic Sciences office 4th floor)

: 172.21.0.56  
(For Dr.Tanmay Mathur (for Network Printer, 316))

: 172.21.0.57  
(For Dr. Kunal Mooley (for Network Printer))

: 172.21.0.58  
(For Kirti Kumari (for BioMatric Device))

: 172.21.0.59 - 172.21.0.98  
(For Dr. Soumya Ranjan Sahoo (for room no. 612))

: 172.21.0.99 - 172.21.0.100  
(For Dr. Abhilash Patel (for Network Printer 610))

: 172.21.0.101  
(For Prof.Pankaj Jain (for Website Virtual Laboratory))

: 172.21.0.102  
(For Dr. Arun Kumar Perumal (for Network Printer Room. 204)

: 172.21.0.103  
(For Dr. Ashoke De for Biometric Device R.No 203)

: 172.21.0.104  
(For Dr. Chaitanya for network printer R.NO 310A)

: 172.21.0.105  
(For Dr. Tufan Kumar Guha for 201 ESB-2 Network Printer)

: 172.21.0.106 - 172.21.0.115  
(For Dr. Ashoke De for LAB PCs)

: 172.21.0.116 - 172.21.0.117  
(For Dr. Avinash Lahgere for Network Printer Room No. 606, 622)

: 172.21.0.118  
(For Dr. Abhilash Patel for DVR CCTV)

: 172.21.0.119

(For Dr. Mahamitra Das for Network Printer R.NO 433)

: 172.21.0.120 - 172.21.0.122

(For Dr. Abhilash Patel for Network Printer R.NO 610, 624A and 624B)

: 172.21.0.123

(For Dr. Kunal Prakash Mooley for Sandy Bridge HPC)

: 172.21.0.140 - 172.21.0.181

(For Dr. Yogesh Singh Chauhan for Lab Systems Lab-621)

: 172.21.0.182

(For CDIS Office for Network Printer 601-2)

: 172.21.0.183 - 172.21.0.192

(For Head S.P.A.S.E for Office use)

: 172.21.0.193

(For Dr. Malabika Koley for Network Printer 425, A8)

Netmask : 255.255.248.0

Gateway : 172.21.7.254

DNS : 172.31.1.1,  
172.31.1.130

## **Building Name : FB-FLOOR I**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.28.51.1

(For Account Sec. Printer)

: 172.28.51.2

(For Fund office Copier/Printer)

: 172.28.51.3

(For Registrar Office Printer)

: 172.28.51.4

(For Admin Photocopying Machine)



: 172.28.51.5  
(For R&D Network Printer)

: 172.28.51.6  
(For R&D Network Printer)

: 172.28.51.7  
(For R&D Office 106)

: 172.28.51.8  
(For R&D Office)

: 172.28.51.9  
(For ESTATE Network Printer)

: 172.28.51.10  
(For R&D Network Printer)

: 172.28.51.11 - 172.28.51.13  
(For Accounts Section Network Printer)

: 172.28.51.14  
(For Internal Audit Xerox Machine)

: 172.28.51.15  
(For HP Laser Jet Printer)

: 172.28.51.16  
(For DoRD Printer)

: 172.28.59.10  
(For Dr.Debashish Chowdhury)

: 172.28.51.17  
(For Dr.V.P.Singh)

: 172.28.51.18  
(For DORD Printer)

: 172.28.51.19  
(For DORD Purchase Cell)

: 172.28.59.16  
(For Dr.Amalendu Chandra (Desktop))

: 172.28.51.20  
(For Dr.Amalendu Chandra (Printer))

: 172.28.51.21  
(For DoRD Office Printer)

: 172.28.51.22  
(For DoRD Office Network Printer)

: 172.28.51.23  
(For Dr.Onkar Dixit(FB-251))

: 172.28.51.24  
(For Mr.Pradeep Mohanti(Account))

: 172.28.51.25  
(For Mr.Deepak(DORA))

: 172.28.51.26  
(For Mr.Ram Kishor(Account))

: 172.28.51.27  
(For Mr.Ratna Pal(Account))

: 172.28.51.28  
(For Mr.Sanjay(Account))

: 172.28.51.29  
(For Mr.Azaz(Account))

: 172.28.51.30  
(For Mr.Surya Prakesh(R&D))

: 172.28.51.31  
(For Mr.Radha Saran(Account))

: 172.28.51.32  
(For Mr.Amit Mishra(R&D))

: 172.28.51.33 - 172.28.51.39  
(For R&D)

: 172.28.51.40

(For Mr.Gopal(Audit))

: 172.28.51.41

(For Mis.Vandana(State Office))

: 172.28.51.42

(For State Office)

: 172.28.51.43

(For Mr.P.D.Anand(Asst.Reg(Audit Sec)))

: 172.28.51.44

(For DoRD Office Network Printer)

: 172.28.51.45 - 172.28.51.46

(For 6KV UPS)

: 172.28.51.47

(For DoRD Office Printer)

: 172.28.51.48

(For Estate Office Photocopy Machine)

: 172.28.51.49 - 172.28.51.52

(For DoRD FB-154)

: 172.28.51.53

(For Mr.Pradeep Phalke (DoRD))

: 172.28.51.54

(For DoRD Office Printer)

: 172.28.51.55

(For DVR-Lab R.No.153)

: 172.28.51.56

(For DoRD Office Printer)

: 172.28.51.57

(For DoRD Check Cell Printer)

: 172.28.51.58

(For DoRD Office Photocopier)

: 172.28.51.59  
(For DORD office(152D))

: 172.28.51.60  
(For CDAP)

: 172.28.51.61 - 172.28.51.63  
(For CCTV Cameras)

: 172.28.51.64  
(For Pension Section)

: 172.28.51.65  
(For Audit Section)

: 172.28.51.66  
(For Cheque Cell(R.No.FB-152F))

: 172.28.51.67 - 172.28.51.71  
(For DoRD Office)

: 172.28.51.72  
(For R&D Office Printer)

: 172.28.51.73 - 172.28.51.74  
(For DORD Office Printer)

: 172.28.51.75  
(For Account Section Fund Office (Student Cell))

: 172.28.51.76 - 172.28.51.80  
(For DORD (154, 152))

: 172.28.51.81  
(For Anudesh R&D office (for Network Printer))

: 172.28.51.82  
(For Anudesh (for Room Number FB-154))

: 172.28.51.83  
(For Mr. Saifulabad Siddiqui (for Network Printer))

: 172.28.51.84  
(For Mr. Saifulabad Siddiqui (for Printer FB-152C, Accounting and

Finance Cell))

: 172.28.51.85  
(For Dr.Ushadaar (for Network Printer))

: 172.28.51.86  
(For Mr. Manish Sharma (for Network Printer Accounting & Cheque  
Cell))

: 172.28.51.87 - 172.28.51.91  
(For Faculty Building cameras)

: 172.28.51.92  
(For Mr. Vivek Shukla for DORD office Network Printer)

Netmask : 255.255.0.0  
Gateway : 172.28.1.254  
DNS : 172.31.1.1  
172.31.1.130

## **Building Name : FB-FLOOR II**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.28.52.1 – 172.28.52.20  
(For DRPG)

: 172.28.52.21  
(For DOFA)

: 172.28.52.22  
(For Printer in DIR Office)

: 172.28.52.23 – 172.28.52.24  
(For DRPG)

: 172.28.52.24  
(For Printer in Registrar's Office)

: 172.28.52.25  
(For Printer in DD's Office)

: 172.28.52.26  
(For VC System in DoRD)

: 172.28.52.27  
(For Mr. Sandeep Kumar)

: 172.28.52.28  
(For DOFA Office LCD TV)

: 172.28.52.29  
(For Photocopier in Registrar's Office)

: 172.28.52.30 – 172.28.52.31  
(For Printer/Fax in Finance Office)

: 172.20.174.10  
(For Legal & RTI Cell)

: 172.28.52.32  
(For Dr.Anupam Saxena)

: 172.28.52.33  
(For Admin Xerox)

: 172.28.52.34  
(For Registrar's Office Xerox)

: 172.28.52.35  
(For For DOFA Office LCD TV)

: 172.28.52.36  
(For Neeru Chhabra : VC equipment)

: 172.28.52.37  
(For Neeru Chhabra : VC Client)

: 172.28.52.38  
(For Neeru Chhabra : Room no.218)

: 172.28.52.39  
(For Dr.V.P.Singh : DOFA Office LCD TV)

: 172.28.52.40  
(For DOSA IP TV)

: 172.20.174.13  
(For Alumni Contact Program)

: 172.28.52.41  
(For DOIP Backup Drive)

: 172.28.52.42  
(For DOSA TV)

: 172.28.52.43  
(For Mr.Sandeep Kumar,Registrar Office)

: 172.28.52.44  
(For Recruitment Section Network Printer)

: 172.28.52.45 - 172.28.52.47  
(For DoIP)

: 172.28.59.14 - 172.28.59.15  
(For Dr.B.V.Phani)

: 172.28.52.48 - 172.28.52.52  
(For DoIP)

: 172.28.52.53  
(For DoSA Office Network Printer)

: 172.28.52.54  
(For DoIP Projector)

: 172.28.52.55  
(For Registrar Office Printer)

: 172.28.52.56  
(For DOFA Office)

: 172.28.52.57  
(For DD Office)

: 172.28.52.58 - 172.28.52.59  
(For Mr.Surjeet Das(DOSA))

: 172.20.174.18

(For Manoj Kumar(VC System))

: 172.28.52.60 - 172.28.52.64  
(For Director Office)

: 172.28.52.65  
(For Legal Cell)

: 172.28.52.66 - 172.28.52.77  
(For Reg. Office)

: 172.28.52.78 - 172.28.52.91  
(For DOSA Office)

: 172.28.52.92 - 172.28.52.93  
(For Hindi Cell)

: 172.28.52.94  
(For Printer in DD's Office)

: 172.28.59.25  
(For Mr.Sarang S.Nandedkar)

: 172.28.52.95  
(For Photocopy Machine(DORA))

: 172.28.52.96  
(For DD Office Printer)

: 172.28.52.97  
(For Mr.Gyanendra Singh(Legal Cell))

: 172.28.52.99  
(For Network Printer-AR Office)

: 172.28.52.100  
(For Xerox Machine-DOFA Office)

: 172.28.52.101  
(For Information Cell)

: 172.28.52.102 - 172.28.52.104  
(For Network Printer-DOFA Office)



: 172.28.52.105  
(For Network Printer- OIR Office)

: 172.28.59.35  
(For Mr.C.P.Singh)

: 172.28.52.106  
(For Photocopier-Registrar Office)

: 172.28.52.107  
(For Network Printer-DOSA)

: 172.28.52.108  
(For Multi-function Printer-DOFA)

: 172.28.52.109 - 172.28.52.111  
(For DD Office Camera)

: 172.28.59.36  
(For Dr.S.Kumaresan)

: 172.28.52.112 - 172.28.52.115  
(For Dr.Onkar Dikshit)

: 172.28.52.116  
(For RTI Cell Photocopy Machine)

: 172.28.52.117  
(For DORA Office Server)

: 172.28.52.118  
(For Director VC system)

: 172.28.52.119  
(For Director Printer)

: 172.28.52.120 - 172.28.52.121  
(For DoAD Printer)

: 172.28.52.122  
(For Director PANO Device)

: 172.28.52.123  
(For DORA Office)

: 172.28.52.124  
(For DOSA Office)

: 172.28.52.125  
(For Alumini Office)

: 172.28.52.126  
(For DoRA Office NAS)

: 172.28.52.127  
(For Mr.Gopesh Tiwari)

: 172.28.52.128  
(For DOFA Office Printer)

: 172.28.52.129  
(For Director Airplay)

: 172.28.52.130  
(For DORA Office(Room no.258))

: 172.28.52.131  
(For DOFA CCTV)

: 172.28.52.132 - 172.28.52.133  
(For DOFA)

: 172.28.52.134  
(For DORD (266))

: 172.28.52.135  
(For Recruitment Section Xerox machine)

: 172.28.52.136  
(For DOSA office (for photocopy machine))

: 172.28.52.137  
(For Kshama Jaiswal (for Network Printer DOSA office))

: 172.28.52.138 - 172.28.52.140  
(For Mrs. Lekshmi Girija for Network Printer and NAS R.no 252)

: 172.28.52.141

(For DD office for Xerox machine)

Netmask : 255.255.0.0  
Gateway : 172.28.1.254  
DNS : 172.31.1.1  
172.31.1.130

## **Building Name : FB-FLOOR III**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.28.53.1 – 172.28.53.5  
(For Dr.Basant Lal Sharma)

: 172.28.53.6 – 172.28.53.15  
(For Dr.Pankaj Wahi)

: 172.28.53.16 – 172.28.53.18  
(For Dr. Anubha Goel)

: 172.28.53.19  
(For Dr.S K Mishra)

: 172.28.53.20 – 172.28.53.22  
(For Dr.Prishati Raychowdhury)

: 172.28.53.23  
(For Dr. P. S. Ghoshdastidar)

: 172.28.53.24  
(For Dr. Amit Agarwal)

: 172.28.53.25  
(For Dr. P. S. Ghoshdastidar)

: 172.28.53.26  
(For Dr. Abhas Singh)

: 172.28.53.27  
(For Dr. Rajesh Sathiyamoorthy)

: 172.28.53.28  
(For Dr. Abhas Singh)

: 172.20.174.4  
(For Dr. Javed Malik : FB-317)

: 172.20.174.12  
(For Dr Sarvesh Chandra)

: 172.28.53.29 - 172.28.53.36  
(For Dr.Anurag)

: 172.28.53.37  
(For Dr.Prishati Raychowdhury)

: 172.28.59.12  
(For Dr.B.Nagarajan)

: 172.28.53.38  
(For Dr.Syam Nair)

: 172.28.53.39  
(For Physics Photocopying Machine)

: 172.28.53.40  
(For Physics Office Fax Machine)

: 172.28.53.41  
(For Dr.Arjun Bagchi)

: 172.28.53.43  
(For Dr.N.R.Patra(FB-316))

: 172.28.53.44  
(For Mr.Manoj Kumar(FB-367))

: 172.28.53.45  
(For FB-360)

: 172.28.53.46  
(For Mr.Rakesh Kumar(FB-366))

: 172.28.53.48  
(For Dr.K.V.Harish)

: 172.28.53.49

(For Dr.S.N.Tripathi)

: 172.28.53.50

(For Dr.Shyam Nair)

: 172.28.53.51

(For Dr.Supratik Mukhopadhyay)

: 172.28.53.52 - 172.28.53.56

(For FB-385)

: 172.28.53.57

(For FB-380)

: 172.28.53.58

(For Mr.Shivendra Tewari)

: 172.28.53.59

(For FB 313)

: 172.28.53.60

(For Dr.Anubha Goal(FB-319))

: 172.28.53.61

(For Dr.Supratik Banerjee)

: 172.28.53.62

(For Dr.K V Harish)

: 172.28.53.63

(For Transportation Lab NVR(FB-337))

: 172.28.53.64

(For Office Printer Civil Engg Dept)

: 172.28.53.65

(For Mr.Kshama Jaiswal)

: 172.28.53.66 - 172.28.53.70

(For Dr.Subrata Sarkar)

: 172.28.53.71

(For FB-301 Biometric machine)

: 172.28.53.72  
(For Dr.Sudip Mishra)

: 172.28.53.73  
(For Dr.Prishati Raychowdhury)

: 172.28.53.74 - 172.28.53.75  
(For Dr.K.V.Harish)

: 172.28.53.76  
(For Dr.A.K.Agarwal(FB 301)Printer)

: 172.28.53.77  
(For Dr.Nihar Ranjan Patra(FB 316))

: 172.28.53.78  
(For Photocopy Machine(FB 384))

: 172.28.53.79  
(For Dr.Minerva Mukhopadhyay)

: 172.28.53.80 - 172.28.53.82  
(For Dr.Supratik Mukhopadhyay)

: 172.28.53.83  
(For Dr.Joydeep Chakraborty)

: 172.28.53.84  
(For Nuclear Lab(Room 105))

: 172.28.53.85  
(For Dr.Arijit Kundu(FB 373))

: 172.28.53.86  
(For Mr.Prashant Jeswal  
(PC Civil Dept Office))

: 172.28.53.87  
(For Dr.Anikesh Pal)

: 172.28.53.88  
(For FB-377 Printer)

: 172.28.53.89

(For FB-379 Printer)

: 172.28.53.90 - 172.28.53.92

(For Jagdish Prasad Sahoo (for Lab PC Room no. 331))

: 172.28.53.93

(For Mr. Vijay Pal (for Network Printer Physics Head Office))

: 172.28.53.94

(For Dr. Sudeep Ghosh for Network Printer FB 386)

: 172.28.53.95

(For civil engineering Seminar room for booking portal PC)

: 172.28.53.96

(For civil engineering office room 313 for xerox machine)

: 172.28.53.97

(For Dr. Siddhartha Mukherjee for Network Printer 358)

Netmask : 255.255.0.0

Gateway : 172.28.1.254

DNS : 172.31.1.1

172.31.1.130

## **Building Name : FB-FLOOR IV**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.28.54.1 – 172.28.54.5

(For Dr.Sovan Das)

: 172.28.54.6

(For Dr. Abhijit Chatterjee)

: 172.28.54.7

(For Dr. J Bera)

: 172.28.54.8 – 172.28.54.10

(For Dr.Gadre)

: 172.28.54.11 – 172.28.54.20  
(For Dr. Somnath Bhowmick)

: 172.28.54.21  
(For Physics Department Cluster)

: 172.28.54.22  
(For Chemical Office Printer)

: 172.28.54.23 – 172.28.54.25  
(For MME Biometric Access Control)

: 172.28.54.26  
(For Dr.Prasad : FB-425)

: 172.28.54.27  
(For Dr. Ramakrishna : FB-483)

: 172.20.174.1 – 172.20.174.3  
(For Dr.Prasad : FB-425)

: 172.20.174.8  
(For Cluster server MKV)

: 172.20.174.9 & 172.20.174.11  
(For MKV)

: 172.28.54.28 – 172.28.54.29  
(For Dr. K Balani : FB-412)

: 172.28.54.30  
(For Dr.V.K Prasad)

: 172.28.54.31  
(For Mr.N.P Singh)

: 172.28.54.32 - 172.28.54.42  
(For Dr.DLVK Prasad)

: 172.28.54.43 - 172.28.54.44  
(For Dr.Jayant Singh)

: 172.28.54.45  
(For Dr.Vivek Verma)



: 172.28.54.46  
(For Dr.Rajdip Mukherjee)

: 172.28.54.48  
(For Dr.Anurag Tripathi)

: 172.28.59.4  
(For Dr.Anshu Gaur)

: 172.28.54.49  
(For Dr.Shashank Shekhar: Network HDD)

: 172.28.54.50  
(For Dr.Pankaj Jain)

: 172.28.54.51  
(For Mrs.Sudha Pathak)

: 172.28.54.52  
(For Dr.Sachin Y. Shinde)

: 172.28.54.53  
(For Dr.Budhaditya Chatterjee)

: 172.28.54.54  
(For Dr.Anish Upadhyaya)

: 172.28.59.20  
(For Dr.Garima Mishra)

: 172.28.54.55  
(For Dr.Garima Mishra)

: 172.28.59.21 - 172.28.59.22  
(For Dr.Raghvendra Singh)

: 172.28.54.56  
(For Dr.Vishal Agarwal(FB-466))

: 172.28.59.24  
(For Dr.Anshu Gaur)

: 172.28.54.57 - 172.28.54.58

(For Attendance System in FB 426 & 434)

: 172.28.54.62

(For Attendance System (FB 431))

: 172.28.59.26

(For Mr.Sarang S.Nandedkar)

: 172.28.54.63 - 172.28.54.68

(For Dr.Anurag Tripathi)

: 172.28.59.27

(For Dr.Sachin Y.Shinde)

: 172.28.54.69 - 172.28.54.70

(For DrIndranil Saha Dalal)

: 172.28.59.30

(For Dr.Rahul Mangal)

: 172.28.54.71 - 172.28.54.75

(For printers (FB 478,479,480,481 & 483  
(C/O Mr. Arvind Misra))

: 172.28.54.76 - 172.28.54.77

(For FB 436 (C/O Dr. Gadre))

: 172.28.54.78 - 172.28.54.79

(For FB 483 (C/O Mr. Pankaj))

: 172.28.54.80

(For Dr.Rahul Mangal)

: 172.28.54.81

(For Dr.Manas Khan)

: 172.28.54.85

(For Dr.Raju Kumar Gupta)

: 172.28.54.86

(For Photocopying Machine)

: 172.28.54.87

(For Dr.Anshu Gaur)

: 172.28.54.88 - 172.28.54.91  
(For Dr.Anurag Tripathi)

: 172.28.54.92  
(For Dr.Rahul Mangal)

: 172.28.54.93 - 172.28.54.101  
(For MSE Office)

: 172.28.54.102  
(For Mr.R.K.Tewari(Room.462-Biometric))

: 172.28.54.103  
(For Dr.Harshwardhan H.Katkar(FB-457))

: 172.28.54.104  
(For Dr.Vishal Govind Rao(FB-422))

: 172.28.54.105  
(For Mr.Arvind Mishra(FB 478))

: 172.28.54.106  
(For Dr.Amalendu Chandra(FB 433))

: 172.28.54.107 - 172.28.54.108  
(For Dr.Arnab Ghosh(FB 425))

: 172.28.54.109  
(For Chemical Engg Printer)

: 172.28.54.110  
(For Dr.Harshwardhan H.Katkar(FB-457))

: 172.28.54.111  
(For Dr.M.K.Verma(FB-481))

: 172.28.54.112  
(For Dr.Himanshu Sharma(FB-456))

: 172.28.54.113  
(For Dr.Raju Kumar Gupta(FB-486))

: 172.28.54.114 - 172.28.54.116

(For Dr.Harshwardhan H.Katkar)

: 172.28.54.117

(For Dr.Dipin S.Pillai)

: 172.28.54.118 - 172.28.54.122

(For MSE Office (FB-413))

: 172.28.54.123 - 172.28.54.125

(For Dr.Joydeep Chakraborty)

: 172.28.54.126

(For Dr.Sanjeev Garg(FB453))

: 172.28.54.127

(For Dr.Rahul Mangal)

: 172.28.54.128

(For Dr.Arijit Kundu(FB 481))

: 172.28.54.129

(For CHM Office Printer(FB 433))

: 172.28.54.130

(For Dr.Amit Dutta Printer(FB 484))

: 172.28.54.131 - 172.28.54.134

(For Dr.Harshwardhan H.Katkar)

: 172.28.54.135

(For Dr.Dippin S.Pillai)

: 172.28.54.136

(For Dr.Ritjit Kundu)

: 172.28.54.137

(For Dr.Rahul Mangal)

: 172.28.54.138

(For Chemistry Office printer(Room no.425))

: 172.28.54.139

(For Dr.Dipin S.Pillai)

: 172.28.54.140  
(For Dr.Venkata Suresh Mothika)

: 172.28.54.142  
(For Dr. Vinod Tare (for License server FB 401))

: 172.28.54.141  
(For Dr. Adhip Agarwala (FB 481))

: 172.28.54.145 - 172.28.54.146  
(For Dr.Taraknath Mandal (for GPU server FB 483 lab))

: 172.28.54.147  
(For Dr.Sudeep Ghosh (for Room No. 481))

: 172.28.54.148  
(For Chemical Engineering office)

: 172.28.54.149  
(For Dr.Koushik Pal (for Network Printer))

: 172.28.54.150  
(For Dr. Sudeep Kumar Ghosh (Dr. Zahid Malik PC))

: 172.28.54.151  
(For Dr. Debtosh Chowdhury (for HPC cluster room no. FB-483))

: 172.28.54.152 - 172.28.54.153  
(For Dr. Taraknath Mandal (for GPU Servers))

: 172.28.54.154  
(For Dr. Shikhar Misra for Network Printer 411)

: 172.28.54.155  
(For Dr. Taraknath Mandal for GPU server)

: 172.28.54.156  
(For Dr. Sudeep Kumar Ghosh for LAp PC 481)

Subnet Mask : 255.255.0.0  
Default Gateway : 172.28.1.254  
DNS : 172.31.1.1  
172.31.1.130

## **Building Name : FB-FLOOR V**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.28.55.1 – 172.28.55.10

(For Dr.Sovan Das)

: 172.28.55.11

(For Dr.S.Santhana(FB-558))

: 172.20.174.6 – 172.20.174.7

(For Dr. Akash Anand)

: 172.28.59.5

(For Dr. Shalabh)

: 172.28.59.6

(For Dr.A.K.Lal)

: 172.28.59.7 - 172.28.59.8

(For 6KV UPS)

: 172.28.55.12

(For Dr.Kaushik Bal(FB 525))

: 172.28.59.29

(For Dr.Sudhanshu Shekhar)

: 172.28.59.31

(For Dr.Somnath Jha)

: 172.28.55.13 - 172.28.55.14

(For Sony TV (Department of  
Mathematics & Statics))

: 172.28.38.1 - 172.28.38.254

(For Mr. Saurabh Bajpayee  
(Maths))

: 172.28.55.15 - 172.28.55.16

(For Dr.Saurabh Kumar Singh)

: 172.28.55.17

(For Dr. Mrinmay Biswas (for Network Printer))

: 172.28.55.18

(For Dr.Sasmita (for Network Printer Room No. 572))

Subnet Mask : 255.255.0.0

Default Gateway : 172.28.1.254

DNS : 172.31.1.1

172.31.1.130

## **Building Name : FB-FLOOR VI**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.28.56.1

(for Dr. Prashant Bagad FB 611)

: 172.28.56.2

(Dr. A.V.Ravishankar Sharma FB 671)

: 172.28.56.3

(Dr.Satyaki Roy:Allocated for Video  
Conferencing in FB 620)

: 172.28.56.4

(For Dr. Prashant Bagad)

: 172.28.56.5 - 172.28.56.6

(Dr.R.S.Anand Solar PV Power Plant)

: 172.28.56.7

(For Dr.Debayan Pakrashi(FB-607))

: 172.28.56.10

(For Dr.B K Pattnaik)

: 172.28.56.11

(For Dr.T Ravichandran)

: 172.28.59.8

(For Dr.Vineet Sahu)

: 172.28.59.9  
(For Dr.Munmun Jha)

: 172.20.174.16  
(Dr.Satyaki Roy:Allocated for Video Conferencing Device)

: 172.28.59.28  
(For Dr.T.Ravichandran (FB 619))

: 172.28.56.12  
(For Dr.Braj Bhushan (VC Device))

: 172.28.56.13  
(For Mr.Shivendra Tiwari(Printer))

: 172.28.59.33  
(For Dr.Braj Bhushan(Desktop))

: 172.28.56.14  
(For Dr.Jillet Sarah Sam)

: 172.28.56.15  
(For Bio-metric)

: 172.28.56.16  
(For Xerox workcentre 5335(FB 622))

: 172.28.56.17 - 172.28.56.18  
(For Dr.Joydeep Chakrabortty)

: 172.28.56.19  
(For Wireless Printer(FB 660))

: 172.28.56.20 - 172.28.56.21  
(For HSS Office)

: 172.28.56.22  
(For Dr. Chinmay Dharurkar (for Network Printer))

: 172.28.56.23  
(For Indira Pandit (HSS office for photocopier))



Netmask : 255.255.0.0  
Gateway : 172.28.1.254  
DNS : 172.31.1.1  
172.31.1.130

## **Building Name : FLEXE ELECTRONICS**

IP Addresses of the Selected Building are listed below:  
IP Address : Use DHCP.

Static IP Range : 172.26.228.1 - 172.26.228.25  
(For Mr. Dharmendra Swain)  
  
: 172.20.134.1  
(For Mr.Govind)  
  
: 172.26.228.26 -172.26.228.27  
(For Dr.Sudheer Kumar(eWON))  
  
: 172.26.228.31  
(For Dr.Satish Chandra (210))

NetMask : 255.255.248.0  
Gateway : 172.26.231.254  
DNS : 172.31.1.1  
172.31.1.130

## **Building Name : HEALTH CENTER**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.22.2 - 172.26.22.7  
(For Office Printers)  
  
: 172.26.22.8 - 172.26.22.10  
(For CCTV Camera)  
  
: 172.26.22.11  
(For Network Printer)  
  
: 172.26.22.12

(For Apollo Pharmacy Software)

: 172.26.22.13 - 172.26.22.15

(For CCTV Camera)

: 172.26.22.16

(For Mr.Rohit(for Photocopy Machine))

Netmask : 255.255.252.0

Gateway : 172.26.23.254

DNS : 172.31.1.1,  
172.31.1.130

## **Building Name : HELICOPTER LAB**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.6.2 – 172.26.6.5

(For Mr.Gopesh Tiwari)

: 172.26.6.6 – 172.26.6.10

(For Dr.Rajiv Sinha)

: 172.26.6.11

(For Dr. Bishakh Bhattacharya)

: 172.26.6.12

(For Dr. Koumudi Patil)

: 172.26.6.13

(For SMSS lab)

: 172.26.6.14

(For Dr.Rajiv Sinha)

: 172.26.6.15 – 172.26.6.20

(For LED TV)

: 172.26.6.21 – 172.26.6.23

(For Microscopic Lab)

: 172.26.6.24

(For Dr.Rajiv Sinha: GPS Survey)

: 172.26.6.25  
(For Mr.Jayant Biswas)

: 172.26.6.26 – 172.26.6.37  
(For Mr.Jayant Biswas, Microscope Lab)

: 172.26.6.38  
(For Dr.Rajiv Sinha: Arc GIS Server)

: 172.26.6.39 – 172.26.6.40  
(For Smart City project)

: 172.26.6.41 – 172.26.6.45  
(For Substation-7 CCTV Camera)

: 172.26.6.46 – 172.26.6.50  
(For Design Programme)

: 172.26.6.51  
(For Dr.Abhishek)

: 172.26.6.52  
(For CC UPS)

: 172.26.6.53 - 172.26.6.57  
(For Biometric Locks)

: 172.26.6.58  
(For CCTV Substation-7)

: 172.26.6.59  
(For Dr.Kothari Mangal)

: 172.26.6.60  
(For Dr.Dipak Kumar Giri)

: 172.26.6.61 - 172.26.6.62  
(For Biometric in Advanced Imaging Centre)

: 172.26.6.63  
(For Visual MODFLOW FLEX License Server  
C/O Dr. Rajiv Sinha)

: 172.26.6.64  
(Fixed IP)

: 172.26.6.65 - 172.26.6.67  
(For Prof.Rajiv Sinha)

: 172.26.6.68  
(For Dr.Navrose)

: 172.26.6.69  
(For Photocopying Machine)

: 172.26.6.70  
(For Dr.Vinay P.Namboodiri)

: 172.26.6.71 - 172.26.6.72  
(For Biometric Attendance Machines)

: 172.26.6.73 - 172.26.6.77  
(For CCTV- AE Department)

: 172.26.6.78 - 172.26.6.85  
(For Rajiv Sinha)

: 172.26.6.86 - 172.26.6.88  
(For Mangesh Sukhdeve (for CCTV cameras Advanced Imaging  
Centre))

: 172.26.6.89 - 172.26.6.91  
(For Security Section CCTV Camera)

: 172.26.6.92 - 172.26.6.93  
(For Dr. Appu Kumar Singh for cryoEM facility)

: 172.26.6.94 - 172.26.6.98  
(For Dr. Tanmay Mathur for Lab PC R.No 305)

: 172.26.6.99 - 172.26.6.101  
(For Security Section for CCTV camera)

Subnet Mask : 255.255.252.0  
Gateway : 172.26.7.254  
DNS : 172.31.1.1

172.31.1.130

### **Building Name : HYDRAULICS LAB**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.46.53

(For Dr.Shivam Tripathi)

: 172.26.46.54 - 172.26.46.55

(For Dr.Shivam Tripathi-Data Servers)

: 172.26.46.56

(For Dr.Samit Ray Chaudhuri-Data Servers)

Netmask : 255.255.252.0

Gateway : 172.26.47.254

DNS : 172.31.1.1

172.31.1.130

### **Building Name : IIT GATE**

IP Addresses of the Selected Building are listed below:

Static IP Range : 172.24.103.1 – 172.24.103.16

(For Security People at IIT Gate)

: 172.24.103.17 – 172.24.103.22

(For RFID at IIT Gate)

: 172.25.60.200 - 172.25.60.210

(For RFID at IIT Gate)

Netmask : 255.255.248.0

Gateway : 172.24.103.254

DNS : 172.31.1.1

172.31.1.130

### **Building Name : IWD**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.31.18.2

(For IWD Building)

: 172.26.18.3 – 172.26.18.4  
(For IWD Building Printers)

: 172.26.18.5 – 172.26.18.8  
(For Smart City project)

: 172.26.18.9 – 172.26.18.17  
(For Substation-4 CCTV Camera)

: 172.26.18.18 – 172.26.18.21  
(For Substation-9 CCTV Camera)

: 172.26.18.22  
(For Nursery Fixed IP)

: 172.26.18.23  
(Fixed IP)

: 172.26.18.24  
(For Mr.Raghvendra Singh)

: 172.26.18.25 - 172.26.18.26  
(For Mr.Vinay Kumar Tiwari)

: 172.26.18.27  
(For Geeta Chamoli (for Photocopy Machine))

: 172.26.18.28  
(For Mr. Chandrika Prashad (for Xerox Machine))

Netmask : 255.255.252.0

Gateway : 172.26.19.254

DNS : 172.31.1.1,  
172.31.1.130

## **Building Name : LHC**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.78.2 – 172.26.78.15  
(For Mrs.Neeru Chabra)

: 172.26.78.16 – 172.26.78.17  
(For L-18 and L-19)

: 172.26.78.18  
(For Network Printer)

: 172.26.78.21 - 172.26.78.85  
(For CCTV Cameras)

: 172.26.78.87 - 172.26.78.89  
(For CCTV Cameras)

: 172.26.78.90 - 172.26.78.98  
(For Hybrid Classes)

: 172.26.78.99  
(For Alok Katiyar (for LHC office Bio-matric))

: 172.26.78.100 - 172.26.78.102  
(For Lecture hall complex cameras)

: 172.26.78.103 - 172.26.78.105  
(For Tutorial block cameras)

Netmask : 255.255.252.0  
Gateway : 172.26.79.254  
DNS : 172.31.1.1,  
172.31.1.130

## **Building Name : LIBRARY**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.28.64.2 – 172.28.64.253

: 172.20.174.14  
(For Library Website Server)

: 172.28.64.3  
(For Library Server)

: 172.28.64.4

(For Library Testing Server)

: 172.28.64.12

(For Network Printer)

: 172.28.64.13 - 172.28.64.14

(For Network Printer & Local Server)

: 172.28.64.15

(For 6KV UPS)

: 172.28.64.16

(For Archive Website)

: 172.28.64.17 - 172.28.64.19

(For P.K. Kelkar Library cameras)

Netmask : 255.255.0.0

Gateway : 172.28.1.254

DNS : 172.31.1.1,  
172.31.1.130

## **Building Name : MLA**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.118.2 – 172.26.118.50

(For Mr.B.M.Shukla)

: 172.26.118.51 – 172.26.118.55

(For Dr.T.V.Prabhakar)

: 172.26.118.56 – 172.26.118.60

(For Dr.Satyaki Roy)

: 172.26.118.61 – 172.26.118.70

(For Mr.B.M.Shukla)

: 172.26.118.71 – 172.26.118.80

(For Dr.Satyaki Roy)

: 172.26.118.81 – 172.26.118.165

(For Mr.B.M.Shukla)



: 172.26.118.166 – 172.26.118.190  
(For Dr.Ankush Sharma)

: 172.26.118.191  
(For Dr.Ashish Garg)

: 172.26.118.192  
(For SEE NAS Storage)

: 172.26.118.193  
(For Dr.Ashish Garg -NAS server)

: 172.26.118.194 - 172.26.118.196  
(For MED TECH camera)

: 172.26.118.197  
(For Room no.110 Wifi Printer)

: 172.26.118.198  
(For P Fab Building(Room#109))

: 172.26.118.199 - 172.26.118.203  
(For Biometric)

: 172.26.118.204  
(For Dr. Soumya Roy for Network Printer)

: 172.26.118.205 - 172.26.118.209  
(For Dr.Vipul Arora)

: 172.26.118.210  
(For Dr.K S Nalwa(111))

: 172.26.118.210  
(For Dr.Sivasurender Chandran(103))

: 172.26.118.212  
(For Dr.Mohan Krishna(107))

: 172.26.118.213  
(For Dr.Rajeev Jindal)

: 172.26.118.214 - 172.26.118.218

(For Dr.Ashish Garg(Lab-112))

: 172.26.118.219 - 172.26.118.233

(For Smart City Project)

: 172.26.118.238

(For Dr.Mohan K Misra (Room no. 106, ChandraKanta Kesavan Center for Network Printer))

: 172.26.118.236 - 172.26.118.237

(For Security Camera)

: 172.26.118.235

(For Dr. Sudarshan Narayanan (for Network Printer Pre-fab building))

: 172.26.118.234

(For Jitendra K Sharma (for Network printer))

: 172.26.118.235

(For Vaibhav gupta Sustainable Energy Engineering Department (for Photocopy Machine))

: 172.26.118.236

(For Vaibhav gupta (for Bio Matric device))

: 172.26.118.237

(For Dr. Lalit Pant (for Network Printer PFAB building r.no 112 A))

: 172.26.118.239

(For Srihari (Office LTURA for Network Printer))

: 172.26.118.240

(For Dr. Sivasurender Chandran (for Network Printer))

: 172.26.118.241

(For Dr. B.V phani for IFACET network printer)

: 172.26.118.242

(For Dr. Debopam Das for SCU office photocopier machine)

: 172.26.118.243

(For Dr. B.V Phani for IFACET office Tally Machine)

: 172.26.118.244

(For Dr. PRABODH BAJPAI for Network Printer SEE Department)

: 172.26.118.245

(For Dr. Raju Kumar Gupta for Network Printer R.NO 109 SEE)

Netmask : 255.255.252.0  
Gateway : 172.26.119.254  
DNS : 172.31.1.1,  
172.31.1.130

### **Building Name : MOTWANI BUILDING**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.20.169.3 – 172.20.169.7  
(For 6th Floor)

: 172.20.169.8  
(For Dr.Amar Nath Roy Chowdhury (601))

Netmask : 255.255.252.0  
Gateway : 172.20.171.254  
DNS : 172.31.1.1  
172.31.1.130

### **Building Name : NCC**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.158.1  
(For Bio-metric)

Netmask : 255.255.252.0  
Gateway : 172.26.159.254  
DNS : 172.31.1.130  
172.31.1.1

## **Building Name : NL-1**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.97.202  
(For Dr.Jishnu Bhattacharya)

: 172.26.98.2 – 172.26.98.31  
(For Dr.Bhaskar Dasgupta)

: 172.26.98.32 – 172.26.98.47  
(For Dr.Aurobinda Chaterjee)

: 172.26.98.48 – 172.26.98.51  
(For Dr.Sivasambu Mahesh)

: 172.26.98.52 – 172.26.98.55  
(For Dr.Gautam Biswas)

: 172.26.98.56 – 172.26.98.87  
(For Dr.V.Eswaran)

: 172.26.98.88 – 172.26.98.95  
(For Dr.N.S.Vyas)

: 172.26.98.96 – 172.26.98.111  
(For Dr.Sumit Basu)

: 172.26.98.112 – 172.26.98.116  
(For Dr.N.N.Kishore)

: 172.26.98.117  
(For Dr.Nachiketa Tiwari)

: 172.26.98.118 – 172.26.98.122  
(For Drawing Hall)

: 172.26.98.123  
(For Dr. Binod Sreenivasan)

: 172.26.98.124 – 172.26.98.125  
(For Dr. N Venkata Reddy)

: 172.26.98.126 – 172.26.98.130  
(For Dr. Sovan Das)

: 172.26.98.131 – 172.26.98.133  
(For Dr. Shakti S Gupta)

: 172.26.98.134  
(For Dr. Arvind Kumar)

: 172.26.98.135 – 172.26.98.140  
(For Dr. Sumit Basu)

: 172.26.98.141  
(For Dr. N. Tiwari)

: 172.26.98.142 – 172.26.98.145

: 172.26.98.146 – 172.26.98.147  
(For Dr.Ashish dutta, Robotic Lab)

: 172.26.98.148  
(For Dr. Arvind Kumar Printer)

: 172.26.98.149  
(For vivek shukla office Incharge ME )

: 172.26.98.150  
(For Mr Dinkar Verma)

: 172.26.98.151 - 172.26.98.153  
(For Dr Bishakh Bhattacharya)

: 172.26.98.154 - 172.26.98.163  
(For Lab: Room No.115)

: 172.26.98.165  
(For Dr.Jishnu Bhattacharya)

: 172.26.98.166  
(For Dr.Anwer)

: 172.26.98.167-172.26.98.213  
(For Room No-115 Extension)

: 172.26.98.214  
(For Dr.Santanu De)

: 172.26.98.215  
(For Network Printer: Room No.216)

: 172.26.98.216 - 172.26.98.218  
(For Dr.Santanu De)

: 172.26.98.219 - 172.26.98.220  
(For Mechatronics Centre Biometric Lock)

: 172.26.98.221  
(For Dr.Sudeep Bhattacharya)

: 172.26.98.222  
(For Online UPS)

: 172.26.98.223  
(For Dr.Jishnu Bhattacharya)

: 172.26.98.224 - 172.26.98.225  
(For Dr.P.Venkitanarayanan)

: 172.26.98.226  
(For Mr.Gyanendra Tripathi)

: 172.26.98.227  
(For Mechatronics Centre Printer)

: 172.26.98.164 - 172.26.98.165  
(For Mr.Vivek Shukla)

: 172.26.98.228  
(For Mechatronics Centre Printer)

: 172.26.98.229  
(For Bio-metric Attendance)

: 172.26.98.230 - 172.26.98.233  
(For Dr.Manas Khan)

: 172.26.98.234  
(For Dr.Jishnu Bhattacharya)

: 172.26.98.235  
(For Dr.Manas Khan)

: 172.26.98.236  
(For ME Office Xerox Machine)

: 172.26.98.237  
(For Dr.Anikesh Pal)

: 172.26.98.238 - 172.26.98.240  
(For Dr.Nalinaksh Vyas)

: 172.26.98.241  
(For Mr.Gyanendra Tripathi)

: 172.26.98.242 - 172.26.98.244  
(For Dr.Anikesh Pal)

: 172.26.98.245  
(For SMSS Lab(Room 103))

: 172.26.98.246  
(For Dr.Anikesh Pal(FB 333))

: 172.26.98.247 - 172.26.98.250  
(For Dr.Manas Khan)

: 172.26.98.251 - 172.26.98.252  
(For Dr.Aditya Saurabh)

: 172.26.98.253  
(For Dr.Sudeep Bhattacharjee)

: 172.26.99.1  
(For Dr.Aditya Saurabh)

: 172.26.99.2  
(For Dr.Anikesh Pal)

: 172.26.99.3  
(For Dr.Bishakh Bhattacharya)

: 172.26.99.4 - 172.26.99.50

(For Drawing Hall Complex)

: 172.26.99.51 - 172.26.99.52

(For Dr.Manjesh K.Singh)

: 172.26.99.53 - 172.26.99.54

(For Dr.Anikesh Pal)

: 172.26.99.55

(For Dr.Sachin Y.Shinde)

: 172.26.99.56

(For Dr.Ushasi Roy)

: 172.26.99.57 - 172.26.99.59

(For Dr.Satyabati Das(CCTV camera))

: 172.26.99.60 - 172.26.99.62

(For Dr.Satyabati Das)

: 172.26.99.63

(For Dr.Anikesh Pal)

: 172.26.99.64

(For Dr. Ushasi Roy (for lab-1-115-G laser printer))

: 172.26.99.65

(For Dr. Shakti Singh Gupta (for Lab no. NL-214 for PC))

: 172.26.99.66

(For Prof.Ishan Sharma (for LAB PC 214/B))

: 172.26.99.67

(For Prof.Ishan Sharma (for LAB PC 214/B))

: 172.26.99.68

(For Dr. Mohit Law (for Network Printer NL115))

: 172.26.99.69 - 172.26.99.70

(For Security Section CCTV Cameras)

: 172.26.99.71

(For Dr. Ashish for machines to mount alumni interaction software)



: 172.26.99.72  
(For Dr. Supratik Mukhopadhyay for Cluster Server R.NO 115)

: 172.26.99.73  
(For Dr. Supratik Banerjee for NAS server)

Netmask : 255.255.252.0

Gateway : 172.26.99.254

DNS : 172.31.1.1,  
172.31.1.130

## **Building Name : NL-2**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.38.1 – 172.26.38.30  
(For Dr.Jayant K Singh)

: 172.26.38.31 – 172.26.38.35  
(For Dr.Pankaj Apte)

: 172.26.38.36 – 172.26.38.43  
(For Dr.Sanjeev Garg)

: 172.26.38.44 – 172.26.38.45  
(For Dr.Abhijit Chatterji)

: 172.26.38.46 – 172.26.38.57  
(For Dr.Pankaj A. Apte)

: 172.26.38.58 – 172.26.38.67  
(For Dr.Abhijit Chatterji)

: 172.26.38.68 – 172.26.38.73  
(For Dr.Nishith Verma)

: 172.26.38.74  
(For Dr.Raju Kumar Gupta)

: 172.26.38.75  
(For Dr. iddhartha Panda)

: 172.26.38.76 – 172.26.38.77  
(For Dr.Naveen Tiwari)

: 172.26.38.78 – 172.26.38.79  
(For access control card)

: 172.26.38.80  
(For Dr.Sri Sivakumar)

: 172.26.38.81  
(For Dr.V Shankar)

: 172.26.38.82 - 172.26.38.83  
(Dr.R.S.Anand Solar PV Power Plant)

: 172.26.37.201  
(For Dr.Manish M Kulkarni)

: 172.26.37.202 - 172.26.37.213  
(For Dr.Anurag Tripathi)

: 172.26.37.214 - 172.26.37.219  
(For Dr.V Shankar)

: 172.26.37.220  
(For Dr.Manish M Kulkarni)

: 172.26.37.221- 172.26.37.233  
(For Dr.Indranil Saha Dalal)

: 172.26.38.84 - 172.26.38.98  
(Dr.R.P.Chhabra)

: 172.26.38.99  
(For 6KV UPS)

: 172.26.38.100  
(for 207A - IP Camera)

: 172.26.38.101  
(for Dr.Raju Kumar Gupta)

: 172.26.38.102  
(For Mr.Deepak Ubale(WiFi Printer))

: 172.26.38.103 - 172.26.38.108  
(For Dr.Anurag Tripathi)

: 172.26.38.109  
(For Dr.Indranil Saha Dalal)

: 172.26.38.110  
(For Mr.Anil Mangla(Room No.300))

: 172.26.38.111 - 172.26.38.118  
(For Dr.Vishal Agarwal)

: 172.26.37.202  
(For Dr.Vishal Agarwal)

: 172.26.38.119 - 172.26.38.133  
(For Dr.Indranil Saha Dalal)

: 172.26.38.134 - 172.26.38.137  
(For Dr.Anurag Tripathi)

: 172.26.38.138 - 172.26.38.139  
(For Biometric-Nano Science Building)

: 172.26.38.140 - 172.26.38.145  
(For Dr.Anurag Tripathi(Room No.306))

: 172.20.42.1 - 172.20.42.30  
(For Dr.Jayant K Singh(Room No.202B))

: 172.26.38.146 - 172.26.38.150  
(For Dr.Anurag Tripathi(Room No.306))

: 172.26.38.152 - 172.26.38.153  
(For Dr.Sri Sivakumar(Room No.204B))

: 172.26.38.154 - 172.26.38.156  
(For Dr.Vishal Agarwal)

: 172.26.38.157  
(For Dr.Rahul Mangal)

: 172.26.38.158 - 172.26.38.161

(For Dr.Jayant K.Singh)

: 172.26.38.162

(For Dr.Vishal Agarwal(Room No.107))

: 172.26.38.163 - 172.26.38.166

(For Dr.Anurag Tripathi(Room No.306))

: 172.26.38.167

(for Dr.Jayant Singh)

: 172.26.38.168 - 172.26.38.171

(For Dr.Anurag Tripathi(Room No.306))

: 172.26.38.174

(For Dr.Y M Joshi(Room No.204))

: 172.26.38.175 - 172.26.38.177

(For Dr.Mohd Aamir Khan)

: 172.26.38.178 - 172.26.38.179

(For Dr.Vishal Agarwal)

: 172.26.38.180

(For Dr.Himanshu Sharma(105))

: 172.26.38.181

(For Dr.Harshwardhan H.Katkar)

: 172.26.38.182

(For Mr.Deepak Ubale)

: 172.26.38.182

(For Dr.Vishal Agarwal(107))

: 172.26.38.183 - 172.26.38.186

(For Dr.Naveen Tiwari)

: 172.26.38.187 - 172.26.38.188

(For Biometric(Centre for Nanosciences))

: 172.26.38.189

(For Dr.Raju Kumar Gupta)

: 172.26.38.191  
(For Dr.Jayant K Singh)

: 172.26.38.192  
(For Dr.Harshwardhan H.Katkar)

: 172.26.38.195  
(For Dr.Himanshu (for Lab computer))

: 172.26.38.193 - 172.26.38.194  
(For Dr.Vishal Agarwal (for 107 LAB))

: 172.26.38.196  
(For Dr. Anurag Tripathi for NAS 306)

: 172.26.38.197  
(For Mr. Prashant Awasthi for CCTV)

: 172.26.38.198  
(For Dr. Jayant Kumar Singh for CCTV camera 202-B)

: 172.26.38.199  
(For Dr. Vishal Agarwal for HPC Cluster)

: 172.26.38.200  
(For Head CHE, for NVR Jeet Bindra Graduate Student Lounge)

: 172.26.38.201 - 172.26.38.203  
(For Mr. Abhishek gaur for Bio-Metric device lab no. 202-A , 202-B &

205)

: 172.26.38.204  
(For Dr. Vishal Agarwal for PC LAB-107)

: 172.26.38.205  
(For Dr. Jayant K Singh for Network Printer 202-B)

: 172.26.38.206  
(For Dr. Naveen Tiwari for NAS server Lab-203-A)

Netmask : 255.255.252.0  
GateWay : 172.26.39.254  
DNS : 172.31.1.1  
172.31.1.130

## **Building Name : NWTF**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.114.2 - 172.26.114.32  
(CFD Lab)

: 172.26.114.33  
(For NWTF Office Printer)

: 172.26.114.34 - 172.26.114.35  
(For Mr.Kuldeep Dixit-Storage devices)

: 172.26.113.201  
(For Dr.Rajeev Gupta)

: 172.26.113.202- 172.26.113.216  
(For Dr.Ashoke De)

: 172.26.114.36  
(For Dr.Mangal Kothari(210/A))

: 172.26.114.37  
(For Network Printer(207))

: 172.26.114.38 - 172.26.114.47  
(For Dr.Ashoke De)

: 172.26.114.48  
(For Lab Printer(Room No 304))

: 172.26.114.49  
(For Dr.G.M.Kamath)

: 172.26.114.50 - 172.26.114.51  
(For Dr.Rajeev Gupta)

: 172.26.114.52  
(For Flights Dynamic Lab(NWTF 304))

: 172.26.114.53  
(For Dr.Sudhir Kamle)

: 172.26.114.54 - 172.26.114.57  
(For Dr.Pritam Chakraborty)

: 172.26.114.58  
(For Dr.A.Kushari)

: 172.26.114.59 - 172.26.114.60  
(For Dr.Pritam Chakraborty)

: 172.26.114.61  
(For Dr.Sathesh Mariappan)

: 172.26.114.62 - 172.26.114.66  
(For Dr.Ashoke De)

: 172.26.114.67 - 172.26.114.73  
(For Dr.Pritam Chakraborty)

: 172.26.114.74  
(For Dr. Raghavendra P Kukillaya (for Network Printer Lab No: 304))

: 172.26.114.75  
(For Dr.Rajesh Ranjan(for 208 B))

: 172.26.114.76  
(For Mr. Pronabh Barua for Office Biometrics equipment)

: 172.26.114.77 - 172.26.114.82  
(Security section for Cameras)

Netmask	: 255.255.252.0
GateWay	: 172.26.115.254
DNS	: 172.31.1.1 172.31.1.130

## **Building Name : NEW CORE LAB**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.122.1 – 172.26.122.31

(Dr.Nishanth Nair)

: 172.26.122.32 – 172.26.122.191

(Mr.Saurabh Bajpai)

: 172.26.122.192 – 172.26.122.249

(For T.Ravichandran)

: 172.26.122.251 – 172.26.122.252

(For Tanika Charaborty)

: 172.26.122.253

(For UPS)

: 172.26.123.1 - 172.26.123.2

For Room No.204, Physics UG Lab)

: 172.26.123.3 - 172.26.123.52

(For Psychology Lab (310))

: 172.26.123.53 - 172.26.123.102

(For Economics Lab (311))

: 172.26.123.103

(For Photocopier Machine(101))

: 172.26.123.104

(For Thumb Impression device(NCL-310))

: 172.26.123.108 - 172.26.123.109

(For Psychology and Language Labs)

: 172.26.123.110

(For Dr.Braj Bhushan)

: 172.26.123.113 - 172.26.123.117

(For Mr.Saurabh Bajpai(for Maths LAB Server))



: 172.26.123.119 - 172.26.123.120  
(For Security Section CCTV Camera)

: 172.26.123.121 - 172.26.123.126  
(For Security Section CCTV Cameras)

Netmask : 255.255.252.0

GateWay : 172.26.123.254

DNS : 172.31.1.1  
172.31.1.130

## **Building Name : NEW IME**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.154.1 – 172.26.154.10  
(For Dr.Deepu Philip)

: 172.26.154.5  
(For Video Conferencing)

: 172.26.154.11 – 172.26.154.20  
(For Dr. Veena Bansal)

: 172.26.154.21 – 172.26.154.120  
(For ME/IME Computer Lab)

: 172.26.154.121  
(For Seema Potluri :  
Printer,Room No. 320)

: 172.20.154.2  
(For Dr.Deepu Philip)

: 172.20.154.12  
(For Dr.Deepu Philip)

: 172.26.153.201  
(For Dr.Faiz Hamid)

: 172.26.153.202  
(For Dr.Amit shukla)

: 172.26.153.203 - 172.26.153.204  
(For Dr.R.N.Sengupta)

: 172.26.154.122 - 172.26.154.124  
(For Dr.Anoop Singh)

: 172.26.154.129 - 172.26.154.130  
(For Dr.Anoop Singh)

: 172.20.154.13 - 172.20.154.14  
(For Dr.Anoop Singh)

: 172.26.154.131 - 172.26.154.132  
(For Dr.Anoop Singh)

: 172.26.154.133  
(For Dr.Shankar Prawesh)

: 172.26.154.134 - 172.26.154.135  
(For Dr.Anoop Singh)

: 172.26.154.136  
(For Bio-Metric Attendance system  
in Ph.D Lab Room No.400)

: 172.26.154.137 - 172.26.154.141  
(For Dr.Anoop Singh)

: 172.26.153.206  
(For Dr.Seema Potluri)

: 172.20.154.15  
(For Dr.Shankar Prawesh)

: 172.26.154.142  
(For Laptop-Video Conferencing  
(DOFA)-C5 Lecture Hall)

: 172.26.154.143 - 172.26.154.158  
(For Dr.Anoop Singh)

: 172.26.154.159  
(For Bio-metric Attendance)

: 172.26.154.160 - 172.26.154.164  
(For Dr.Anoop Singh)

: 172.26.154.192 - 172.26.154.223  
(For Mr.B M Shukla, NIME 403,  
Cognitive Science)

: 172.26.154.224  
(For Dr.Anoop Singh(Printer))

: 172.26.154.225  
(For PC(Digital Learning))

: 172.26.154.226 - 172.26.154.233  
(For Dr.Anoop Singh, VM servers)

: 172.26.154.234  
(For Dr.Pradip Swarnakar(403))

: 172.26.154.235  
(For Head Digital Learning(403(B))

: 172.26.154.236  
(For Dr.Anoop Singh)

: 172.26.154.238 - 172.26.154.244  
(For Digital Learning)

: 172.26.154.245  
(For Dr. Avijit Khanra (for Room 306))

: 172.26.154.246 - 172.26.154.255,  
172.26.155.1 - 172.26.155.6  
(For Mr. Tirth Raj (for CCTV Camera))

: 172.26.155.7  
(For Mr. Jitender (for Netowrk Printer))

: 172.26.155.8 - 172.26.155.9  
(For Dr. Deepu Philip (for servers))

: 172.26.155.10  
(For Dr.Pradip Swarnakar for Network Printer R.no 403)

: 172.26.155.11  
(For Office of Digital Learning for Network Printer)

: 172.26.155.12  
(For Dr. Deepu philip for Network Printer)

: 172.26.155.13  
(For Dr. Shankar Prawesh for NAS Server)

: 172.26.155.14 - 172.26.155.16  
(For Security Section for CCTV camera)

Netmask : 255.255.252.0  
Gateway : 172.26.155.254  
DNS : 172.31.1.1  
172.31.1.130

### **Building Name : NEW LHC**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.207.1 - 172.26.207.2  
(For Security Camera)

: 172.26.207.3 - 172.26.207.5  
(For Lecture Hall-20)

Netmask : 255.255.248.0  
Gateway : 172.26.207.254  
DNS : 172.31.1.1  
172.31.1.130

### **Building Name : NEW SAC**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.150.2 – 172.26.150.3  
(For Network Printers)

: 172.26.150.6 – 172.26.150.7

(For Mr.Gopal Singh : Network Printers)

: 172.26.150.8

(For Mr.Avtarjit Singh : NSC SHOP#1)

: 172.26.150.9

(For Mr.R L Dhiman: Network Printers)

: 172.26.150.10 – 172.26.150.11

(For CCTV (Swimming Pool))

: 172.26.150.12 – 172.26.150.26

(For CCTV Camera (Antragini 2018))

: 172.26.150.27 - 172.26.150.29

(For Campus E-shop CCTV camera)

: 172.26.150.30 - 172.26.150.31

(For Physical Education Biometric)

: 172.26.150.32

(For Mrs.Anjani Dubey)

: 172.26.150.33

(For Mr.Sunil Kumar (for PC))

Netmask : 255.255.252.0

Gateway : 172.26.151.254

DNS : 172.31.1.1

172.31.1.130

## **Building Name : OLD SAC**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.10.1 – 172.26.10.5

(For Security People at SAC)

: 172.26.10.6

(For Dr.Sathesh Mariappan)

: 172.26.10.7

(For Dr.Santanu Misra)

: 172.26.10.8  
(For Dr.Anirban Guha: Room No.212)

: 172.26.10.9 - 172.26.10.11  
(For Dr.Sathesh Mariappan: Room No.101)

: 172.26.10.12  
(For Physical Education Printer)

: 172.26.10.13  
(For Room No.109, Earth Science)

: 172.26.10.14  
(For Dr.Nilay Kundu for Network printer)

: 172.26.10.15  
(For Dr.Rahul Kumar, Earth Science)

: 172.26.10.16 - 172.26.10.50  
(For Cognitive Science Department)

: 172.26.10.51  
(For Mr.Rahul Kumar, Earth Science)

: 172.26.10.52  
(For Office of International Relations)

: 172.26.10.53  
(For Office of International Relations Printer)

: 172.26.10.54 - 172.26.10.59  
(For Stadium)

: 172.26.10.60 - 172.26.10.61  
(For Dr.Vaibhav Arghode)

: 172.26.10.62 - 172.26.10.64  
(For Physical Education Biometric)

: 172.26.10.65  
(For Mr.Girish Pant(Room 103))

: 172.26.10.66

(For Dr.Ritika Gautam)

: 172.26.10.67  
(for Dr.Saurabh Kumar Singh)

: 172.26.10.68  
(For Dr.Arjun Ramakrishnan)

: 172.24.7.154  
(For Mrs.Anjani Dubey)

: 172.26.10.69  
(For Dr.Appu Kumar Singh)

: 172.26.10.70  
(For Physical Education Biometric)

: 172.26.10.72  
(For 6KVA UPS)

: 172.26.10.73  
(For Dr.Devendra Mani)

: 172.26.10.74 - 172.26.10.85  
(For Dr.Santanu Misra)

: 172.26.10.101 - 172.26.10.150  
(For Dr.Amalendu Chandra)

: 172.26.10.151  
(For Dr.Ishwar Kumar Cukkemane)

: 172.26.10.152 - 172.26.10.157  
(For Dr.Mainak Sadhukhan)

: 172.26.10.158, 172.26.10.161  
(For Dr.T.H.Syed)

: 172.26.10.159  
(Dr. Amar Agarwal for NAS)

: 172.26.10.160  
(Mr. Arun iitk-DF office for Network printer)

: 172.26.10.162  
(For Dr.Jagdish Prasad Sahoo)

: 172.26.10.163 - 172.26.10.164  
(For Dr.Mainak Sadhukhan)

: 172.26.10.165 - 172.26.10.172  
(For Dr.Arnab Ghosh)

: 172.26.10.173  
(For Mr.Hemant Tiwari(Bio-metric))

: 172.26.10.174  
(For Dr. Madhav for Network Printer R.NO C 104)

: 172.26.10.175  
(For Dr.Prakash Chandra Mondal)

: 172.26.10.176  
(For Dr.Indra Sekhar Sen)

: 172.26.10.177  
(For Dr.Amar Agarwal)

: 172.26.10.178 - 172.26.10.179  
(For Dr.Srinivas Dharavath)

: 172.26.10.180  
(For Dr.Sai Prasad Pydi)

: 172.26.10.181  
(For Dr.Devendra Mani)

: 172.26.10.182 - 172.26.10.183  
(For IP Cameras(Room No. 109))

: 172.26.10.185  
(For Biometric Device)

: 172.26.10.187 - 172.26.10.188  
(For Security Camera)

: 172.26.10.186  
(For Dr Appu Kumar singh (for 110 A CCTV cameras ))



: 172.26.10.189 - 172.26.10.190  
(For IIT Kanpur Development Foundation office (for Network Printer))

: 172.26.10.192  
(For Dr. Koushik Pal (for Network Printer))

: 172.26.10.193 - 172.26.10.194  
(For Dr. Taraknath Mandal (for NAS servers))

: 172.26.10.195 - 172.26.10.196  
(For Dr. Indra Sekhar Sen for printer/CCTV camera)

: 172.26.10.197  
(For Dr. Taraknath Mandal for Room No - 101, Block - C)

: 172.26.10.198  
(For Dr. Debtosh Chowdhury for Network Printer)

Netmask : 255.255.252.0  
Gateway : 172.26.11.254  
DNS : 172.31.1.1  
172.31.1.130

## **Building Name : RESIDENTIAL ADSL-2**

IP Addresses of the Selected Building are listed below:  
IP Address : Use DHCP.

Static IP Range: Not Available.

## **Building Name : SAMTEL**

IP Addresses of the Selected Building are listed below:  
IP Address : Use DHCP.

Static IP Range : 172.26.66.2 – 172.26.66.7  
(For Dr. Deepak Gupta)

: 172.26.66.8  
(For Samtel Centre Main Door)

: 172.26.66.9  
(For Samtel Centre Xerox Machine)

: 172.26.66.10  
(For Dr.B.Mazhari)

: 172.26.66.11 – 172.26.66.12  
(For Mr.Arvind K.Singh)

: 172.26.66.13 – 172.26.66.17  
(For Mr.Arvind K.Singh :  
For Systems/Biometric devices/Cameras)

: 172.26.66.18 – 172.26.66.20  
(For Dr.Monica Katiyar)

: 172.26.66.21  
(For Mr.Anupam Sana)

: 172.26.66.22 – 172.26.66.41  
(For Dr.Monica Katiyar)

Netmask : 255.255.252.0  
Gateway : 172.26.67.254  
DNS : 172.31.1.1  
172.31.1.130

## **Building Name : SECURITY CAMERA**

IP Addresses of the Selected Building are listed below:  
IP Address : Use DHCP.

Static IP Range : 172.26.34.1 - 172.26.34.2  
(Gate no2 Taxi Stand)

: 172.26.34.4 - 172.26.34.5  
(For camera pole outside shivli gate)

Netmask : 255.255.252.0  
Gateway : 172.26.35.254  
DNS : 172.31.1.1  
172.31.1.130

## **Building Name : SECURITY OFFICE**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.143.3  
(For Network Printer)

: 172.26.143.4  
(For RFID BOOM Barrier Server)

: 172.26.143.5 - 172.26.143.6  
(For Security T Junction Camera)

Netmask : 255.255.252.0

Gateway : 172.26.147.254

DNS : 172.31.1.1  
172.31.1.130

## **Building Name : SIDBI**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.50.2 – 172.26.50.12  
(For Dr.B.V.Phani)

: 172.26.49.1  
(For Dr.B.V.Phani)

: 172.26.50.13 – 172.26.50.31  
(For IP Cameras in SIDBI)

: 172.26.50.32 - 172.26.50.33  
(For Xerox printing machine)

: 172.26.50.34  
(For Bio Metric Access System)

: 172.26.50.35 - 172.26.50.37  
(For SIIC Office Printer)

: 172.26.50.38  
(For Prof. Amitabha Bandyopadhyay (for Network Printer Room no.

G1))

: 172.26.50.39  
(For Prof. Ankush Sharma (for CCTV Camera))

Netmask : 255.255.252.0  
Gateway : 172.26.51.254  
DNS : 172.31.1.1,  
172.31.1.130

### **Building Name : SMART CITY PROJECT**

IP Addresses of the Selected Building are listed below:  
IP Address : Use DHCP.

Static IP Range : 172.24.105.1 - 172.24.105.254  
(For Smart City Control Room)

: 172.20.46.3 - 172.20.46.5  
(For Global IP)

Netmask : 255.255.248.0  
Gateway : 172.24.111.254  
DNS : 172.31.1.1  
172.31.1.130

### **Building Name : SOUTHERN LAB**

IP Addresses of the Selected Building are listed below:  
IP Address : Use DHCP.

Static IP Range : 172.26.30.1 – 172.26.30.64  
(For Dr.Amalendu Chandra)

: 172.26.30.66 – 172.26.30.72  
(For Dr.S.Sarkar)

: 172.26.30.73 – 172.26.30.88  
(For Dr.A.K.Saha)

: 172.26.30.89 – 172.26.30.96  
(For Dr.Debabrata Goswami)

: 172.26.30.97 – 172.26.30.104  
(For Dr.Faiz Ahmed Khan)

: 172.26.30.105 – 172.26.30.108  
(For Dr.Joseph John)

: 172.26.30.109 – 172.26.30.112  
(For Dr.S.A.Ramakrishnan)

: 172.26.30.113 – 172.26.30.131  
(For Dr.Nisanth N.Nair)

: 172.26.30.132  
(For Dr.Satyajit Banerjee)

: 172.26.30.133 - 172.26.30.142  
(For Dr. R N Mukherji)

: 172.26.30.143 – 172.26.30.162  
(For Dr.Nisanth N.Nair)

: 172.26.30.163 – 172.26.30.168  
(For Dr.Krishnacharya)

: 172.26.30.169  
(For Dr. S.Manogaran)

: 172.26.30.170  
(For Dr.Srihari Keshavamurthy)

: 172.26.30.171  
(For Dr. R Vijaya)

: 172.26.30.172  
(For Dr. Zakir Hossain)

: 172.26.30.173  
(For Dr. M K Das)

: 172.26.30.174  
(For Dr. Y M Joshi)

: 172.26.30.175  
(For Dr. Siddhartha Panda)

: 172.26.30.176 – 172.26.30.181  
(For Dr. Krishnacharya)

: 172.26.30.182  
(For Dr. Srihari)

: 172.26.30.183  
(For Dr. Satyajit Banerjee)

: 172.26.30.184 - 172.26.30.187  
(For Mr.S.M.Zafar : Room no.111)

: 172.26.30.188 - 172.26.30.192  
(For Dr.S.R.Gadre : Room no.301)

: 172.26.30.193  
(For Dr.Sabuj Kundu : Room no.209)

: 172.20.252.2  
(For Dr.R.K.Thareja)

: 172.26.30.194  
(For Dr.Thiruvancheril G.Gopakumar)

: 172.26.30.65  
(For Dr.Sameer Khandekar)

: 172.26.30.197  
(For Dr.Mukesh Sharma)

: 172.26.30.198 - 172.26.30.199  
(For Dr.Saurabh Mani Tripathi)

: 172.20.252.3  
(For Dr.Mukesh Sharma)

: 172.26.30.205 - 172.26.30.206  
(For Dr.G.Rajshekhar(SL-211))

: 172.26.30.207  
(For 6KV UPS)

: 172.26.30.208 - 172.26.30.211

(For Dr.Y.M.Joshi(SL-114)  
:CCTV & Biometric)

: 172.26.30.212  
(For Dr.Srihari Keshavamurthy)

: 172.26.30.213  
(For Dr.Satyajit Banerjee)

: 172.26.30.214  
(For Dr.Shibabrata Nandi)

: 172.26.30.215 - 172.26.30.224  
(For Dr.Nisanth N.Nair)

: 172.26.30.225 - 172.26.30.234  
(For Dr.Madhav Ranganathan)

: 172.26.30.235  
(For Dr.Apparao Draksharapu)

: 172.26.30.236  
(For Biometric(CELP/PSEP Office))

: 172.26.30.237  
(For CCTV Camera in Helium Plant)

: 172.26.31.2 - 172.26.31.27  
(For Dr.DLVK Prasad)

: 172.26.31.28 -172.26.31.29  
(For Dr.Chanchal Sow)

: 172.26.30.238  
(For Mr.Arvind Mishra(Low Temp.lab))

: 172.26.30.239  
(For Biometric)

: 172.26.30.240  
(For Dr.GopaKumar(Biometric))

: 172.26.30.242  
(For Dr.G Rajshekhar)

: 172.26.31.30  
(For Dr.D.Goswami(SL-216))

: 172.26.31.31 - 172.26.31.32  
(For Dr.H.Wanare(SL-105D))

: 172.26.31.33  
(For SL-114 Printer)

: 172.26.31.34  
(For Dr.Dharmaraja Allimuthu (for R.No.206))

: 172.26.31.35  
(For Dr.Sameer Khandekar (for SL-109 RAC))

: 172.26.31.36  
(For Dr.Rohit medwal(204))

: 172.26.31.37  
(For Dr.Chanchal Sow)

: 172.26.31.38 - 172.26.31.39  
(For Dr. Satyajit Banerjee (for Network Printers))

: 172.26.31.40  
(For Dr. Sapam Ranjita Chanu (for Network Printer))

: 172.26.31.41  
(For Dr. Sivasurender Chandran (for Lab Machine))

: 172.26.31.42  
(For Dr. Koushik Pal for Lab PC of PDF)

: 172.26.31.43 - 172.26.31.47  
(For Dr. Sivasurender Chandran for LAB PCs SL303)

Netmask	: 255.255.252.0
Gateway	: 172.26.31.254
DNS	: 172.31.1.1 172.31.1.130



## **Building Name : SUB STATION 1**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.146.2

(For Security Office)

: 172.26.146.3

(For Network Printer)

: 172.26.146.4

(For Xerox Machine)

: 172.26.146.5

(For Academic Area Gate 1 Camera)

: 172.26.146.6

(For Academic Area Gate 2 Camera)

: 172.26.146.7

(For Academic Area Gate 3 Camera)

: 172.26.146.8

(For Academic Area Gate 4 Camera)

: 172.26.146.9

(For Behind Gate of SIDBI Camera)

: 172.26.146.10

(For Environmental Gate Camera)

: 172.26.146.11 - 172.26.146.14

(For Old SAC crossing Camera)

: 172.26.146.15

(For Academic Area Gate 1)

: 172.26.146.16 - 172.26.146.17

(For Surveillance NVR)

: 172.26.146.18

(For Camera)

: 172.26.146.19 - 172.26.146.22  
(For Smart City project)

: 172.26.146.23  
(For Old SAC crossing Camera)

: 172.26.146.24 - 172.26.146.33  
(For CCTV Camera)

: 172.26.146.34  
(For Smart City project)

: 172.26.146.35  
(For Attendance System)

: 172.26.146.36  
(For Network Printer)

: 172.26.146.37 - 172.26.146.42  
(For Security Camera)

: 172.26.146.43 - 172.26.146.44  
(For SCADA system)

: 172.26.146.45 - 172.26.146.51  
(For CCTV)

: 172.26.146.52  
(Fixed IP)

: 172.26.146.53 – 172.26.146.58  
(For CCTV)

: 172.26.146.59  
(For Security office Attendance M/c)

Netmask	: 255.255.252.0
Gateway	: 172.26.147.254
DNS	: 172.31.1.1 172.31.1.130

## **Building Name : VISITOR HOSTEL**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.54.1 – 172.26.54.5  
(For Security People at VH)

: 172.26.54.6 – 172.26.54.10  
(For Director Bungalow)

: 172.26.54.11  
(For Rajbhasha Prakoshth Display)

: 172.24.124.2  
(For Dr.V.P.Singh)

: 172.24.124.4  
(For Printer)

: 172.24.124.18  
(For IP Camera)

: 172.24.124.19 - 172.24.124.41  
(For CCTV Cameras & PBCEC Conference Room)

: 172.24.124.43  
(For Mr.Sarang)

: 172.24.124.44 – 172.24.124.49  
(For CCTV)

: 172.24.124.51  
(For VH Tally server)

: 172.24.124.50  
(For Biometric Duty Roster of VH Dining Staff)

Netmask : 255.255.248.0

Gateway : 172.24.127.254

DNS : 172.31.1.1  
172.31.1.130

## **Building Name : VH-EXTENSION**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.25.101.1  
(For SIIC-D106)

: 172.25.101.2  
(For D-105,SIIC Extension)

: 172.25.101.3  
(For D-202,SIIC Extension)

Subnet Mask : 255.255.240.0

Gateway : 172.25.111.254

DNS : 172.31.1.1  
172.31.1.130

## **Building Name : WESTERN LAB**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.94.2 – 172.26.94.7  
(For Dr.Partha Sarathi Sensarma)

: 172.26.94.8 – 172.26.94.15  
(For Dr.R.S.Anand)

: 172.26.94.16 – 172.26.94.25  
(For Dr.L.Behera)

: 172.26.94.26 – 172.26.94.41  
(For Dr.Sanjay Mittal)

: 172.26.94.42 – 172.26.94.45  
(For Dr.Ramprasad Patluri)

: 172.26.94.46 – 172.26.94.49  
(For Dr.Joseph John)

: 172.26.94.50 – 172.26.94.53  
(For Dr.S.P.Das)

: 172.26.94.54 – 172.26.94.61  
(For Dr.Bhaniman Ghosh)

: 172.26.94.62 – 172.26.94.66  
(For Dr.Ashish Garg)

: 172.26.94.67 – 172.26.94.71  
(For For Mrs. Neeru Chhabra)

: 172.26.94.72  
(For Dr. Sarang Ingole)

: 172.26.95.2 – 172.26.95.200  
(For Mr.J.J.Whiteford for VLSI LAB)

: 172.26.94.73 – 172.26.94.74  
(For Dr. Anandh Subramaniam)

: 172.26.94.75 – 172.26.94.80  
(For Mr. B M Shukla)

: 172.26.94.81 – 172.26.94.88  
(For Dr. Yogesh Singh Chauhan)

: 172.26.94.89  
(For Dr. Somnath Bhowmick)

: 172.26.94.90  
(For Mr. Anil Verma, WL204)

: 172.26.94.91  
(For Dr. Somnath Bhowmick)

: 172.26.94.92  
(For Dr. D Mazumdar)

: 172.26.94.93  
(For Dr. K Biswas)

: 172.26.94.94 – 172.26.94.95  
(For Dr. Shobit Omar)

: 172.26.94.96 – 172.26.94.97

(For Dr. D C Rai)

: 172.26.94.98 – 172.26.94.99

(For Mr.Arvind K. Singh)

: 172.26.94.100 - 172.26.94.130

(For Dr.Yogesh Singh Chauhan)

: 172.26.94.131 – 172.26.94.135

(For Mr.Arvind K.Singh :  
For Systems/Biometric devices/Cameras)

: 172.26.94.136 - 172.26.94.139

(For Dr.R.S.Anand Solar PV Power Plant)

: 172.26.94.140 - 172.26.94.141

(For Dr.Dipanjan Basu : WL 132)

: 172.26.94.142 - 172.26.94.143

(For Dr.Sarang Ingole: WL 113)

: 172.26.94.144

(For Mr.Suresh Ailawadi: WL 309)

: 172.26.94.145

(For Dr.Tanmoy Maiti: WL 204A)

: 172.26.94.146 - 172.26.94.165

(For Dr.Somnath Bhowmick: WL 312)

: 172.26.94.166 - 172.26.94.170

(For Dr.Soumya Ranjan Sahoo: WL 216A)

: 172.26.94.171

(For Printer in WL-312A)

: 172.26.94.172

(For Printer in WL-116)

: 172.26.94.173

(For Printer in WL-124)

: 172.26.94.174 - 172.26.94.182

(For Dr.Rajdip Mukherjee: WL 312B)

: 172.26.94.183 - 172.26.94.185  
(For Dr.Sarang Ingole WL 204)

: 172.26.94.186 - 172.26.94.190  
(For Dr.Monica Katiyar)

: 172.26.94.191  
(For High Voltage Lab(WL 114))

: 172.26.94.192 - 172.26.94.211  
(For Dr.Baquer Mazhari(WL 124))

: 172.26.93.9  
(For Dr.Shashank Shekhar)

: 172.26.94.212 - 172.26.94.228  
(For Dr.Soumya Ranjan Sahoo(WL-215D))

: 172.26.94.229  
(For Dr.Shashank Shekhar)

: 172.26.94.230 - 172.26.94.254  
(For Dr.Dibakar Ghosal(WL 218))

: 172.26.92.2 - 172.26.92.3  
(For 6KV UPS)

: 172.26.92.4 - 172.26.92.5  
(For Biometric(WL 206 & WL103E))

: 172.26.92.6  
(For Geophysical Lab WL-218)

: 172.26.92.7  
(For Dr.Amarendra K.Singh(WL-101C))

: 172.26.92.8  
(For Dr.Tapan Sengupta(WL-221 & 314))

: 172.26.92.9  
(For Dr.Shashank Shekhar(Network Printer))

: 172.26.92.10

(For Dr.Anshu Gaur)

: 172.26.92.11

(For Mr.Pankaj Kumar)

: 172.26.92.11 - 172.26.92.15

(For Mr.Pankaj Kumar,  
Static Power Controllers Lab (WL-111))

: 172.26.92.17

(For Fingerprint access(WL-116))

: 172.26.92.18

(For Dr.Anshu Gaur(WL-307))

: 172.26.92.19

(For Dr.Deepak Gupta(Printer))

: 172.26.92.20

(For Dr.B Mazhari(Printer))

: 172.26.92.21 - 172.26.92.24

(For Office Automation)

: 172.26.92.25 - 172.26.92.26

(For Dr.Parthasarathi Sensarma)

: 172.26.92.27 - 172.26.92.36

(For Dr.Shashank Shekhar)

: 172.26.92.37

(For WL-218 Biometric Lock)

: 172.26.92.38

(For Physical Metallurgy Lab(WL-206))

: 172.26.92.39

(For Classroom WL-305)

: 172.26.92.40

(For Printer WL-302B)

: 172.26.92.41 - 172.26.92.55

(For Dr.Soumya Ranjan Sahoo)



: 172.26.92.56  
(For Mr.Rakesh K.Mathpal(WL-314))

: 172.20.94.3 - 172.20.94.4  
(For Dr.Y.N.Singh)

: 172.26.92.58 - 172.26.92.65  
(For Dr.Ketan Rajawat/ Mr.J.J.Whiteford)

: 172.26.92.57  
(For WL-219 Biometric Lock)

: 172.26.92.66  
(For Dr.Dibakar Ghosal)

: 172.26.92.67  
(For Dr.Anandh Subramaniam)

: 172.26.92.68  
(For Dr.Dibakar Ghosal)

: 172.26.92.69  
(For Dr.Y.S.Chauhan)

: 172.26.92.70 - 172.26.92.71  
(For WL 102 CCTV Cameras)

: 172.26.92.72  
(For WL 101C CCTV Cameras)

: 172.26.92.73  
(For WL 114 Printer)

: 172.26.92.74 - 172.26.92.75  
(For Dr.Anshu Gaur)

: 172.26.92.76  
(For Dr.Tanmoy Maiti(WL-204A))

: 172.26.92.77  
(For Dr.Amit Verma)

: 172.26.92.76 - 172.26.92.77

(For WL 305/306 Biometric Lock)

: 172.26.92.80

(For Dr.Amit Verma(WL-133))

: 172.26.92.81

(For Mr.Arvind Ashish(WL-116))

: 172.26.92.82

(For Dr.Shikhar Jha)

: 172.26.92.83

(For WL-101A Printer)

: 172.26.92.84

(For EMEC Laboratory(WL-114))

: 172.26.92.85 - 172.26.92.86

(For Dr.Shiva Kant)

: 172.26.92.87

(For WL312C Workstation)

: 172.26.92.88

(For Mr.Arvind(WL-116))

: 172.26.92.89

(For Dr.Amit Verma(WL-133))

: 172.26.92.90 - 172.26.92.92

(For Dr.Anshu Gaur)

: 172.26.92.93 - 172.26.92.99

(For Dr.Amarendra K.Singh)

: 172.26.92.100

(For Dr.Nilesh)

: 172.26.172.1 - 172.26.172.4

(For Dr.Alok R Verma(WL 114 Ext))

: 172.26.92.105

(For Dr.Anandh Subramaniam)

Netmask : 255.255.252.0  
Gateway : 172.26.95.254  
DNS : 172.31.1.1  
172.31.1.130

IP Address : Use DHCP.

Static IP Range : 172.26.172.5  
(For Pingla Office WL 225)

: 172.26.172.6  
(For Dr.Shashank Shekhar (Network Drive))

: 172.26.172.7 - 172.26.172.9  
(For Dr.Ashwin Kumar (LAB PC))

: 172.26.172.10  
(For Mr. Arvid Kumar (Online meeting PC lab No.116))

: 172.26.172.11 - 172.26.172.13  
(For Dr. Ashwin Kumar R S (Lab Machines))

: 172.26.172.14  
(For Ajay Pratap Singh (wifi router))

: 172.26.172.15 - 172.26.172.16  
(For Dr. Rituraj for VLSI Servers)

: 172.26.172.17 - 172.26.172.22  
(For Western Lab Building cameras)

: 172.26.172.23 - 172.26.172.26  
(For Mr. Anurag Prasad for Camera Room No. 101, 301, 310)

: 172.26.172.27  
(For MSE office for Bio-Metric Machine Physical Metallurgy Lab)

: 172.26.172.28 - 172.26.172.29  
(For Dr. Anshu Gaur for Lab PC WL 312)

: 172.26.172.30 - 172.26.172.31  
(For Dr. Twinkle Tripathy for Network Printer WL 216)

: 172.26.172.32  
(For Dr. Twinkle Tripathy for Network Printer WL 216-c)

Netmask : 255.255.252.0  
Gateway : 172.26.175.254  
DNS : 172.31.1.1  
172.31.1.130

### **Building Name : WESTERN LAB EXT.**

IP Addresses of the Selected Building are listed below:

IP Address : Use DHCP.

Static IP Range : 172.26.46.2 – 172.26.46.8  
(For Dr.Rajiv Sinha)

: 172.26.46.9 – 172.26.46.16  
(For Dr.Sudhir Jain)

: 172.26.46.17 – 172.26.46.24  
(For Dr.C.V.R.Murty)

: 172.26.46.25 – 172.26.46.32  
(For Dr.Bharat Lohani)

: 172.26.46.33 – 172.26.46.40  
(For Dr.S.C.Srivastava)

: 172.26.46.41 – 172.26.46.44  
(For Dr.Onkar Dixit)

: 172.26.46.45 – 172.26.46.48  
(For Dr.Samit Ray Chaudhari)

: 172.26.46.49 – 172.26.46.52  
(For Dr.Joseph John)

: 172.26.46.53 – 172.26.46.57  
(For Dr.Bharat Lohani)

: 172.26.46.58  
(For Varun Lab Server)

: 172.26.46.59 – 172.26.46.60  
(For Dr. Onkar Dixit)

: 172.26.46.61  
(For Dr. Rajiv Sinha)

: 172.26.46.62  
(For Dr. K K Bajpai)

: 172.26.46.63  
(For Dr. K. Balani)

: 172.26.46.64  
(For Dr. Bharat Lohani)

: 172.26.46.65 – 172.26.46.66  
(For Dr.K.Balani)

: 172.26.46.67  
(For Mr.Suresh Ailawadi)

: 172.26.46.68  
(For Mr.Sanjiv Kumar: Room No-202)

: 172.26.46.69 - 172.26.46.70  
(Dr.R.S.Anand Solar PV Power Plant)

: 172.26.46.72  
(For Dr.Rajesh Sathyamoorthy)

: 172.26.45.5  
(For Dr.Samit Ray Chaudhuri)

: 172.20.46.2  
(For Dr.Onkar Dikshit)

: 172.26.45.6  
(For Dr.Sudhir Misra)

: 172.26.45.7  
(For Mr.M C Gupta)

: 172.26.46.73  
(For Dr.Onkar Dixit)

: 172.26.46.74  
(For Dr.Sudhir Misra)

: 172.26.46.75  
(For Network Printer)

: 172.26.46.76 - 172.26.46.78  
(For Dr.Onkar Dixit)

: 172.26.46.79 - 172.26.46.90  
(For Smart City Project(WLE 314))

: 172.26.46.91 - 172.26.46.118  
(For AML)

: 172.26.46.119  
(For 6KV UPS)

: 172.20.46.6 -172.20.46.26  
(For Smart city project(WLE-312 & 312))

: 172.26.46.120 - 172.26.46.122  
(For WLE 202)

: 172.26.46.126  
(For Dr.Chinmoy Kolay IP Phone)

: 172.26.46.127  
(For Dr.Shivam Tripathi IP Phone)

: 172.26.46.128  
(For Dr.K.K Bajpai IP phone)

: 172.26.46.129  
(For Kantesh Balani IP Phone)

: 172.26.46.130  
(For Dr.V.K Gupta IP Phone)

: 172.26.46.133 - 172.26.46.134

(For Mr.Rahul Kumar)

: 172.26.46.135

(Dr.D.C Rai IP Phone)

: 172.26.46.136

(For Dr.Samit Ray Chaudhuri)

: 172.26.46.137

(For Dr.Chinmoy Kolay)

: 172.26.46.138

(For WL-202 Bio-metric)

: 172.26.46.139 - 172.26.46.140

(For Dr.Indra Sekhar Sen)

: 172.26.46.141

(For Dr.D.Balaji)

: 172.26.46.142 - 172.26.46.146

(For Dr.Onkar Dixit)

: 172.26.46.147

(For Dr.Balaji Devaraju)

: 172.26.46.148

(For Dr.Somnath Bhowmick (Biomaterial Lab-3))

: 172.26.46.149

(For Dr.Chunendra K Sahu)

: 172.26.46.150 - 172.26.46.160

(For Dr.Somnath Bhowmick (Biomaterial Lab-3))

: 172.26.46.161

(For Dr.Hemant Gehlot(WLE 302))

: 172.26.46.162

(For Dr.Aditya Medury(WLE 112A))

: 172.26.46.163

(For Geotechnical Engg.Lab.)

: 172.26.46.164  
(For Dr.Rajiv Sinha)

: 172.26.46.167  
(For Dr.Saumyen Guha)

: 172.26.46.169  
(For Dr.Sudhanshu Shekhar Singh)

: 172.26.46.170  
(For Dr.Suparno Mukhopadhyay)

: 172.26.46.171  
(For Dr.Shitla Prasad Tripathi (for WLE 115))

: 172.26.46.172  
(For Dr.Shivam Tripathi (for Hydraulic Lab server))

: 172.26.46.173  
(For Dr. Partha Chakroborty (for WLE 303D Network Printer))

: 172.26.46.174  
(For Dr. Shubham Sahay (for GPU server))

: 172.26.46.175  
(For Prof. Kantesh Balani (for Network Printer of Laboratory for biomaterials))

: 172.26.46.176  
(For Dr. Arghya Das for Lab Server)

: 172.26.46.177  
(For Dr. Suparno mukhopadhyay for servo-hydraulic system)

: 172.26.46.178  
(For Dr. Aditya Medury for NAS server R.no 112A)

: 172.26.46.179  
(For Mr. Prashant Jaiswal for Network Printer R.NO 201C)

: 172.26.46.180 - 172.26.46.219  
(For Dr. Ankush Sharma for Lab 212)



Netmask : 255.255.252.0  
Gateway : 172.26.47.254  
DNS : 172.31.1.1  
172.31.1.130