Giahuy Dang ID: 922722304
GitHub: leavism CSC415 Operating Systems

Assignment 1 – Command Line Arguments

Description:

This assignment is to write a C program that accepts arguments via the command line and then displays each of those arguments to the terminal along with how many arguments there are.

Approach / What I Did:

I had spent the summer learning basic C syntax, and so that preliminary concern was resolved. I then investigated how to pass arguments into the *main* function, something I didn't cover over the summer. Once I learned that *main* can take two parameters *argc* and *argv*, I traversed the *argv* argument vector with a for-loop and printed the arguments in the required format.

Bless the *argc* parameter which stores the size of the argument vector *argv*. This would've been an entirely different assignment if I had to dynamically find the length of the *argv*.

Issues and Resolutions:

Passing Arguments into main() function

I didn't know how to pass arguments into the *main()* function in C. Turns out it can take two parameters *argc* and *argv* which are the count of the arguments and a vector of the arguments respectively. Source: https://en.cppreference.com/w/c/language/main_function

Analysis: (If required for the assignment)

Screen shot of compilation:

```
csc415-assignment-1-leavism on property main [!] via C v11.4.0-gcc
) make
gcc -c -o dang_giahuy_HW1_main.o dang_giahuy_HW1_main.c -g -I.
gcc -o dang_giahuy_HW1_main dang_giahuy_HW1_main.o -g -I.
csc415-assignment-1-leavism on property main [!?] via C v11.4.0-gcc
)
```

Giahuy Dang ID: 922722304
GitHub: leavism CSC415 Operating Systems

Screen shot(s) of the execution of the program:

```
csc415-assignment-1-leavism on | main [!?] via C v11.4.0-gcc
) make run
./dang_giahuy_HW1_main Hello World
There were 3 arguments on the command line.
Argument 00: ./dang_giahuy_HW1_main
Argument 01: Hello
Argument 02: World

csc415-assignment-1-leavism on | main [!?] via C v11.4.0-gcc
)
```

```
csc415-assignment-1-leavism on property main [!] via C v11.4.0-gcc
make run RUNOPTIONS="Code never lies, comments sometimes do"
gcc -c -o dang_giahuy_HW1_main.o dang_giahuy_HW1_main.c -g -I.
gcc -o dang_giahuy_HW1_main dang_giahuy_HW1_main.o -g -I.
./dang_giahuy_HW1_main Code never lies, comments sometimes do
There were 7 arguments on the command line.
Argument 00:
                ./dang_giahuy_HW1_main
Argument 01:
                Code
Argument 02:
                never
Argument 03:
                lies,
Argument 04:
                comments
Argument 05:
                sometimes
Argument 06:
                do
csc415-assignment-1-leavism on | main [!?] via C v11.4.0-gcc
```

```
csc415-assignment-1-leavism on property main [!?] via C v11.4.0-gcc
) make run RUNOPTIONS=""
./dang_giahuy_HW1_main
There was 1 argument on the command line.
Argument 00: ./dang_giahuy_HW1_main

csc415-assignment-1-leavism on property main [!?] via C v11.4.0-gcc
)
```