

<sup>1</sup> *Light Exposure Behavior Assessment (LEBA): Development of a novel instrument to capture light exposure-related behaviours*

<sup>3</sup> **Mushfiqul Anwar Siraj<sup>1,\*</sup>, Rafael Robert Lazar<sup>2, 3,\*</sup>, Juliëtte van Duijnhoven<sup>4, 5</sup>, Luc**  
<sup>4</sup> **Schlanger<sup>5, 6</sup>, Shamsul Haque<sup>1</sup>, Vineetha Kalavally<sup>7</sup>, Céline Vetter<sup>8, 9</sup>, Gena Glickman<sup>10</sup>,**  
<sup>5</sup> **Karin Smolders<sup>5,6</sup>, & Manuel Spitschan<sup>11, 12, 13</sup>**

<sup>6</sup> <sup>1</sup> Monash University, Department of Psychology, Jeffrey Cheah School of Medicine and  
<sup>7</sup> Health Sciences, Malaysia

<sup>8</sup> <sup>2</sup> Psychiatric Hospital of the University of Basel (UPK), Centre for Chronobiology, Basel,  
<sup>9</sup> Switzerland

<sup>10</sup> <sup>3</sup> University of Basel, Transfaculty Research Platform Molecular and Cognitive  
<sup>11</sup> Neurosciences, Basel, Switzerland

<sup>12</sup> <sup>4</sup> Eindhoven University of Technology, Department of the Built Environment, Building  
<sup>13</sup> Lighting, Eindhoven, Netherlands

<sup>14</sup> <sup>5</sup> Eindhoven University of Technology, Intelligent Lighting Institute, Eindhoven,  
<sup>15</sup> Netherlands

<sup>16</sup> <sup>6</sup> Eindhoven University of Technology, Department of Industrial Engineering and  
<sup>17</sup> Innovation Sciences, Human-Technology Interaction, Eindhoven, Netherlands

<sup>18</sup> <sup>7</sup> Monash University, Department of Electrical and Computer Systems Engineering,  
<sup>19</sup> Selangor, Malaysia

<sup>20</sup> <sup>8</sup> University of Colorado Boulder, Department of Integrative Physiology, Boulder, USA

<sup>21</sup> <sup>9</sup> XIMES GmbH, Vienna, Austria

<sup>22</sup> <sup>10</sup> Uniformed Services University of the Health Sciences, Department of Psychiatry,  
<sup>23</sup> Bethesda, USA

<sup>24</sup> <sup>11</sup> Max Planck Institute for Biological Cybernetics, Tübingen, Germany

<sup>25</sup> <sup>12</sup> Technical University of Munich, Department of Sport and Health Sciences (TUM SG),  
<sup>26</sup> Munich, Germany

<sup>27</sup> <sup>13</sup> University of Oxford, Department of Experimental Psychology, Oxford, United Kingdom

<sup>28</sup> \* Joint first author

30 This research is supported by funding from the Wellcome Trust (204686/Z/16/Z),  
31 the European Training Network LIGHTCAP (project number 860613) under the Marie  
32 Skłodowska-Curie actions framework H2020-MSCA-ITN-2019, the BioClock project  
33 (number 1292.19.077) of the research program Dutch Research Agenda: Onderzoek op  
34 Routes door Consortia (NWA-ORC) which is (partly) financed by the Dutch Research  
35 Council (NWO), and the European Union and the nationals contributing in the context of  
36 the ECSEL Joint Undertaking programme (2021-2024) under the grant #101007319.

37 The authors made the following contributions. Mushfiqul Anwar Siraji: Formal  
38 Analysis, Visualization, Writing – original draft, Writing – review & editing;; Rafael Robert  
39 Lazar: Data curation, Investigation, Project administration, Visualization, Writing –  
40 original draft, Writing – review & editing;; Juliëtte van Duijnhoven: Conceptualization,  
41 Methodology, Investigation, Writing – review & editing; Luc Schlangen:  
42 Conceptualization, Methodology, Investigation, Writing – review & editing; Shamsul  
43 Haque: Conceptualization, Supervision, Writing – review & editing; Vineetha Kalavally:  
44 Supervision, Writing – review & editing; Céline Vetter: Conceptualization, Writing –  
45 review & editing; Gena Glickman: Conceptualization, Methodology, Writing – review &  
46 editing; Karin Smolders: Conceptualization, Methodology, Writing – review & editing;  
47 Manuel Spitschan: Conceptualization, Data curation, Investigation, Project  
48 administration, Visualization, Methodology, Writing – original draft, Writing – review &  
49 editing.

50

## Abstract

51 Light exposure is an important driver of health and well-being. Many aspects of light  
52 exposure are modulated by our behaviour. How these light-related behaviours can be  
53 shaped to optimise personal light exposure is currently unknown. Here, we present a  
54 novel, self-reported and psychometrically validated instrument to capture light  
55 exposure-related behaviour, the Light Exposure Behavior Assessment (LEBA).

56 An expert panel prepared the initial 48 item pool. Responses to these items were  
57 then collected in an online survey producing responses from an international sample  
58 (690 completed responses, 74 countries, 28 time zones). Exploratory factor analysis  
59 (EFA) on an initial subset of our sample ( $n=428$ ) rendered a five-factor solution with 25  
60 items (Wearing blue light filters, spending time outdoors, using phone and smart-watch  
61 in bed, using light before bedtime, using light in the morning and during daytime). In a  
62 confirmatory factor analysis (CFA) performed on an independent subset of participants  
63 ( $n=262$ ), we removed two further items to attain the best fit for the five-factor solution  
64 ( $CFI=0.97$ ,  $TLI=0.96$ ,  $RMSEA=0.05$ ,  $SRMR=0.09$ ). The internal consistency reliability  
65 coefficient for the total instrument was McDonald's  $\omega_{total}=0.73$ . Measurement  
66 model invariance analysis between native and non-native English speakers showed our  
67 model attained the highest level of invariance (residual invariance;  $CFI=0.95$ ,  $TLI =0.95$ ,  
68  $RMSEA=0.05$ ). Lastly, a short form of LEBA ( $n=18$ ) was developed using Item Response  
69 Theory on the complete sample ( $n=690$ ).

70 The psychometric properties of the LEBA instrument indicate the usability to  
71 measure the light exposure-related behaviours across a variety of settings and may offer  
72 a scalable solution to characterise light exposure-related behaviours in remote samples.  
73 The LEBA instrument will be available under the open-access CC-BY-NC-ND license.

74 **Keywords:** light exposure, light-related behaviours, non-visual effects of light,  
75 psychometrics

76

Word count: X

77 *Light Exposure Behavior Assessment (LEBA): Development of a novel instrument to*  
78 *capture light exposure-related behaviours*

## Introduction

- Light exposure is important
  - Light exposure Behavior is important
  - Table: Overview Existing Related Scales: items in total / items on light exposure (behaviour)
  - Existing Scales: Review them in text
  - None of these do light exposure behavior.

## Methods

## 87 Ethical approval

The cantonal ethics commission (Ethikkommission Nordwest- und Zentralschweiz, project ID Req-2021-00488) reviewed this project and issued an official clarification of responsibility (full document see Suppl. Fig X in appendix) stating: “The research project does not fall under the scope of the Human Research Act, because your project is using only anonymised data. An authorisation from the ethics committee is therefore not required and the EKNZ is not responsible for its review.”

94 Data Availability

All code and data underlying this article is available on a public GitHub repository (<https://github.com/leba-instrument/leba-manuscript>).

97 Survey characteristics

98 Data was collected in a quantitative cross-sectional approach via a fully anonymous  
99 online survey hosted on REDCap (Harris et al., 2019, 2009) by way of the University of  
100 Basel sciCORE. Participants were recruited via the website of a Comic co-released with  
101 the survey(Weinzaepflen & Spitschan, 2021) , social media (i.e., LinkedIn, Twitter,  
102 Facebook), mailing lists, word of mouth, the investigators' personal contacts, and  
103 supported by distribution of the survey link via f.lux software (F.lux Software LLC, 2021).

104 Completing the online survey took approx. 15 to 20 minutes and was not  
105 compensated. The first page of the survey comprised a participant information sheet,  
106 where participants' informed consent to participate was obtained before any of the  
107 questions were displayed. Underaged participants (<18 years) were urged to obtain  
108 assent from their parents/legal guardians, before filling in the survey. Information on the  
109 first page included the objectives of the study, inclusion criteria, estimated duration, the  
110 use, storage and sharing of the data, compensation (none), and information about the  
111 type of questions in the survey. Moreover, participants needed to confirm that they were  
112 participating the survey for the first time. To ensure high data quality, five attention check  
113 items were included in the survey (e.g., "We want to make sure you are paying attention.  
114 What is 4+5?"). The data analysed in this study was collected between 17.05.2021 and  
115 03.09.2021. Questions incorporating retrospective recall were all aligned to the period of  
116 "past four weeks," matching the presented LEBA instrument.

117 In addition to the LEBA questionnaire, which is subject of the current study, the  
118 following variables and items were assessed but not included in the analysis:

- 119 • Sleep disturbance and sleep-related impairment (adult and pediatric versions)  
120 (Bevans et al., 2019; Daniel J. Buysse et al., 2010; Forrest et al., 2018; Harb,  
121 Hidalgo, & Martau, 2015; L. Yu et al., 2011)

- 122 • Sleep duration, timing, and latency, chronotype, social jetlag, time in bed,
- 123 work/sleep schedule and outdoor light exposure duration (version for adults and
- 124 adolescents) (Roenneberg, Wirz-Justice, & Merrow, 2003)
- 125 • Sleep environment (Olivier et al., 2016)
- 126 • Meal timing & caffeine consumption [custom items]
- 127 • Light sensitivity (photophobia vs. photophilia) (Wu & Hallett, 2017)
- 128 • Self-reported pubertal stage (only if younger than 18 years old) (Petersen,
- 129 Crockett, Richards, & Boxer, 1988)

130 Furthermore, the following 1-item demographic variables were assessed:

- 131 • Age
- 132 • Sex
- 133 • Gender identity
- 134 • Occupational Status
- 135 • COVID-19 related Occupational setting during the past four weeks
- 136 • Time zone & country of residence
- 137 • English as native language

## 138 Participants

139 Table 2 summarizes the survey participants' demographic characteristics. Only  
140 participants completing the full LEBA questionnaire were included, thus there are no  
141 missing values in the item analyses. XX participants were excluded from analysis due to  
142 not passing at least one of the "attention check" items. For exploring initial factor  
143 structure (EFA), a sample of 250-300 is recommended (Comrey & Lee, 1992;  
144 Schönbrodt & Perugini, 2013). For estimating the sample size for the confirmatory factor  
145 analysis (CFA) we followed the N:q rule (Bentler & Chou, 1987; Jackson, 2003; Kline,  
146 2015; Worthington & Whittaker, 2006), where ten participants per parameter is required

147 to earn trustworthiness of the result. Our sample size exceeds these requirements:  
148 Anonymous responses from a total of  $n = 690$  participants were included in the analysis  
149 of the current study, split into samples for Exploratory Factor Analysis (EFA:  $n = 428$ ) and  
150 Confirmatory Factor Analysis (CFA:  $n = 262$ ). The EFA sample included participants  
151 filling out the questionnaire from 17.05.2021 to XX.XX.XXXX, whereas participants who  
152 filled out the questionnaire from YY.YY.YYYY to 03.09.2021 were included in the CFA  
153 analysis. Participants indicated filling out the online survey from a diverse range of  
154 geographic locations. The ten most common country + timezone combinations included:

- 155 • United States - America/New\_York (UTC -04:00): 63 (9.1%)
- 156 • United Kingdom - Europe/London (UTC): 57 (8.3%)
- 157 • Germany - Europe/Berlin (UTC +01:00): 53 (7.7%)
- 158 • India - Asia/Kolkata (UTC +05:30): 38 (5.5%)
- 159 • United States - America/Los\_Angeles (UTC -07:00): 37 (5.4%)
- 160 • United States - America/Chicago (UTC -05:00): 30 (4.3%)
- 161 • France - Europe/Paris (UTC +01:00): 22 (3.2%)
- 162 • Switzerland - Europe/Zurich (UTC +01:00): 21 (3.0%)
- 163 • Brazil - America/Sao\_Paulo (UTC -03:00): 19 (2.8%)
- 164 • Netherlands - Europe/Amsterdam (UTC +01:00): 19 (2.8%)

165 For a complete list of geographic locations, see Suppl. Table X in the appendix.

166 Age among all participants ranged from 11 years to 84 years [EFA:  $\min = 11$ ,  $\max =$   
167 84; CFA:  $\min = 12$ ,  $\max = 74$ ], with an overall mean of ~ 33 years of age [Overall:  $M =$   
168 32.95,  $SD = 14.57$ ; EFA:  $M = 32.99$ ,  $SD = 15.11$ ; CFA:  $M = 32.89$ ,  $SD = 13.66$ ]. In total  
169 325 (47%) of the participants indicated female sex [EFA: 189 (44%); CFA: 136 (52%)],  
170 351 (51%) indicated male [EFA: 230 (54%); CFA: 121 (46%)] and 14 (2.0%) indicated  
171 other sex [EFA: 9 (2.1%), CFA: 5 (1.9%)]. Overall, 49 (7.2%) [EFA: 33 (7.8%); CFA: 16  
172 (6.2%)] participants indicated a gender-variant identity. In a “Yes/No” question regarding

native language, 320 (46%) of respondents [EFA: 191 (45%); CFA: 129 (49%)] indicated to be native English speakers. For their “Occupational Status,” more than half of the overall sample reported that they currently work [Overall: 396 (57%); EFA: 235 (55%); CFA: 161 (61%)], whereas 174 (25%) [EFA: 122 (29%); CFA: 52 (20%)] reported that they go to school and 120 (17%) [EFA: 71 (17%); CFA: 49 (19%)] responded that they do “Neither.” With respect to the COVID-19 pandemic we asked participants to indicate their occupational setting during the last four weeks: In the overall sample 303 (44%) [EFA: 194 (45%); CFA: 109 (42%)] of the participants indicated that they were in a home office/home schooling setting, while 109 (16%) overall [EFA: 68 (16%); CFA: 41 (16%)] reported face-to-face work/schooling. Lastly, 147 (21%) overall [EFA: 94 (22%); CFA: 53 (20%)] reported a combination of home- and face-to-face work/schooling, whereas 131 (19%) overall [EFA: 72 (17%); CFA: 59 (23%)] filled in the “Neither (no work or school, or on vacation)” response option. We tested all demographic variables in Table 1 for significant group differences between the EFA and CFA sample, applying Wilcoxon rank sum test for the continuous variable “Age” and Pearson’s  $\chi^2$  test for all other categorical variables via the gtsummary R package’s “add\_p” function (Sjoberg et al., 2021a). The p-values were corrected for multiple testing applying false discovery rate (FDR) via the “add\_q” function of the same package. After p-value (FDR) correction for multiple testing, none of the demographic variables were significantly different between the EFA sample and the CFA sample (all q-values  $q \geq 0.2$ ).

### Item Generation

To ensure construct adequacy we thoroughly assessed the current status of literature and identified a variety of light exposure related scales. However, no scales specifically measuring the behavioral component of light exposure were found (Table ??). Consequentially we pursued to introduce a new openly available scale to address this research gap. For this purpose an expert researcher panel from the fields of

199 chronobiology, light research, neuroscience and psychology (including seven of the  
200 authors, see authors roles) generated and collected preliminary item ideas. Special  
201 attention was paid to design items circumscribed to assess light exposure *behavior* as  
202 opposed to subjective measurements of the light environment (cf.(Eklund & Boyce,  
203 1996) & (Dianat, Sedghi, Bagherzade, Jafarabadi, & Stedmon, 2013)) and  
204 semi-quantitative assesments of light sources' illuminance (cf. (Bajaj, Rosner, Lockley, &  
205 Schernhammer, 2011)) in order to maintain content validity. In a collective effort the  
206 generated items were then peer-reviewed, amended, unified, and complemented with a  
207 suitable response scale (5 point Likert-scale ranging from 1 "Never/Does not apply/  
208 don't know" to 5 "Always"). This process was finalized when all experts were in  
209 agreement, resulting in 48 items to implement in the data collection.

## 210 Analytic Strategies

211 Figure 1 summarizes the steps of our psychometric analysis. In our analysis we  
212 used R (version 4.1.0), with several R packages. Initially, our tool had six point Likert  
213 type response format (0:Does not apply/I don't know; 1:Never, 2:Rarely; 3:Sometimes;  
214 4:Often; 5:Always). Our purpose was to capture light exposure related behavior and  
215 these two response options: "Does not apply/I don't know" and "Never" were providing  
216 similar information. As such we decided to collapse them into one, making it a 5 point  
217 Likert type response format. Necessary assumptions of EFA, including sample  
218 adequacy, normality assumptions, quality of correlation matrix, were assessed. Our data  
219 violated both the univariate and multivariate normality assumptions. Due to these  
220 violations and the ordinal nature of our response data, we used polychoric correlation  
221 matrix (Desjardins & Bulut, 2018) for the EFA. We employed principal axis (PA) as factor  
222 extraction method with varimax rotation. PA is robust to the normality assumption  
223 violations (Watkins, 2020). The obtained latent structure was confirmed by another factor  
224 extraction method: "the minimum residuals extraction" as well. We used a combination

of factor identification method including scree plot (Cattell, 1966), Horn's parallel analysis (Horn, 1965), minimum average partials method (Velicer, 1976), and hull method (Lorenzo-Seva, Timmerman, & Kiers, 2011) to identify factor numbers. Additionally, to determine the simple structure, we followed the guidelines recommended by psychometricians: (i) no factors with fewer than three items (ii) no factors with a factor loading <0.3 (iii) no items with cross-loading greater than .3 across factors (Bandalos & Finney, 2018). We confirmed the latent structure obtained in the EFA by conducting a categorical "Confirmatory Factor Analysis" (CFA) using "robust weighted least square estimator" (WLSMV). We established the measurement invariance of our tool across the native and non-native English speakers using structural equation model framework. To assess the possible semantic overlap of our tool with the existing tools, we sought to "Semantic Scale Network" (Rosenbusch, Wanders, & Pit, 2020). To assess the possible semantic overlap of our tool with the existing tools, we sought to "Semantic Scale Network" (Rosenbusch et al., 2020). Lastly, we sought "Item Response Theory" (IRT) based analysis on developing a short form of LEBA. We also conducted psychometric analysis on non-merged response options data (Supp. Table A9) and rejected the latent structure obtained as the factors were less interpretable.

## Results

### Item Analysis

Table 3 summarizes the univariate descriptive statistics for the 48 items. Some of the items were skewed with high Kurtosis values. Our data violated both univariate normality (Shapiro-Wilk statistics; (Shapiro & Wilk, 1965)) and multivariate normality assumptions [Marida's test;(Mardia, 1970)]. Multivariate skew was = 583.80 ( $p < 0.001$ ) and multivariate kurtosis was = 2,749.15 ( $p < 0.001$ ). Due to these violations and ordinal nature of the response data polychoric correlations over Pearson's correlations was

250 chosen (Desjardins & Bulut, 2018). The corrected item-total correlation ranges between  
251 .03 -.48. However, no item was discarded based on descriptive statistics or item analysis.

252 **Exploratory Factor Analysis**

253 Sampling adequacy was checked using Kaiser-Meyer-Olkin (KMO) measures of  
254 sampling adequacy (Kaiser, 1974) . The overall KMO vale for 48 items was 0.63 which  
255 was above the cutoff value (.50) indicating a mediocre sample (Hutcheson, 1999).  
256 Bartlett's test of sphericity (Bartlett, 1954),  $\chi^2$  (1128) = 5042.86, p < .001 indicated the  
257 correlations between items are adequate for the EFA. However only 4.96% of the  
258 inter-item correlation coefficients were greater than .30. The absolute value of inter-item  
259 correlation ranged between .00 to .91. Figure 2 depicts the correlation matrix.

260 Scree plot ( Figure 3) suggested a six-factor solution. Horn's parallel analysis  
261 (Horn, 1965) with 500 iterations also indicated a six-factor solution. However, the  
262 minimum average partial (MAP) method (Table ??) (Velicer, 1976) and Hull method  
263 (Lorenzo-Seva et al., 2011) ( Figure 3) suggested a five-factor solution. As a result, we  
264 tested both five-factor and six-factor solutions.

265 With the initial 48 items we conducted three rounds of EFA and gradually discarded  
266 problematic items. (cross-loading items and poor factor loading (<.30) items). Finally, a  
267 five-factor EFA solution with 25 items was accepted with low RMSR = 0.08 (Brown,  
268 2015), all factor-loading higher than .30 and no cross-loading greater than .30. We  
269 further confirmed this five-factor latent structure by another EFA using varimax rotation  
270 with a minimum residual extraction method (Sup.Table A7). Table 4 displays the  
271 factor-loading (structural coefficients) and communality of the items. The absolute value  
272 of the factor-loading ranged from .49 to .99 indicating strong coefficients. The  
273 commonalities ranged between .11 to .99. Figure 4(A) depicts the obtained five factor  
274 structure. However, the histogram of the absolute values of non-redundant

275 residual-correlations (Figure 4(B)) showed 26% correlations were greater than the  
276 absolute value of .05, indicating a possible under-factoring. (Desjardins & Bulut, 2018).  
277 Subsequently, we fitted a six-factor solution. However, a factor emerged with only two  
278 salient variables, thus disqualifying the six-factor solution (Sup.Table A8). Internal  
279 consistency reliability coefficient Cronbach's alpha assumes all the factor-loadings of the  
280 items under a factor are equal (Graham, 2006; Novick & Lewis, 1967) which is not the  
281 case in our sample. Additionally Cronbach's alpha coefficient has a tendency to deflate  
282 the estimates for Likert type data as the calculation is based on pearson-correlation  
283 matrix which requires that response data should be in continuous of nature (Gadermann,  
284 Guhn, & Zumbo, 2012; Zumbo, Gadermann, & Zeisser, 2007). Subsequently to get  
285 better estimates of reliability we reported ordinal alpha which used polychoric-correlation  
286 matrix and assumed that the responses data were ordered in nature instead of  
287 continuous (Zumbo et al., 2007). Ordinal alpha coefficient value ranges from 0 to 1 and  
288 higher value represents better reliability. In the five-factor solution, the first factor  
289 contained three items and explained 10.25% of the total variance with a internal reliability  
290 coefficient ordinal  $\alpha = .94$ . All the items in this factor stemmed from the individual's  
291 preference to use blue light filters in different light environments. The second factor  
292 contained six items and explained 9.93% of the total variance with a internal reliability  
293 coefficient ordinal  $\alpha = .76$ . Items under this factor commonly investigated an individual's  
294 hours spent outdoor. The third factor contained five items and explained 8.83% of the  
295 total variance. Items under this factor dealt with the specific behaviors pertaining to using  
296 phone and smart-watch in bed. The internal consistency reliability coefficient was,  
297 ordinal  $\alpha = .75$ . The fourth factor contained five items and explained 8.44% of the total  
298 variance with an internal consistency coefficient, ordinal  $\alpha = .72$ . These five items  
299 investigated the behaviors related to individual's light exposure before bedtime. Lastly,  
300 the fifth factor contained six items and explained 6.14% of the total variance. This factor  
301 captured individual's morning and daytime light exposure related behavior. The internal

302 consistency reliability was, ordinal  $\alpha = .62$ . It is essential to attain a balance between  
303 psychometric properties and interpretability of the common themes when exploring the  
304 latent structure. As all of the emerged factors are highly interpretable and relevant  
305 towards our aim to capture light exposure related behavior, regardless of the apparent  
306 low reliability of the fifth factor, we retain all the five-factors with 23 items for our  
307 confirmatory factor analysis (CFA). Two items showed negative factor-loading (items 44  
308 and 21). Upon inspection, it was understood that these items are negatively correlated to  
309 the common theme, and thus in the CFA analysis, we reversed the response code for  
310 these two items. Figure ?? depicts the data distribution and endorsement pattern for the  
311 included items in our LEBA tool for both the EFA and CFA sample.

312 **Confirmatory Factor Analysis**

313 We conducted categorical confirmatory factor analysis with robust weighted least  
314 square (WLSMV) estimator since our response data was of ordinary nature (Desjardins  
315 & Bulut, 2018). Several indices are suggested to measure model fit which can be  
316 categorized as absolute, comparative and parsimony fit indices (Brown, 2015). Absolute  
317 fit assess the model fit at an absolute level using indices including  $\chi^2$  test statistics and  
318 the standardized root mean square (SRMR). Parsimony fit indices including the root  
319 mean square error of approximation (RMSEA) considers the number of free parameters  
320 in the model to assesses the parsimony of the model. Comparative fit indices evaluate  
321 the fit of the specified model solution in relation to a more restricted baseline model  
322 restricting all covariances among the indicators as zero. Comparative fit index (CFI) and  
323 the Tucker Lewis index (TLI) are such two comparative fit indices. Commonly used  
324 Model fit guidelines (Hu & Bentle, 1999; Schumacker & Lomax, 2004) includes (i)  
325 Reporting of  $\chi^2$  test statistics (A non-significant test statistics is required to reflect model  
326 fit) (ii) CFI and TLI (CFI/TLI close to .95 or above/ranging between 90-95 and above) (iii)  
327 RMSEA (close to .06 or below), (iv) SRMR (close to .08 or below) to estimate the model

328 fit. Table 5 summarizes the fit indices of our fitted model. Our fitted model failed to attain  
329 an absolute fit estimated by the  $\chi^2$  test. However, the  $\chi^2$  test is sensitive to sample size  
330 and not recommended to be used as the sole index of absolute model fit (Brown, 2015).  
331 Another absolute fit index we obtained in our analysis was SRMR which does not work  
332 well with categorical data (C. Yu, 2002). We judged the model fit based on the  
333 comparative fit indices: CFI, TLI and parsimony fit index:RMSEA. Our fitted model  
334 attained acceptable fit (CFI = .94; TLI = .93); RMSEA = .06,[.05-.07, 90% CI]) with two  
335 imposed equity constrain on item pairs 32-33 [I dim my mobile phone screen within 1  
336 hour before attempting to fall asleep.;I dim my computer screen within 1 hour before  
337 attempting to fall asleep.] and 16-17 [I wear blue-filtering, orange-tinted, and/or  
338 red-tinted glasses indoors during the day.;I wear blue-filtering, orange-tinted, and/or  
339 red-tinted glasses outdoors during the day.]. Items pair 32-33 stemmed from the  
340 preference of dimming electric device's brightness before bed time and items pair 16 and  
341 19 stemmed from the preference of using blue filtering or colored glasses during the  
342 daytime. Nevertheless, SRMR value was higher than the guideline (SRMR = .12).  
343 Further by allowing one pair of items (30-41) [I look at my smartwatch within 1 hour  
344 before attempting to fall asleep.;I look at my smartwatch when I wake up at night.] to  
345 covary their error variance and discarding two item (item 37 & 26) for very low r-square  
346 value, our model attained best fit (CFI = .95; TLI = .95); RMSEA = .06[.05-.06, 90% CI])  
347 and SRMR value (SRMR = .11) was also close to the suggestions of Hu and Bentle  
348 (1999). Internal consistency ordinal  $\alpha$  for the five factors of LEBA were .96, .83, .70, .69,  
349 .52 respectively. We also estimated the internal consistency reliability of the total scale  
350 using McDonald's  $\omega_t$  coefficient which is a better reliability estimate for multidimensional  
351 constructs (Dunn, Baguley, & Brunsden, 2014; Sijtsma, 2009). McDonald's  $\omega_t$  coefficient  
352 for the total scale was .68. Figure 7 depicts the obtained CFA structure.

353 **Measurement Invariance**

354 Measurement invariance (MI) evaluates whether a construct has the psychometric  
355 equivalence and same meaning across groups or measurement occasions (Kline, 2015;  
356 Putnick & Bornstein, 2016). We used structural equation modeling framework to assess  
357 the measurement invariance of our developed tool across two groups: native English  
358 speakers(n= 129) and non-native English speakers (n = 133). For a detailed description  
359 these two groups please see Sup. Table ???. Our measurement invariance testing  
360 involved successively comparing the nested models: configural, metric, scalar, and  
361 residual invariance models with each others (Widaman & Reise, 1997). Among these  
362 nested models configural model is the first and least restrictive model. The configural  
363 model assumes that the number of factors and item number under each factor will be  
364 equal across two groups. The metric invariance model assumes configural invariance of  
365 the fitted model and requires the factor-loadings of the items across the two groups to be  
366 equal. Having the factor-loadings equal across groups indicates each item contributes to  
367 the measured construct equivalently. Scalar invariance assumes the metric invariance of  
368 the fitted model demands the item intercepts to be equivalent across groups. This equity  
369 of item intercepts indicates the equivalence of response scale across the groups, i.e.,  
370 persons with the same level of the underlying construct will score the same across the  
371 groups. The residual invariance model assumes metric invariance for the fitted model  
372 and adds the assumption of equality in error variances and covariances across the  
373 groups. This model is the highest level of MI and assures the equivalence of precision of  
374 items across the groups in measuring the underlying constructs. The invariance model fit  
375 of our tool was assessed using the fit indices including  $\chi^2$  test, CFI and TLI (close to .95  
376 or above), RMSEA (close to .06 or below) (Hu & Bentle, 1999). We excluded SRMR  
377 from our consideration as it does not behave optimally for categorical variables (C. Yu,  
378 2002). Table 6 summarized the fit indices. The comparison among different  
379 measurement invariance models was made using the  $\chi^2$  difference test ( $\Delta\chi^2$ ) to

380 assess whether our obtained latent structure of “LEBA” attained the highest level of the  
381 MI. A non-significant  $\Delta\chi^2$  test between two MI models fit indicates mode fit does not  
382 significantly decrease for the superior model (Dimitrov, 2010) thus allowing the superior  
383 level of invariance model to be accepted. We started our analysis by comparing the  
384 model fit of the least restrictive model:configural model to metric MI model and continued  
385 successive comparisons. Table 6 indicates that our fitted model had acceptable fit  
386 indices for all of the fitted MI models. The model fit did not significantly decrease across  
387 the nested models up to the scalar MI model. The chi-square value difference between  
388 the scalar and residual model is zero, indicating model fit remained the same for both:  
389 scalar and residual MI model, indicating the acceptability of the residual MI model.

390 **Semantic Analysis**

391 To find out if our developed tool (23 items) is overlapping with existing instruments,  
392 we subjected the items of LEBA to the “Semantic Scale Network”(SSN) analysis  
393 (Rosenbusch et al., 2020). The SSN detects semantically related scales and provides  
394 cosine similarity index ranging between -.66 to 1 (Rosenbusch et al., 2020). Pair of  
395 scales with a cosine similarity index value of 1 indicates they are perfectly semantically  
396 similar scales indicating redundancy. LEBA appeared most strongly related to scales  
397 about sleep: “Sleep Disturbance Scale For Children” (Bruni et al., 1996) and  
398 “WHO-Composite International Diagnostic Interview (CIDI): Insomnia”(WHO, 1990).The  
399 cosine similarities lie between .47 to .51. Flesch-Kincaid Grade Level (Flesch, 1948)  
400 analysis on the the 23 items of our scale indicated required educational grade level was  
401 3.33 and with a age above 8.33.

403 **Developing Short form of LEBA**

404 We sought the Item Response Theory (IRT) to develop the short form of LEBA. IRT  
405 the conventional classical test theory-based analysis by gathering information on item  
406 quality by indices like item difficulty, item discrimination, and item information (Baker,  
407 2017). Item is judged based on item information in relation to participants' latent trait  
408 level ( $\theta$ ). We fitted each factor of LEBA with the graded response model (Samejima,  
409 Liden, & Hambleton, 1997) to the combined EFA and CFA sample (n =690). Item  
410 discrimination indicates the pattern of variation in the categorical responses with the  
411 changes in latent trait level ( $\theta$ ), and item information curve (IIC) indicates the amount of  
412 information an item carries along the latent trait continuum. Here, we reported the item  
413 discrimination parameter and only discarded the items with relatively flat item information  
414 curve (information <.2) to develop the short form of LEBA. Baker (2017) categorized the  
415 item discrimination in as none = 0; very low =0.01 to 0.34; low = 0.35 to 0.64; moderate =  
416 0.65 to 1.34 ; high = 1.35 to 1.69; very high >1.70. Table 7 summarizes the IRT  
417 parameters of our tool. Item discrimination parameters of our tool fell in very high (10  
418 items), high (4 items), moderate (4 items), and low ( 5 items) categorizes indicating a  
419 good range of discrimination along the latent trait level ( $\theta$ ). Examination of the item  
420 information curve (Sup.fig A2-A5) indicated 5 items (1, 25, 38, 30, & 41) had relatively  
421 flat information curves ( $I(\theta) < .20$ ) thus discarded creating a short form of LEBA with 5  
422 factors and 18 items.

423 Test information curve (TIC) (Figure 8) indicate the amount of information an the  
424 full-scale carry along the latent trait continuum. As we treated each factor of short-LEBA  
425 as an unidimensional construct we obtain 5 TICs (Figure 8). These information curves  
426 indicated except the first and fifth factors, the other three factor's TICs are roughly  
427 centered on the center of the trait continuum ( $\theta$ ).The first and fifth factor had a peak to  
428 the right side of the center of latent trait.Thus we conferred the LEBA tool estimated the

429 light exposure related behavior with precision near the center of trait continuum for 2nd,  
430 3rd and 4th factors and near the right side of the center of trait continuum for 1st and 5th  
431 factors (Baker, 2017).

432 Table 8 summarizes the item fit indexes of the items. All the items fitted well to the  
433 respective models as assessed by RMSEA value obtained from Signed- $\chi^2$  index  
434 implementation. All of the items had RMSEA value  $\leq .06$  indicating adequate fit.  
435 Sup. Figure A6 depicts the person fit of out fitted models. Person fit indicates the validity  
436 and meaningfulness of the fitted model at the participants latent trait level (Desjardins &  
437 Bulut, 2018). We estimated the person fit statistics using standardized fit index Zh  
438 statistics (Drasgow, Levine, & Williams, 1985). Zh  $< -2$  should be considered as a misfit.  
439 Fig indicates that Zh is larger than -2 for most participants, suggesting a good fit of the  
440 selected IRT models.

## 441 Discussion

442 We developed a self-reported tool to capture different light exposure related  
443 behavior and evaluated its psychometric properties using classical test theory and Item  
444 Response Theory based analysis.

445 48 items were generated by an expert panel and administered to a large sample ( $n$   
446 = 428 to explore the latent structure. Exploratory Factor Analysis revealed a five factor  
447 solution with 25 items. ("Wearing blue light filters," "Spending time outdoors," "Using  
448 phone and smart-watch in bed," "Using light before bedtime," and "Using light in the  
449 morning and during daytime"). The internal consistency reliability coefficient ordinal  
450 alpha ranged between .62-.94. As all the retained factors were meaningful and  
451 contributed essentially towards our aim we retained all five factors.

452 A CFA on a separate sample (( $n = 262$  gave a five-factor solution (CFI = .95; TLI =  
453 .95); RMSEA = .06[.05-.06, 90% CI]) and SRMR = .11) after discarding two item. The

454 internal consistency McDonald's  $\omega_t$  of the five factors were satisfactory (.96, .83, .70,  
455 .69, .52) Internal consistency reliability of the total scale (23 items) was also satisfactory,  
456 McDonald's  $\omega_t = .68$ . In the same sample, our measurement invariance analysis  
457 revealed that the latent structure attained the residual measurement invariance across  
458 subgroups: male and female (CFI: .98, TLI: .98, SRMR: .98).

459 The "Semantic Scale Network"(SSN) analysis (Rosenbusch et al., 2020) on the  
460 retained 23 items showed "LEBA" was related to "Sleep Disturbance Scale For Children"  
461 (SDSC) (Bruni et al., 1996) and "WHO-Composite International Diagnostic Interview  
462 (CIDI): Insomnia"(WHO, 1990). Upon inspecting the item contents we found items under  
463 "Using phone and smart-watch in bed" and "Using light before bedtime" have semantic  
464 overlap with the items of SDSC ans CIDI. Items in those two scales were looking into  
465 behaviors related to sleep. As such the similarity index obtained is expected.  
466 Flesch-Kincaid Grade Level (Flesch, 1948) analysis on the the 23 items of our scale  
467 indicated required educational grade level was 3.33 and with a age above 8.33.

468 Lastly, we developed a short-LEBA (n=23) using IRT analysis. We fitted a graded  
469 response model model to the combined EFA and CFA sample (n =690). We discarded 5  
470 items with relatively flat item information curve [ $I(\theta) < .20$ ]. IRT analysis indicated short  
471 form of LEBA is a psychometrically sound measure. Item fit indexes and person fit index  
472 for all five fitted model were acceptable. Items had diverse slope parameters indicating a  
473 good range of discrimination- the ability to differentiate respondents with different levels  
474 of the light exposure related behavior. Test information curve also indicated a good  
475 coverage of underlying trait continuum with precision.

## 476 Conclusion

477 "The Light exposure behavior assessment"(LEBA) gave a five solution with 25  
478 items in an EFA. A CFA with this 25-item scale again offered a five-factor solution, but

479 this time two more item was discarded. The 23-item “LEBA” was found reliable and valid.

480 A short-form of LEBA was developed using IRT analysis. IRT analysis gave a 18-item

481 scale with a good range of coverage across the underlying trait continuum. All-in-all, we

482 can recommend both forms to be used to capture individual’s light exposure related

483 behavior

## References

- Aust, F., & Barth, M. (2020). *papaja: Prepare reproducible APA journal articles with R Markdown*. Retrieved from <https://github.com/crsh/papaja>
- Bajaj, A., Rosner, B., Lockley, S. W., & Schernhammer, E. S. (2011). Validation of a light questionnaire with real-life photopic illuminance measurements: The harvard light exposure assessment questionnaire. *Cancer Epidemiology and Prevention Biomarkers*, 20(7), 1341–1349.
- Baker, F. B. (2017). *The Basics of Item Response Theory Using R* (1st ed. 2017.). Springer.
- Bandalos, D. L., & Finney, S. J. (2018). Factor analysis: Exploratory and confirmatory. In *The reviewer's guide to quantitative methods in the social sciences* (pp. 98–122). Routledge.
- Barnier, J., Briatte, F., & Larmarange, J. (2020). *Questionr: Functions to make surveys processing easier*. Retrieved from <https://CRAN.R-project.org/package=questionr>
- Barth, M. (2021). *tinylabes: Lightweight variable labels*. Retrieved from <https://github.com/mariusbarth/tinylabes>
- Bartlett, M. (1954). A Note on the Multiplying Factors for Various Chi-square Approximations. *Journal of the Royal Statistical Society. Series B, Methodological*, 16(2), 296–298.
- Bentler, P. M., & Chou, C.-P. (1987). Practical Issues in Structural Modeling. *Sociological Methods & Research*, 16(1), 78–117. <https://doi.org/10.1177/0049124187016001004>
- Bevans, K. B., Meltzer, L. J., La Motte, A. de, Kratchman, A., Viél, D., & Forrest, C. B. (2019). Qualitative development and content validation of the PROMIS pediatric sleep health items. *Behavioral Sleep Medicine*, 17(5), 657–671. <https://doi.org/10.1080/15402002.2018.1461102>

- 511 Bossini, L., Valdagno, M., Padula, L., De Capua, A., Pacchierotti, C., &  
512 Castrogiovanni, P. (2006). Sensibilità alla luce e psicopatologia: Validazione  
513 del questionario per la valutazione della fotosensibilità (QVF). *Med  
514 Psicosomatica*, 51, 167–176.
- 515 Brown, T. A. (2015). *Confirmatory factor analysis for applied research* (2nd ed.).  
516 New York, NY, US: The Guilford Press.
- 517 Bruni, O., Ottaviano, S., Guidetti, V., Romoli, M., Innocenzi, M., Cortesi, F., &  
518 Giannotti, F. (1996). The sleep disturbance scale for children (SDSC)  
519 construct ion and validation of an instrument to evaluate sleep disturbances in  
520 childhood and adolescence. *Journal of Sleep Research*, 5(4), 251–261.
- 521 Bryer, J., & Speerschneider, K. (2016). *Likert: Analysis and visualization likert  
522 items*. Retrieved from <https://CRAN.R-project.org/package=likert>
- 523 Buchanan, E. M., Gillenwaters, A., Scofield, J. E., & Valentine, K. D. (2019).  
524 *MOTE: Measure of the Effect: Package to assist in effect size calculations and  
525 their confidence intervals*. Retrieved from <http://github.com/doomlab/MOTE>
- 526 Buysse, Daniel J., Reynolds III, C. F., Monk, T. H., Berman, S. R., & Kupfer, D. J.  
527 (1989). The pittsburgh sleep quality index: A new instrument for psychiatric  
528 practice and research. *Psychiatry Research*, 28(2), 193–213.
- 529 Buysse, Daniel J., Yu, L., Moul, D. E., Germain, A., Stover, A., Dodds, N. E., ...  
530 Pilkonis, P. A. (2010). Development and validation of patient-reported outcome  
531 measures for sleep disturbance and sleep-related impairments. *Sleep*, 33(6),  
532 781–792. <https://doi.org/10.1093/sleep/33.6.781>
- 533 Cattell, R. B. (1966). The Scree Test For The Number Of Factors. *Multivariate  
534 Behavioral Research*, 1(2), 245–276.  
535 [https://doi.org/10.1207/s15327906mbr0102\\_10](https://doi.org/10.1207/s15327906mbr0102_10)
- 536 Chalmers, R. P. (2012). mirt: A multidimensional item response theory package  
537 for the R environment. *Journal of Statistical Software*, 48(6), 1–29.

- 538 <https://doi.org/10.18637/jss.v048.i06>
- 539 Chang, W., Cheng, J., Allaire, J., Sievert, C., Schloerke, B., Xie, Y., ... Borges, B.
- 540 (2021). *Shiny: Web application framework for r*. Retrieved from
- 541 <https://CRAN.R-project.org/package=shiny>
- 542 Comrey, A. L., & Lee, H. B. (1992). *A first course in factor analysis, 2nd ed.*
- 543 Hillsdale, NJ, US: Lawrence Erlbaum Associates, Inc.
- 544 Conigrave, J. (2020). *Coxr: Create and format correlation matrices*. Retrieved
- 545 from <https://CRAN.R-project.org/package=coxr>
- 546 Dahl, D. B., Scott, D., Roosen, C., Magnusson, A., & Swinton, J. (2019). *Xtable:*
- 547 *Export tables to LaTeX or HTML*. Retrieved from
- 548 <https://CRAN.R-project.org/package=xtable>
- 549 Desjardins, C., & Bulut, O. (2018). *Handbook of Educational Measurement and*
- 550 *Psychometrics Using R*. <https://doi.org/10.1201/b20498>
- 551 Dianat, I., Sedghi, A., Bagherzade, J., Jafarabadi, M. A., & Stedmon, A. W. (2013).
- 552 Objective and subjective assessments of lighting in a hospital setting:
- 553 Implications for health, safety and performance. *Ergonomics*, 56(10),
- 554 1535–1545.
- 555 Dimitrov, D. M. (2010). Testing for factorial invariance in the context of construct
- 556 validation. *Measurement and Evaluation in Counseling and Development*,
- 557 43(2), 121–149.
- 558 Dinno, A. (2018). *Paran: Horn's test of principal components/factors*. Retrieved
- 559 from <https://CRAN.R-project.org/package=paran>
- 560 Drasgow, F., Levine, M. V., & Williams, E. A. (1985). Appropriateness
- 561 measurement with polytomous item response models and standardized
- 562 indices. *British Journal of Mathematical and Statistical Psychology*, 38(1),
- 563 67–86.
- 564 Dunn, T. J., Baguley, T., & Brunsden, V. (2014). From alpha to omega: A practical

- 565 solution to the pervasive problem of internal consistency estimation. *British  
566 Journal of Psychology*, 105(3), 399–412.
- 567 Eklund, N., & Boyce, P. (1996). The development of a reliable, valid, and simple  
568 office lighting survey. *Journal of the Illuminating Engineering Society*, 25(2),  
569 25–40.
- 570 Epskamp, S. (2019). *semPlot: Path diagrams and visual analysis of various SEM  
571 packages' output*. Retrieved from  
572 <https://CRAN.R-project.org/package=semPlot>
- 573 Epskamp, S., Cramer, A. O. J., Waldorp, L. J., Schmittmann, V. D., & Borsboom,  
574 D. (2012). qgraph: Network visualizations of relationships in psychometric  
575 data. *Journal of Statistical Software*, 48(4), 1–18.
- 576 Flesch, R. (1948). A new readability yardstick. *Journal of Applied Psychology*,  
577 32(3), 221.
- 578 F.lux Software LLC. (2021). F.lux (Version 4.120). Retrieved from  
579 <https://justgetflux.com/>
- 580 Forrest, C. B., Meltzer, L. J., Marcus, C. L., La Motte, A. de, Kratchman, A.,  
581 Buysse, D. J., ... Bevans, K. B. (2018). Development and validation of the  
582 PROMIS pediatric sleep disturbance and sleep-related impairment item banks.  
583 *Sleep*, 41(6). <https://doi.org/10.1093/sleep/zsy054>
- 584 Fox, J., & Weisberg, S. (2019). *An R companion to applied regression* (Third).  
585 Thousand Oaks CA: Sage. Retrieved from  
586 <https://socialsciences.mcmaster.ca/jfox/Books/Companion/>
- 587 Fox, J., Weisberg, S., & Price, B. (2020). *carData: Companion to applied  
588 regression data sets*. Retrieved from  
589 <https://CRAN.R-project.org/package=carData>
- 590 Gadermann, A. M., Guhn, M., & Zumbo, B. D. (2012). Estimating ordinal reliability  
591 for likert-type and ordinal item response data: A conceptual, empirical, and

- practical guide. *Practical Assessment, Research, and Evaluation*, 17(1), 3.
- Graham, J. M. (2006). Congeneric and (essentially) tau-equivalent estimates of score reliability: What they are and how to use them. *Educational and Psychological Measurement*, 66(6), 930–944.
- Harb, F., Hidalgo, M. P., & Martau, B. (2015). Lack of exposure to natural light in the workspace is associated with physiological, sleep and depressive symptoms. *Chronobiology International*, 32(3), 368–375.  
<https://doi.org/10.3109/07420528.2014.982757>
- Harrell Jr, F. E., Charles Dupont, with contributions from, & others., many. (2021). *Hmisc: Harrell miscellaneous*. Retrieved from <https://CRAN.R-project.org/package=Hmisc>
- Harris, P. A., Taylor, R., Minor, B. L., Elliott, V., Fernandez, M., O’Neal, L., ... others. (2019). The REDCap consortium: Building an international community of software platform partners. *Journal of Biomedical Informatics*, 95, 103208.
- Harris, P. A., Taylor, R., Thielke, R., Payne, J., Gonzalez, N., & Conde, J. G. (2009). Research electronic data capture (REDCap)—a metadata-driven methodology and workflow process for providing translational research informatics support. *Journal of Biomedical Informatics*, 42(2), 377–381.
- Henry, L., & Wickham, H. (2020). *Purrr: Functional programming tools*. Retrieved from <https://CRAN.R-project.org/package=purrr>
- Horn, J. L. (1965). A rationale and test for the number of factors in factor analysis. *Psychometrika*, 30(2), 179–185. <https://doi.org/10.1007/BF02289447>
- Horne, J. A., & Östberg, O. (1976). A self-assessment questionnaire to determine morningness-eveningness in human circadian rhythms. *International Journal of Chronobiology*.
- Hu, L., & Bentler, P. M. (1999). Cutoff criteria for fit indexes in covariance structure analysis: Conventional criteria versus new alternatives. *Structural Equation Modeling*

- 619                   *Modeling: A Multidisciplinary Journal*, 6(1), 1–55.  
620                   <https://doi.org/10.1080/10705519909540118>
- 621                   Hugh-Jones, D. (2021). *Huxtable: Easily create and style tables for LaTeX, HTML*  
622                   *and other formats*. Retrieved from  
623                   <https://CRAN.R-project.org/package=huxtable>
- 624                   Hutcheson, G. D. (1999). *The multivariate social scientist : Introductory statistics*  
625                   *using generalized linear models*. London : SAGE.
- 626                   Iannone, R. (2016). *DiagrammeRsvg: Export DiagrammeR graphviz graphs as*  
627                   *SVG*. Retrieved from <https://CRAN.R-project.org/package=DiagrammeRsvg>
- 628                   Iannone, R. (2021). *DiagrammeR: Graph/network visualization*. Retrieved from  
629                   <https://github.com/rich-iannone/DiagrammeR>
- 630                   Irribarra, D. T., & Freund, R. (2014). *Wright map: IRT item-person map with*  
631                   *ConQuest integration*. Retrieved from <http://github.com/david-ti/wrightmap>
- 632                   Jackson, D. L. (2003). Revisiting Sample Size and Number of Parameter  
633                   Estimates: Some Support for the N:q Hypothesis. *Structural Equation*  
634                   *Modeling*, 10(1), 128–141. [https://doi.org/10.1207/S15328007SEM1001\\_6](https://doi.org/10.1207/S15328007SEM1001_6)
- 635                   Johnson, P., & Kite, B. (2020). *semTable: Structural equation modeling tables*.  
636                   Retrieved from <https://CRAN.R-project.org/package=semTable>
- 637                   Johnson, P., Kite, B., & Redmon, C. (2020). *Kutils: Project management tools*.  
638                   Retrieved from <https://CRAN.R-project.org/package=kutils>
- 639                   Jorgensen, T. D., Pornprasertmanit, S., Schoemann, A. M., & Rosseel, Y. (2021).  
640                   *semTools: Useful tools for structural equation modeling*. Retrieved from  
641                   <https://CRAN.R-project.org/package=semTools>
- 642                   Kaiser, H. F. (1974). An index of factorial simplicity. *Psychometrika*, 39(1), 31–36.  
643                   <https://doi.org/10.1007/bf02291575>
- 644                   Kassambara, A. (2019). *Ggcorrplot: Visualization of a correlation matrix using*  
645                   *'ggplot2'*. Retrieved from <https://CRAN.R-project.org/package=ggcorrplot>

- 646 Kline, R. B. (2015). *Principles and practice of structural equation modeling*. The  
647 Guilford Press.
- 648 Kowarik, A., & Templ, M. (2016). Imputation with the R package VIM. *Journal of*  
649 *Statistical Software*, 74(7), 1–16. <https://doi.org/10.18637/jss.v074.i07>
- 650 Lishinski, A. (2021). *lavaanPlot: Path diagrams for 'lavaan' models via*  
651 *'DiagrammeR'*. Retrieved from  
652 <https://CRAN.R-project.org/package=lavaanPlot>
- 653 Lorenzo-Seva, U., Timmerman, M., & Kiers, H. (2011). The Hull Method for  
654 Selecting the Number of Common Factors. *Multivariate Behavioral Research*,  
655 46, 340–364. <https://doi.org/10.1080/00273171.2011.564527>
- 656 Makowski, D., Ben-Shachar, M. S., Patil, I., & Lüdecke, D. (2020). Methods and  
657 algorithms for correlation analysis in r. *Journal of Open Source Software*,  
658 5(51), 2306. <https://doi.org/10.21105/joss.02306>
- 659 Mardia, K. V. (1970). Measures of multivariate skewness and kurtosis with  
660 applications. *Biometrika*, 57(3), 519–530.  
661 <https://doi.org/10.1093/biomet/57.3.519>
- 662 Michalke, M. (2020a). *koRpus.lang.en: Language support for 'koRpus' package:*  
663 *english*. Retrieved from <https://reaktanz.de/?c=hacking&s=koRpus>
- 664 Michalke, M. (2020b). *Sylly: Hyphenation and syllable counting for text analysis*.  
665 Retrieved from <https://reaktanz.de/?c=hacking&s=sylly>
- 666 Michalke, M. (2021). *koRpus: Text analysis with emphasis on POS tagging,*  
667 *readability, and lexical diversity*. Retrieved from  
668 <https://reaktanz.de/?c=hacking&s=koRpus>
- 669 Mock, T. (2021). *gtExtras: A collection of helper functions for the gt package*.  
670 Retrieved from <https://github.com/jthomasmock/gtExtras>
- 671 Müller, K., & Wickham, H. (2021). *Tibble: Simple data frames*. Retrieved from  
672 <https://CRAN.R-project.org/package=tibble>

- 673 Navarro-Gonzalez, D., & Lorenzo-Seva, U. (2021). *EFA.MRFA: Dimensionality*  
674 *assessment using minimum rank factor analysis*. Retrieved from  
675 <https://CRAN.R-project.org/package=EFA.MRFA>
- 676 Neuwirth, E. (2014). *RColorBrewer: ColorBrewer palettes*. Retrieved from  
677 <https://CRAN.R-project.org/package=RColorBrewer>
- 678 Novick, M. R., & Lewis, C. (1967). Coefficient alpha and the reliability of  
679 composite measurements. *Psychometrika*, 32(1), 1–13.
- 680 Olivier, K., Gallagher, R. A., Killgore, W. D. S., Carrazco, N., Alfonso-Miller, P., ...  
681 Grandner, M. A. (2016). Development and initial validation of the assessment  
682 of sleep environment: A novel inventory for describing and quantifying the  
683 impact of environmental factors on sleep. *Sleep*, 39(Abstract Supplement:  
684 A367).
- 685 Ooms, J. (2021a). *Magick: Advanced graphics and image-processing in r*.  
686 Retrieved from <https://CRAN.R-project.org/package=magick>
- 687 Ooms, J. (2021b). *Rsvg: Render SVG images into PDF, PNG, PostScript, or*  
688 *bitmap arrays*. Retrieved from <https://CRAN.R-project.org/package=rsvg>
- 689 Peters, G.-J. (2021). *Ufs: Quantitative analysis made accessible*. Retrieved from  
690 <https://CRAN.R-project.org/package=ufs>
- 691 Petersen, A. C., Crockett, L., Richards, M., & Boxer, A. (1988). A self-report  
692 measure of pubertal status: Reliability, validity, and initial norms. *Journal of*  
693 *Youth and Adolescence*, 17(2), 117–133. <https://doi.org/10.1007/BF01537962>
- 694 Pornprasertmanit, S., Miller, P., Schoemann, A., & Jorgensen, T. D. (2021).  
695 *Simsem: SIMulated structural equation modeling*. Retrieved from  
696 <https://CRAN.R-project.org/package=simsem>
- 697 Putnick, D. L., & Bornstein, M. H. (2016). Measurement invariance conventions  
698 and reporting: The state of the art and future directions for psychological  
699 research. *Developmental Review*, 41, 71–90.

- 700 R Core Team. (2021). *R: A language and environment for statistical computing*.  
701 Vienna, Austria: R Foundation for Statistical Computing. Retrieved from  
702 <https://www.R-project.org/>
- 703 Revelle, W. (2021). *Psych: Procedures for psychological, psychometric, and*  
704 *personality research*. Evanston, Illinois: Northwestern University. Retrieved  
705 from <https://CRAN.R-project.org/package=psych>
- 706 Roenneberg, T., Wirz-Justice, A., & Merrow, M. (2003). Life between clocks: Daily  
707 temporal patterns of human chronotypes. *Journal of Biological Rhythms*,  
708 18(1), 80–90.
- 709 Rosenbusch, H., Wanders, F., & Pit, I. L. (2020). The semantic scale network: An  
710 online tool to detect semantic overlap of psychological scales and prevent  
711 scale redundancies. *Psychological Methods*, 25(3), 380.
- 712 Rosseel, Y. (2012). lavaan: An R package for structural equation modeling.  
713 *Journal of Statistical Software*, 48(2), 1–36. Retrieved from  
714 <https://www.jstatsoft.org/v48/i02/>
- 715 Ryu, C. (2021). *Dlookr: Tools for data diagnosis, exploration, transformation*.  
716 Retrieved from <https://CRAN.R-project.org/package=dlookr>
- 717 Samejima, F., Liden, W. van der, & Hambleton, R. (1997). Handbook of modern  
718 item response theory. New York, NY: Springer.
- 719 Sarkar, D. (2008). *Lattice: Multivariate data visualization with r*. New York:  
720 Springer. Retrieved from <http://lmdvr.r-forge.r-project.org>
- 721 Schönbrodt, F. D., & Perugini, M. (2013). At what sample size do correlations  
722 stabilize? *Journal of Research in Personality*, 47(5), 609–612.  
723 <https://doi.org/10.1016/j.jrp.2013.05.009>
- 724 Schumacker, R. E., & Lomax, R. G. (2004). *A beginner's guide to structural*  
725 *equation modeling*. psychology press.
- 726 Shapiro, S. S., & Wilk, M. B. (1965). An analysis of variance test for normality

- 727 (complete samples). *Biometrika*, 52(3-4), 591–611.
- 728 <https://doi.org/10.1093/biomet/52.3-4.591>
- 729 Sharpsteen, C., & Bracken, C. (2020). *tikzDevice: R graphics output in LaTeX*
- 730 *format*. Retrieved from <https://CRAN.R-project.org/package=tikzDevice>
- 731 Sijtsma, K. (2009). On the use, the misuse, and the very limited usefulness of
- 732 cronbach's alpha. *Psychometrika*, 74(1), 107.
- 733 Siraji, M. A. (2021). *Tabledown: A companion pack for the book "basic &*
- 734 *advanced psychometrics in r"*. Retrieved from
- 735 <https://github.com/masiraji/tabledown>
- 736 Sjoberg, D. D., Curry, M., Hannum, M., Larmarange, J., Whiting, K., & Zabor, E. C.
- 737 (2021b). *Gtsummary: Presentation-ready data summary and analytic result*
- 738 *tables*. Retrieved from <https://CRAN.R-project.org/package=gtsummary>
- 739 Sjoberg, D. D., Curry, M., Hannum, M., Larmarange, J., Whiting, K., & Zabor, E. C.
- 740 (2021a). *Gtsummary: Presentation-ready data summary and analytic result*
- 741 *tables*. Retrieved from <https://CRAN.R-project.org/package=gtsummary>
- 742 Stauffer, R., Mayr, G. J., Dabernig, M., & Zeileis, A. (2009). Somewhere over the
- 743 rainbow: How to make effective use of colors in meteorological visualizations.
- 744 *Bulletin of the American Meteorological Society*, 96(2), 203–216.
- 745 <https://doi.org/10.1175/BAMS-D-13-00155.1>
- 746 Terry M. Therneau, & Patricia M. Grambsch. (2000). *Modeling survival data:*
- 747 *Extending the Cox model*. New York: Springer.
- 748 Urbanek, S. (2013). *Png: Read and write PNG images*. Retrieved from
- 749 <https://CRAN.R-project.org/package=png>
- 750 Urbanek, S. (2021). *Jpeg: Read and write JPEG images*. Retrieved from
- 751 <https://CRAN.R-project.org/package=jpeg>
- 752 Ushey, K., McPherson, J., Cheng, J., Atkins, A., & Allaire, J. (2021). *Packrat: A*
- 753 *dependency management system for projects and their r package*

- 754           dependencies. Retrieved from <https://CRAN.R-project.org/package=packrat>
- 755           van Lissa, C. J. (2021). *tidySEM: Tidy structural equation modeling*. Retrieved
- 756           from <https://CRAN.R-project.org/package=tidySEM>
- 757           Velicer, W. (1976). Determining the Number of Components from the Matrix of
- 758           Partial Correlations. *Psychometrika*, 41, 321–327.
- 759           <https://doi.org/10.1007/BF02293557>
- 760           Venables, W. N., & Ripley, B. D. (2002). *Modern applied statistics with s* (Fourth).
- 761           New York: Springer. Retrieved from <https://www.stats.ox.ac.uk/pub/MASS4/>
- 762           Verriotto, J. D., Gonzalez, A., Aguilar, M. C., Parel, J.-M. A., Feuer, W. J., Smith,
- 763           A. R., & Lam, B. L. (2017). New methods for quantification of visual
- 764           photosensitivity threshold and symptoms. *Translational Vision Science &*
- 765           *Technology*, 6(4), 18–18.
- 766           Watkins, M. (2020). *A Step-by-Step Guide to Exploratory Factor Analysis with R*
- 767           *and RStudio*. <https://doi.org/10.4324/9781003120001>
- 768           Weinzaepflen, C., & Spitschan, M. (2021). Enlighten your clock: How your body
- 769           tells time. Open Science Framework. <https://doi.org/10.17605/OSF.IO/ZQXVH>
- 770           WHO. (1990). Composite international diagnostic interview.
- 771           Wickham, H. (2007). Reshaping data with the reshape package. *Journal of*
- 772           *Statistical Software*, 21(12). Retrieved from
- 773           <http://www.jstatsoft.org/v21/i12/paper>
- 774           Wickham, H. (2011). The split-apply-combine strategy for data analysis. *Journal*
- 775           *of Statistical Software*, 40(1), 1–29. Retrieved from
- 776           <http://www.jstatsoft.org/v40/i01/>
- 777           Wickham, H. (2016). *ggplot2: Elegant graphics for data analysis*. Springer-Verlag
- 778           New York. Retrieved from <https://ggplot2.tidyverse.org>
- 779           Wickham, H. (2019). *Stringr: Simple, consistent wrappers for common string*
- 780           *operations*. Retrieved from <https://CRAN.R-project.org/package=stringr>

- 781 Wickham, H. (2021a). *Forcats: Tools for working with categorical variables*  
782 (*factors*). Retrieved from <https://CRAN.R-project.org/package=forcats>
- 783 Wickham, H. (2021b). *Tidyr: Tidy messy data*. Retrieved from  
784 <https://CRAN.R-project.org/package=tidyr>
- 785 Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R., ...  
786 Yutani, H. (2019). Welcome to the tidyverse. *Journal of Open Source Software*, 4(43), 1686. <https://doi.org/10.21105/joss.01686>
- 788 Wickham, H., & Bryan, J. (2019). *Readxl: Read excel files*. Retrieved from  
789 <https://CRAN.R-project.org/package=readxl>
- 790 Wickham, H., François, R., Henry, L., & Müller, K. (2021). *Dplyr: A grammar of*  
791 *data manipulation*. Retrieved from <https://CRAN.R-project.org/package=dplyr>
- 792 Wickham, H., & Hester, J. (2021). *Readr: Read rectangular text data*. Retrieved  
793 from <https://CRAN.R-project.org/package=readr>
- 794 Widaman, K. F., & Reise, S. P. (1997). Exploring the measurement invariance of  
795 psychological instruments: Applications in the substance use domain.
- 796 Wilke, C. O. (2020). *Cowplot: Streamlined plot theme and plot annotations for*  
797 *'ggplot2'*. Retrieved from <https://CRAN.R-project.org/package=cowplot>
- 798 Winston Chang. (2014). *Extrafont: Tools for using fonts*. Retrieved from  
799 <https://CRAN.R-project.org/package=extrafont>
- 800 Worthington, R. L., & Whittaker, T. A. (2006). Scale Development Research: A  
801 Content Analysis and Recommendations for Best Practices. *The Counseling*  
802 *Psychologist*, 34(6), 806–838. <https://doi.org/10.1177/0011000006288127>
- 803 Wu, Y., & Hallett, M. (2017). Photophobia in neurologic disorders. *Translational*  
804 *Neurodegeneration*, 6(1), 26. <https://doi.org/10.1186/s40035-017-0095-3>
- 805 Xie, Yihui. (2015). *Dynamic documents with R and knitr* (2nd ed.). Boca Raton,  
806 Florida: Chapman; Hall/CRC. Retrieved from <https://yihui.org/knitr/>
- 807 Xie, Yang, Wu, X., Tao, S., Wan, Y., & Tao, F. (2021). Development and validation

- of the self-rating of biological rhythm disorder for chinese adolescents.  
*Chronobiology International*, 1–7.  
<https://doi.org/10.1080/07420528.2021.1989450>
- Yu, C. (2002). *Evaluating cutoff criteria of model fit indices for latent variable models with binary and continuous outcomes* (Thesis). ProQuest Dissertations Publishing.
- Yu, L., Buysse, D. J., Germain, A., Moul, D. E., Stover, A., Dodds, N. E., ... Pilkonis, P. A. (2011). Development of short forms from the PROMIS™ sleep disturbance and sleep-related impairment item banks. *Behavioral Sleep Medicine*, 10(1), 6–24. <https://doi.org/10.1080/15402002.2012.636266>
- Yuan, K.-H., & Zhang, Z. (2020). *Rsem: Robust structural equation modeling with missing data and auxiliary variables*. Retrieved from <https://CRAN.R-project.org/package=rsem>
- Zeileis, A., & Croissant, Y. (2010). Extended model formulas in R: Multiple parts and multiple responses. *Journal of Statistical Software*, 34(1), 1–13. <https://doi.org/10.18637/jss.v034.i01>
- Zeileis, A., Fisher, J. C., Hornik, K., Ihaka, R., McWhite, C. D., Murrell, P., ... Wilke, C. O. (2020). colorspace: A toolbox for manipulating and assessing colors and palettes. *Journal of Statistical Software*, 96(1), 1–49. <https://doi.org/10.18637/jss.v096.i01>
- Zeileis, A., Hornik, K., & Murrell, P. (2009). Escaping RGBland: Selecting colors for statistical graphics. *Computational Statistics & Data Analysis*, 53(9), 3259–3270. <https://doi.org/10.1016/j.csda.2008.11.033>
- Zhang, Z., & Yuan, K.-H. (2020). *Coefficientalpha: Robust coefficient alpha and omega with missing and non-normal data*. Retrieved from <https://CRAN.R-project.org/package=coefficientalpha>
- Zhu, H. (2021). *kableExtra: Construct complex table with 'kable' and pipe syntax*.

835 Retrieved from <https://CRAN.R-project.org/package=kableExtra>

836 Zumbo, B. D., Gadermann, A. M., & Zeisser, C. (2007). Ordinal versions of

837 coefficients alpha and theta for likert rating scales. *Journal of Modern Applied*

838 *Statistical Methods*, 6(1), 4.

Table 1

*List of instruments measuring related constructs to LEBA*

Name	Author	Description	Relevant Items	Scale type	Validity evidences
Visual Light Sensitivity Questionnaire-8	Verriotto et al., 2017	Eight-question survey to assess the presence and severity of photosensitivity symptoms	None	5-point Likert scale	Not available
Office Light Survey	Eklundet al., 1996	30 items survey to assess electrical lighting environment in office	Item 29	Mixed response format	Not available
Harvard Exposure Assessment Questionnaire	Bajaj et al., 2011	1 item semi-quantitative questionnaire	None light	Semi-quantitative	Correlation with physical measurement
Hospital Lighting Survey	Dianat et el., 2013	23 items questionnaire to assess light environment in a hospital	Item 16,17	5-point Likert scale	Face and Content validity
Morningness-Eveningness Questionnaire	Horne et al., 1976	19 items questionnaire to understand your body clock	item 1,2,8,13,14	Mixed response format	Correlation with oral temperature

Table 1 continued

Name	Author	Description	Relevant Items	Scale type	Validity evidences
Munich Chrono-type Questionnaire (MCTQ)	Roenneberg et al., 2003	17 items questionnaire to understand individuals phase of entrainment	Time spent outdoors	Mixed response format	Correlation with sleep-logs, actimetry, and physiological parameters
Sleep Practices and Attitudes Questionnaire (SPAQ)	Olivier et.al., 2016	16 Factor questionnaire measuring practice, behavior and attitude related sleep	Subscale 8&9	5-point Likert scale	Face and Construct validity
The Pittsburgh Sleep Quality Index (PSQI)	Buysse et al., 1989	9 items inventory to measure sleep quality and sleeping pattern	item 1-4	Mixed response format	Correlation with clinical measurements
Self-Rating of Biological Rhythm Disorder for Adolescents (SBRDA)	Xie et al., 2021	29 Items questionnaire assessing four dimensions of biological rhythm disorder in adolescents	Item 3,6,22-25 and 29	5-point Likert scale	Construct validity
Photosensitivity Assessment Questionnaire (PAQ)	Bossini et al.,2006	16 dichotomous items questionnaire to assess "photophobia" and "photophilia"	All items	Binary response option	Not available

Table 2

*Demographic Characteristics*

Variable	Overall, N = 690	1. EFA Sample, N = 428	2. CFA Sample, N = 262	p-value	q-value
Age	32.95 (14.57)	32.99 (15.11)	32.89 (13.66)	0.5	0.5
Sex				0.14	0.4
Female	325 (47%)	189 (44%)	136 (52%)		
Male	351 (51%)	230 (54%)	121 (46%)		
Other	14 (2.0%)	9 (2.1%)	5 (1.9%)		
Gender-Variant Identity	49 (7.2%)	33 (7.8%)	16 (6.2%)	0.4	0.5
Native English Speaker	320 (46%)	191 (45%)	129 (49%)	0.2	0.5
Occupational Status				0.040	0.2
Work	396 (57%)	235 (55%)	161 (61%)		
School	174 (25%)	122 (29%)	52 (20%)		
Neither	120 (17%)	71 (17%)	49 (19%)		
Occupational setting				0.3	0.5
Home office/Home schooling	303 (44%)	194 (45%)	109 (42%)		
Face-to-face work/Face-to-face schooling	109 (16%)	68 (16%)	41 (16%)		
Combination of home- and face-to-face- work/schooling	147 (21%)	94 (22%)	53 (20%)		
Neither (no work or school, or in vacation)	131 (19%)	72 (17%)	59 (23%)		

<sup>1</sup> Mean (SD); n (%)<sup>2</sup> False discovery rate correction for multiple testing<sup>3</sup> Wilcoxon rank sum test<sup>4</sup> Pearson's Chi-squared test

Table 3

*Descriptive Statistics*

Item	Stem	Mean	SD	Skew	Kurtosis	SW Statistics	Item-total corelation
item01	I turn on the lights immediately after waking up.	2.27	1.39	0.74	-0.81	0.81*	0.19
item02	I open the curtains or blinds immediately after waking up.	2.87	1.59	0.08	-1.60	0.83*	0.28
item03	I look at my mobile phone screen immediately after waking up.	3.36	1.38	-0.48	-1.03	0.87*	0.23
item04	I use an alarm with a dawn simulation light.	1.47	1.18	2.38	4.00	0.43*	0.24
item05	I have breakfast within 3 meters from a window.	4.01	1.40	-1.22	0.07	0.70*	0.17
item06	I have breakfast in a brightly lit room (illuminated by electric light).	2.79	1.55	0.19	-1.48	0.85*	0.13
item07	I go for a walk or exercise outside within 2 hours after waking up.	2.26	1.25	0.70	-0.60	0.85*	0.32
item08	I spend 30 minutes or less per day (in total) outside.	2.97	1.20	-0.06	-0.94	0.91*	0.25
item09	I spend between 30 minutes and 1 hour per day (in total) outside.	2.94	1.03	-0.12	-0.40	0.91*	0.08
item10	I spend between 1 and 3 hours per day (in total) outside.	2.74	1.04	0.09	-0.74	0.91*	0.42
item11	I spend more than 3 hours per day (in total) outside.	2.18	0.90	0.60	0.12	0.86*	0.41
item12	I spend as much time outside as possible.	2.36	1.22	0.59	-0.62	0.87*	0.48
item13	I use sunglasses when I go outside in bright daylight.	2.73	1.46	0.20	-1.36	0.87*	0.25
item14	I wear a visor or cap when I go outside in bright daylight.	2.14	1.31	0.77	-0.78	0.80*	0.28
item15	I seek shade when I am outside in bright daylight.	3.26	1.09	-0.26	-0.45	0.91*	0.03
item16	I wear blue-filtering, orange-tinted, and/or red-tinted glasses indoors during the day.	1.56	1.23	2.00	2.45	0.50*	0.28
item17	I wear blue-filtering, orange-tinted, and/or red-tinted glasses outdoors during the day.	1.54	1.21	2.07	2.75	0.49*	0.21
item18	I use light therapy applying a white light box.	1.12	0.49	5.02	27.80	0.25*	0.18

Table 3 continued

Item	Stem	Mean	SD	Skew	Kurtosis	SW Statistics	Item-total corelation
item19	I use light therapy applying a blue light box.	1.05	0.36	7.23	52.98	0.13*	0.17
item20	I use light therapy applying a light visor.	1.04	0.33	8.99	85.28	0.10*	0.16
item21	I use light therapy applying another form of light device.	1.14	0.59	4.79	24.05	0.25*	0.21
item22	I spend most of my daytime in a brightly lit environment.	3.57	1.07	-0.65	-0.17	0.88*	0.20
item23	I close the curtains or blinds during the day if the light from outside is bright.	2.56	1.27	0.33	-1.00	0.89*	0.08
item24	I spend most of my indoor time within 3 meters from a window.	4.14	0.99	-1.23	1.14	0.79*	0.22
item25	I use a desk lamp when I do focused work.	2.59	1.41	0.27	-1.27	0.86*	0.15
item26	I turn on my ceiling room light when it is light outside.	2.25	1.27	0.69	-0.64	0.84*	0.08
item27	I use my mobile phone within 1 hour before attempting to fall asleep.	3.80	1.29	-0.87	-0.42	0.82*	0.17
item28	I use my computer/laptop/tablet within 1 hour before attempting to fall asleep.	3.76	1.14	-0.68	-0.45	0.86*	0.18
item29	I watch television within 1 hour before attempting to fall asleep.	2.44	1.31	0.38	-1.14	0.86*	0.13
item30	I look at my smartwatch within 1 hour before attempting to fall asleep.	1.48	1.11	2.18	3.35	0.48*	0.13
item31	I dim my room light within 1 hour before attempting to fall asleep.	3.00	1.62	-0.08	-1.61	0.83*	0.39
item32	I dim my mobile phone screen within 1 hour before attempting to fall asleep.	3.55	1.65	-0.60	-1.34	0.76*	0.33

Table 3 continued

Item	Stem	Mean	SD	Skew	Kurtosis	SW Statistics	Item-total corelation
item33	I dim my computer screen within 1 hour before attempting to fall asleep.	3.62	1.64	-0.68	-1.25	0.74*	0.37
item34	I use a blue-filter app on my mobile phone screen within 1 hour before attempting to fall asleep.	3.42	1.83	-0.45	-1.69	0.69*	0.20
item35	I use a blue-filter app on my computer screen within 1 hour before attempting to fall asleep.	3.86	1.67	-0.99	-0.85	0.65*	0.20
item36	I wear blue-filtering, orange-tinted, and/or red-tinted glasses within 1 hour before attempting to fall asleep.	1.54	1.25	2.13	2.86	0.46*	0.35
item37	I purposely leave a light on in my sleep environment while sleeping.	1.33	0.91	3.03	8.43	0.41*	0.09
item38	I use as little light as possible when I get up during the night.	4.30	1.08	-1.79	2.53	0.67*	0.32
item39	I turn on the lights when I get up during the night.	1.96	0.98	1.02	0.69	0.82*	0.07
item40	I check my phone when I wake up at night.	2.16	1.19	0.71	-0.54	0.84*	0.25
item41	I look at my smartwatch when I wake up at night.	1.31	0.81	2.75	6.92	0.43*	0.14
item42	I close curtains or blinds to prevent light from entering the bedroom if I want to sleep.	3.93	1.48	-1.06	-0.44	0.71*	0.15
item43	I use a sleep mask that covers my eyes.	1.64	1.18	1.79	2.02	0.60*	0.22
item44	I modify my light environment to match my current needs.	3.51	1.30	-0.70	-0.59	0.85*	0.40
item45	I use LEDs to create a healthy light environment.	2.22	1.48	0.71	-1.02	0.76*	0.29
item46	I use tunable lights to create a healthy light environment.	1.76	1.23	1.35	0.44	0.66*	0.39

Table 3 continued

Item	Stem	Mean	SD	Skew	Kurtosis	SW Statistics	Item-total corelation
item47	I discuss the effects of light on my body with other people.	2.11	1.17	0.77	-0.39	0.83*	0.37
item48	I seek out knowledge on how to improve my light exposure.	2.60	1.25	0.29	-0.86	0.89*	0.36

Note. \* $p < .001$

Table 4

*Factor loadings and communality of the retained items*

item	PA1	PA2	PA3	PA4	PA5	Communality	Uniqueness
item16	0.99					0.993	0.007
item36	0.94					0.899	0.101
item17	0.8					0.658	0.342
item11		0.79				0.642	0.358
item10		0.76				0.592	0.408
item12		0.65				0.465	0.535
item07		0.5				0.267	0.733
item08		-0.49				0.252	0.748
item09		0.32				0.113	0.887
item27			0.8			0.658	0.342
item03			0.8			0.682	0.318
item40			0.65			0.464	0.536
item30			0.45			0.353	0.647
item41			0.36			0.329	0.671
item33				0.74		0.555	0.445
item32				0.73		0.624	0.376
item35				0.66		0.454	0.546
item37				-0.39		0.174	0.826
item38				0.38		0.178	0.822
item46					0.6	0.422	0.578
item45					0.59	0.374	0.626
item25					0.41	0.193	0.807
item04					0.41	0.219	0.781
item01					0.4	0.17	0.83
item26					0.35	0.165	0.835
% of Variance	0.1	0.1	0.09	0.08	0.06		

*Note.* Only loading higher than .30 is reported

Table 5

*Confirmatory Factor Analysis model fit indices of the two model: five factor model with 25 items and five factor model with 23 items. The second model attained the best fit.*

Model	Chi-Square	df	CFI	TLI	RMSEA	RMSEA 90% Lower CI	RMSEA 90% Upper CI	SRMR
Five factor model:25	448.51	222.00	.94	0.93	0.06	0.05	0.07	0.12
Five factor model:23	415.45	231.00	.95	0.95	0.06	0.05	0.06	0.11

*Note.* df: Degrees of Freedom; CFI: Comparative Fit Index; TLI: Tucker Lewis Index; RMSEA: Root Mean Square Error of Approximation; CI: Confidence Interval; SRMR: Standardized Root Mean Square

Table 6

*Measurement Invariance analysis on CFA sample (n=262) across native and non-native English speakers.*

	Chi-Square	df	CFI	TLI	RMSEA	RMSEA 90% Lower CI	RMSEA 90% Upper	Chi-Square Difference	df difference*	p
Configural	632.20	442.00	0.95	0.94	0.06	0.05	0.07	-	-	-
Metric	644.58	458.00	0.95	0.95	0.06	0.05	0.07	18.019a	16	0.323
Scalar	714.19	522.00	0.95	0.95	0.05	0.04	0.06	67.961b	64	0.344
Residual	714.19	522.00	0.95	0.95	0.05	0.04	0.06	0c	0	NA

Note. a = Metric vs Configural; b = Scalar vs Metric; c = Residual vs Scalar; d = Structural vs Residual; \* = df of model comparison

Table 7

*Items discrimination and response category  
difficulty thresholds of 23 items in LEBA (n =690)*

	a	b1	b2	b3	b4
item16	28.13	0.78	0.90	1.06	1.40
item36	4.49	0.94	1.08	1.23	1.40
item17	2.81	0.97	1.11	1.38	1.62
item11	3.27	-0.79	0.65	1.54	2.31
item10	3.07	-1.27	-0.09	0.82	2.00
item12	1.72	-0.67	0.44	1.28	2.11
item07	1.09	-0.50	0.73	1.63	2.97
Ritem08	1.19	-2.26	-0.48	0.64	1.91
item09	0.91	-2.63	-0.96	1.11	3.49
item27	2.21	-1.88	-1.19	-0.73	0.30
item03	3.03	-1.24	-0.77	-0.20	0.66
item40	1.55	-0.51	0.46	1.32	2.22
item30	0.49	3.27	3.74	4.64	6.52
item41	0.51	3.87	4.78	6.39	8.91
item32	1.62	-1.03	-0.78	-0.42	0.16
item35	1.37	-1.09	-0.98	-0.75	-0.40
item38	0.40	-7.48	-5.56	-4.23	-0.90
item33	12.31	-0.66	-0.48	-0.24	0.13
item46	2.22	0.68	0.89	1.38	2.17
item45	1.51	0.30	0.55	1.17	1.91
item25	0.52	-1.37	-0.04	1.89	4.22
item04	0.84	2.44	2.80	3.18	3.67
item01	0.39	-0.91	1.52	3.25	5.53

*Note.* a = item discrimination parameter; b(1-4)


= response category difficulty parameter

Table 8


*Item discrimination, response category difficulty thresholds and fit statistics of the 18 items in short LEBA (n=690)*

Items	a	b1	b2	b3	b4	Signed Chi-square	df	RMSEA	p
item16	28.13	0.78	0.90	1.06	1.40	2.02	6.00	0.00	0.92
item36	4.49	0.94	1.08	1.23	1.40	39.07	13.00	0.05	0.00
item17	2.81	0.97	1.11	1.38	1.62	25.58	13.00	0.04	0.02
item11	3.27	-0.79	0.65	1.54	2.31	55.03	27.00	0.04	0.00
item10	3.07	-1.27	-0.09	0.82	2.00	53.19	30.00	0.03	0.01
item12	1.72	-0.67	0.44	1.28	2.11	34.39	42.00	0.00	0.79
item07	1.09	-0.50	0.73	1.63	2.97	67.45	46.00	0.03	0.02
Ritem08	1.19	-2.26	-0.48	0.64	1.91	140.90	46.00	0.05	0.00
item09	0.91	-2.63	-0.96	1.11	3.49	131.19	45.00	0.05	0.00
item27	2.12	-1.91	-1.21	-0.74	0.31	16.41	11.00	0.03	0.13
item03	3.24	-1.22	-0.76	-0.20	0.65	15.09	11.00	0.02	0.18
item40	1.57	-0.50	0.45	1.30	2.20	9.92	9.00	0.01	0.36
item32	1.60	-1.04	-0.79	-0.42	0.16	41.33	15.00	0.05	0.00
item35	1.34	-1.10	-0.99	-0.76	-0.41	41.71	14.00	0.05	0.00
item33	15.66	-0.66	-0.48	-0.24	0.13	46.89	14.00	0.06	0.00
item46	2.34	0.66	0.88	1.36	2.12	19.00	15.00	0.02	0.21
item45	1.51	0.30	0.55	1.17	1.91	15.05	15.00	0.00	0.45
item25	0.49	-1.45	-0.04	1.99	4.46	31.60	15.00	0.04	0.01

*Note.* a = item discrimination parameter; b(1-4) = response category difficulty parameter



*Figure 1. Development of long and short form of LEBA*



*Figure 2.* Inter item polychoric correlation coefficients for the 48 items. 4.9 % inter-item correlation coefficients were higher than .30




Figure 3. Factor Identification Methods (A) Parallel analysis indicated the optimal number of factors were six. (B) Scree plot suggested six factors. (C) Hull method indicated 5 factors were required to balance the model fit and number of parameters.



**A****B**

Figure 4. (A) Five Factor Solution obtained in Exploratory Factor Analysis (B) Histogram of nonredundant residula correlations

**LEBA**

Summary Descriptives EFA Sample (n =428)

Items	Summary Statistics				Histogram <sup>1</sup>	Density <sup>2</sup>	Response Pattern				
	n	Mean	Median	SD			Never	Rarely	Sometimes	Often	Always
<b>LEBA Items</b>											
item16	428	1.6	1.0	1.2			79.67% (341)	4.21% (18)	3.97% (17)	4.67% (20)	7.48% (32)
item17	428	1.5	1.0	1.2			80.61% (345)	3.27% (14)	5.14% (22)	3.27% (14)	7.71% (33)
item36	428	1.5	1.0	1.3			82.24% (352)	3.04% (13)	3.04% (13)	2.34% (10)	9.35% (40)
<b>F1:Wearing blue light filters</b>											
item07	428	2.3	2.0	1.2			35.98% (154)	27.80% (119)	17.29% (74)	12.38% (53)	6.54% (28)
item08	428	3.0	3.0	1.2			13.79% (59)	22.20% (95)	27.80% (119)	25.93% (111)	10.28% (44)
item09	428	2.9	3.0	1.0			10.28% (44)	19.63% (84)	41.82% (179)	22.43% (96)	5.84% (25)
item10	428	2.7	3.0	1.0			11.92% (51)	31.31% (134)	31.31% (134)	21.96% (94)	3.50% (15)
item11	428	2.2	2.0	0.9			22.43% (96)	46.26% (198)	23.13% (99)	7.01% (30)	1.17% (5)
item12	428	2.4	2.0	1.2			29.91% (128)	29.67% (127)	21.50% (92)	12.15% (52)	6.78% (29)
<b>F2:Spending time outdoors</b>											
item03	428	3.4	4.0	1.4			15.89% (68)	11.45% (49)	17.29% (74)	31.07% (133)	24.30% (104)
item27	428	3.8	4.0	1.3			8.41% (36)	11.21% (48)	11.21% (48)	30.37% (130)	38.79% (166)
item30	428	1.5	1.0	1.1			81.78% (350)	3.27% (14)	4.91% (21)	5.37% (23)	4.67% (20)
item40	428	2.2	2.0	1.2			39.49% (169)	25.00% (107)	19.63% (84)	11.45% (49)	4.44% (19)
item41	428	1.3	1.0	0.8			85.05% (364)	4.67% (20)	6.07% (26)	3.04% (13)	1.17% (5)
<b>F3:Using phone and smart-watch in bed</b>											
item32	428	3.6	4.0	1.6			23.13% (99)	7.01% (30)	8.18% (35)	14.95% (64)	46.73% (200)
item33	428	3.6	4.0	1.6			21.96% (94)	7.01% (30)	7.24% (31)	14.49% (62)	49.30% (211)
item35	428	3.9	5.0	1.7			22.90% (98)	1.87% (8)	3.74% (16)	9.35% (40)	62.15% (266)
item37	428	2.3	2.0	1.3			38.32% (164)	23.36% (100)	20.09% (86)	10.98% (47)	7.24% (31)
item38	428	4.3	5.0	1.1			5.37% (23)	3.50% (15)	5.37% (23)	27.57% (118)	58.18% (249)
<b>F4:Using light before bedtime</b>											
item01	428	2.3	2.0	1.4			42.29% (181)	22.20% (95)	12.62% (54)	12.38% (53)	10.51% (45)
item04	428	1.5	1.0	1.2			84.11% (360)	3.50% (15)	2.10% (9)	2.10% (9)	8.18% (35)
item25	428	2.6	3.0	1.4			34.35% (147)	13.79% (59)	22.20% (95)	17.99% (77)	11.68% (50)
item26	428	3.7	4.0	1.3			38.32% (164)	23.36% (100)	20.09% (86)	10.98% (47)	7.24% (31)
item45	428	2.2	1.0	1.5			53.04% (227)	7.01% (30)	16.36% (70)	11.92% (51)	11.68% (50)
item46	428	1.8	1.0	1.2			67.06% (287)	7.71% (33)	11.68% (50)	8.88% (38)	4.67% (20)

<sup>1</sup>Histogram<sup>2</sup>Density

Figure 5. Summary Descriptives EFA Sample

**LEBA**

Summary Descriptives CFA Sample (Nn=262)

Items	Summary Statistics				Graphics		Response Pattern					
	LEBA Items	n	Mean	Median	SD	Histogram <sup>1</sup>	Density <sup>2</sup>	Never	Rarely	Sometimes	Often	Always
<b>F1:Wearing blue light filters</b>												
item16	262	1.6	1.0	1.3	1.3			78.24% (205)	3.44% (9)	4.20% (11)	5.73% (15)	8.40% (22)
item17	262	1.6	1.0	1.2	1.2			80.15% (210)	3.44% (9)	5.34% (14)	2.67% (7)	8.40% (22)
item36	262	1.6	1.0	1.3	1.3			80.53% (211)	3.44% (9)	3.05% (8)	3.44% (9)	9.54% (25)
<b>F2:Spending time outdoors</b>												
item07	262	2.1	2.0	1.2	1.2			43.13% (113)	23.66% (62)	14.50% (38)	14.12% (37)	4.58% (12)
item08	262	3.0	3.0	1.2	1.2			14.12% (37)	22.90% (60)	20.99% (55)	32.06% (84)	9.92% (26)
item09	262	2.9	3.0	1.1	1.1			12.98% (34)	22.14% (58)	34.35% (90)	26.34% (69)	4.20% (11)
item10	262	2.6	3.0	1.1	1.1			17.56% (46)	29.39% (77)	29.01% (76)	21.37% (56)	2.67% (7)
item11	262	2.1	2.0	0.9	0.9			25.95% (68)	46.56% (122)	20.23% (53)	5.34% (14)	1.91% (5)
item12	262	2.3	2.0	1.2	1.2			32.06% (84)	30.92% (81)	19.08% (50)	11.45% (30)	6.49% (17)
<b>F3:Using phone and smart-watch in bed</b>												
item03	262	3.7	4.0	1.3	1.3			11.83% (31)	7.25% (19)	17.56% (46)	28.24% (74)	35.11% (92)
item27	262	4.0	4.0	1.2	1.2			6.11% (16)	7.25% (19)	8.02% (21)	33.59% (88)	45.04% (118)
item30	262	1.4	1.0	1.1	1.1			83.59% (219)	2.67% (7)	4.20% (11)	6.11% (16)	3.44% (9)
item40	262	2.5	2.0	1.3	1.3			30.92% (81)	27.10% (71)	18.70% (49)	12.21% (32)	11.07% (29)
item41	262	1.2	1.0	0.7	0.7			90.08% (236)	3.82% (10)	2.29% (6)	2.67% (7)	1.15% (3)
<b>F4:Using light before bedtime</b>												
item32	262	3.4	4.0	1.7	1.7			25.95% (68)	4.20% (11)	11.45% (30)	16.79% (44)	41.60% (109)
item33	262	3.1	3.0	1.7	1.7			32.44% (85)	6.11% (16)	11.83% (31)	14.12% (37)	35.50% (93)
item35	262	3.6	5.0	1.8	1.8			27.48% (72)	2.67% (7)	7.25% (19)	6.49% (17)	56.11% (147)
item38	262	4.3	5.0	1.1	1.1			4.20% (11)	7.63% (20)	6.49% (17)	21.37% (56)	60.31% (158)
<b>F5:Using light in the morning and during daytime</b>												
item01	262	2.3	2.0	1.4	1.4			40.46% (106)	22.52% (59)	14.50% (38)	10.69% (28)	11.83% (31)
item04	262	1.3	1.0	0.8	0.8			89.31% (234)	2.29% (6)	3.44% (9)	3.05% (8)	1.91% (5)
item25	262	2.5	2.0	1.4	1.4			32.82% (86)	18.32% (48)	21.76% (57)	16.79% (44)	10.31% (27)
item45	262	2.0	1.0	1.4	1.4			64.12% (168)	5.34% (14)	9.54% (25)	11.83% (31)	9.16% (24)
item46	262	1.6	1.0	1.2	1.2			75.57% (198)	2.67% (7)	8.02% (21)	9.54% (25)	4.20% (11)

<sup>1</sup> Histogram<sup>2</sup> Density

Figure 6. Summary Descriptives of CFA Sample





Figure 7. Five Factor Model of LEBA obtained by Confirmatory Factor Analysis. By allowing item pair 41 and 30 to covary their error variance our model attained the best fit.



**Figure 8.** Test information curves (a) Wearing blue light filters (b) Spending time outdoors (c) Using phone and smartwatchin bed (d) Using light before bedtime (e) Using light in the morning andduring daytime

## Appendix

839 **Disclaimer:** This is a non-public version of LEBA (dated January 13, 2022) and still a  
840 work in progress. Please do not distribute!

841 LEBA captures light exposure-related behaviours on a 5 point Likert type scale  
842 ranging from 1 to 5 (Never = 1; Rarely = 2; Sometimes = 3; Often = 4; Always = 5). The  
843 score of each factor is calculated by the summation of scores of items belonging to the  
844 corresponding factor.

845 **Instruction:**

846 "Please indicate how often you performed the following behaviours in the **past 4**  
847 **weeks.**"

Table A1

*LEBA Long Form (23 Items)*

Items	Never	Rarely	Sometimes	Often	Always
01. I wear blue-filtering,orange-tinted,and/or red-tinted glasses indoors during the day.					
02. I wear blue-filtering, orange-tinted, and/or red-tinted glasses outdoors during the day.					
03. I wear blue-filtering, orange-tinted, and/or red-tinted glasses within 1 hour before attempting to fall asleep.					
04. I spend 30 minutes or less per day (in total) outside.					
05. I spend between 1 and 3 hours per day (in total) outside.					
06. I spend between 30 minutes and 1 hour per day (in total) outside.					
07.I spend more than 3 hours per day (in total) outside.					
08.I spend as much time outside as possible.					
09.I go for a walk or exercise outside within 2 hours after waking up.					
10.I use my mobile phone within 1 hour before attempting to fall asleep.					
11.I look at my mobile phone screen immediately after waking up.					
12. I check my phone when I wake up at night.					
13.I look at my smartwatch within 1 hour before attempting to fall asleep					
14.I look at my smartwatch when I wake up at night.					
15.I dim my mobile phone screen within 1 hour before attempting to fall asleep.					
16.I use a blue-filter app on my computer screen within 1 hour before attempting to fall asleep.					
17. I use as little light as possible when I get up during the night.					
18. I dim my computer screen within 1 hour before attempting to fall asleep.					
19. I use tunable lights to create a healthy light environment.					

Table A1 continued

Items	Never	Rarely	Sometimes	Often	Always
20. I use LEDs to create a healthy light environment.					
21. I use a desk lamp when I do focused work.					
22. I use an alarm with a dawn simulation light.					
23. I turn on the lights immediately after waking up.					

Table A2

*LEBA Long Form (23 Items):Latent Structure and Reliability*

Factor names	Items	Reliability Coefficients
F1: Wearing blue light filters	01-03	0.96
F2: Spending time outdoors	4-9 (Item 4 is reversed)	0.83
F3: Using phone and smartwatch in bed	10-14	0.7
F4: Using light before bedtime	15-18	0.69
F5: Using light in the morning and during daytime	19-23	0.52
McDonald's Omega coefficient for the total scale		0.73

Table A3

*LEBA Short Form (18 Items)*

Items	Never	Rarely	Sometimes	Often	Always
01. I wear blue-filtering,orange-tinted,and/or red-tinted glasses indoors during the day.					
02. I wear blue-filtering, orange-tinted, and/or red-tinted glasses outdoors during the day.					
03. I wear blue-filtering, orange-tinted, and/or red-tinted glasses within 1 hour before attempting to fall asleep.					
04. I spend 30 minutes or less per day (in total) outside.					
05. I spend between 1 and 3 hours per day (in total) outside.					
06. I spend between 30 minutes and 1 hour per day (in total) outside.					
07.I spend more than 3 hours per day (in total) outside.					
08.I spend as much time outside as possible.					
09.I go for a walk or exercise outside within 2 hours after waking up.					
10.I use my mobile phone within 1 hour before attempting to fall asleep.					
11.I look at my mobile phone screen immediately after waking up.					
12. I check my phone when I wake up at night.					
13.I dim my mobile phone screen within 1 hour before attempting to fall asleep.					
14.I use a blue-filter app on my computer screen within 1 hour before attempting to fall asleep.					
15. I dim my computer screen within 1 hour before attempting to fall asleep.					
16. I use tunable lights to create a healthy light environment.					
17. I use LEDs to create a healthy light environment.					
18. I use an alarm with a dawn simulation light.					

Table A4

*LEBA Short Form (18 Items): Latent Structure*

Factor names	Items	Reliability Coefficients
F1: Wearing blue light filters	01-03	0.96
F2: Spending time outdoors	4-9 (Item 4 is reversed)	0.83
F3: Using phone and smartwatch in bed	10-14	0.7
F4: Using light before bedtime	15-18	0.69
F5: Using light in the morning and during daytime	19-23	0.52
McDonald's Omega coefficient for the total scale		0.73

Table A5

*Minimum Average Partial (MAP) method of factor number determination. MAP Statistics is the lowest in the 5th row indicating five factors are required.*

MAP Statistics	dof	chisq	fit	RMSEA	BIC	eChisq	SRMR
.01125	1,080.00	4,344.31	0.18	0.08	-2,199.54	8,678.73	0.09
.01062	1,033.00	3,735.35	0.30	0.08	-2,523.72	6,414.94	0.08
.01077	987.00	3,065.44	0.38	0.07	-2,914.91	5,022.94	0.07
.01042	942.00	2,661.78	0.45	0.07	-3,045.92	3,969.03	0.06
.00938	898.00	2,237.56	0.51	0.06	-3,203.53	2,971.15	0.06
.00943	855.00	2,040.02	0.56	0.06	-3,140.53	2,441.92	0.05
.00973	813.00	1,861.69	0.59	0.05	-3,064.37	2,063.72	0.05
.00999	772.00	1,620.64	0.62	0.05	-3,057.00	1,707.87	0.04

Table A6

*Demographic Characteristics: Native English Speakers*

Variable	Overall, N = 262	Yes, N = 129	No, N = 133	p-value	q-value
Age	32.89 (13.66)	34.08 (15.32)	31.74 (11.77)	0.5	0.6
Sex				0.002	0.009
Female	136 (52%)	80 (62%)	56 (42%)		
Male	121 (46%)	48 (37%)	73 (55%)		
Other	5 (1.9%)	1 (0.8%)	4 (3.0%)		
Occupational Status				0.7	0.7
Work	161 (61%)	76 (59%)	85 (64%)		
School	52 (20%)	27 (21%)	25 (19%)		
Neither	49 (19%)	26 (20%)	23 (17%)		
Occupational setting				0.4	0.6
Home office/Home schooling	109 (42%)	50 (39%)	59 (44%)		
Face-to-face work/Face-to-face schooling	41 (16%)	22 (17%)	19 (14%)		
Combination of home- and face-to-face- work/schooling	53 (20%)	23 (18%)	30 (23%)		
Neither (no work or school, or in vacation)	59 (23%)	34 (26%)	25 (19%)		

<sup>1</sup> Mean (SD); n (%)<sup>2</sup> False discovery rate correction for multiple testing<sup>3</sup> Wilcoxon rank sum test<sup>4</sup> Fisher's exact test<sup>5</sup> Pearson's Chi-squared test

Table A7

*Factor loadings and communality of the retained items (Minimum Residual)*

item	MR1	MR2	MR3	MR4	MR5	Communality	Uniqueness
item16	1					0.996	0.004
item36	0.94					0.897	0.103
item17	0.8					0.658	0.342
item11		0.79				0.642	0.358
item10		0.76				0.592	0.408
item12		0.65				0.465	0.535
item07		0.5				0.267	0.733
item08		-0.49				0.252	0.748
item09		0.32				0.113	0.887
item27			0.8			0.659	0.341
item03			0.8			0.683	0.317
item40			0.65			0.464	0.536
item30			0.45			0.353	0.647
item41			0.36			0.329	0.671
item33				0.74		0.555	0.445
item32				0.73		0.623	0.377
item35				0.66		0.455	0.545
item37				-0.39		0.175	0.825
item38				0.38		0.178	0.822
item46					0.6	0.422	0.578
item45					0.59	0.374	0.626
item25					0.41	0.193	0.807
item04					0.41	0.219	0.781
item01					0.4	0.17	0.83
item26					0.35	0.165	0.835
% of Variance	0.1	0.1	0.09	0.08	0.06		

*Note.* Only loading higher than .30 is reported

Table A8

*Factor loadings and communality of the retained items(six factor)*

item	PA1	PA2	PA3	PA4	PA5	PA6	Communality	Uniqueness
item16	0.99						0.987	0.013
item36	0.94						0.896	0.104
item17	0.8						0.674	0.326
item11		0.82					0.698	0.302
item10		0.81					0.656	0.344
item12		0.64					0.467	0.533
item08		-0.48					0.254	0.746
item07		0.47					0.257	0.743
item09		0.33					0.122	0.878
item33			0.97				0.978	0.022
item32			0.77				0.69	0.31
item35			0.54		0.3	0.408	0.592	
item31			0.49				0.332	0.668
item03				0.84			0.728	0.272
item27				0.81			0.666	0.334
item40				0.69			0.535	0.465
item46					0.65	0.525	0.475	
item45					0.57	0.355	0.645	
item04					0.48	0.332	0.668	
item25					0.4	0.238	0.762	
item01					0.35	0.134	0.866	
item26					0.35	0.161	0.839	
item37						-0.8	0.682	0.318
item38						0.39	0.245	0.755
% of Variance	0.11	0.1	0.09	0.09	0.06	0.05		

Table A8 continued

item	PA1	PA2	PA3	PA4	PA5	PA6	Communality	Uniqueness
------	-----	-----	-----	-----	-----	-----	-------------	------------

*Note.* Only loading higher than .30 is reported; Sixth factor has only two salient loadings

849

Table A9

*Factor loadings and communality of the retained items in five factor solution [Unmerged Responses]*

item	PA1	PA2	PA5	PA3	PA4	Communality	Uniqueness
item19	0.99					1.007	-0.007
item20	0.91					0.874	0.126
item18	0.82					0.711	0.289
item21	0.8					0.683	0.317
item04	0.47					0.25	0.75
item11		0.83				0.687	0.313
item10		0.81				0.67	0.33
item12		0.56				0.371	0.629
item08		-0.44				0.206	0.794
item07		0.42				0.226	0.774
item09		0.33				0.115	0.885
item16			0.95			0.946	0.054
item17			0.74			0.595	0.405
item36	0.3		0.73			0.653	0.347
item03				0.85		0.746	0.254
item27				0.78		0.624	0.376
item40				0.71		0.512	0.488
item35					0.58	0.351	0.649
item48					0.57	0.354	0.646

Table A9 continued

item	PA1	PA2	PA5	PA3	PA4	Communality	Uniqueness
item33					0.55	0.32	0.68
item47					0.52	0.294	0.706
item44					0.45	0.216	0.784
item31					0.41	0.206	0.794
item38					0.33	0.129	0.871
% of Variance	0.15	0.09	0.09	0.08	0.08		

*Note.* Only loading higher than .30 is reported

850

Table A10

*Factor loadings and communality of the retained items in six factor solution  
[Unmerged Responses]*

item	PA1	PA2	PA3	PA4	PA6	PA5	Communality	Uniqueness
item19	0.98						0.995	0.005
item20	0.92						0.904	0.096
item21	0.79						0.666	0.334
item04	0.49						0.296	0.704
item43	0.32					0.31	0.282	0.718
item10		0.81					0.67	0.33
item11		0.81					0.668	0.332
item12		0.58					0.408	0.592
item08		-0.45					0.218	0.782
item07		0.42					0.229	0.771
item09		0.33					0.115	0.885
item03			0.85				0.731	0.269
item27			0.77				0.606	0.394
item40			0.72				0.533	0.467

Table A10 continued

item	PA1	PA2	PA3	PA4	PA6	PA5	Communality	Uniqueness
item35				0.64			0.426	0.574
item33				0.62			0.413	0.587
item48				0.52			0.305	0.695
item47				0.48			0.259	0.741
item31				0.39			0.206	0.794
item38				0.32			0.18	0.82
item17					0.85		0.786	0.214
item16					0.78		0.681	0.319
item13						0.57	0.336	0.664
item14						0.5	0.356	0.644
item15						0.48	0.277	0.723
item42						0.37	0.168	0.832
item26							0.064	0.936
% of Variance	0.11	0.08	0.07	0.06	0.06	0.05		

*Note.* Only loading higher than .30 is reported

851

Table A11

*Geographical Location of the participants (n =690)*

Timezone	Number of Participants
Africa/Ceuta (UTC +01:00)	2.00
Africa/Douala (UTC +01:00)	1.00
Africa/Johannesburg (UTC +02:00)	5.00
Africa/Khartoum (UTC +02:00)	2.00
Africa/Lagos (UTC +01:00)	1.00
America/Adak (UTC -09:00)	2.00
America/Anchorage (UTC -08:00)	3.00

Table A11 continued

Timezone	Number of Participants
America/Araguaina (UTC -03:00)	2.00
America/Argentina/Buenos_Aires (UTC -03:00)	5.00
America/Argentina/Cordoba (UTC -03:00)	2.00
America/Argentina/Jujuy (UTC -03:00)	1.00
America/Bahia (UTC -03:00)	2.00
America/Blanc-Sablon (UTC -04:00)	1.00
America/Bogota (UTC -05:00)	2.00
America/Boise (UTC -06:00)	4.00
America/Cayman (UTC -05:00)	1.00
America/Chicago (UTC -05:00)	30.00
America/Costa_Rica (UTC -06:00)	2.00
America/Cuiaba (UTC -04:00)	1.00
America/Denver (UTC -06:00)	6.00
America/Detroit (UTC -04:00)	6.00
America/Edmonton (UTC -06:00)	14.00
America/Fortaleza (UTC -03:00)	1.00
America/Guatemala (UTC -06:00)	1.00
America/Guayaquil (UTC -05:00)	2.00
America/Halifax (UTC -03:00)	1.00
America/Indiana/Indianapolis (UTC -04:00)	3.00
America/Indiana/Tell_City (UTC -05:00)	1.00
America/Kentucky/Louisville (UTC -04:00)	3.00
America/Los_Angeles (UTC -07:00)	37.00
America/Martinique (UTC -04:00)	1.00
America/Mexico_City (UTC -06:00)	2.00
America/Moncton (UTC -03:00)	2.00
America/Monterrey (UTC -06:00)	1.00
America/New_York (UTC -04:00)	63.00
America/North_Dakota/Center (UTC -05:00)	1.00

Table A11 continued

Timezone	Number of Participants
America/North_Dakota/New_Salem (UTC -05:00)	1.00
America/Panama (UTC -05:00)	1.00
America/Phoenix (UTC -07:00)	7.00
America/Resolute (UTC -05:00)	1.00
America/Santiago (UTC -03:00)	8.00
America/Sao_Paulo (UTC -03:00)	19.00
America/Toronto (UTC -04:00)	16.00
America/Vancouver (UTC -07:00)	6.00
Antarctica/Macquarie (UTC +11:00)	1.00
Asia /Taipei City (UTC +08:00)	3.00
Asia/Amman (UTC +03:00)	2.00
Asia/Barnaul (UTC +07:00)	1.00
Asia/Dhaka (UTC +06:00)	1.00
Asia/Famagusta (UTC +02:00)	1.00
Asia/Ho_Chi_Minh (UTC +07:00),British - America/Tortola (UTC -04:00)	2.00
Asia/Hong_Kong (UTC +08:00)	2.00
Asia/Jakarta (UTC +07:00)	9.00
Asia/Jerusalem (UTC +02:00)	4.00
Asia/Karachi (UTC +05:00)	1.00
Asia/Kathmandu (UTC +05:45)	2.00
Asia/Kolkata (UTC +05:30)	38.00
Asia/Kuala_Lumpur (UTC +08:00)	7.00
Asia/Kuching (UTC +08:00)	2.00
Asia/Manila (UTC +08:00)	6.00
Asia/Novosibirsk (UTC +07:00)	1.00
Asia/Riyadh (UTC +03:00)	1.00
Asia/Seoul (UTC +09:00)	1.00
Asia/Shanghai (UTC +08:00)	7.00
Asia/Singapore (UTC +08:00)	1.00

Table A11 continued

Timezone	Number of Participants
Asia/Tokyo (UTC +09:00)	3.00
Asia/Tomsk (UTC +07:00)	1.00
Asia/Ulaanbaatar (UTC +08:00)	1.00
Asia/Vladivostok (UTC +10:00)	1.00
Asia/Yangon (UTC +06:30)	1.00
Asia/Yekaterinburg (UTC +05:00)	1.00
Atlantic/Canary (UTC)	1.00
Australia/Adelaide (UTC +10:30)	2.00
Australia/Brisbane (UTC +10:00)	4.00
Australia/Darwin (UTC +09:30)	1.00
Australia/Melbourne (UTC +11:00)	5.00
Australia/Perth (UTC +08:00)	2.00
Australia/Sydney (UTC +11:00)	2.00
East Africa/Dodoma (UTC +03:00)	1.00
Europe/Amsterdam (UTC +01:00)	19.00
Europe/Athens (UTC +02:00)	3.00
Europe/Belgrade (UTC +01:00)	3.00
Europe/Berlin (UTC +01:00)	53.00
Europe/Bratislava (UTC +01:00)	2.00
Europe/Brussels (UTC +01:00)	4.00
Europe/Bucharest (UTC +02:00)	3.00
Europe/Budapest (UTC +01:00)	2.00
Europe/Busingen (UTC +01:00)	3.00
Europe/Copenhagen (UTC +01:00)	3.00
Europe/Dublin (UTC)	5.00
Europe/Helsinki (UTC +02:00)	9.00
Europe/Istanbul (UTC +03:00)	6.00
Europe/Kiev (UTC +02:00)	1.00
Europe/Lisbon (UTC)	2.00


Table A11 continued

Timezone	Number of Participants
Europe/Ljubljana (UTC +01:00)	3.00
Europe/London (UTC)	57.00
Europe/Madrid (UTC +01:00)	7.00
Europe/Moscow (UTC +03:00)	8.00
Europe/Oslo (UTC +01:00)	3.00
Europe/Paris (UTC +01:00)	22.00
Europe/Prague (UTC +01:00)	3.00
Europe/Riga (UTC +02:00)	2.00
Europe/Rome (UTC +01:00)	9.00
Europe/Sofia (UTC +02:00)	1.00
Europe/Stockholm (UTC +01:00)	4.00
Europe/Tallinn (UTC +02:00)	2.00
Europe/Tirane (UTC +01:00)	1.00
Europe/Vienna (UTC +01:00)	1.00
Europe/Vilnius (UTC +02:00)	5.00
Europe/Warsaw (UTC +01:00)	15.00
Europe/Zagreb (UTC +01:00)	2.00
Europe/Zurich (UTC +01:00)	21.00
European /Skopje (UTC +01:00)	1.00
Iran /Tehran (UTC +0:30)	3.00
Pacific/Auckland (UTC +13:00)	6.00
Pacific/Chatham (UTC +13:45)	1.00
Pacific/Easter (UTC -05:00)	1.00
Pacific/Honolulu (UTC -10:00)	2.00


Table A12

F1
I use light therapy applying a blue light box.
I use light therapy applying a light visor.
I use light therapy applying a white light box.
I use light therapy applying another form of light device.
I use an alarm with a dawn simulation light.
F2
I spend more than 3 hours per day (in total) outside.
I spend between 1 and 3 hours per day (in total) outside.
I spend as much time outside as possible.
I spend 30 minutes or less per day (in total) outside.
I go for a walk or exercise outside within 2 hours after waking up.
I spend between 30 minutes and 1 hour per day (in total) outside.
F3
I look at my mobile phone screen immediately after waking up.
I use my mobile phone within 1 hour before attempting to fall asleep.
I check my phone when I wake up at night.
F4
I use a blue-filter app on my computer screen within 1 hour before attempting to fall asleep.
I seek out knowledge on how to improve my light exposure.
I dim my computer screen within 1 hour before attempting to fall asleep.
I discuss the effects of light on my body with other people.
I modify my light environment to match my current needs.
I dim my room light within 1 hour before attempting to fall asleep.
I use as little light as possible when I get up during the night.
F5
I wear blue-filtering, orange-tinted, and/or red-tinted glasses indoors during the day.
I wear blue-filtering, orange-tinted, and/or red-tinted glasses outdoors during the day.
I wear blue-filtering, orange-tinted, and/or red-tinted glasses within 1 hour before attempting to fall asleep.







*Figure A1.* Item information curve of LEBA F1. Item 16 carried highest information among the three items




*Figure A2.* Item information curve of LEBA F2. All items carried information across the latent trait continuum. Item 09 carried the lowest information however its information peak was higher than .20.




*Figure A3.* Item information curve of LEBA F3. Item 30 and 41 had relatively flat information curve with a peak lower than .20



*Figure A4.* Item information curve of LEBA F4. Item 38 had relatively flat information curve with a peak lower than .20



*Figure A5.* Item information curve of LEBA F5. Three items: 25, 04, 01 carried low information. However Item 04 had a bump at the right side of the center with a curve peak higher than .20. Item 01 and 25 had relatively flat information curve with a peak lower than .20



*Figure A6.* Person fit of the five fitted IRT models (a) Wearing blue light filters (b) Spending time outdoors (c) Using phone and smartwatch in bed (d) Using light before bedtime (e) Using light in the morning and during daytime