

CS145 – PROGRAMMING ASSIGNMENT #7

CARD ARRAY LIST

OVERVIEW

This program focuses on binary trees and recursion.

INSTRUCTIONS

Turn in file `QuestionTree.java` and optionally `QuestionNode.java`. *(You may or may not have `QuestionNode.java` class if you choose to include it inside `QuestionTree.java`)*

You will need support files `UserInterface.java`, `QuestionMain.java`, `VaderMain.java`, and input text files from the Homework web page; place them in the same folder as your class.

20 QUESTIONS GAME


In this assignment you will implement a yes/no guessing game called "20 Questions."

Each round of the game begins by you (the human player) thinking of an object. The computer will try to guess your object by asking you a series of yes or no questions. Eventually the computer will have asked enough questions that it thinks it knows what object you are thinking of. It will make a guess about what your object is. If this guess is correct, the computer wins; if not, you win.

The computer keeps track of a binary tree whose nodes represent questions and answers. (Every node's data is a string representing the text of the question or answer.) A "question" node contains a left "yes" subtree and a right "no" subtree. An "answer" node is a leaf. The idea is that this tree can be traversed to ask the human player a series of questions. (Though the game is called "20 Questions," our game will not limit the tree to a height of 20. Any height is allowed.)

For example, in the tree below, the computer would begin the game by asking the player, "Is it an animal?" If the player says "yes," the computer goes left to the "yes" subtree and then asks the user, "Can it fly?" If the user had instead said "no," the computer would go right to the "no" subtree and then ask the user, "Does it have wheels?"

This pattern continues until the game reaches a leaf "answer" node. Upon reaching an answer node, the computer asks whether that answer is the correct answer. If so, the computer wins.



The following partial output log shows one game being played on the above tree:

```


Is it an animal? yes
Can it fly? no
Does it have a tail? yes
Would your object happen to be mouse? yes
I win!
  
```

Initially the computer is not very intelligent, but it grows smarter each time it loses a game. If the computer's answer guess is incorrect, you must give it a new question it can ask to help it in future games. For example, suppose in the preceding log that the player was not thinking of a mouse, but of a cat. The game log might look like this:

```

Is it an animal? yes
Can it fly? no
Does it have a tail? yes
Would your object happen to be mouse? no
I lose.
What is your object? cat
Type a yes/no question to distinguish your item from mouse:
Does it meow?
And what is the answer for your object? yes
  
```

The computer takes the new information from a lost game and uses it to replace the old incorrect answer node with a new question node that has the old incorrect answer and new correct answer as its children. For example, after the game represented by the preceding log, the computers overall game tree would be the following:



In this assignment, you will create classes `QuestionTree` and possibly `QuestionNode` to represent the computer's tree of yes/no questions and answers for playing games of 20 Questions. You are provided with two slightly different client programs that handle user interaction and calls your tree's methods to play games.

Below are two logs of execution from the generic `QuestionMain` class:

Log of execution #1	Log of execution #2
<p>Welcome to the game of 20 Questions! Shall I recall our previous games? <u>n</u></p> <p>Think of an item, and I will guess it.</p> <p>Would your object happen to be computer? <u>n</u> I lose. What is your object? <u>cat</u> Type a yes/no question to distinguish your item from computer: <u>Is it an animal?</u> And what is the answer for your object? <u>y</u> Challenge me again? <u>y</u></p> <p>Is it an animal? <u>n</u> Would your object happen to be computer? <u>n</u> I lose. What is your object? <u>shoe</u> Type a yes/no question to distinguish your item from computer: <u>Does it go on your feet?</u> And what is the answer for your object? <u>y</u> Challenge me again? <u>y</u></p> <p>Is it an animal? <u>n</u> Does it go on your feet? <u>y</u> Would your object happen to be shoe? <u>y</u> I win! Challenge me again? <u>n</u></p> <p>Games played: 3 I won: 1 Shall I remember these games? <u>y</u> What is the file name? <u>question1.txt</u></p>	<p>Welcome to the game of 20 Questions! Shall I recall our previous games? <u>yes</u> What is the file name? <u>question2.txt</u></p> <p>Think of an item, and I will guess it.</p> <p>Is it an animal? <u>no</u> Does it have wheels? <u>yes</u> Would your object happen to be bicycle? <u>yes</u> I win! Challenge me again? <u>yes</u></p> <p>Is it an animal? <u>yes</u> Can it fly? <u>no</u> Does it have a tail? <u>yes</u> Would your object happen to be mouse? <u>no</u> I lose. What is your object? <u>cat</u> Type a yes/no question to distinguish your item from mouse: <u>Does it meow?</u> And what is the answer for your object? <u>yes</u> Challenge me again? <u>yes</u></p> <p>Is it an animal? <u>yes</u> Can it fly? <u>no</u> Does it have a tail? <u>yes</u> Does it meow? <u>yes</u> Would your object happen to be cat? <u>yes</u> I win! Challenge me again? <u>no</u></p> <p>Games played: 3 I won: 2 Shall I remember these games? <u>no</u></p>

The program can instruct your question tree to read its input from different text files. You should initially test with the provided `question1.txt` or an even smaller file of your own creation. As your code runs, you will be able to create larger files by saving them at the end of the program. Once your code works with `question1.txt`, you can test it with a larger input such as the provided `animals.txt`, which comes with permission from the Animal Game web site at <http://animalgame.com/>.

IMPLEMENTATION DETAILS:

The contents of the `QuestionNode` class are up to you. Though we have studied trees, in this assignment you can create nodes specific to solving this problem. Your node class should have at least one constructor used by your tree. Your node's fields can be public if you want, or you cause use getter/setters. `QuestionNode` should not perform a large share of the overall game algorithm. Your `QuestionTree` must have the following members. You may add extra private methods. You should throw an `IllegalArgumentException` if the parameter passed to any method below is null.

QUESTION TREE

NECESSARY METHODS – QUESTION TREE

`PUBLIC QUESTIONTREE(USERINTERFACE UI)`

In this constructor you should initialize your new question tree. You are passed an object representing the user interface for input/output. Your tree will use this user interface for printing output messages and asking questions in the game (see next page). Initially the tree starts out containing only a single answer leaf node with the word "computer" in it. The tree will grow larger as games are played or as a new tree are loaded with the `load` method described below.

`PUBLIC VOID PLAY()`

A call to this method should play one complete guessing game with the user, asking yes/no questions until reaching an answer object to guess. A game begins with the root node of the tree and ends upon reaching an answer leaf node.

If the computer wins the game, print a message saying so.

Otherwise your tree must ask the user what object he/she was thinking of, a question to distinguish that object from the player's guess, and whether the player's object is the yes or no answer for that question. This then needs to modify the tree based upon the two

new nodes that will be added to the tree. The new question node and the new answer node. The two boxed partial logs on the first page are examples of output from single calls to play. All user input/output should be done through the `UserInterface` object passed to your tree's constructor.

After the game is over, the provided client program will prompt the user whether or not to play again; this is not part of your play method. Leave this functionality to the client program.

`PUBLIC VOID SAVE(PRINTSTREAM OUTPUT)`

In this method you should store the current tree state to an output file represented by the given `PrintStream`. In this way your question tree can grow each time the user runs the program. (You don't save the number of games played/won.) A tree is specified by a sequence of lines, one for each node.

Each line must start with either `Q:` to indicate a question node or `A:` to indicate an answer (a leaf). All characters after these first two should represent the text for that node (the question or answer). The nodes should appear in the order produced by a preorder traversal of the tree.

For example, the two trees shown in the diagram and logs on the preceding pages would be represented by the following contents:

question1.txt

```
Q:Is it an animal?  
A:cat  
Q:Does it go on your feet?  
A:shoe  
A:computer
```

question2.txt

```
Q:Is it an animal?  
Q:Can it fly?  
A:bird  
Q:Does it have a tail?  
A:mouse  
A:spider  
Q:Does it have wheels?  
A:bicycle  
Q:Is it nice?  
A:TA  
A:teacher
```

```
PUBLIC VOID LOAD(SCANNER INPUT)
```

In this method you should replace the current tree by reading another tree from a file. Your method will be passed a `Scanner` that reads from a file and should replace the current tree nodes with a new tree using the information in the file. Assume the file exists and is in proper standard format. Read entire lines of input using calls on `Scanner's` `nextLine`.

(You don't load the number of games played/won, just the tree. Calling this method doesn't change games played/won.)

```
PUBLIC INT TOTALGAMES() / PUBLIC INT GAMESWON()
```

In these methods you should respectively return the total number of games that have been played on this tree so far, and the number of games the computer has won by correctly guessing your object, during the current execution of the program. Initially 0 games have been played and won, but the games played increase by 1 for each game that is played (each time `play` is called), and the games won increase by 1 each time the computer guesses your object correctly..

USERINTERFACE:

Your tree should be designed to be usable with many user interfaces. I have provided a class `QuestionMain` with a text user interface and a class `VaderMain` with a graphical user interface. Both of these classes need to display output to the user and read input from the keyboard, but they do so in different ways (console vs. graphic). In order for your code to work with both programs, I have implemented a Java interface for the common behavior of both user interfaces:

```
public interface UserInterface
{
    public void print(String message);
        // displays an output message to the user
    public void println(String message);
        // displays an output message and new-line
    public String nextLine();
        // waits for user to type a string; returns it
    public boolean nextBoolean();
        // waits for user to choose yes(true) / no(false)
}
```

You are not to adjust or modify the "main" classes. But they both must work.

For example, if you had a variable `ui` that referred to an object that implements the `UserInterface` interface, you could write the following code to ask the user a yes/no question and it would work in both interfaces:

```
ui.print("Are you having a nice day?");
if (ui.nextBoolean())
{
    ui.println("That is good to hear!");
    // true means user said "yes"
}
else
{
    ui.println("Sorry to hear that.");
    // false means user said "no"
}
```

The following code would ask the user a more general question to which the user could type any string as a response: `ui.print("What is your name?"); String answer = ui.nextLine();` You must use this user interface in your program. **Programs that do not do so and try to handle user interaction directly without using the interface will lose substantial credit on the assignment.**

MAJOR THINGS TO CONSIDER.

You must also ensure that the program works with BOTH user interfaces. One thing to note is that I actually use a third one for testing, so make sure it works with the user interface implementation. **Do not rely** upon `System.out` and `Scanners`. Use only the provided interface methods.

Do make sure you are using the `x = change(x)` methodology. **Do not move the data**, move the nodes around, especially when adding new nodes. Whenever you add a new question, you will be adding two nodes and then moving one node around.

STYLE GUIDELINES AND GRADING:

Part of your grade will come from appropriately utilizing binary trees and recursion to implement your guessing game as described previously. Every method with complex code flow should be implemented recursively, rather than with loops.

A full-credit solution must have zero loops. Your grade will be based on the elegance of your recursive algorithm; do not create special cases in your recursive code if they are not necessary or repeat cases already handled. Redundancy is another major grading

focus; some methods are similar in behavior or based off of each other's behavior. You should avoid repeated logic as much as possible. Your class may have other methods besides those specified, but any other methods you add should be private.

An important concept introduced in lecture was called "x = change(x)". This idea is related to proper design of recursive methods that manipulate the structure of a binary tree. You must follow this pattern on this assignment to receive full internal correctness credit. For example, at the end of a game lost by the computer, you might be tempted to "morph" what used to be an answer node of the tree into a question node. This is considered bad style.

THE USER INTERFACE - INTERFACE

This program uses a custom `UserInterface` implementation that you should be using. It contains the following methods for your use. It is important for you to only use the methods provided by the interface.

From the JavaDoc's, you have access to the following methods. Make sure to only use these.

Return Type	Method and Description
boolean	<code>nextBoolean()</code> Waits for the user to input a yes/no answer (by typing, clicking, etc.), and returns that answer as a boolean value.
java.lang.String	<code>nextLine()</code> Waits for the user to input a text value, and returns that answer as a String.
void	<code>print(java.lang.String message)</code> Displays the given output message to the user.
void	<code>println(java.lang.String message)</code> Displays the given output message to the user.