

# Réseau social d'entreprise

## Formation développeur .NET pour des systèmes d'information d'entreprise

L. Régis M. Ekatherina

11/01/2019


# Table des matières

- 1 Introduction
- 2 Structure
  - Structure du projet
  - Carte du site
  - Base de données
- 3 Ce que l'on a appris
  - Sécurité
- 4 Résumé
- 5 Questions

# Outline

- 1 Introduction
- 2 **Structure**
  - Structure du projet
  - Carte du site
  - Base de données
- 3 Ce que l'on a appris
  - Sécurité
- 4 Résumé
- 5 Questions


# Structure du projet



# Outline

- 1 Introduction
- 2 **Structure**
  - Structure du projet
  - **Carte du site**
  - Base de données
- 3 Ce que l'on a appris
  - Sécurité
- 4 Résumé
- 5 Questions


# Carte du site



# Outline


- 1 Introduction
- 2 **Structure**
  - Structure du projet
  - Carte du site
  - **Base de données**
- 3 Ce que l'on a appris
  - Sécurité
- 4 Résumé
- 5 Questions

# Employee







# Department




# Project




# Team



# Task



# Event



# Document

**DocEvent**

- Document\_Id
- Event\_Id

**DocTask**

- Document\_Id
- Task\_Id

**Document**

- Document\_Id
- Name
- Created
- Body
- Size
- Checksum
- Employee\_Id
- Deleted

**DocTeam**

- Document\_Id
- Team\_Id

**DocMessage**

- Document\_Id
- Message\_Id


**DocDepartment**

- Document\_Id
- Department\_Id

**DocProject**

- Document\_Id
- Project\_Id

# Message



# Outline

- 1 Introduction
- 2 Structure
  - Structure du projet
  - Carte du site
  - Base de données
- 3 Ce que l'on a appris
  - Sécurité
- 4 Résumé
- 5 Questions



# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.



# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.



# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

## En résumé

- The **first main message** of your talk in one or two lines.
- The **second main message** of your talk in one or two lines.
- Perhaps a **third message**, but not more than that.
- Améliorations possibles
  - Ajout de mappers pour les forms.
  - Ajout d'un sel différent pour tous les utilisateurs.
  - Remplacer tous les ids par les vues partielles correspondantes

# Questions

Avez-vous des questions?