



CM5_CONN_B
DSI1{MIPI}
USB2_DOCK{USB2}
USB2_RP2350{USB2}
RP2350_VBUS
USB_PROG_OTG_ID
HDMI0{HDMI}
File: RPI_CM5_B.kicad_sch
DSI TO LVDS
DSI1{MIPI}
LVDS_A{LVDS}
I2C2{I2C}
DSI_BRDG_RST
File: DSI TO LVDS.kicad_sch
TFT CONN
LVDS_A{LVDS}
BL_PWM
TFT_RST
File: TFT CONN.kicad_sch
HDMI
HDMI0{HDMI}
HDMI_RST
File: HDMI.kicad_sch
CONTROLLER
USB2_RP2350{USB2}
RP2350_VBUS
LSPKOUT
RSPKOUT
RP2350_BOOT
RP2350_SW_RESET
I2C2{I2C}
RP2350_RST
File: CONTROLLER.kicad_sch
CM5_CONN_A
USB_OTG
RP2350_USB_BOOT
RP2350_SW_RESET
{I2S}
I2C2{I2C}
BL_PWM
CODEC
{I2S}
RSPKOUT
LSPKOUT
I2C2{I2C}
CODEC_RST
File: CODEC.kicad_sch
TYPE C CHARGER
VSYS
BAT_CHRG_EN
BAT_CHRG_INT
BAT_CHRG_PG
I2C2{I2C}
USB2_DOCK{USB2}
BAT_CHRG_RST
File: TYPE C CHARGER.kicad_sch
Power Supply
VSYS
File: Power Supply.kicad_sch
3V3
5V0
R110
4K7
R111
4K7
R109
4K7
C14
22u
0805
25V
J1
BM04B-SURS-TF
Blower Fan ND35B00
Q12
SSM3K56FS
FAN_PWM
FAN_TACH
TP52
TP53
GND
SD_CARD
{SDIO}
SD_PWR_ON
File: SD_CARD.kicad_sch
RESET SUPERVISOR
EXT_RST
RP2350_RST
TFT_RST
BAT_CHRG_RST
DSI_BRDG_RST
HDMI_RST
CODEC_RST
File: RESET SUPERVISOR.kicad_sch
RPI_LED_ACT
RPI_LED_PWR
1K
R39
D13
1K
R40
D14
Q14
SSM3K56FS
10K
R41
S2
S3
TL1014BF160QG
R176
10K
R180
10K
R121
22R
R124
22R
TP24
TP25
VOL_UP
VOL_DOWN
C122
0.1u
C123
0.1u
D19
ESD7351HT1G
D1
ESD7351HT1G
File: RPI_CM5_A.kicad_sch
Compatible only with CM5
Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted
Revision
Change Order
Blower Fan holder ND35B00
HOLE11
HOLE9
HOLE10
HOLE5
HOLE6
HOLE7
FID1
FID2
FID3
FID4
FID5
TP1
TP2
TP3
TP4
TP5
TP6
TP7
TP8
TP56
Designed by: Jean-Francois Bilodeau
P.Eng #6022173
203-1690 rue des quatre-saisons
Sherbrooke, Canada, J1E0N2
KiCad Rev 10.0
Logo
Project: Consolation [Console Emulation]
Drawn by: Jean-Francois Bilodeau
Sheet Size: A4
Sheet Title: Consolation_Kicad.kicad_sch
Approved by: Not applicable
Sheet: 1 of 12
Date: 2026-11-02
BOM: Consolation_1.00-0A_BOM
Status: In DFM Review
Current Revision: 1.00-0A



J19
DF40HC(3.0)-100DS-0.4V
3V3
5V0
GND
{I2S}
I2S_DOUT
I2S_DIN
I2S_SCLK
I2S_COFS
{SDIO}
SDIO_CLK
SDIO_D3
SDIO_D0
SDIO_D1
SDIO_D2
SDIO_CMD
FAN_PWM
RPI_LED_ACT
FAN_TACH
VOL_UP
BL_PWM
VOL_DOWN
BT_DIS_GPIO8
BAT_CHRG_EN
BAT_CHRG_INT
BAT_CHRG_PG
SHDN_GPIO23
CM5_RXD0
CM5_TXD0
SD_PWR_ON
RP2350_SW_RESET
RP2350_BOOT_GPIO10
RP2350_USB_BOOT
WL_DIS_GPIO11
PPS_RTC
I2C2.I2C_SCL
I2C2.I2C_SDA
I2C2{I2C}
PU'd at DSI bridge
For debug / DVT
J17
WL_DIS
BT_DIS
RPIBOOT
RPI_LED_PWR
INT 1K8 PU 3V3_CMx
INT 10K PU 3V3_CMx
INT 100K PU +5V
INT 10K PU +5V
3V3_CMx
1V8_CMx
CM5_SHDN
HW_SHDN
WL_DIS_GPIO11
BT_DIS_GPIO8
USB_OTG
EXT_RST
Q19
Q20
Q21
Q22
Q26
Q27
Q28
Q29
SSM3K56FS
U19
SN74LVC1G125DBVR
U21
MCP7940NT-I/MS
Y2
32.768kHz
D16
J7
2998TR
3.0V 6.8mm
VOL_DOWN | VOL_UP | HW_SHDN | GPIO_SHDN | CM5_SHDN
0 | 0 | 1 | 0 | 0
0 | 1 | 0 | 0 | 1
1 | 0 | 0 | 0 | 1
1 | 1 | 0 | 0 | 1
x | x | 0 | 1 | 0
Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted
Revision | Change Order
Designed by: Jean-Francois Bilodeau
P.Eng #6022173
203-1690 rue des quatre-saisons
Sherbrooke, Canada, J1E0N2
KiCad Rev 10.0
Logo
Project: Consolation [Console Emulation]
Drawn by: Jean-Francois Bilodeau
Sheet Title: RPI_CM5_A.kicad_sch
Approved by: Not applicable
Date: 2026-11-02
BOM: Consolation_1.00-0A_BOM
Sheet Size: A4
Sheet: 2 of 12
Status: In DFM Review
Current Revision: 1.00-0A




Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

| Revision | Change Order |
|---|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |


| | | |
|---|---|---|
| Designed by: Jean-Francois Bilodeau<br>P.Eng #6022173<br>203-1690 rue des quatre-saisons<br>Sherbrooke, Canada, J1E0N2<br>KiCad Rev 10.0 | | Logo |
| | | Sheet Size: A4 |
| Project: Consolation [Console Emulation] | Drawn by: Jean-Francois Bilodeau | Sheet: 3 of 12 |
| Sheet Title: RPI_CM5_B.kicad_sch | Approved by: Not applicable | Status: In DFM Review |
| Date: 2026-11-01 | BOM: Consolation_1.00-0A_BOM | Current Revision: 1.00-0A |




Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

| Revision | Change Order |
|---|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |


| | | |
|---|---|---|
| Designed by: Jean-Francois Bilodeau<br>P.Eng #6022173<br>203-1690 rue des quatre-saisons<br>Sherbrooke, Canada, J1E0N2<br>KiCad Rev 10.0 | | Logo |
| Project: Consolation [Console Emulation] | Drawn by: Jean-Francois Bilodeau | Sheet Size: A4 |
| Sheet Title: HDMI.kicad_sch | Approved by: Not applicable | Sheet: 4 of 12 |
| Date: 2026-11-01 | BOM: Consolation_1.00-0A_BOM | Status: In DFM Review |
| | | Current Revision: 1.00-0A |




Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

| Revision | Change Order |
|---|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |


| | | |
|---|---|---|
| Designed by: Jean-Francois Bilodeau<br>P.Eng #6022173<br>203-1690 rue des quatre-saisons<br>Sherbrooke, Canada, J1E0N2<br>KiCad Rev 10.0 | | Logo |
| Project: Consolation [Console Emulation] | Drawn by: Jean-Francois Bilodeau | Sheet Size: A4 |
| Sheet Title: DSI TO LVDS.kicad_sch | Approved by: Not applicable | Sheet: 6 of 12 |
| Date: 2026-11-01 | BOM: Consolation_1.00-0A_BOM | Status: In DFM Review |
| | | Current Revision: 1.00-0A |




Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

| Revision | Change Order |
|---|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |


| | | |
|---|---|---|
| Designed by: Jean-Francois Bilodeau<br>P.Eng #6022173<br>203-1690 rue des quatre-saisons<br>Sherbrooke, Canada, J1E0N2<br>KiCad Rev 10.0 | | Logo |
| Project: Consolation [Console Emulation] | Drawn by: Jean-Francois Bilodeau | Sheet Size: A4 |
| Sheet Title: TFT CONN.kicad_sch | Approved by: Not applicable | Sheet: 7 of 12 |
| Date: 2026-11-01 | BOM: Consolation_1.00-0A_BOM | Status: In DFM Review |
| | | Current Revision: 1.00-0A |




Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

| Revision | Change Order |
|---|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |


| | | |
|---|---|---|
| Designed by: Jean-Francois Bilodeau<br>P.Eng #6022173<br>203-1690 rue des quatre-saisons<br>Sherbrooke, Canada, J1E0N2<br>KiCad Rev 10.0 | | Logo |
| Project: Consolation [Console Emulation] | Drawn by: Jean-Francois Bilodeau | Sheet Size: A4 |
| Sheet Title: TYPE C CHARGER.kicad_sch | Approved by: Not applicable | Sheet: 8 of 12 |
| Date: 2026-11-01 | BOM: Consolation_1.00-0A_BOM | Status: In DFM Review |
| | | Current Revision: 1.00-0A |




Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

| Revision | Change Order |
|---|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |


| | | |
|---|---|---|
| Designed by: Jean-Francois Bilodeau<br>P.Eng #6022173<br>203-1690 rue des quatre-saisons<br>Sherbrooke, Canada, J1E0N2<br>KiCad Rev 10.0 | | Logo |
| | | Sheet Size: A4 |
| Project: Consolation [Console Emulation] | Drawn by: Jean-Francois Bilodeau | Sheet: 9 of 12 |
| Sheet Title: CONTROLLER.kicad_sch | Approved by: Not applicable | Status: In DFM Review |
| Date: 2026-11-01 | BOM: Consolation_1.00-0A_BOM | Current Revision: 1.00-0A |




Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

| Revision | Change Order |
|---|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| | |
|---|---|
| Designed by: Jean-Francois Bilodeau<br>P.Eng #6022173<br>203-1690 rue des quatre-saisons<br>Sherbrooke, Canada, J1E0N2<br>KiCad Rev 10.0 | Logo |
| Project: Consolation [Console Emulation] | Drawn by: Jean-Francois Bilodeau |
| Sheet Title: CODEC.kicad_sch | Approved by: Not applicable |
| Date: 2026-11-01 | BOM: Consolation_1.00-0A_BOM |
| Sheet Size: A4 | |
| Sheet: 10 of 12 | |
| Status: In DFM Review | |
| Current Revision: 1.00-0A | |





| SD_VDD | SD_PWR_ON | SD_CD |
|---|---|---|
| 0 | 0 | 0 |
| 0 | 0 | 1 |
| 0 | 1 | 0 |
| 1 | 1 | 1 |

Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

| Revision | Change Order |
|---|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |


| | |
|---|---|
| Designed by: Jean-Francois Bilodeau<br>P.Eng #6022173<br>203-1690 rue des quatre-saisons<br>Sherbrooke, Canada, J1E0N2<br>KiCad Rev 10.0 | Logo |
| Project: Consolation [Console Emulation] | Drawn by: Jean-Francois Bilodeau |
| Sheet Title: SD_CARD.kicad_sch | Approved by: Not applicable |
| Date: 2026-11-01 | BOM: Consolation_1.00-0A_BOM |
| Sheet Size: A4 | |
| Sheet: 13 of 12 | |
| Status: In DFM Review | |
| Current Revision: 1.00-0A | |




Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

| Revision | Change Order |
|---|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| | |
|---|---|
| Designed by: Jean-Francois Bilodeau<br>P.Eng #6022173<br>203-1690 rue des quatre-saisons<br>Sherbrooke, Canada, J1E0N2<br>KiCad Rev 10.0 | Logo |
| Project: Consolation [Console Emulation] | Drawn by: Jean-Francois Bilodeau |
| Sheet Title: Power Supply.kicad_sch | Approved by: Not applicable |
| Date: 2026-11-01 | BOM: Consolation_1.00-0A_BOM |
| Sheet Size: A4 | |
| Sheet: 14 of 12 | |
| Status: In DFM Review | |
| Current Revision: 1.00-0A | |




| PER_RST | EXT_RST | PWG |
|---|---|---|
| 0 | 0 | 0 |
| 0 | 0 | 1 |
| 0 | 1 | 0 |
| 1 | 1 | 1 |

EXT_RSTn : Driven low during reset, high when CMx has started booting
Push-Pull output
If Pi not present (float), hold SYS_RST low
Buffer powered by 3V3_CMx

Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

| Revision | Change Order |
|---|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |


Designed by: Jean-Francois Bilodeau
P.Eng #6022173
203-1690 rue des quatre-saisons
Sherbrooke, Canada, J1E0N2
KiCad Rev 10.0


Logo

| | | |
|---|---|---|
| Project: Consolation [Console Emulation] | Drawn by: Jean-Francois Bilodeau | Sheet Size: A4 |
| Sheet Title: RESET SUPERVISOR.kicad_sch | Approved by: Not applicable | Sheet: 15 of 12 |
| Date: 2026-11-01 | BOM: Consolation_1.00-0A_BOM | Status: In DFM Review |
| | | Current Revision: 1.00-0A |