











Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

Revision	Change Order


Designed by: Jean-Francois Bilodeau P.Eng #6022173 203-1690 Rue des quatre-saisons Sherbrooke, Canada, J1E0N2 KiCad Rev 9.0		Logo
Project: RPI CMx Carrier Sheet Title: SD_CARD.kicad_sch Date: 2026-02-28	Drawn by: Jean-Francois Bilodeau Approved by: Not applicable BOM: RPLCMx_Carrier_2.00-0A_BOM	
		Sheet Size: A4 Sheet: 3 of 19 Status: Released Current Revision: 2.00-0A



Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

Revision	Change Order

Designed by: Jean-Francois Bilodeau P.Eng #6022173 203-1690 Rue des quatre-saisons Sherbrooke, Canada, J1E0N2 KiCad Rev 9.0		Logo	D
Project: RPI CMx Carrier	Drawn by: Jean-Francois Bilodeau	Sheet: 4 of 19	
Sheet Title: USB_3.kicad_sch	Approved by: Not applicable	Status: Released	
Date: 2026-02-28	BOM: RPLCMx_Carrier_2.00-0A_BOM	Current Revision: 2.00-0A	



EXT_RST	5V0_CMx	CB_LOG_RAIL	3V3_CMx	1V8_CMx	WDOG	PWG	GO	PWR State
0	0	0	0	0	0	0	1	Power-up
Cycled	1	Cycled	1	1	Cycled	Cycled	0	Reboot
Cycled	1	Cycled	Cycled	Cycled	Cycled	Cycled	0	Shutdown
Cycled	1	Cycled	Cycled	Cycled	Cycled	Cycled	0	WDOG reset
Cycled	1	Cycled	Cycled	Cycled	Cycled	Cycled	0	Power fail
Cycled	Cycled	Cycled	Cycled	Cycled	Cycled	Cycled	Cycled	Power kill
1	1	1	1	1	1	1	0	Run

Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

Revision	Change Order

Power rail	12V0_CB	5V0_CB	3V3_CB	1V8_CB	1V05_CB
V(min)	11.60V	4.75V	3.135V	1.71V	0.9975V
V(nom)	12.00V	5.00V	3.30V	1.80V	1.05V
V(max)	12.40V	5.25V	3.465V	1.89V	1.1025V
I(max)	2.6A	3A	3.5A	0.8A	0.6A
Efficiency	N/A	90%	90%	85%	58%

Power rail	Voltage monitor
12V0_CB	2.99V ± 5%
5V0_CB	2.50V ± 5%
3V3_CB	3.00V ± 5%
1V8_CB	1.80V ± 5%
1V05_CB	1.05V ± 5%

Current sense	Output voltage
1A	0.50V ± 5%
2A	1.00V ± 5%
3A	1.50V ± 5%
4A	2.00V ± 5%
5A	2.50V ± 5%

Designed by: Jean-Francois Bilodeau
P.Eng #6022173
203-1690 Rue des quatre-saisons
Sherbrooke, Canada, J1E0N2
KiCad Rev 9.0

Project: RPI CMx Carrier

Sheet Title: Power Supply.kicad_sch

Date: 2026-02-28

Drawn by: Jean-Francois Bilodeau

Approved by: Not applicable


BOM: RPLCMx_Carrier_2.00-0A_BOM

Sheet Size: A4

Sheet: 5 of 19

Status: Released


Current Revision: 2.00-0A




Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

Revision	Change Order

Designed by: Jean-Francois Bilodeau P.Eng #6022173 203-1690 Rue des quatre-saisons Sherbrooke, Canada, J1E0N2 KiCad Rev 9.0		Logo
Project: RPI CMx Carrier	Drawn by: Jean-Francois Bilodeau	Sheet Size: A4
Sheet Title: DSI_LVDS_bridge.kicad_sch	Approved by: Not applicable	Sheet: 6 of 19
Date: 2026-02-28	BOM: RPLCMx_Carrier_2.00-0A_BOM	Status: Released
		Current Revision: 2.00-0A





Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

Revision	Change Order

Designed by: Jean-Francois Bilodeau
P.Eng #6022173
203-1690 Rue des quatre-saisons
Sherbrooke, Canada, J1E0N2
KiCad Rev 9.0

Project: RPI CMx Carrier

Sheet Title: Ethernet.kicad_sch

Date: 2026-02-28

Drawn by: Jean-Francois Bilodeau

Approved by: Not applicable

BOM: RPL_CMx_Carrier_2.00-0A_BOM


Sheet Size: A4


Sheet: 8 of 19


Status: Released

Current Revision: 2.00-0A

Logo








Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

Revision	Change Order


Designed by: Jean-Francois Bilodeau P.Eng #6022173 203-1690 Rue des quatre-saisons Sherbrooke, Canada, J1E0N2 KiCad Rev 9.0		Logo	D
Project: RPI CMx Carrier	Drawn by: Jean-Francois Bilodeau	Sheet: 12 of 19	
Sheet Title: USB_MUX.kicad_sch	Approved by: Not applicable	Status: Released	
Date: 2026-02-28	BOM: RPL_CMx_Carrier_2.00-0A_BOM	Current Revision: 2.00-0A	




Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted


Revision	Change Order

Floating hole
Close to power-in



Designed by: Jean-Francois Bilodeau P.Eng #6022173 203-1690 Rue des quatre-saisons Sherbrooke, Canada, J1E0N2 KiCad Rev 9.0		Logo
Project: RPI CMx Carrier	Drawn by: Jean-Francois Bilodeau	
Sheet Title: TFT_CONN.kicad_sch	Approved by: Not applicable	Sheet: 13 of 19
Date: 2026-02-28	BOM: RPL_CMx_Carrier_2.00-0A_BOM	Status: Released
		Current Revision: 2.00-0A







Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

Revision	Change Order

Designed by: Jean-Francois Bilodeau P.Eng #6022173 203-1690 Rue des quatre-saisons Sherbrooke, Canada, J1E0N2 KiCad Rev 9.0		Logo
Project: RPI CMx Carrier Sheet Title: RESET_SUPERVISOR.kicad_sch Date: 2026-02-28	Drawn by: Jean-Francois Bilodeau Approved by: Not applicable BOM: RPL_CMx_Carrier_2.00-0A_BOM	
		Sheet Size: A4 Sheet: 15 of 19 Status: Released Current Revision: 2.00-0A





Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

Revision	Change Order

Designed by: Jean-Francois Bilodeau P.Eng #6022173 203-1690 Rue des quatre-saisons Sherbrooke, Canada, J1E0N2 KiCad Rev 9.0		Logo	D
Project: RPI CMx Carrier	Drawn by: Jean-Francois Bilodeau	Sheet: 20 of 19	
Sheet Title: POWER INPUT.kicad_sch	Approved by: Not applicable	Status: Released	
Date: 2026-02-28	BOM: RPLCMx_Carrier_2.00-0A_BOM	Current Revision: 2.00-0A	