








Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

Revision	Change Order


Designed by: Jean-Francois Bilodeau P.Eng #6022173 203-1690 Rue des quatre-saisons Sherbrooke, Canada, J1E0N2 KiCad Rev 9.0		 Sheet Size: A4
Project: RPI CMx Carrier Sheet Title: SD_CARD.kicad_sch Date: 2026-02-24	Drawn by: Jean-Francois Bilodeau Approved by: Not applicable BOM: RPLCMx_Carrier_2.00-0A_BOM	
Sheet: 3 of 19 Status: Released Current Revision: 2.00-0A		



Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

Revision	Change Order


Designed by: Jean-Francois Bilodeau P.Eng #6022173 203-1690 Rue des quatre-saisons Sherbrooke, Canada, J1E0N2 KICad Rev 9.0		Logo
Project: RPI CMx Carrier	Drawn by: Jean-Francois Bilodeau	Sheet Size: A4
Sheet Title: USB_3.kicad_sch	Approved by: Not applicable	Sheet: 4 of 19
Date: 2026-02-24	BOM: RPLCMxCarrier_2.00-0A_BOM	Status: Released
		Current Revision: 2.00-0A





Power rail	12V0_CB	5V0_CB	3V3_CB	1V8_CB	1V05_CB
V(min)	11.60V	4.75V	3.135V	1.71V	0.9975V
V(nom)	12.00V	5.00V	3.30V	1.80V	1.05V
V(max)	12.40V	5.25V	3.465V	1.89V	1.1025V
I(max)	2.6A	3A	3.5A	0.8A	0.6A
Efficiency	N/A	90%	90%	85%	58%

Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

Designed by: Jean-Francois Bilodeau
P.Eng #6022173
203-1690 Rue des quatre-saisons
Sherbrooke, Canada, J1E0N2
KICad Rev 9.0










Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

Revision	Change Order

Designed by: Jean-Francois Bilodeau P.Eng #6022173 203-1690 Rue des quatre-saisons Sherbrooke, Canada, J1E0N2 KiCad Rev 9.0		Logo	D
Project: RPI CMx Carrier	Drawn by: Jean-Francois Bilodeau	Sheet: 8 of 19	
Sheet Title: Ethernet.kicad_sch	Approved by: Not applicable	Status: Released	
Date: 2026-02-24	BOM: RPLCMx_Carrier_2.00-0A_BOM	Current Revision: 2.00-0A	








Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

Revision	Change Order


Designed by: Jean-Francois Bilodeau P.Eng #6022173 203-1690 Rue des quatre-saisons Sherbrooke, Canada, J1E0N2 KiCad Rev 9.0		Logo
Project: RPI CMx Carrier Sheet Title: USB-C & EXP MIPI.kicad_sch Date: 2026-02-24	Drawn by: Jean-Francois Bilodeau Approved by: Not applicable BOM: RPL_CMx_Carrier_2.00-0A_BOM	
		Sheet Size: A4 Sheet: 11 of 19 Status: Released Current Revision: 2.00-0A



Revision	Change Order
-----------------	---------------------

Project: RPI CMx Carrier	Drawn by: Jean-Francois Blodeau	Sheet: 12 of 19
Sheet Title: USB_MUX.kicad_sch	Approved by: Not applicable	Status: Released
Date: 2026-02-24	BOM: RPLCMx_Carrier_2.00-0A_BOM	Current Revision: 2.00-0A

Sheet Size: A4
Sheet: 12 of 19
Status: Released
Current Revision: 2.00-0A



Revision	Change Order


Floating hole
 Close to power-in


HOLE1 HOLE2
 R129 0R 0603
 R130 0R 0603
 R131 0R 0603

MTG5 MTG6
 MTG7 MTG8

ITEM2
 7-CapToler
 LVDS-Display
 RVT70HSLFWCA0
 RVT70HSLFWCA0

Designed by: Jean-Francois Bilodeau P.Eng #6022173 203-1690 Rue des quatre-saisons Sherbrooke, Canada, J1E0N2 KICad Rev 9.0		Logo
Project: RPI CMx Carrier	Drawn by: Jean-Francois Bilodeau	Sheet Size: A4
Sheet Title: TFT_CONN.kicad_sch	Approved by: Not applicable	Sheet: 13 of 19
Date: 2026-02-24	BOM: RPL_CMx_Carrier_2.00-0A_BOM	Status: Released
		Current Revision: 2.00-0A





Resistors are 1% 1/16W 0402 unless otherwise noted
Capacitors are 10% 50V X7R 0402 unless otherwise noted

Revision	Change Order

Designed by: Jean-Francois Blodeau
P.Eng #6022173
203-1690 Rue des quatre-saisons
Sherbrooke, Canada, J1E0N2
KICad Rev 9.0

Logo

Sheet Size: A4

Project: RPI CMx Carrier

Drawn by: Jean-Francois Bilodeau

Sheet: 17 of 19

Sheet Title: AUDIO_CODEC.kicad_sch

Approved by: Not applicable

Status: Released

Date: 2026-02-24

BOM: RPI_CMx_Carrier_2.00-0A_BOM

Current Revision: 2.00-0A
