

Spec Sheet Studio Help

Features · How-to · AVYCON spec-sheet automation

Features

Studio overview

A four-step pipeline that turns raw manufacturer data into an official AVYCON spec sheet: import → AI review → layout → edit. Each step is saved automatically in the browser.

- 1 Step 1 · Import & map**
Reads specs from a manufacturer Excel or an existing PDF, maps them to the CMS field taxonomy and sorts them by display order.
- 2 Step 2 · AI review**
Applies 39 built-in notation rules plus your own to fix units, symbols, terminology and typos; the deep AI review can suggest what the rules missed.
- 3 Step 3 · Layout**
Builds the two-page US Letter spec sheet, splitting pages automatically by category volume, with original vs. revised comparison.
- 4 Step 4 · Editor**
Edit model, subtitles, overview, dimensions, certifications and accessories, and drop in product photos and dimension drawings.

Data import

The left zone takes a manufacturer Excel, the right zone an existing PDF spec sheet. Drop a file on the zone that matches how it should be processed.

- 1 Manufacturer Excel (.xlsx)**
Reads the column A label / column B value structure and splits it per product. With several sheets the first is loaded and the rest stay in the work list.
- 2 Existing PDF spec sheet**
Extracts text from an already-made AVYCON spec sheet and converts it to the Excel data format — for products with no manufacturer Excel.

Save the extraction with “Export Excel” to keep it as source data.

- 3 CMS mapping reference**
The CMS field table (MappingData) uploaded in Settings defines categories, display order and field names.

39 built-in rules plus your own. Each rule can be toggled, and every applied change is kept as a before/after entry in the review report.

- 1 Built-in rules**
Unit and symbol spacing, UL voltage notation, CCTV standard terms (microSD, PoE, IEC 62676-4 DORI), typos and grammar.
- 2 Rule candidate scan**
The scan in Steps 1 and 2 finds patterns the current rules miss and proposes them grouped by type.
- 3 Rule library**
In Settings → Rule library you register find/replace strings, regex, case-insensitive flags and field scope. Built-in rules are never modified.
- 4 Rule sharing**
Export and import rule sets as Excel or CSV so the whole team writes to the same notation standard.

Spec sheet & image slots

The spec sheet is a fixed two-page US Letter portrait layout; every image area is a drop slot.

- 1 Product photo**
Drop an image on the slot and it is saved automatically. Double-click to zoom and pan the crop.
- 2 Dimension drawing**
Supports SVG and PNG drawings; choose one or two drawings, stacked or side by side.
- 3 Certifications & accessories**
Pick certification icons (NDAA, CE, FCC...) and add optional-accessory photos with codes and descriptions.

Export

Export the whole pipeline in four formats. Photos and dimension drawings are baked at high resolution right before export.

- 1 PDF**
Saves the spec sheet and review report at Letter size, falling back to the print window if generation fails.
- 2 Word & PowerPoint**
Exports the step-by-step results for documents and presentations.
- 3 Excel**
Saves mapping results and final values as data — useful as a source-data backup.

How to use

Getting started

Continue earlier work from the “Product work list” below, or drop a new file on the zones above.

- 1 Open from the work list**
Click a row to open Step 1 with that product. The status column shows whether it was worked on or saved.
- 2 Duplicate & delete**
Select rows with the checkboxes, then duplicate or delete. Both actions ask for confirmation first.
- 3 Resume saved work**
If a saved session exists, the “Resume saved work” button appears.

should be processed.

- 1 Manufacturer Excel (.xlsx)**
Reads the column A label / column B value structure and splits it per product. With several sheets the first is loaded and the rest stay in the work list.
- 2 Existing PDF spec sheet**
Extracts text from an already-made AVYCON spec sheet and converts it to the Excel data format — for products with no manufacturer Excel.

Save the extraction with "Export Excel" to keep it as source data.
- 3 CMS mapping reference**
The CMS field table (MappingData) uploaded in Settings defines categories, display order and field names.

Review rule engine

39 built-in rules plus your own. Each rule can be toggled, and every applied change is kept as a before/after entry in the review report.

- 1 Built-in rules**
Unit and symbol spacing, UL voltage notation, CCTV standard terms (microSD, PoE, IEC 62676-4 DORI), typos and grammar.
- 2 Rule candidate scan**
The scan in Steps 1 and 2 finds patterns the current rules miss and proposes them grouped by type.
- 3 Rule library**
In Settings → Rule library you register find/replace strings, regex, case-insensitive flags and field scope. Built-in rules are never modified.
- 4 Rule sharing**
Export and import rule sets as Excel or CSV so the whole team writes to the same notation standard.

Spec sheet & image slots

The spec sheet is a fixed two-page US Letter portrait layout; every image area is a drop slot.

- 1 Product photo**
Drop an image on the slot and it is saved automatically. Double-click to zoom and pan the crop.
- 2 Dimension drawing**
Supports SVG and PNG drawings; choose one or two drawings, stacked or side by side.
- 3 Certifications & accessories**
Pick certification icons (NDAA, CE, FCC...) and add optional-accessory photos with codes and descriptions.

Export

Export the whole pipeline in four formats. Photos and dimension drawings are baked at high resolution right before export.

— — —