

ROB311 Quiz 2

Hanhee Lee

March 26, 2025

Contents

1	Bode Plots	2
1.1	Bode Plots	2
1.1.1	Constant Gain	2
1.1.2	Pole or Zero at $\omega = 0$	2
1.1.3	Non-Zero Pole or Zero	2
1.1.4	Complex Conjugate Poles	2
1.2	Robustness Margins	2
1.2.1	Gain Margin	2
1.2.2	Phase Margin	2
2	Robustness Margins	3
3	Root Locus, Bode, and Nyquist	4
4	Control Design in the Frequency Domain	4
4.1	Proportional Derivative (PD) Controller	4
4.2	Proportional Integral (PI) Controller	4
4.3	Proportional Integral Derivative (PID) Controller	4

1 Bode Plots

1.1 Bode Plots

Process:

1.1.1 Constant Gain

1.1.2 Pole or Zero at $\omega = 0$

1.1.3 Non-Zero Pole or Zero

1.1.4 Complex Conjugate Poles

1.2 Robustness Margins

Motivation: Approximate the GM and PM from the Bode plot:

- $L(s)$ is a strictly proper rational fn.
- $L(s)$ has no poles in \mathbb{C}^+ (no open loop variable poles)

1.2.1 Gain Margin

Definition:

$$|L(j\omega_{gc})| = 1 \iff |L(j\omega_{gc})|_{dB} = 0$$

1.2.2 Phase Margin

Definition:

$$|L(j\omega_{gc})| = 1 \implies |L(j\omega_{gc})|_{dB} = 0$$

2 Robustness Margins

3 Root Locus, Bode, and Nyquist

4 Control Design in the Frequency Domain

4.1 Proportional Derivative (PD) Controller

Definition:

$$C(s) = K(T_d s + 1) \quad (1)$$

4.2 Proportional Integral (PI) Controller

Definition:

$$C(s) = K \left(1 + \frac{1}{T_I s} \right) = K \frac{T_I s + 1}{T_I s} \quad (2)$$

4.3 Proportional Integral Derivative (PID) Controller

Definition:

$$C(s) = K(T_D s + 1) \left(1 + \frac{1}{T_I s} \right) = K_p + \frac{K_I}{s} + K_D s \quad (3)$$

- $K, T_I, T_D > 0$