Performance Report for cbt-15thAug-tentacle-3way-reads

Table of contents

- $\bullet \ \ Summary \ of \ results \ for \ cbt-15th Aug-tentacle-3 way-reads$
- Response Curves
 - Random Read
- Configuration yaml


Summary of results for cbt-15thAug-tentacle-3way-reads


Workload Name	Maximum Throughput	Latency (ms)
4096_randread	217162 IOps	3.5
8192_randread	209619 IOps	3.7
16384_randread	194177 IOps	3.0
32768_randread	160734 IOps	2.4
65536_randread	8471 MB/s	2.0


Response Curves Random Read

Response Curves

Random Read







Configuration yaml

```
librbdfio:
  cmd_path: /usr/local/bin/fio2
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
 log_lat: true
 norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  rbdname: cbt-librbdfio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 608333
  volumes_per_client:
  - 16
  workloads:
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
      - 588
    32krandomread:
      jobname: randread
      mode: randread
      numjobs:
      op_size: 32768
      total_iodepth:
```

- 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 - 384 4krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 4096 ${\tt total_iodepth:}$ - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 588 - 768 $64 \verb|krandomread:|$ jobname: randread mode: randread numjobs: - 1 op_size: 65536 total_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 8krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 8192 total_iodepth: - 8 - 12 - 16 - 32 - 48 - 64 - 128

```
- 256
        - 384
        - 588
        - 768
      precondition:
        jobname: precond1rw
        mode: randwrite
        monitor: false
        numjobs:
        - 1
        op_size: 65536
        time: 600
        total_iodepth:
        - 16
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
     a: --- IP Address --:6789
  mount_opts: -o inode64, noatime, logbsize=256k
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```

7