Comparitive Performance Report for cbt-3rdApr-4k-squid192-6+2-001-rbdsimple-isal vs cbt-1stAug-4k-001-6+2-ecopt2

Table of contents

- Response Curves
 - Sequential Read
 - Sequential Write
 - Random Read
 - Random Write
 - Random Read/Write
- Configuration yaml files
 - results

Comparison summary for cbt-3rdApr-4k-squid192-6+2-o01-rbdsimple-isal vs cbt-1stAug-4k-o01-6+2-ecopt2

Sequential Read	cbt_3rdApr_4k_squid1 9D <u>t_64</u> s 2<u>A</u>u<u>01_4kb</u>ds0inpfe+<mark>22shkroge</mark>2throughput			%change latency
4.0K	63542 IOps@4.5ms	170576 IOps@2.2ms	168%	-51%
8.0K	58143 IOps@4.9ms	106311 IOps@3.6ms	83%	-27%
16.0 K	50688 IOps@5.7ms	60772 IOps@4.7ms	20%	-18%
32.0 K	40688 IOps@4.7ms	40981 IOps@4.7ms	1%	0%
64.0K	2421 MB/s@6.9 ms	$2464 \text{ MB/s} \odot 5.1 \text{ms}$	2%	-26%
256.0K	5012 MB/s@3.3 ms	5273 MB/s@3.2ms	5%	-3%
512.0 K	$5526~\mathrm{MB/s@3.0ms}$	5761 MB/s@2.9 ms	4%	-3%
1024.0 K	5406 MB/s@3.9 ms	5626 MB/s@3.7 ms	4%	-5%

Sequential Write	$cbt_3rdApr_4k_squid1992\underline{t}_64s2\underline{A}_02\underline{1}_4\underline{k}\underline{b}_6990\underline{h}_\underline{p}_6\underline{b}_2\underline{h}\underline{h}\underline{c}_\underline{p}_6\underline{e}_2\underline{t}hroughput$			%change latency
4.0K	97052 IOps@10.5ms	254838 IOps@6.0ms	163%	-43%
8.0K	$117214 \; \mathrm{IOps@} 10.9 \mathrm{ms}$	202469 IOps@7.6ms	73%	-30%
16.0K	50666 IOps@10.1ms	117574 IOps@8.7ms	132%	-14%
32.0 K	49274 IOps@15.6ms	69393 IOps@11.0ms	41%	-29%
64.0K	2149 MB/s@15.6 ms	2487 MB/s@13.5 ms	16%	-13%
256.0K	2923 MB/s@22.8 ms	3241 MB/s@20.6ms	11%	-10%
512.0 K	3062 MB/s@21.7 ms	3282 MB/s@20.2ms	7%	-7%
1024.0K	3948 MB/s@42.0 ms	4251 MB/s@38.9 ms	8%	-7%


Random Read	cbt_3rdApr_4k_squid1 9D t_64s 2 Au Q 1_4kbds 0ih p ter2shkroge2 throughput			%change latency
4.0K	38657 IOps@15.2ms	105380 IOps@5.6ms	173%	-63%
8.0K	36919 IOps@15.9ms	69652 IOps@11.0ms	89%	-31%
16.0 K	36869 IOps@15.9ms	45014 IOps@13.1ms	22%	-18%
32.0 K	$34752 \overline{\text{IOps@7.4ms}}$	32212 IOps@7.9ms	-7%	7%
64.0 K	2135 MB/s@7.8ms	1945 MB/s@8.6ms	-9%	10%
256.0K	4631 MB/s@7.2 ms	5047 MB/s@6.6ms	9%	-8%
$512.0 \mathrm{K}$	$6174 \text{ MB/s} \odot 5.4 \text{ms}$	$6343 \text{ MB/s} \odot 5.3 \text{ms}$	3%	-2%
1024.0 K	6308 MB/s@5.3ms	6376 MB/s@5.2 ms	1%	-2%

Random Write	cbt_3rdApr_4k_squid1 92 <u>t</u> 64s2 <u>A091 4kbds0inpfe+21shkcog</u> e2throughput			%change latency
4.0K	12902 IOps@59.5ms	23536 IOps@32.6ms	82%	-45%
$8.0 \mathrm{K}$	$12643 \; \text{IOps}@60.7 \text{ms}$	18250 IOps@28.0ms	44%	-54%
16.0 K	11848 IOps@43.2ms	14361 IOps@26.7ms	21%	-38%
$32.0 \mathrm{K}$	11463 IOps@44.6ms	11475 IOps@33.4ms	0%	-25%
64.0 K	689 MB/s@36.5 ms	762 MB/s@33.0 ms	11%	-10%
256.0 K	2002 MB/s@33.4ms	2333 MB/s@28.6 ms	17%	-14%
512.0 K	2718 MB/s@9.0 ms	2975 MB/s@11.0 ms	9%	22%
$1024.0\mathrm{K}$	3502 MB/s = 13.9 ms	4053 MB/s@11.9 ms	16%	-14%


Random Read/Write	cbt_3rdApr_4k_squid1	191 <u>8t 64s2Aug1 4kbds0inp</u> (ie <u>l[®]Ashkongt</u> 2throughput	%change latency
4.0K_70/30	24691 IOps@15.5ms	48122 IOps@8.0ms	95%	-48%
$16.0 \mathrm{K}_{-70} / 30$	22661 IOps@11.3ms	25859 IOps@9.9ms	14%	-12%
$64.0 \mathrm{K}_{-}30/70$	833 MB/s@20.1ms	876 MB/s@19.1ms	5%	-5%
$64.0 \mathrm{K}_{-}70/30$	$1315~\mathrm{MB/s@12.7ms}$	$1208~\mathrm{MB/s@13.9ms}$	-8%	9%


Response Curves

Sequential Read





Response Curves Sequential Write







Sequential Write












Response Curves Random Read




Random Read






Response Curves Random Write





Random Write

Response Curves Random Write




Response Curves Random Read/Write





Random Read/Write



Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
 norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 1368750
  volumes_per_client:
  - 16
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
      - 588
```

```
16krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
 - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
 - 32
  - 48
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
```

- 2 - 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 20 1Mseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 1048576 total_iodepth: - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 - 160 256krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 256krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 262144 ${\tt total_iodepth:}$ - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 32 - 64

- 128 - 256 32krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 32768 total_iodepth: - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 32krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 32768 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 4k7030: jobname: randmix mode: randrw numjobs: - 1 op_size: 4096 rwmixread: 70 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 4krandomread: jobname: randread mode: randread numjobs:

```
- 1
  op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
4krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
512krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
```

- 8 - 16 - 24 - 32 - 48 - 64 512kseqread: jobname: seqread mode: read numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32 512kseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 64k3070: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 30 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256 64k7030: jobname: randmix

```
mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
 - 96
  - 128
  - 256
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
64krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 65536
 total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64kseqread:
  jobname: read
 mode: read
 numjobs:
  - 1
  op_size: 65536
 total_iodepth:
  - 2
  - 4
  - 6
```

- 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 64kseqwrite: jobname: write mode: write numjobs: - 1 op_size: 65536 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 8krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 8192 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 588 8krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 precondition:

```
jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
 op_size: 65536
  time: 600
  total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 16384
 total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
seq256kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 48
```

```
- 64
seq256kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 256
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
 - 24
  - 32
  - 64
 - 96
  - 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 32768
 total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
 - 256
 - 512
  - 768
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 4
```

- 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 seq4kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 4096 total_iodepth: - 2 - 8 - 16 - 24 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768 - 1024 seq8kread: jobname: seqread mode: read numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 seq8kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 8 - 16 - 24 - 32 - 48 - 64

```
- 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
     a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
    log_iops: true
    log_lat: true
    norandommap: true
    osd_ra:
    - 4096
    poolname: rbd_replicated
   prefill:
      blocksize: 64k
      numjobs: 1
    procs_per_volume:
    - 1
   ramp: 30
    time: 90
    time_based: true
    use_existing_volumes: true
    vol_size: 1368750
```

```
volumes_per_client:
- 16
workloads:
  16k7030:
    jobname: randmix
    mode: randrw
    numjobs:
    - 1
    op_size: 16384
    rwmixread: 70
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
  16krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 24
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
  16krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
  1Mrandomread:
    jobname: randread
    mode: randread
    numjobs:
```

```
- 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 1048576
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
 - 10
 - 12
  - 14
  - 16
  - 20
1Mseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 1048576
 total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
```

- 48 - 64 - 96 - 128 - 160 256krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 256krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 32 - 64 - 96 - 128 - 256 32 krandomread:jobname: randread mode: randread numjobs: - 1 op_size: 32768 total_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 32 krandom write:jobname: randwrite

mode: randwrite

```
numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
 - 384
  - 512
4k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 4096
 rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
4krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
 - 256
 - 384
  - 588
4krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 4
```

- 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 512krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 512krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48 - 64 512kseqread: jobname: seqread mode: read numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20

```
- 32
512kseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
64k3070:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
  rwmixread: 30
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 65536
 rwmixread: 70
  total_iodepth:
 - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
 - 64
  - 96
  - 128
  - 256
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 65536
```

```
total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
64krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 65536
  {\tt total\_iodepth:}
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64kseqread:
  jobname: read
  mode: read
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 192
  - 256
64kseqwrite:
  jobname: write
  mode: write
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
```

- 256 - 384 - 512 8krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 8192 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 588 8krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 precondition: jobname: precond1rw mode: randwrite monitor: false numjobs: - 1 op_size: 65536 time: 600 total_iodepth: - 16 seq16kread: jobname: seqread mode: read numjobs: - 1 op_size: 16384 total_iodepth: - 2 - 4 - 8 - 12 - 16 - 24

- 64 - 96 - 128 - 192 - 288 seq16kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 16384 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 seq256kread: jobname: seqread mode: read numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 48 - 64 ${\tt seq256kwrite:}$ jobname: seqwrite mode: write numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 4 - 8 - 16 - 24 - 32 - 64 - 96 - 128 - 256 seq32kread: jobname: seqread mode: read numjobs:

```
- 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 512
  - 768
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 96
  - 128
  - 192
  - 288
seq4kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 8
  - 16
  - 24
  - 32
  - 48
```

```
- 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
      seq8kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 288
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
```

```
a: null
 mkfs_opts: -f -i size=2048
 mons:
    --- server1 ---:
     a: --- IP Address --:6789
 mount_opts: -o inode64,noatime,logbsize=256k
 osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
 rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
 use_existing: true
 user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```