

Comparative Performance Report for cbt-3rdApr-4k-squid192-6+2-o01- rbdsimple-isal vs cbt-2ndApr-4k-main-o01-rbdsimple-isal

Table of contents

- Comparison summary for cbt-3rdApr-4k-squid192-6+2-o01-rbdsimple-isal vs cbt-2ndApr-4k-main-o01-rbdsimple-isal
- Response Curves
 - Sequential Read
 - Sequential Write
 - Random Read
 - Random Write
 - Random Read/Write
- Configuration yaml files
 - results

Comparison summary for cbt-3rdApr-4k-squid192-6+2-o01-rbdsimple-isal vs cbt-2ndApr-4k-main-o01-rbdsimple-isal

Sequential Read	cbt_3rdApr_4k_squid192-6+2-o01-rbdsimple-isal	cbt-2ndApr-4k-main-o01-rbdsimple-isal	%change throughput	%change latency
4K	39660 IOps@4.5ms	106341 IOps@1.1ms	168%	-76%
8K	36440 IOps@4.9ms	65926 IOps@1.8ms	81%	-63%
16K	31632 IOps@5.7ms	37932 IOps@3.2ms	20%	-44%
32K	25426 IOps@4.7ms	25584 IOps@4.7ms	1%	0%
64K	1508 MB/s@6.9ms	1222 MB/s@2.1ms	-19%	-70%
256K	3131 MB/s@3.3ms	3116 MB/s@3.4ms	-0%	3%
512K	3773 MB/s@2.5ms	3743 MB/s@2.5ms	-1%	0%
1024K	4032 MB/s@2.6ms	4006 MB/s@2.6ms	-1%	0%

Sequential Write	cbt_3rdApr_4k_squid192-6+2-o01-rbdsimple-isal	cbt-2ndApr-4k-main-o01-rbdsimple-isal	%change throughput	%change latency
4K	60783 IOps@10.5ms	60009 IOps@10.7ms	-1%	2%
8K	73313 IOps@10.9ms	74238 IOps@10.8ms	1%	-1%
16K	31663 IOps@10.1ms	32299 IOps@9.9ms	2%	-2%
32K	30857 IOps@15.5ms	35487 IOps@13.5ms	15%	-13%
64K	1346 MB/s@15.5ms	1320 MB/s@15.9ms	-2%	3%
256K	1830 MB/s@22.8ms	1812 MB/s@23.0ms	-1%	1%
512K	1911 MB/s@21.7ms	1838 MB/s@22.6ms	-4%	4%
1024K	2475 MB/s@41.9ms	2289 MB/s@45.3ms	-8%	8%


Random Read	cbt_3rdApr_4k_squid192-6+2-o01-rbdsimple-isal	cbt-2ndApr-4k-main-o01-rbdsimple-isal	%change throughput	%change latency
4K	24443 IOps@15.1ms	74779 IOps@3.2ms	206%	-79%
8K	23197 IOps@15.9ms	48127 IOps@5.0ms	107%	-69%
16K	23161 IOps@16.0ms	31063 IOps@7.7ms	34%	-52%
32K	21703 IOps@7.4ms	22222 IOps@7.2ms	2%	-3%
64K	1337 MB/s@7.8ms	1319 MB/s@7.9ms	-1%	1%
256K	2907 MB/s@7.2ms	2864 MB/s@7.3ms	-1%	1%
512K	4167 MB/s@3.5ms	4091 MB/s@3.6ms	-2%	3%
1024K	4377 MB/s@4.8ms	4349 MB/s@4.8ms	-1%	0%


Random Write	cbt_3rdApr_4k_squid192-6+2-o01-rbdsimple-isal	cbt-2ndApr-4k-main-o01-rbdsimple-isal	%change throughput	%change latency
4K	8127 IOps@59.0ms	7292 IOps@65.8ms	-10%	12%
8K	7923 IOps@60.6ms	7233 IOps@66.3ms	-9%	9%
16K	7438 IOps@43.0ms	6864 IOps@46.6ms	-8%	8%
32K	7212 IOps@44.3ms	6543 IOps@48.9ms	-9%	10%
64K	431 MB/s@36.4ms	392 MB/s@40.1ms	-9%	10%
256K	1250 MB/s@33.4ms	1108 MB/s@37.7ms	-11%	13%
512K	1730 MB/s@5.3ms	1695 MB/s@5.4ms	-2%	2%
1024K	2404 MB/s@7.4ms	2298 MB/s@7.8ms	-4%	5%

Random Read/Write	cbt_3rdApr_4k_squid192-6+2-o01-rbdsimple-isal	cbt-2ndApr-4k-main-o01-rbdsimple-isal	%change throughput	%change latency
4K_70/30	15414 IOps@15.6ms	17869 IOps@4.5ms	16%	-71%
16K_70/30	14187 IOps@11.3ms	15120 IOps@10.6ms	7%	-6%
64K_70/30	825 MB/s@12.7ms	770 MB/s@13.6ms	-7%	7%
64K_30/70	517 MB/s@20.3ms	477 MB/s@21.9ms	-8%	8%


Response Curves


Sequential Read







Sequential Write












Random Read






Random Write





Random Read/Write



Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```

librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 1368750
  volumes_per_client:
  - 16
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
      - 588

```

```

16krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
1Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
1Mrandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 6
    - 8
    - 16
    - 24
    - 32
    - 48
1Mseqread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1

```

```

- 2
- 3
- 4
- 6
- 8
- 10
- 12
- 14
- 16
- 20
1Mseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 16
    - 32
    - 48
    - 64
    - 96
    - 128
    - 160
256krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
256krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 32
    - 64
    - 96

```

```

- 128
- 256
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
32krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
4k7030:
  jobname: randmix
  mode: randrw
  numjobs:
    - 1
  op_size: 4096
  rwmixread: 70
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 384
4krandomread:
  jobname: randread
  mode: randread
  numjobs:

```

```

- 1
  op_size: 4096
  total_iodepth:
- 4
- 8
- 12
- 16
- 32
- 48
- 64
- 128
- 256
- 384
- 588
4krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
- 1
  op_size: 4096
  total_iodepth:
- 2
- 4
- 8
- 16
- 32
- 64
- 128
- 256
- 384
- 512
- 768
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
- 1
  op_size: 524288
  total_iodepth:
- 1
- 2
- 3
- 4
- 8
- 16
- 24
- 32
- 40
- 48
- 64
512krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
- 1
  op_size: 524288
  total_iodepth:
- 1
- 2
- 3
- 4
- 5
- 6

```



```

- 8
- 16
- 24
- 32
- 48
- 64
512kseqread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 12
    - 16
    - 20
    - 24
    - 32
512kseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 16
    - 32
    - 48
    - 64
    - 96
    - 128
64k3070:
  jobname: randmix
  mode: randrw
  numjobs:
    - 1
  op_size: 65536
  rwmixread: 30
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 96
    - 128
    - 256
64k7030:
  jobname: randmix

```

```

mode: randrw
numjobs:
- 1
op_size: 65536
rwmixread: 70
total_iodepth:
- 1
- 2
- 3
- 4
- 8
- 16
- 32
- 64
- 96
- 128
- 256
64krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
64krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64kseqread:
  jobname: read
  mode: read
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6

```

```

- 8
- 16
- 24
- 32
- 64
- 128
- 192
- 256
64kseqwrite:
  jobname: write
  mode: write
  numjobs:
    - 1
  op_size: 65536
  total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
8krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
8krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
precondition:

```

```

  jobname: preconditionrw
  mode: randwrite
  monitor: false
  numjobs:
  - 1
  op_size: 65536
  time: 600
  total_iodepth:
  - 16
seq16kread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
seq16kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
seq256kread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 48

```

```

- 64
seq256kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 256
seq32kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
seq32kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 512
    - 768
seq4kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
    - 2
    - 4

```

```

- 8
- 12
- 16
- 24
- 32
- 64
- 96
- 128
- 192
- 288
seq4kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
    - 2
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
    - 1024
seq8kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
seq8kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 2
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64

```

```

- 128
- 256
- 384
- 512
- 768
- 1024
- 1280
cluster:
  archive_dir: /tmp/cbt
  ceph_mgr_cmd: /usr/bin/ceph-mgr
  ceph_mon_cmd: /usr/bin/ceph-mon
  ceph_osd_cmd: /usr/bin/ceph-osd
  ceph_run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
    - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
    - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
  monitoring_profiles:
    collectl:
      args: -c 18 -sCD -i 10 -P -oz -FO --rawtoo --sep ";" -f {collectl_dir}
  librbd fio:
    cmd_path: /usr/local/bin/fio
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
    log_iops: true
    log_lat: true
    norandommap: true
    osd_ra:
      - 4096
    poolname: rbd_replicated
    prefill:
      blocksize: 64k
      numjobs: 1
    procs_per_volume:
      - 1
    ramp: 30
    time: 90
    time_based: true
    use_existing_volumes: true
    vol_size: 1368750

```

```

volumes_per_client:
- 16
workloads:
  16k7030:
    jobname: randmix
    mode: randrw
    numjobs:
      - 1
    op_size: 16384
    rwmixread: 70
    total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
  16krandomread:
    jobname: randread
    mode: randread
    numjobs:
      - 1
    op_size: 16384
    total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
      - 588
  16krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
      - 1
    op_size: 16384
    total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 32
      - 64
      - 128
      - 256
      - 384
      - 512
  1Mrandomread:
    jobname: randread
    mode: randread
    numjobs:

```



```

- 1
op_size: 1048576
total_iodepth:
- 1
- 2
- 3
- 4
- 8
- 12
- 16
- 20
- 24
- 28
- 32
1Mrandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
1Mseqread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
1Mseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32

```

```

- 48
- 64
- 96
- 128
- 160
256krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
256krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 32
    - 64
    - 96
    - 128
    - 256
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
32krandomwrite:
  jobname: randwrite
  mode: randwrite

```

```

  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
4k7030:
  jobname: randmix
  mode: randrw
  numjobs:
  - 1
  op_size: 4096
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
4krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
4krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4

```

```

- 8
- 16
- 32
- 64
- 128
- 256
- 384
- 512
- 768
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
512krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 6
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
512kseqread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 12
    - 16
    - 20
    - 24

```

```

- 32
512kseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 16
    - 32
    - 48
    - 64
    - 96
    - 128
64k3070:
  jobname: randmix
  mode: randrw
  numjobs:
    - 1
  op_size: 65536
  rwmixread: 30
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 96
    - 128
    - 256
64k7030:
  jobname: randmix
  mode: randrw
  numjobs:
    - 1
  op_size: 65536
  rwmixread: 70
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 96
    - 128
    - 256
64krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 65536

```

```

    total_iodepth:
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
  64krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
      - 1
    op_size: 65536
    total_iodepth:
      - 2
      - 4
      - 6
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 384
  64kseqread:
    jobname: read
    mode: read
    numjobs:
      - 1
    op_size: 65536
    total_iodepth:
      - 2
      - 4
      - 6
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 192
      - 256
  64kseqwrite:
    jobname: write
    mode: write
    numjobs:
      - 1
    op_size: 65536
    total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 32
      - 48
      - 64
      - 128

```

```

- 256
- 384
- 512
8krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
8krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
precondition:
  jobname: precond1rw
  mode: randwrite
  monitor: false
  numjobs:
    - 1
  op_size: 65536
  time: 600
  total_iodepth:
    - 16
seq16kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32

```

```

- 64
- 96
- 128
- 192
- 288
seq16kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
seq256kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
seq256kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 256
seq32kread:
  jobname: seqread
  mode: read
  numjobs:

```



```

- 1
op_size: 32768
total_iodepth:
- 2
- 4
- 8
- 12
- 16
- 24
- 32
- 64
- 96
- 128
- 192
seq32kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 512
  - 768
seq4kread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
seq4kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 8
  - 16
  - 24
  - 32
  - 48

```

```

- 64
- 128
- 256
- 384
- 512
- 768
- 1024
seq8kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
seq8kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 2
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
    - 1024
    - 1280
cluster:
  archive_dir: /tmp/cbt
  ceph_mgr_cmd: /usr/bin/ceph-mgr
  ceph_mon_cmd: /usr/bin/ceph-mon
  ceph_osd_cmd: /usr/bin/ceph-osd
  ceph_run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
    - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:

```

```
    a: null
mkfs_opts: -f -i size=2048
mons:
  --- server1 ---:
    a: --- IP Address --:6789
mount_opts: -o inode64,noatime,logbsize=256k
osds:
- --- server1 ---
osds_per_node: 6
pdsh_ssh_args: -a -x -l%u %h
rados_cmd: /usr/bin/rados
rbd_cmd: /usr/bin/rbd
tmp_dir: /tmp/cbt
use_existing: true
user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```