Performance Report for cbt-26thFebecoptmain-16k-8vol-cacheon-rbdoff

Table of contents


- $\bullet \ \ Summary \ of \ results \ for \ cbt-26th Feb-ecopt main-16k-8vol-cache on-rbd of f$
- Response Curves
 - Sequential Read
 - Sequential Write
 - Random Read
 - Random Write
 - Random Read/Write
- Configuration yaml

Summary of results for cbt-26thFeb-ecoptmain-16k-8vol-cacheon-rbdoff


Workload Name	Maximum Throughput	Latency (ms)
4096B read	66193 IOps	2.9
8192B_read	58876 IOps	3.3
16384B_read	51835 IOps	3.7
32768B_read	30681 IOps	6.2
$65536B$ _read	1208 MB/s	13.9
262144B_read	1563 MB/s	10.7
524288B_read	1563 MB/s	10.7
1048576B_read	1572 MB/s	13.3
4096B_write	9134 IOps	84.0
8192B_write	7884 IOps	129.9
16384B_write	4517 IOps	113.3
32768B_write	6858 IOps	74.6
65536B_write	$180 \mathrm{~MB/s}$	139.6
262144B_write	457 MB/s	147.2
524288B_write	371 MB/s	135.5
1048576B_write	$592~\mathrm{MB/s}$	169.8
4096B_randread	81210 IOps	4.7
8192B_randread	76220 IOps	5.0
16384B_randread	69618 IOps	5.5
32768B_randread	43279 IOps	5.9
$65536B$ _randread	1632 MB/s	5.1
262144B_randread	1738 MB/s	2.4
524288B_randread	1778 MB/s	18.9
$1048576B_randread$	1775 MB/s	16.5
4096B_randwrite	4269 IOps	90.0
8192B_randwrite	3508 IOps	109.3
16384B_randwrite	2628 IOps	146.0
32768B_randwrite	2410 IOps	159.1
65536B_randwrite	158 MB/s	105.9
262144B_randwrite	$302 \mathrm{~MB/s}$	222.6
524288B_randwrite	287 MB/s	116.7
1048576B_randwrite	394 MB/s	127.2
16384B_70_30_randrw	5442 IOps	47.0
65536B_70_30_randrw	215 MB/s	78.2
65536B_30_70_randrw	172 MB/s	97.6


Response Curves

Sequential Read





Response Curves Sequential Write







Sequential Write












Response Curves Random Read




Random Read






Response Curves Random Write





Random Write

Response Curves Random Write





Response Curves Random Read/Write






Random Read/Write







Configuration yaml

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
 log_iops: true
 log_lat: true
 norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 52500
  volumes_per_client:
  - 8
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      op_size: 16384
      total_iodepth:
```

```
- 8
  - 12
  - 16
  - 24
  - 48
  - 64
  - 128
 - 256
  - 384
16krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 16384
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
```

- 48

```
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
 - 12
 - 14
  - 16
  - 20
1Mseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
256krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
 - 64
 - 128
256krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 262144
 total_iodepth:
  - 1
  - 2
```

- 3 - 4 - 5 - 8 - 16 - 32 - 64 - 96 - 128 - 256 32 krandomread:jobname: randread mode: randread numjobs: - 1 op_size: 32768 total_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 32krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 32768 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 4krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 4096 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384

```
4krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
 - 64
  - 128
  - 256
  - 384
512 krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
 - 48
  - 64
512kseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
```

- 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32 512kseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 64k3070: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 30 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256 64k7030: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 70 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64

```
- 96
  - 128
  - 256
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
64krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
64kseqread:
  jobname: read
 mode: read
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
 - 64
  - 128
  - 192
  - 256
64kseqwrite:
  jobname: write
 mode: write
 numjobs:
  - 1
  op_size: 65536
```

```
total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
 - 64
  - 128
  - 256
  - 384
  - 512
8krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 8192
  {\tt total\_iodepth:}
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
8krandomwrite:
  jobname: randwrite
  mode: randwrite
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
precondition:
  jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
 op_size: 65536
  time: 600
  total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
```

```
total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
 - 32
  - 64
  - 96
 - 128
  - 192
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 16384
 total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
seq256kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 262144
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
  - 48
  - 64
seq256kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
```

```
- 96
  - 128
  - 256
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
 - 512
  - 768
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
 - 64
 - 96
  - 128
  - 192
seq4kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
```

```
- 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
      seq8kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
```

```
head: --- server1 ---
  iterations: 1
 mgrs:
   --- server1 ---:
     a: null
 mkfs_opts: -f -i size=2048
 mons:
    --- server1 ---:
     a: --- IP Address --:6789
 mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
 pdsh_ssh_args: -a -x -l%u %h
 rados_cmd: /usr/bin/rados
 rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
 use_existing: true
 user: root
monitoring_profiles:
  collectl:
   args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```