Comparitive Performance Report for cbt-17thDec-main-4k vs cbt-20thDec-alexls12-4k vs cbt-21stDec-alexls12-32k vs cbt-22ndDec-alexls12-64k vs cbt-21stDec-alexls12-64k

Table of contents

- $\bullet \ \ Comparison \ summary \ for \ cbt-17th Dec-main-4k \ vs \ cbt-20th Dec-alexls 12-4k \ vs \ cbt-21st Dec-alexls 12-32k \ vs \ cbt-22nd Dec-alexls 12-64k \ vs \ cbt-21st Dec-alexls 12-256k$
- Response Curves
 - Sequential Read
 - Sequential Write
 - Random Read
 - Random Write
 - Random Read/Write
- Configuration yaml files
 - results
 - results
 - results
 - results
 - results

Comparison summary for cbt-17thDec-main-4k vs cbt-20thDec-alexls12-4k vs cbt-21stDec-alexls12-32k vs cbt-22ndDec-alexls12-64k vs cbt-21stDec-alexls12-256k

Sequential Read	cbt_17thDec_main_c4b	t_20thDec_alexls1	c <u>bt 4</u> 21stDec_alexls1	2 <u>bt2</u> 56lstDec_alexls1	2bt3212ndDec_alexls
4K	25339	24109	23979	26256	25430
	IOps@7.6ms	IOps@8.0ms	IOps@8.0ms	IOps@7.3ms	IOps@7.5ms
8K	17196	16069	21091	23463	22923
	IOps@11.2ms	IOps@11.9ms	IOps@9.1ms	IOps@8.2ms	IOps@8.4ms
16K	10428	10917	21940	24998	24881
	IOps@18.4ms	IOps@17.6ms	IOps@8.7ms	IOps@7.7ms	IOps@7.7ms
32K	11409	10925	22718	27040	26500
	IOps@16.8ms	IOps@17.6ms	IOps@8.4ms	IOps@7.1ms	IOps@7.2ms
54K	977	970	1476	1389	1564
	MB/s@17.2ms	MB/s@17.3ms	MB/s@11.4ms	MB/s@12.1ms	MB/s@10.7ms
256K	1495	1482	1620	1545	1554
	MB/s@11.2ms	MB/s@11.3ms	MB/s@10.4ms	MB/s@10.9ms	MB/s@10.8ms
12K	1501	1502	1612	1586	1610
	MB/s@11.2ms	MB/s@11.2ms	MB/s@10.4ms	MB/s@10.6ms	MB/s@10.4ms
1024K	1533	1527	1616	1595	1615
	MB/s@13.7ms	MB/s@13.7ms	MB/s@13.0ms	MB/s@13.1ms	MB/s@13.0ms

Sequential Write	cbt_17thDec_main	n_c4bt20thDecalex	lst2bt_421stDec_alex	ds16 <u>25</u> 261stDec_ale	exls1 <u>2</u> 2 <u>12</u> 2ndDec_alexls12
4K	2024	3764	3491	394	7 3851
	IOps@126.4ms	IOps@68.0ms	IOps@73.3ms	IOps@64.8m	s $IOps@66.4ms$
8K	2019	3599	4070	421	3 4248
	IOps@126.6ms	IOps@71.1ms	IOps@62.8ms	IOps@60.8m	s $IOps@60.3ms$
16K	5117	4895	3851	387	3 3658
	IOps@37.5ms	IOps@39.2ms	IOps@49.8ms	IOps@49.6m	s IOps@35.0ms
32K	3621	5601	3184	447	3 2305
	IOps@35.3ms	IOps@22.8ms	IOps@40.2ms	IOps@28.6m	s = IOps@55.5ms
64K	196	200	116	15	3 114
	MB/s@42.8ms	MB/s@42.0ms	MB/s@72.4ms	MB/s@54.8m	$_{ m S}$ MB/ $_{ m S}$ @73.4 $_{ m MS}$
256K	400	517 MB/s@8.0ms	130	585 MB/s@5.3m	s 432
	MB/s@31.3ms		MB/s@129.5ms		$\mathrm{MB/s@38.7ms}$
512K	439	432	272	45	0 465
	MB/s@28.5ms	MB/s@29.0ms	MB/s@61.6ms	MB/s@37.1m	$_{ m S}$ MB/s@26.9ms
1024K	472	505	463	48	3 465
	$\mathrm{MB/s@26.3ms}$	$\mathrm{MB/s@28.7ms}$	MB/s@44.9ms	MB/s@43.1m	s $MB/s@35.8ms$


Random Read	$cbt_17thDec_main_c$	Abt_20thDec_alexls	b <u>t4</u> 21stDec_alexls1	$\Delta t = 56$ is tDec_alexis 1	<u>abt32</u> 2ndDec_alexls1
4K	95501	94377	94215	96488	95030
	IOps@4.0ms	IOps@4.1ms	IOps@4.1ms	IOps@4.0ms	IOps@4.0ms
8K	60546	59367	88241	88567	88182
	IOps@6.3ms	IOps@6.5ms	IOps@4.3ms	IOps@4.3ms	IOps@4.4ms
16K	34618	33414	79992	81282	79547
	IOps@11.1ms	IOps@7.7ms	IOps@4.8ms	IOps@4.7ms	IOps@4.8ms
32K	31326	30473	53617	53553	53451
	IOps@4.1ms	IOps@4.2ms	IOps@4.8ms	IOps@4.8ms	IOps@4.8ms
64K	1642	1623	1784	1750	1833
	MB/s@10.2ms	MB/s@10.3ms	MB/s@4.7ms	MB/s@9.6ms	MB/s@4.6ms
256K	1680	1694	1769	1746	1768
	MB/s@20.0ms	MB/s@19.8ms	MB/s@19.0ms	MB/s@9.6ms	MB/s@19.0ms
512K	1698	1699	1782	1729	1748
	MB/s@19.8ms	MB/s@19.8ms	MB/s@18.8ms	MB/s@19.4ms	MB/s@19.2ms
1024K	1709	1707	1748	1725	1739
	MB/s@19.6ms	MB/s@19.7ms	MB/s@14.4ms	MB/s@19.5ms	MB/s@14.5ms

Random Write	$cbt_17thDec_main_$	c4bt_20thDec_alex	ls120 <u>t4</u> 121stDec_alexls1	$\Delta \underline{bt25}$	<u>&ot32</u> &ndDec_ale
4K	2897	5072	5855	5240	5550
	IOps@44.2ms	IOps@25.2ms	IOps@21.8ms	IOps@24.4ms	IOps@23.1ms
3K	2791	4734	4586	4256	4590
	IOps@45.9ms	IOps@27.0ms	IOps@27.9ms	IOps@30.1ms	IOps@27.9ms
6K	5726	4757	3146	3520	3226
	IOps@22.3ms	IOps@26.9ms	IOps@40.7ms	IOps@36.3ms	IOps@39.6ms
2K	3245	3674	2326	2113	2481
	IOps@39.4ms	IOps@34.8ms	IOps@55.0ms	IOps@60.5ms	IOps@51.6ms
4K	193	178	98 MB/s@85.7 ms	128	101
	MB/s@21.7ms	MB/s@23.6ms		MB/s@65.6ms	MB/s@20.7ms
56K	335	387	134	393	444
	MB/s@100.2ms	MB/s@21.6ms	MB/s@251.1ms	MB/s@21.3ms	MB/s@75.5ms
12K	464	472	266	469	466
	MB/s@72.2ms	MB/s@70.9ms	MB/s@47.1ms	MB/s@71.3ms	MB/s@71.8ms
1024K	472	517	462	479	462
	MB/s@35.2ms	MB/s@32.1ms	MB/s@72.3ms	MB/s@69.8ms	MB/s@72.4ms

Random Read/Write	cbt_17thDec_main	n_c4bt20thDecalexls	htt 421stDec_alexls1	labt256lstDec_alexls	<u>l&bt32</u> 22ndDec_alexls12_
16K_70/30	6191	6580 IOps@9.7ms	7468	7997	7936
	IOps@20.7ms		IOps@17.1ms	IOps@16.0ms	IOps@16.1ms
$64K_{70}/30$	288	275	262	263	276
•	MB/s@29.2ms	MB/s@30.5ms	MB/s@16.0ms	MB/s@31.9ms	MB/s@30.3ms
64K_30/70	166	191	149	168	153
	MB/s@12.6ms	MB/s@43.8ms	MB/s@56.3ms	MB/s@50.0ms	MB/s@54.9ms


Response Curves


Sequential Read




 $cbt-17thDec-main-4k\ vs\ cbt-20thDec-alexls 12-4k\ vs\ cbt-21\\ \textbf{5}tDec-alexls 12-32k\ vs\ cbt-22ndDec-alexls 12\\ \textbf{12-64k} \textbf{marsy}\ 7,\ 2025\ cbt-21\\ \textbf{5}tDec-alexls 12-256k$

Response Curves Sequential Write







Sequential Write




Response Curves Random Read



Random Read




Response Curves Random Write





Random Write

Response Curves Random Write





Response Curves Random Read/Write






Random Read/Write







Configuration yaml files

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
 norandommap: true
  osd_ra:
  - 4096
  poolname: rbd_replicated
  precond_time: 600
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 420000
  volumes_per_client:
  - 1
  workloads:
    16k7030:
      iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
```

```
- 1
  - 1
  - 1
 op_size: 16384
 rwmixread: 70
16krandomread:
  iodepth:
  - 4
  - 8
  - 12
  - 16
  - 24
 - 48
 - 64
 - 128
  - 256
  - 384
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 16384
16krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 16384
1Mrandomread:
  iodepth:
```

- 1

- 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 1048576 1Mrandomwrite: iodepth: - 1 - 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 1048576 1Mseqread: iodepth: - 1 - 3 - 4 - 6 - 8 - 10 - 12
- $cbt-17thDec-main-4k\ vs\ cbt-20thDec-alexls 12-4k\ vs\ cbt-21\$tDec-alexls 12-32k\ vs\ cbt-22ndDec-alexls 12\\ \underline{\textbf{12-32k}}\ vs\ cbt-22ndDec-alexls 12\\ \underline{\textbf{12-3$

```
- 14
  - 16
  - 20
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 1048576
{\tt 1Mseqwrite:}
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 1048576
256krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randread
  mode: randread
  numjobs:
  - 1
```

- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 262144 256krandomwrite: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 262144 32krandomread: iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1

```
- 1
  - 1
  op_size: 32768
32krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
4krandomread:
  iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  jobname: randread
  mode: randread
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 4096
{\tt 4krandomwrite:}
  iodepth:
  - 1
```

- 2

- 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 4096 512krandomread: iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 524288 ${\tt 512krandomwrite:}\\$ iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40

```
- 48
  - 64
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 524288
512kseqread:
  \verb"iodepth":
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 524288
512kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
```

```
- 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
 op_size: 524288
64k3070:
 iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
  - 64
 - 128
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 65536
 rwmixread: 30
64k7030:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
 - 64
  - 128
 jobname: randmix
 mode: randrw
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

```
- 1
  - 1
  - 1
 op_size: 65536
 rwmixread: 70
64krandomread:
  iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
 - 64
  - 128
  - 256
 jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 65536
64krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
  mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 65536
64kseqread:
```

iodepth:

- 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 jobname: read mode: read numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 64kseqwrite: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: write mode: write numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 8krandomread: iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64

```
- 128
  - 256
  - 384
 jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 8192
{\tt 8krandomwrite:}
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 8192
precondition:
  iodepth:
  jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
 op_size: 65536
 precond: true
seq16kread:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
```

```
- 24
  - 32
  - 64
 - 96
 - 128
  - 192
 jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 16384
seq16kwrite:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
 - 64
 - 96
  - 128
 - 192
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
 op_size: 16384
seq256kread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
  jobname: seqread
```

```
mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
 - 1
 op_size: 262144
seq256kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 5
  - 8
  - 12
 - 16
  - 24
  - 32
  - 48
  - 64
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 262144
seq32kread:
 iodepth:
  - 2
  - 4
 - 8
  - 12
  - 16
  - 24
 - 32
 - 64
 - 96
 - 128
 - 192
 jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
```

```
- 1
  - 1
  - 1
  - 1
  - 1
 op_size: 32768
seq32kwrite:
  iodepth:
  - 2
  - 3
  - 4
  - 5
  - 8
 - 16
  - 24
  - 32
 - 64
 - 128
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 32768
seq4kread:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
 - 32
 - 64
 - 96
  - 128
  - 192
  jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

op_size: 4096

```
seq4kwrite:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
 - 24
  - 32
  - 64
  - 96
 - 128
 - 192
  - 256
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 4096
seq8kread:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
 - 32
  - 64
  - 96
 - 128
  - 192
 jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 8192
seq8kwrite:
 iodepth:
  - 2
  - 4
```

- 8

```
- 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 256
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        op_size: 8192
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  head: --- server1 ---
  iterations: 1
  mgrs:
   --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 precond_time: 600
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 420000
  volumes_per_client:
  - 1
  workloads:
    16k7030:
      iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      op size: 16384
      rwmixread: 70
    16krandomread:
      iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
```

```
- 48
  - 64
  - 128
  - 256
  - 384
 jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 16384
16krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  op_size: 16384
1Mrandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
  jobname: randread
 mode: randread
```

```
numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
  op_size: 1048576
1Mrandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
 - 20
  - 24
  - 28
  - 32
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 1048576
1Mseqread:
 iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
 - 14
 - 16
 - 20
 jobname: segread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

```
- 1
  - 1
  - 1
  - 1
 op_size: 1048576
1Mseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
 - 10
 - 12
  - 14
  - 16
  - 20
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 1048576
256krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
 - 64
  - 128
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
```

256krandomwrite:

```
iodepth:
  - 1
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
32krandomread:
  iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 128
  - 256
 jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 32768
32krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
```

- 8

```
- 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
{\tt 4krandomread:}
  iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  jobname: randread
  mode: randread
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 4096
4krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  jobname: randwrite
  mode: randwrite
  numjobs:
```

- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 4096 512krandomread: iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 524288 ${\tt 512krandomwrite:}\\$ iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1

```
- 1
  - 1
  - 1
  - 1
 op_size: 524288
512kseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
 - 16
 - 20
  - 24
  - 32
 jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
 op_size: 524288
512kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 524288
64k3070:
```

iodepth:

- 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randmix mode: randrw numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 rwmixread: 30 64k7030: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randmix mode: randrw numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 rwmixread: 70 64krandomread: iodepth: - 2 - 4 - 6 - 8 - 12

```
- 16
  - 24
  - 32
  - 64
  - 128
  - 256
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 65536
64 krandom write:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
 op_size: 65536
64kseqread:
  iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 192
  - 256
  jobname: read
```

```
mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
 - 1
  op_size: 65536
64kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: write
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 65536
8krandomread:
 iodepth:
  - 4
 - 8
  - 12
  - 16
  - 32
  - 48
 - 64
 - 128
 - 256
 - 384
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

- 1 - 1 - 1 - 1 - 1 op_size: 8192 ${\tt 8krandomwrite:}$ iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 8192 precondition: iodepth: - 4 jobname: precond1rw mode: randwrite monitor: false numjobs: - 1 op_size: 65536 precond: true seq16kread: iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 jobname: seqread mode: read numjobs: - 1 - 1 - 1

```
- 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 16384
seq16kwrite:
 iodepth:
  - 2
  - 4
  - 8
  - 12
 - 16
  - 24
  - 32
  - 64
 - 96
 - 128
  - 192
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
 - 1
 - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 16384
seq256kread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
 - 16
 - 24
  - 32
  - 48
 - 64
 jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

```
- 1
  op_size: 262144
seq256kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 5
  - 8
  - 12
  - 16
  - 24
  - 32
  - 48
  - 64
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
{\tt seq32kread:}
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
seq32kwrite:
  iodepth:
  - 1
  - 2
  - 3
```

```
- 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
seq4kread:
  iodepth:
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 4096
seq4kwrite:
  \verb"iodepth":
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
```

```
- 192
  - 256
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 4096
{\tt seq8kread:}
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 8192
seq8kwrite:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 256
  jobname: seqwrite
  mode: write
  numjobs:
```

```
- 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        op_size: 8192
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 precond_time: 600
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 420000
  volumes_per_client:
  - 1
  workloads:
    16k7030:
      iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      op size: 16384
      rwmixread: 70
    16krandomread:
      iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
```

- 48 - 64 - 128 - 256 - 384 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 16384 16krandomwrite: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 16384 1Mrandomread: iodepth: - 1 - 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 jobname: randread mode: randread

```
numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
  op_size: 1048576
1Mrandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
 - 20
  - 24
  - 28
  - 32
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 1048576
1Mseqread:
 iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
 - 14
 - 16
 - 20
 jobname: segread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

```
- 1
  - 1
  - 1
  - 1
 op_size: 1048576
1Mseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
 - 10
 - 12
  - 14
  - 16
  - 20
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 1048576
256krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
 - 64
  - 128
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
256krandomwrite:
```

```
iodepth:
  - 1
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
32krandomread:
  iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 128
  - 256
 jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 32768
32krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
```

```
- 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
{\tt 4krandomread:}
  iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  jobname: randread
  mode: randread
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 4096
4krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  jobname: randwrite
  mode: randwrite
  numjobs:
```

- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 4096 512krandomread: iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 524288 ${\tt 512krandomwrite:}\\$ iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1

```
- 1
  - 1
  - 1
  - 1
 op_size: 524288
512kseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
 - 16
 - 20
  - 24
  - 32
 jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
  op_size: 524288
512kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 524288
64k3070:
  iodepth:
```

- 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randmix mode: randrw numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 rwmixread: 30 64k7030: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randmix mode: randrw numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 rwmixread: 70 64krandomread: iodepth: - 2 - 4 - 6 - 8 - 12

```
- 16
  - 24
  - 32
  - 64
  - 128
  - 256
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 65536
64 krandom write:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
 op_size: 65536
64kseqread:
  iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 192
  - 256
  jobname: read
```

```
mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
 - 1
  op_size: 65536
64kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: write
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 65536
8krandomread:
 iodepth:
  - 4
 - 8
  - 12
  - 16
  - 32
  - 48
 - 64
 - 128
 - 256
 - 384
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

- 1 - 1 - 1 - 1 - 1 op_size: 8192 ${\tt 8krandomwrite:}$ iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 8192 precondition: iodepth: - 4 jobname: precond1rw mode: randwrite monitor: false numjobs: - 1 op_size: 65536 precond: true seq16kread: iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 jobname: seqread mode: read numjobs: - 1 - 1 - 1
- $cbt-17thDec-main-4k\ vs\ cbt-20thDec-alexls 12-4k\ vs\ cbt-25ctDec-alexls 12-32k\ vs\ cbt-22ndDec-alexls 12-32k\ vs\ cbt-2$

- 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 16384 seq16kwrite: iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 jobname: seqwrite mode: write numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 16384 seq256kread: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 48 - 64 jobname: seqread mode: read numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1

```
- 1
  op_size: 262144
seq256kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 5
  - 8
  - 12
  - 16
  - 24
  - 32
  - 48
  - 64
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
{\tt seq32kread:}
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
seq32kwrite:
  iodepth:
  - 1
  - 2
  - 3
```

- 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: seqwrite mode: write numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 32768 seq4kread: iodepth: - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 jobname: seqread mode: read numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 4096 seq4kwrite: $\verb"iodepth":$ - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96

```
- 192
  - 256
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 4096
{\tt seq8kread:}
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 8192
seq8kwrite:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 256
  jobname: seqwrite
  mode: write
  numjobs:
```

```
- 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        op_size: 8192
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 precond_time: 600
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 420000
  volumes_per_client:
  - 1
  workloads:
    16k7030:
      iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      op size: 16384
      rwmixread: 70
    16krandomread:
      iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
```

```
- 48
  - 64
  - 128
  - 256
  - 384
 jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 16384
16krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  op_size: 16384
1Mrandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
  jobname: randread
 mode: randread
```

```
numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
  op_size: 1048576
1Mrandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
 - 20
  - 24
  - 28
  - 32
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 1048576
1Mseqread:
 iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
 - 14
 - 16
 - 20
 jobname: segread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

```
- 1
  - 1
  - 1
  - 1
 op_size: 1048576
1Mseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
 - 10
 - 12
  - 14
  - 16
  - 20
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 1048576
256krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
 - 64
  - 128
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
256krandomwrite:
```

```
iodepth:
  - 1
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
32krandomread:
  iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 128
  - 256
 jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 32768
32krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
```

```
- 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
{\tt 4krandomread:}
  iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  jobname: randread
  mode: randread
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 4096
4krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  jobname: randwrite
  mode: randwrite
  numjobs:
```

- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 4096 512krandomread: iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 524288 ${\tt 512krandomwrite:}\\$ iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1

```
- 1
  - 1
  - 1
  - 1
 op_size: 524288
512kseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
 - 16
 - 20
  - 24
  - 32
 jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
 op_size: 524288
512kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 524288
64k3070:
```

iodepth:

- 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randmix mode: randrw numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 rwmixread: 30 64k7030: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randmix mode: randrw numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 rwmixread: 70 64krandomread: iodepth: - 2 - 4 - 6 - 8 - 12

```
- 16
  - 24
  - 32
 - 64
  - 128
  - 256
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 65536
64 krandom write:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
 - 1
 op_size: 65536
64kseqread:
  iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 192
  - 256
  jobname: read
```

```
mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
 - 1
  op_size: 65536
64kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: write
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 65536
8krandomread:
 iodepth:
 - 4
 - 8
  - 12
  - 16
  - 32
  - 48
 - 64
 - 128
 - 256
 - 384
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

```
- 1
  - 1
  - 1
  - 1
  - 1
 op_size: 8192
{\tt 8krandomwrite:}
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
 - 24
  - 32
  - 64
  - 128
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 8192
precondition:
 iodepth:
  - 4
  jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
 op_size: 65536
 precond: true
seq16kread:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
 - 64
  - 96
  - 128
  - 192
 jobname: seqread
 mode: read
 numjobs:
  - 1
 - 1
  - 1
```

```
- 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 16384
seq16kwrite:
 iodepth:
  - 2
  - 4
  - 8
  - 12
 - 16
  - 24
  - 32
  - 64
 - 96
 - 128
  - 192
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 16384
seq256kread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
 - 16
 - 24
  - 32
  - 48
 - 64
 jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

```
- 1
  op_size: 262144
seq256kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 5
  - 8
  - 12
  - 16
  - 24
  - 32
  - 48
  - 64
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
{\tt seq32kread:}
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
seq32kwrite:
  iodepth:
  - 1
  - 2
```

```
- 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
seq4kread:
  iodepth:
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 4096
seq4kwrite:
  \verb"iodepth":
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
```

```
- 192
  - 256
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 4096
{\tt seq8kread:}
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 8192
seq8kwrite:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 256
  jobname: seqwrite
  mode: write
  numjobs:
```

```
- 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        op_size: 8192
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 precond_time: 600
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 420000
  volumes_per_client:
  - 1
  workloads:
    16k7030:
      iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      op size: 16384
      rwmixread: 70
    16krandomread:
      iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
```

```
- 48
  - 64
  - 128
  - 256
  - 384
 jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 16384
16krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  op_size: 16384
1Mrandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
  jobname: randread
 mode: randread
```

```
numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
  op_size: 1048576
1Mrandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
 - 20
  - 24
  - 28
  - 32
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 1048576
1Mseqread:
 iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
 - 14
 - 16
 - 20
 jobname: segread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

```
- 1
  - 1
  - 1
  - 1
 op_size: 1048576
1Mseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
 - 10
 - 12
  - 14
  - 16
  - 20
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 1048576
256krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
 - 64
  - 128
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
```

256krandomwrite:

```
iodepth:
  - 1
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
32krandomread:
  iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 128
  - 256
 jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 32768
32krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
```

```
- 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
{\tt 4krandomread:}
  iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  jobname: randread
  mode: randread
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 4096
4krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  jobname: randwrite
  mode: randwrite
  numjobs:
```

- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 4096 512krandomread: iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 524288 ${\tt 512krandomwrite:}\\$ iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1

```
- 1
  - 1
  - 1
  - 1
 op_size: 524288
512kseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
 - 16
 - 20
  - 24
  - 32
 jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
 op_size: 524288
512kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 524288
64k3070:
```

iodepth:

- 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randmix mode: randrw numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 rwmixread: 30 64k7030: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randmix mode: randrw numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 rwmixread: 70 64krandomread: iodepth: - 2 - 4 - 6 - 8 - 12

```
- 16
  - 24
  - 32
 - 64
  - 128
  - 256
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 65536
64 krandom write:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
 op_size: 65536
64kseqread:
  iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 192
  - 256
  jobname: read
```

```
mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
 - 1
  op_size: 65536
64kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: write
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 65536
8krandomread:
 iodepth:
  - 4
 - 8
  - 12
  - 16
  - 32
  - 48
 - 64
 - 128
 - 256
 - 384
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

- 1 - 1 - 1 - 1 - 1 op_size: 8192 ${\tt 8krandomwrite:}$ iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 8192 precondition: iodepth: - 4 jobname: precond1rw mode: randwrite monitor: false numjobs: - 1 op_size: 65536 precond: true seq16kread: iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 jobname: seqread mode: read numjobs: - 1 - 1 - 1

- 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 16384 seq16kwrite: iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 jobname: seqwrite mode: write numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 16384 seq256kread: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 48 - 64 jobname: seqread mode: read numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1

```
- 1
  op_size: 262144
seq256kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 5
  - 8
  - 12
  - 16
  - 24
  - 32
  - 48
  - 64
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
{\tt seq32kread:}
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
seq32kwrite:
  iodepth:
  - 1
  - 2
```

```
- 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
seq4kread:
  iodepth:
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 4096
seq4kwrite:
  \verb"iodepth":
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
```

```
- 192
  - 256
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 4096
{\tt seq8kread:}
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 8192
seq8kwrite:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 256
  jobname: seqwrite
  mode: write
  numjobs:
```

```
- 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        op_size: 8192
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```