$\label{lem:comparitive Performance Report for cbt-10thMar-4k-main-8vol-cacheon-rbdoff-is alvs cbt-7thMar-4k-ls26-8vol-cacheon-rbdoff-is alvs cbt-8thMar-16k-ls26-8vol-cacheon-rbdoff-is alvs cbt-9thMar-32k-ls26-8vol-cacheon-rbdoff-is alvs cbt-9thMar-34k-ls26-8vol-cacheon-rbdoff-is alvs cbt-9thMar-34k-ls26-8vol-cacheo$

Comparitive Performance Report for cbt-10thMar-4k-main-8vol-cacheon-rbdoff-isal vs cbt-7thMar-4k-ls26-8vol-cacheon-rbdoff-isal vs cbt-8thMar-16k-ls26-8vol-cacheon-rbdoff-isal vs cbt-9thMar-32k-ls26-8vol-cacheon-rbdoff-isal

Table of contents

- $\bullet \ \ Comparison \ summary \ for \ cbt-10th Mar-4k-main-8vol-cache on-rbd of f-is al \ vs \ cbt-7th Mar-4k-ls 26-8vol-cache on-rbd of f-is al \ vs \ cbt-9th Mar-32k-ls 26-8vol-cache on-rbd$
- Response Curves
 - Sequential Read
 - Sequential Write
 - Random Read
 - Random Write
 - Random Read/Write
- Configuration yaml files
 - results

Comparison summary for cbt-10thMar-4k-main-8vol-cacheon-rbdoff-isal vs cbt-7thMar-4k-ls26-8vol-cacheon-rbdoff-isal vs cbt-8thMar-16k-ls26-8vol-cacheon-rbdoff-isal vs cbt-9thMar-32k-ls26-8vol-cacheon-rbdoff-isal

Sequential Read	cbt_10thMar_	<u>etht_r7tdiMa8vetl</u>	c %?diange lb	dedocheistah Mebric	ff <u>6kisals26n</u> gwol		H k Mah angwol
ζ	66785@2.9ms	64633@3.0	-3%	64527@3.0	-3%	64133@3.0	-4%
K	39845@4.8ms	38374@5.0	-4%	57455@3.3	44%	55703@3.4	40%
6K	$22239@8.6\mathrm{ms}$	21693@8.8	-2%	51076@3.8	130%	51108@3.7	130%
2K	18891@10.2 ms	18819@10.2	-0%	29905@6.4	58%	42582@4.5	125%
łΚ	1158@14.5 ms	1146@14.6	-1%	1170@14.3	1%	1543@10.9	33%
66K	1553@10.8 ms	1554@10.8	0%	1570@10.7	1%	1613@10.4	4%
12K	1557@10.8 ms	1559@10.8	0%	1574@10.7	1%	1608@10.4	3%
024K	1564@13.4 ms	1568@13.4	0%	1582@13.2	1%	1605@13.1	3%


Sequential Write	cbt_10thMar_	e4ht_n7ntahiMa8ve4l	k c kálicobyc lo	dadah Melada	f <u>6ki\$ak26n</u> &vol	<u>cbatch@tdnMarbd</u> &	3 fik %ab6 ngwol_ca
4K	3433@149.7ms	7503@136.5	119%	10995@93.2	220%	9159@111.7	167%
3K	2008@512.0ms	5297@242.2	164%	8387@91.6	318%	7455@137.5	271%
16K	5099@100.3 ms	5406@94.7	6%	5641@90.7	11%	5002@102.4	-2%
32K	9593@80.0 ms	9773@78.5	2%	8046@95.4	-16%	5831@131.6	-39%
64K	215@156.5ms	233@144.3	8%	197@170.5	-8%	138@243.1	-36%
256K	400@62.8ms	456@73.5	14%	616@108.9	54%	546@122.9	36%
512K	292@229.8ms	305@220.4	4%	340@197.3	16%	350@191.6	20%
1024K	469@357.8ms	484@347.3	3%	601@222.9	28%	423@397.4	-10%

Random						
Read	cbt_10thMar_ dkt_mtdiM a	s <u>volk ckáticongel</u>	od chti heistdh <u>M</u> farlo	ff <u>6kisals26n</u> gwol	l <u>c</u> bat <u>ch</u> 9etdnMarbd	3f<u>k</u> %ab 6 <u>n</u> &vol_cach
4K	69659@5.5ms 69552@5.5	-0%	70460@5.4	1%	69331@5.5	-0%
8K	47136@8.1ms 46343@8.3	-2%	65063@5.9	38%	64925@5.9	38%
16K	$29788@12.9 \text{ms} \ 29079@13.2$	-2%	60243@6.4	102%	58739@6.5	97%
32K	26545@9.6ms 26213@9.8	-1%	38766@6.6	46%	50341@5.1	90%
64K	1502@11.2ms 1420@5.9	-5%	1481@11.3	-1%	1780@9.4	19%
256K	1708@19.6ms 1708@9.8	0%	1739@2.4	2%	1777@2.4	4%


tandom tead	cbt 10thMar	alkt mitaliMasvol	k c zaliensyc ik	od alot th ëstih Mfbrl	off6kis als26 ngwol	cbatch@tdmMarbd	
12K	1775@14.2ms	1775@14.2	0%	1781@14.1	0%	1805@13.9	2%
024K	1771@16.6ms	1772@16.6	0%	1779@16.5	0%	1792@16.4	1%
andom							
Vrite	$cbt_10thMar_$	_ethtmtahiM_a8vo4	k c kationge l	od chit h ëstih Mbrd	off6ki <u>sals26an</u> gwol	<u>c</u> bat <u>ch</u> 9#dnMarbd	<u> 34k %1816n</u> gwol
K	2053@373.6ms	4831@105.9	135%	5004@102.4	144%	5468@140.4	166%
K	1948@394.6ms	4591@167.0	136%	3710@206.8	90%	4326@177.6	122%
6K	4539@112.7ms	4812@106.5	6%	2931@131.1	-35%	2766@185.1	-39%
2K	4105@124.6ms	4201@121.8	2%	2678@191.3	-35%	1693@226.9	-59%
4K	194@129.5ms	216@116.5	11%	169@148.9	-13%	121@209.0	-38%
56K	280@239.7 ms	275@244.0	-2%	290@231.2	4%	295@227.7	5%
12K	262@127.8ms	252@99.4	-4%	293@114.2	12%	242@138.7	-8%
024K	313@160.2 ms	384@130.7	23%	368@136.3	18%	409@122.3	31%
tandom tead/Write	cbt_10thMar_	_dhtmthiM_a8vo4	<u>k c%21i:angell</u>	od caloftheistalh Mfbrle	off <u>6ki\$ak26n</u> &vol	<u>cbatch@dmMarbd</u>	3fk %ah6 n&wo
K_70/30	5027@50.9ms	8450@30.3	68%	8228@31.1	64%	8953@28.6	78%
$6K_{70}/30$	$4293@59.6\mathrm{ms}$	4747@53.9	11%	5610@45.6	31%	5440@47.0	27%
$4K_{70}/30$	$202@83.1\mathrm{ms}$	215@39.0	6%	188@89.5	-7%	212@79.2	5%
$4K_{30}/70$	168@99.8ms	182@92.3	8%	158@106.0	-6%	133@126.0	-21%


Response Curves

Sequential Read





Response Curves Sequential Write







Sequential Write












Response Curves Random Read




Random Read






Response Curves Random Write





Random Write

Response Curves Random Write




Response Curves Random Read/Write





Random Read/Write



Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 prefill:
    blocksize: 64k
    numjobs: 1
 procs_per_volume:
  - 1
  ramp: 30
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 52500
  volumes_per_client:
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
    16krandomwrite:
```

```
jobname: randwrite
  mode: randwrite
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
 jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 1048576
 total_iodepth:
  - 1
  - 2
```

```
- 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
1Mseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
  - 160
256krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
256krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 32
  - 64
  - 96
```

```
- 256
32krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
32krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
4k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 4096
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
   3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
4krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 4096
```

```
total_iodepth:
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
4krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
```

```
- 32
  - 48
  - 64
512kseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
512kseqwrite:
  jobname: seqwrite
  mode: write
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
64k3070:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 30
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
```

```
op_size: 65536
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
64krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64kseqread:
  jobname: read
  mode: read
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
```

- 32 - 64 - 128 - 192 - 256 64kseqwrite: jobname: write mode: write numjobs: - 1 op_size: 65536 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 8krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 8192 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 8krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 precondition: jobname: precond1rw mode: randwrite monitor: false numjobs:

```
- 1
  op_size: 65536
 time: 600
 total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  op_size: 16384
  total_iodepth:
  - 2
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
seq256kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
seq256kwrite:
  jobname: seqwrite
 mode: write
```

numjobs:

```
- 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 256
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 512
  - 768
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
```

```
- 64
  - 96
  - 128
  - 192
seq4kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
  - 1024
seq8kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq8kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 2
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
  - 1024
```

```
cluster:
  archive dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
     a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
   log_iops: true
    log_lat: true
   norandommap: true
    osd_ra:
    - 4096
    poolname: rbd_replicated
    prefill:
      blocksize: 64k
      numjobs: 1
    procs_per_volume:
    - 1
    ramp: 30
    time: 90
    time_based: true
    use_existing_volumes: true
    vol_size: 52500
    volumes_per_client:
    - 8
    workloads:
      16k7030:
        jobname: randmix
        mode: randrw
        numjobs:
```

```
- 1
 op_size: 16384
 rwmixread: 70
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
 - 32
 - 64
 - 128
 - 256
16krandomread:
  jobname: randread
 mode: randread
 numjobs:
 - 1
 op_size: 16384
 total_iodepth:
 - 4
  - 8
 - 12
 - 16
 - 24
 - 48
 - 64
 - 128
 - 256
  - 384
16krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
 - 1
 op_size: 16384
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
 - 8
 - 16
 - 32
 - 64
  - 128
 - 256
 - 384
 - 512
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 1048576
 total_iodepth:
  - 1
  - 2
  - 3
 - 4
 - 8
```

- 12 - 16 - 20 - 24 - 28 - 32 1Mrandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 1048576 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48 1Mseqread: jobname: seqread mode: read numjobs: - 1 op_size: 1048576 total_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 20 1Mseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 1048576 total_iodepth: - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 - 160 256 krandomread:jobname: randread

mode: randread

```
numjobs:
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
256krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 32768
  {\tt total\_iodepth:}
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
{\tt 32krandomwrite:}\\
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
```

```
- 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
4k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 4096
  rwmixread: 70
  total_iodepth:
  - 1
   2
   3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
4krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
4krandomwrite:
  jobname: randwrite
  mode: randwrite
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
```

512krandomread:

```
jobname: randread
  mode: randread
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
512kseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
512kseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 524288
 total_iodepth:
  - 1
  - 2
```

```
- 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
64k3070:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 65536
 rwmixread: 30
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 65536
 rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
```

```
- 128
  - 256
64krandomwrite:
  jobname: randwrite
  mode: randwrite
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64kseqread:
  jobname: read
 mode: read
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 192
  - 256
64kseqwrite:
  jobname: write
 mode: write
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
8krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
```

```
- 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
{\tt 8krandomwrite:}
  jobname: randwrite
  mode: randwrite
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
precondition:
  jobname: precond1rw
  mode: randwrite
  monitor: false
 numjobs:
  - 1
  op_size: 65536
 time: 600
 total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
```

- 2 - 4 - 8 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 seq256kread: jobname: seqread mode: read numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 48 - 64 seq256kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 4 - 8 - 16 - 24 - 32 - 64 - 96 - 128 - 256 seq32kread: jobname: seqread mode: read numjobs: - 1 op_size: 32768 total_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64

```
- 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 4
  - 8
  - 16
  - 32
 - 64
  - 128
  - 256
  - 512
  - 768
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq4kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
  - 128
  - 256
 - 384
  - 512
  - 768
  - 1024
seq8kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
```

op_size: 8192

```
total_iodepth:
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
     a: --- IP Address --:6789
  mount_opts: -o inode64, noatime, logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
```

Configuration yaml files results

```
user: root
monitoring_profiles:
  collect1:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```