Comparitive Performance Report for cbt-4thFeb-main-4k-8vol vs cbt-7thFeb-alexls22-econ-4k-8vol-finegrain

## Table of contents

- Comparison summary for cbt-4thFeb-main-4k-8vol vs cbt-7thFeb-alexls22-econ-4k-8vol-finegrain
- Response Curves
  - Sequential Read
  - Sequential Write
  - Random Read
  - Random Write
  - Random Read/Write
- Configuration yaml files
  - results
  - results

# Comparison summary for cbt-4thFeb-main-4k-8vol vs cbt-7thFeb-alexls22-econ-4k-8vol-finegrain

Sequential Read	$cbt\_4thFeb\_main\_4k\_$	<b>8 b</b> <u>o</u> <u>l</u> 7 th Feb_alex ls 22_	_ec&rch4kg&vhlrofighgratin	%change latency
$\overline{4K}$	68314 IOps@2.3ms	63795 IOps@3.0ms	-7%	30%
8K	40450  IOps@2.4ms	38680 IOps@5.0ms	-4%	108%
16K	22810  IOps@5.6ms	22041 IOps@8.7ms	-3%	55%
32K	18772  IOps@6.8ms	19329 IOps@9.9ms	3%	46%
64K	1095  MB/s@9.6ms	1181 MB/s@14.2ms	8%	48%
256K	1536  MB/s = 15.0 ms	1591 MB/s@10.5ms	4%	-30%
512K	1566  MB/s = 29.5 ms	1593  MB/s@10.5 ms	2%	-64%
1024K	1574  MB/s@53.4 ms	1597  MB/s@13.1 ms	1%	-75%

Sequential Write	$cbt\_4thFeb\_main\_4k\_$	<b>8</b> 1200 <u>1</u> 7thFeb_alexls22_	ec‰ch4kg&vhlrofighgnntin	%change latency
4K	3074 IOps@52.0ms	7018 IOps@27.3ms	128%	-48%
8K	2707  IOps@47.4ms	5326  IOps@48.1ms	97%	1%
16K	7408  IOps@17.3ms	5985  IOps@21.4ms	-19%	24%
32K	9111  IOps@14.0ms	9777 IOps@13.1ms	7%	-6%
64K	245  MB/s@12.8 ms	204  MB/s@41.2 ms	-17%	222%
256K	568  MB/s@7.2 ms	398  MB/s@20.9 ms	-30%	190%
512K	479  MB/s@87.4 ms	482  MB/s@34.6ms	1%	-60%
1024K	495  MB/s@84.3 ms	509  MB/s@24.2 ms	3%	-71%


Random Read	cbt_4thFeb_main_4k_	8thol_7thFeb_alexls22_	ec‰ch4kg&vhlrofighguntin	%change latency
4K	81023 IOps@4.7ms	80041 IOps@4.8ms	-1%	2%
8K	52986  IOps@7.2ms	51367  IOps@5.0ms	-3%	-31%
16K	31191  IOps@12.3ms	31203  IOps@12.3ms	0%	0%
32K	28234  IOps@9.1ms	29215  IOps@8.7ms	3%	-4%
64K	1559  MB/s@5.4ms	1606  MB/s@5.2ms	3%	-4%
256K	1695  MB/s@14.8 ms	1751  MB/s@9.6ms	3%	-35%
512K	1697  MB/s@27.2 ms	1774 MB/s@11.8ms	5%	-57%
1024K	1706  MB/s@54.1ms	$1778~\mathrm{MB/s@16.5ms}$	4%	-70%

Random Write	cbt_4thFeb_main_4k_	881x61_7thFeb_alexls22_ec	c%ch4kg&vhlrofighpnatin	%change latency
$\overline{4K}$	2746 IOps@46.6ms	4398 IOps@29.1ms	60%	-38%
8K	2917 IOps@43.8ms	5056  IOps@25.3ms	73%	-42%
16K	5957  IOps@16.1ms	4928  IOps@26.0ms	-17%	61%
32K	3629  IOps@35.2ms	3751  IOps@34.1ms	3%	-3%
64K	191  MB/s@32.9 ms	169  MB/s@49.5 ms	-12%	50%
256K	421  MB/s@39.7ms	350  MB/s@17.8 ms	-17%	-55%
512K	472  MB/s@61.9 ms	531  MB/s@63.0 ms	12%	2%
1024K	478  MB/s = 52.1 ms	498  MB/s = 58.4 ms	4%	12%


Random Read/Write	$cbt\_4thFeb\_main\_4k\_$	&txol_7thFeb_alexls22_	ec‰ch4kg& <b>vhl</b> rofi <b>ghgra</b> fin	%change latency
16K_70/30	7501 IOps@8.5ms	6600 IOps@19.4ms	-12%	$128\% \ 232\%$
64K_30/70	277 MB/s@13.2ms	191 MB/s@43.8ms	-31%	


# Response Curves

## Sequential Read





Response Curves Sequential Write







## Sequential Write












Response Curves Random Read




#### Random Read






Response Curves Random Write





#### Random Write

Response Curves Random Write





Response Curves Random Read/Write





## Random Read/Write





# Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

#### results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 precond_time: 600
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 52500
  volumes_per_client:
  workloads:
    16k7030:
      iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 6
      - 7
      - 8
      - 9
      - 10
      - 11
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
    16krandomread:
      iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 12
      - 16
      - 20
      - 24
      - 32
      - 48
      jobname: randread
      mode: randread
      numjobs:
      - 1
```

```
op_size: 16384
16krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 16384
1Mrandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 1048576
1Mrandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 1048576
1Mseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
```

```
- 7
  - 8
  - 9
  - 10
  - 11
 jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 1048576
1Mseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 1048576
256krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
 jobname: randread
 mode: randread
 numjobs:
  op_size: 262144
256krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
```

```
op_size: 262144
32krandomread:
  iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 10
  - 12
  - 16
  - 20
  - 28
  - 32
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 32768
32 krandom write:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 32768
4krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 20
  - 24
  - 32
  - 48
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 4096
4krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
```

```
- 7
  - 8
  - 10
  - 12
  - 16
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 4096
512 krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: randread
  mode: randread
 numjobs:
  - 1
  op_size: 524288
512krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 524288
512kseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
 jobname: seqread
 mode: read
 numjobs:
  - 1
```

```
op_size: 524288
512kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 524288
64k3070:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: randmix
 mode: randrw
 numjobs:
 - 1
 op_size: 65536
 rwmixread: 30
64k7030:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
 jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
  rwmixread: 70
64 krandomread:
 iodepth:
  - 1
  - 2
  - 3
  - 4
```

```
- 6
  - 8
  - 10
  - 12
  - 16
  - 20
  - 28
  jobname: randread
  mode: randread
 numjobs:
  - 1
  op_size: 65536
64krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 65536
64kseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 10
  - 12
  - 16
  - 20
  jobname: read
 mode: read
 numjobs:
  - 1
  op_size: 65536
64kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: write
```

mode: write

```
numjobs:
  op_size: 65536
8krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
  - 48
  jobname: randread
 mode: randread
 numjobs:
 - 1
 op_size: 8192
8krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 8192
precondition:
  iodepth:
  - 2
  jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
  op_size: 65536
 precond: true
seq16kread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: seqread
```

```
mode: read
 numjobs:
  - 1
 op_size: 16384
seq16kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
 - 8
 - 10
 - 12
  - 16
  jobname: seqwrite
 mode: write
 numjobs:
 - 1
 op_size: 16384
seq256kread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
 - 11
 jobname: segread
 mode: read
 numjobs:
  - 1
 op_size: 262144
{\tt seq256kwrite:}
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
 - 11
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 262144
seq32kread:
 iodepth:
  - 1
  - 2
  - 3
```

```
- 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 32768
seq32kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 32768
{\tt seq4kread}:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 4096
seq4kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
```

- 20

```
jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 4096
      seq8kread:
        iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 6
        - 8
        - 10
        - 12
        - 14
        - 16
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
      seq8kwrite:
        iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 6
        - 7
        - 8
        - 10
        - 12
        - 16
        - 20
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
 mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
```

```
mount_opts: -o inode64, noatime, logbsize=256k
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
    log_iops: true
    log_lat: true
    norandommap: true
    osd_ra:
    - 4096
    poolname: rbd_replicated
    precond_time: 600
    prefill:
      blocksize: 64k
      numjobs: 1
    procs_per_volume:
    - 1
    ramp: 30
    time: 60
    time_based: true
    use_existing_volumes: true
    vol_size: 52500
    volumes_per_client:
    - 8
    workloads:
      16k7030:
        iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 6
        - 7
        - 8
        - 9
        - 10
        - 11
        jobname: randmix
        mode: randrw
        numjobs:
        - 1
        op_size: 16384
        rwmixread: 70
      16krandomread:
        iodepth:
        - 1
        - 2
        - 3
```

```
- 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
  - 48
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 16384
16krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 16384
1Mrandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 1048576
{\tt 1Mrandomwrite:}
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: randwrite
```

```
mode: randwrite
 numjobs:
  - 1
  op_size: 1048576
1Mseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
 - 9
  - 10
 - 11
  jobname: seqread
 mode: read
 numjobs:
 - 1
 op_size: 1048576
1Mseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 1048576
{\tt 256krandomread:}
 iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
 - 12
 - 16
 jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 262144
256krandomwrite:
 iodepth:
 - 1
  - 2
  - 3
```

```
- 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 262144
32krandomread:
  iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 10
  - 12
  - 16
  - 20
  - 28
  - 32
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 32768
32krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 32768
{\tt 4krandomread:}
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 20
  - 24
  - 32
  - 48
  jobname: randread
```

```
mode: randread
 numjobs:
  - 1
  op_size: 4096
4krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
 - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
 - 1
 op_size: 4096
512krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
 - 11
 jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 524288
{\tt 512krandomwrite:}\\
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 524288
512kseqread:
  iodepth:
  - 1
  - 2
  - 3
```

```
- 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 524288
512kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 524288
64k3070:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 30
64k7030:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
```

- 11

```
jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
  rwmixread: 70
64krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 16
  - 20
  - 28
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 65536
64krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 65536
64kseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 10
  - 12
  - 16
  - 20
  jobname: read
 mode: read
 numjobs:
  - 1
  op_size: 65536
64kseqwrite:
  iodepth:
  - 1
```

```
- 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: write
 mode: write
 numjobs:
  - 1
  op_size: 65536
8krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
  - 48
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 8192
8krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 8192
precondition:
  iodepth:
  - 2
  jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
 op_size: 65536
 precond: true
seq16kread:
  iodepth:
```

- 1 - 2 - 3 - 4 - 5 - 6 - 7 - 8 - 10 - 12 - 16 jobname: seqread mode: read numjobs: - 1 op\_size: 16384 seq16kwrite:  ${\tt iodepth:}\\$ - 1 - 2 - 3 - 4 - 5 - 6 - 7 - 8 - 10 - 12 - 16 jobname: seqwrite mode: write numjobs: - 1 op\_size: 16384 seq256kread: iodepth: - 1 - 2 - 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 jobname: seqread mode: read numjobs: - 1 op\_size: 262144 seq256kwrite: iodepth: - 1 - 2 - 3 - 4 - 5 - 6 - 7 - 8

- 9

```
- 10
  - 11
  jobname: seqwrite
 mode: write
 numjobs:
 - 1
 op_size: 262144
seq32kread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
 jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 32768
seq32kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 32768
seq4kread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
 - 12
 - 14
  - 16
  - 20
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 4096
seq4kwrite:
  iodepth:
```

```
- 1
        - 2
        - 3
        - 4
        - 5
        - 6
        - 7
        - 8
        - 10
        - 12
        - 16
        - 20
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 4096
      seq8kread:
        iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 6
        - 8
        - 10
        - 12
        - 14
        - 16
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
      seq8kwrite:
        iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 6
        - 7
        - 8
        - 10
        - 12
        - 16
        - 20
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
```

```
clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
 head: --- server1 ---
  iterations: 1
  mgrs:
   --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
 mons:
   --- server1 ---:
     a: --- IP Address --:6789
 mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
 rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
 use_existing: true
 user: root
monitoring_profiles:
 collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```

#### results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
 norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 precond_time: 600
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 52500
  volumes_per_client:
  - 8
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
```

#### 16krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 16384 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 1Mrandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 1048576 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 1Mrandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 1048576 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 1Mseqread: jobname: seqread mode: read numjobs: - 1 op\_size: 1048576 total\_iodepth: - 1 - 2

- 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 20 1Mseqwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 1048576 total\_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 20 256krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 262144 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 256krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 262144 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64

```
32krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
 - 64
  - 128
  - 256
32 krandom write:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
4krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
 - 256
  - 384
4krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 1
  - 2
  - 3
```

- 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 512krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 524288 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 512krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 524288 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 512kseqread: jobname: seqread mode: read numjobs: - 1 op\_size: 524288 total\_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32

512kseqwrite:

```
jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
 - 20
  - 24
  - 32
64k3070:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 30
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
 - 64
  - 128
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
```

- 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 64krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 65536 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 64kseqread: jobname: read mode: read numjobs: - 1 op\_size: 65536 total\_iodepth: - 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 64kseqwrite: jobname: write mode: write numjobs: - 1 op\_size: 65536  ${\tt total\_iodepth:}$ - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32

```
- 128
8krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 8192
  total_iodepth:
  - 8
  - 12
  - 16
  - 32
  - 48
 - 64
  - 128
  - 256
  - 384
{\tt 8krandomwrite:}
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 8192
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
precondition:
  jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
 op_size: 65536
 precond: true
 total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
```

```
- 192
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 16384
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 24
 - 32
  - 64
  - 96
  - 128
  - 192
seq256kread:
 jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
seq256kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 262144
 total_iodepth:
  - 1
  - 2
  - 3
 - 5
  - 8
  - 12
  - 16
  - 24
 - 32
 - 48
  - 64
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 2
```

- 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 seq32kwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 32768 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 seq4kread: jobname: seqread mode: read numjobs: - 1 op\_size: 4096 total\_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 seq4kwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 4096 total\_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96

```
- 192
        - 256
      seq8kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 256
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
```

```
osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
    log_iops: true
    log_lat: true
    norandommap: true
    osd_ra:
    - 4096
    poolname: rbd_replicated
    precond_time: 600
    prefill:
      blocksize: 64k
      numjobs: 1
    procs_per_volume:
    - 1
    ramp: 30
    time: 90
    time_based: true
    use_existing_volumes: true
    vol_size: 52500
    volumes_per_client:
    - 8
    workloads:
      16k7030:
        jobname: randmix
        mode: randrw
        numjobs:
        - 1
        op_size: 16384
        rwmixread: 70
        total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 8
        - 16
        - 24
        - 32
        - 64
        - 128
      16krandomread:
        jobname: randread
        mode: randread
        numjobs:
        - 1
        op_size: 16384
        total_iodepth:
        - 4
```

- 8 - 12 - 16 - 24 - 48 - 64 - 128 - 256 - 384 16krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 16384 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 1Mrandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 1048576 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 1Mrandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 1048576 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28

```
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
 - 12
 - 14
  - 16
  - 20
1Mseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
256krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
 - 64
 - 128
256krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 262144
 total_iodepth:
 - 1
  - 2
```

- 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 32krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 32768 total\_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 32krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 32768 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 4krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 4096 total\_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384

4krandomwrite:

cbt-4th Feb-main-4k-8vol vs cbt-7th Feb-alexls<br/>22-econ-4k-8 $\!\!4\!\!$ bl-finegrain

```
jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
  - 64
  - 128
512krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 524288
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512kseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 524288
 total_iodepth:
  - 1
  - 2
  - 3
```

- 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32 512kseqwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 524288 total\_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32 64k3070: jobname: randmix mode: randrw numjobs: - 1 op\_size: 65536 rwmixread: 30 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 64k7030: jobname: randmix mode: randrw numjobs: - 1 op\_size: 65536 rwmixread: 70 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32

```
- 128
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
64 krandom write:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
64kseqread:
  jobname: read
 mode: read
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
 - 128
 - 192
  - 256
64kseqwrite:
  jobname: write
 mode: write
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 1
```

- 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 8krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 8192 total\_iodepth: - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 8krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 8192 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 precondition: jobname: precond1rw mode: randwrite monitor: false numjobs: - 1 op\_size: 65536 precond: true total\_iodepth: - 16 seq16kread: jobname: seqread mode: read numjobs: - 1 op\_size: 16384 total\_iodepth: - 2

- 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 seq16kwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 16384 total\_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 seq256kread: jobname: seqread mode: read numjobs: - 1 op\_size: 262144 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 48 - 64 seq256kwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 262144  ${\tt total\_iodepth:}$ - 1 - 2 - 3 - 5 - 8 - 12 - 16 - 24 - 32

```
- 64
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq32kwrite:
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 4
 - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 96
 - 128
  - 192
seq4kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 4096
  total_iodepth:
  - 2
```

```
- 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 256
      seq8kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 256
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  head: --- server1 ---
  iterations: 1
  mgrs:
```

```
--- server1 ---:
     a: null
 mkfs_opts: -f -i size=2048
 mons:
    --- server1 ---:
     a: --- IP Address --:6789
 mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
 use_existing: true
 user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```