Comparitive Performance Report for cbt-4thFeb-main-4k-8vol vs cbt-6thFeb-alexls22-econ-4k-8vol vs cbt-7thFeb-alexls22-econ-4k-8vol-finegrain

## Table of contents

- $\bullet \ \ Comparison \ summary \ for \ cbt-4th Feb-main-4k-8vol \ vs \ cbt-6th Feb-alexls 22-econ-4k-8vol \ vs \ cbt-7th Feb-alexls 22-econ-4k-8vol-fine grain$
- Response Curves
  - Sequential Read
  - Sequential Write
  - Random Read
  - Random Write
  - Random Read/Write
- Configuration yaml files
  - results
  - results

# Comparison summary for cbt-4thFeb-main-4k-8vol vs cbt-6thFeb-alexls22-econ-4k-8vol vs cbt-7thFeb-alexls22-econ-4k-8vol-finegrain

Sequential Read	cbt_4thFeb_main_	48bt 866hFeb_alexls22_	econ_4% <u>cl</u> 8anoge	cbt_7thFeb_alexls22_	_econ_4 <u>%cl</u> &woge_finegrai
4K	68314@2.3 ms	65503@2.4	-4%	63795@3.0	-7%
8K	40450@2.4ms	39256@3.3	-3%	38680@5.0	-4%
16K	22810@5.6ms	22265@5.7	-2%	22041@8.7	-3%
32K	$18772@6.8\mathrm{ms}$	18793@6.8	0%	19329@9.9	3%
64K	$1095@9.6\mathrm{ms}$	1107@9.5	1%	1181@14.2	8%
256K	1536@15.0 ms	1568@14.7	2%	1591@10.5	4%
512K	1566@29.5ms	1584@29.1	1%	1593@10.5	2%
1024K	1574@53.4ms	1591@58.0	1%	1597@13.1	1%

Sequential Write	$cbt\_4thFeb\_main\_$	<u>4lbt 8</u> 66hFeb_alexls22	_econ4% <u>cl</u> &anoge	$cbt\_7thFeb\_alexls22\_$	_econ_4 <u>%cl</u> eanogefinegrai
4K	3074@52.0ms	4864@32.9	58%	7018@27.3	$\frac{128\%}{}$
8K	2707@47.4ms	4744@33.7	75%	5326@48.1	97%
16K	7408@17.3 ms	6434@19.9	-13%	5985@21.4	-19%
32K	9111@14.0 ms	8868@9.0	-3%	9777@13.1	7%
64K	245@12.8ms	284@12.9	16%	204@41.2	-17%
256K	568@7.2 ms	419@45.0	-26%	398@20.9	-30%
512K	479@87.4ms	480@95.8	0%	482@34.6	1%
1024K	495@84.3 ms	487@102.9	-2%	509@24.2	3%

Random Read	cbt_4thFeb_main_	4lbt 866hFeb_alexls22_econ	_4% <u>cl</u> &vooge	cbt_7thFeb_alexls22	_econ_4 <u>%cl</u> savogefinegra
4K	81023@4.7ms	80995@4.7	-0%	80041@4.8	-1%
8K	52986@7.2ms	51850@7.4	-2%	51367@5.0	-3%
16K	31191@12.3 ms	31522@8.1	1%	31203@12.3	0%
32K	28234@9.1ms	29188@7.7	3%	29215@8.7	3%
64K	1559@5.4ms	1608@6.5	3%	1606@5.2	3%
256K	1695@14.8ms	1706@19.7	1%	1751@9.6	3%
512K	1697@27.2ms	1707@27.0	1%	1774@11.8	5%
1024K	1706@54.1ms	1714@49.0	0%	1778@16.5	4%


Random Write	cbt_4thFeb_main_4	#bt 866hFeb_alexls22_	econ_4% <u>cl</u> 8anoge	cbt_7thFeb_alexls22_	econ <u>4% cl</u> asvnog e finegr
4K	2746@46.6ms	5649@11.3	106%	4398@29.1	60%
8K	2917@43.8ms	5724@22.3	96%	5056@25.3	73%
16K	5957@16.1ms	5175@24.7	-13%	4928@26.0	-17%
32K	3629@35.2ms	3387@37.8	-7%	3751@34.1	3%
64K	$191@32.9\mathrm{ms}$	182@46.1	-5%	169@49.5	-12%
256K	421@39.7ms	363@34.6	-14%	350@17.8	-17%

 $\label{lem:comparison} Comparison summary for cbt-4thFeb-main-4k-8vol vs cbt-6thFeb-alexls 22-econ-4k-8vol vs cbt-7thFeb-alexls 22-econ-4k-8vol-fine grain$ 


Random Write	$cbt\_4thFeb\_main\_$	4lbt866hFeb_alexls22	_econ_4%_cl&noge	$cbt_7thFeb_alexls22_$	_econ_4 <u>%_cl</u> 8anog <u>e</u> finegrai
512K	472@61.9ms	467@89.7	-1%	531@63.0	12%
1024K	478@52.1ms	489@171.5	2%	498@58.4	4%
Random Read/Write	cbt 4thFeb main	44bt 866hFeb alexls22	econ 4% clasuodre	cbt 7thFeb alexls22	econ 4% claanoge finegrai
16K 70/30	7501@8.5ms	7205@8.9	-4%	6600@19.4	-12%
$64K_30/70$	277@13.2ms	257@22.4	-7%	191@43.8	-31%


## Response Curves

## Sequential Read




Response Curves Sequential Write







#### Sequential Write




Response Curves Random Read




#### Random Read






Response Curves Random Write





#### Random Write

Response Curves Random Write





Response Curves Random Read/Write





## Random Read/Write





# Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

#### results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 precond_time: 600
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 52500
  volumes_per_client:
  - 8
  workloads:
    16k7030:
      iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 6
      - 7
      - 8
      - 9
      - 10
      - 11
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
    16krandomread:
      iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 12
      - 16
      - 20
      - 24
      - 32
      - 48
      jobname: randread
      mode: randread
      numjobs:
      - 1
```

```
op_size: 16384
16krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 16384
1Mrandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 1048576
1Mrandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 1048576
1Mseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
```

```
- 7
  - 8
  - 9
  - 10
  - 11
 jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 1048576
1Mseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 1048576
256krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
 jobname: randread
 mode: randread
 numjobs:
  op_size: 262144
256krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
```

```
op_size: 262144
32krandomread:
  iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 10
  - 12
  - 16
  - 20
  - 28
  - 32
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 32768
32 krandom write:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 32768
4krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 20
  - 24
  - 32
  - 48
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 4096
4krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
```

```
- 7
  - 8
  - 10
  - 12
  - 16
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 4096
512 krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: randread
  mode: randread
 numjobs:
  - 1
  op_size: 524288
512krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 524288
512kseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: seqread
 mode: read
 numjobs:
  - 1
```

```
op_size: 524288
512kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 524288
64k3070:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: randmix
 mode: randrw
 numjobs:
 - 1
 op_size: 65536
 rwmixread: 30
64k7030:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
 jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 70
64 krandomread:
 iodepth:
  - 1
  - 2
  - 3
  - 4
```

```
- 6
  - 8
  - 10
  - 12
  - 16
  - 20
  - 28
  jobname: randread
  mode: randread
 numjobs:
  - 1
  op_size: 65536
64krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 65536
64kseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 10
  - 12
  - 16
  - 20
  jobname: read
 mode: read
 numjobs:
  - 1
  op_size: 65536
64kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: write
 mode: write
```

```
numjobs:
  op_size: 65536
8krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
  - 48
  jobname: randread
 mode: randread
 numjobs:
 - 1
 op_size: 8192
8krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 8192
precondition:
  iodepth:
  - 2
  jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
  op_size: 65536
 precond: true
seq16kread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: seqread
```

```
mode: read
 numjobs:
  - 1
 op_size: 16384
seq16kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
 - 8
 - 10
 - 12
  - 16
  jobname: seqwrite
 mode: write
 numjobs:
 - 1
 op_size: 16384
seq256kread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
 jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 262144
{\tt seq256kwrite:}
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
 - 11
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 262144
seq32kread:
 iodepth:
  - 1
  - 2
  - 3
```

```
- 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 32768
seq32kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 32768
{\tt seq4kread}:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 4096
seq4kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
```

- 20

```
jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 4096
      seq8kread:
        iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 6
        - 8
        - 10
        - 12
        - 14
        - 16
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
      seq8kwrite:
        iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 6
        - 7
        - 8
        - 10
        - 12
        - 16
        - 20
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
```

```
mount_opts: -o inode64, noatime, logbsize=256k
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
    log_iops: true
    log_lat: true
    norandommap: true
    osd_ra:
    - 4096
    poolname: rbd_replicated
    precond_time: 600
    prefill:
      blocksize: 64k
      numjobs: 1
    procs_per_volume:
    - 1
    ramp: 30
    time: 60
    time_based: true
    use_existing_volumes: true
    vol_size: 52500
    volumes_per_client:
    - 8
    workloads:
      16k7030:
        iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 6
        - 7
        - 8
        - 9
        - 10
        - 11
        jobname: randmix
        mode: randrw
        numjobs:
        - 1
        op_size: 16384
        rwmixread: 70
      16krandomread:
        iodepth:
        - 1
        - 2
        - 3
```

```
- 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
  - 48
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 16384
16krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 16384
1Mrandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 1048576
{\tt 1Mrandomwrite:}
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: randwrite
```

```
mode: randwrite
 numjobs:
  - 1
  op_size: 1048576
1Mseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
 - 9
  - 10
 - 11
  jobname: seqread
 mode: read
 numjobs:
 - 1
 op_size: 1048576
1Mseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 1048576
{\tt 256krandomread:}
 iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
 - 6
  - 7
  - 8
  - 10
 - 12
 - 16
 jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 262144
256krandomwrite:
 iodepth:
  - 1
  - 2
  - 3
```

```
- 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 262144
32krandomread:
  iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 10
  - 12
  - 16
  - 20
  - 28
  - 32
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 32768
32krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 32768
4krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 20
  - 24
  - 32
  - 48
  jobname: randread
```

```
mode: randread
 numjobs:
  - 1
  op_size: 4096
4krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
 - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
 - 1
 op_size: 4096
512krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
 jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 524288
{\tt 512krandomwrite:}\\
 iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 524288
512kseqread:
  iodepth:
  - 1
  - 2
  - 3
```

```
- 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 524288
512kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 524288
64k3070:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
  - 11
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 30
64k7030:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
```

- 11

```
jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
  rwmixread: 70
64krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
 - 12
  - 16
  - 20
  - 28
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 65536
64krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 65536
64kseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 10
  - 12
  - 16
  - 20
 jobname: read
 mode: read
 numjobs:
  - 1
  op_size: 65536
64kseqwrite:
  iodepth:
  - 1
```

```
- 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: write
 mode: write
 numjobs:
  - 1
  op_size: 65536
8krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
  - 48
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 8192
8krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 8192
precondition:
  iodepth:
  - 2
  jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
 op_size: 65536
 precond: true
seq16kread:
  iodepth:
```

```
- 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
seq16kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 16384
seq256kread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
  - 10
 - 11
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 262144
seq256kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 9
```

```
- 10
  - 11
  jobname: seqwrite
 mode: write
 numjobs:
 - 1
 op_size: 262144
seq32kread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
 jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 32768
seq32kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 7
  - 8
  - 10
  - 12
  - 16
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 32768
seq4kread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
 - 10
 - 12
 - 14
  - 16
  - 20
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 4096
seq4kwrite:
  iodepth:
```

```
- 1
        - 2
        - 3
        - 4
        - 5
        - 6
        - 7
        - 8
        - 10
        - 12
        - 16
        - 20
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 4096
      seq8kread:
        iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 6
        - 8
        - 10
        - 12
        - 14
        - 16
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
      seq8kwrite:
        iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 6
        - 7
        - 8
        - 10
        - 12
        - 16
        - 20
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
```

```
clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
 head: --- server1 ---
  iterations: 1
  mgrs:
   --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
 mons:
   --- server1 ---:
     a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
 rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
 use_existing: true
 user: root
monitoring_profiles:
 collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```

#### results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
 norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 precond_time: 600
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 52500
  volumes_per_client:
  - 8
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
```

```
16krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
 - 24
  - 32
  - 64
  - 128
1Mrandomread:
 jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
 - 28
  - 32
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 1048576
 total_iodepth:
 - 1
  - 2
```

```
- 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
 - 16
  - 20
1Mseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
256krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
256krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
```

- 128

```
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
32 krandom write:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
4krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
4krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 4096
  {\tt total\_iodepth:}
  - 1
  - 2
  - 3
```

- 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 512krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 524288 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 512krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 524288 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 512kseqread: jobname: seqread mode: read numjobs: - 1 op\_size: 524288 total\_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32 512kseqwrite:

```
jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
 - 20
  - 24
  - 32
64k3070:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 30
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
 - 64
  - 128
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  op_size: 65536
  total_iodepth:
  - 2
```

- 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256  $64 {\it krandomwrite:}$ jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 65536 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 64kseqread: jobname: read mode: read numjobs: - 1 op\_size: 65536 total\_iodepth: - 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 64kseqwrite: jobname: write mode: write numjobs: - 1 op\_size: 65536  ${\tt total\_iodepth:}$ - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32

- 64

```
- 128
8krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 8192
  total_iodepth:
  - 8
  - 12
  - 16
  - 32
  - 48
 - 64
  - 128
  - 256
  - 384
{\tt 8krandomwrite:}
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 8192
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
precondition:
  jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
 op_size: 65536
 precond: true
 total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
```

```
- 192
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 16384
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 24
 - 32
  - 64
 - 96
  - 128
  - 192
seq256kread:
 jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
  - 48
  - 64
seq256kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 262144
 total_iodepth:
  - 1
  - 2
  - 3
  - 5
  - 8
  - 12
  - 16
  - 24
 - 32
 - 48
  - 64
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  op_size: 32768
  total_iodepth:
  - 2
```

```
- 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 96
  - 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq4kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
```

```
- 192
        - 256
      seq8kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 256
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
```

```
osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
    log_iops: true
    log_lat: true
    norandommap: true
    osd_ra:
    - 4096
    poolname: rbd_replicated
    precond_time: 600
    prefill:
      blocksize: 64k
      numjobs: 1
    procs_per_volume:
    - 1
    ramp: 30
    time: 90
    time_based: true
    use_existing_volumes: true
    vol_size: 52500
    volumes_per_client:
    - 8
    workloads:
      16k7030:
        jobname: randmix
        mode: randrw
        numjobs:
        - 1
        op_size: 16384
        rwmixread: 70
        total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 8
        - 16
        - 24
        - 32
        - 64
        - 128
      16krandomread:
        jobname: randread
        mode: randread
        numjobs:
        - 1
        op_size: 16384
        total_iodepth:
        - 4
```

- 8 - 12 - 16 - 24 - 48 - 64 - 128 - 256 - 384 16krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 16384 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 1Mrandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 1048576 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 1Mrandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 1048576 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28

- 32

```
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
 - 12
 - 14
  - 16
  - 20
1Mseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
256krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
 - 64
 - 128
256krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 262144
 total_iodepth:
  - 1
  - 2
```

- 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 32krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 32768 total\_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 32krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 32768 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 4krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 4096 total\_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 4krandomwrite:

```
jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
 - 64
  - 128
512krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 524288
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512kseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 524288
 total_iodepth:
  - 1
  - 2
  - 3
```

```
- 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
512kseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
64k3070:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 65536
  rwmixread: 30
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 65536
 rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
```

```
- 128
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
64krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
64kseqread:
  jobname: read
  mode: read
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
 - 128
 - 192
  - 256
64kseqwrite:
  jobname: write
 mode: write
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 1
```

```
- 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
8krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
8krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
precondition:
  jobname: precond1rw
  mode: randwrite
 monitor: false
 numjobs:
  - 1
  op_size: 65536
 precond: true
 total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
```

```
- 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq16kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq256kread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
seq256kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 262144
  {\tt total\_iodepth:}
  - 1
  - 2
  - 3
  - 5
  - 8
  - 12
  - 16
  - 24
  - 32
  - 48
```

```
- 64
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq32kwrite:
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 4
 - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 96
 - 128
  - 192
seq4kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 4096
  total_iodepth:
  - 2
```

```
- 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 256
      seq8kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 256
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  head: --- server1 ---
  iterations: 1
  mgrs:
```

```
--- server1 ---:
     a: null
 mkfs_opts: -f -i size=2048
 mons:
    --- server1 ---:
     a: --- IP Address --:6789
 mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
 use_existing: true
 user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```