Comparitive Performance Report for cbt-27thAug-o01-3way-tentacle-balanced vs cbt-2ndSep-o01-3way-tentacle-balanced-pg256

Table of contents

- $\bullet \quad \text{Comparison summary for cbt-} 27 \text{thAug-} \text{o} 01\text{-}3 \text{way-tentacle-balanced vs cbt-} 2nd \text{Sep-} \text{o} 01\text{-}3 \text{way-tentacle-balanced pg} 256$
- Response Curves
 - Sequential Read
 - Sequential Write
 - Random Read
 - Random Write
 - Random Read/Write
- Configuration yaml files
 - results

Comparison summary for cbt-27thAug-o01-3way-tentacle-balanced vs cbt-2ndSep-o01-3way-tentacle-balanced-pg256

Sequential Read	cbt_27thAug_o01_3wa	nyc <u>btten2tractSepbad@nce3</u> dway_	Kenhtanche tharlangheplutpg256	%change latency
4.0K	233243 IOps@1.6ms	253175 IOps@1.5ms	9%	-6%
8.0K	$218186 \; \mathrm{IOps@1.8ms}$	233032 IOps@1.6ms	7%	-11%
16.0K	198882 IOps@1.4ms	206508 IOps@1.4ms	4%	0%
32.0K	149566 IOps@1.3ms	$151108~\mathrm{IOps@1.3ms}$	1%	0%
64.0K	7786 MB/s@2.1ms	7553 MB/s@2.2ms	-3%	5%
256.0K	11159 MB/s@1.5 ms	10253 MB/s@1.6ms	-8%	7%
512.0 K	9144 MB/s@1.8ms	8614 MB/s@1.9 ms	-6%	6%
1024.0K	$7178~\mathrm{MB/s@2.9ms}$	6951 MB/s@3.0ms	-3%	3%

Sequential Write	cbt_27thAug_o01_3wa	nyc <u>btten2tmdSepbad@ihce3d</u> way_	%ethtancke_tbarlanglepl utpg256	%change latency
4.0K	510965 IOps@3.0ms	510595 IOps@3.0ms	-0%	0%
8.0K	334276 IOps@4.6ms	334850 IOps@4.6ms	0%	0%
16.0K	184493 IOps@5.5ms	183265 IOps@5.6ms	-1%	2%
32.0 K	103026 IOps@7.4ms	103442 IOps@7.4ms	0%	0%
64.0K	3534 MB/s@9.5 ms	3499 MB/s@9.6ms	-1%	1%
256.0K	3949 MB/s@16.9 ms	3905 MB/s@17.1 ms	-1%	1%
512.0 K	4087 MB/s@8.0ms	4038 MB/s@8.1ms	-1%	1%
1024.0K	$4020~\mathrm{MB/s@16.2ms}$	4172 MB/s@15.5 ms	4%	-4%

Random Read	cbt_27thAug_001_3w	vay <u>cbtten2mdSepbad@hce3d</u> way	Kentande thalangkplutpg256	%change latency
4.0K	216530 IOps@3.5ms	231635 IOps@3.3ms	7%	-6%
8.0K	209775 IOps@3.7ms	193076 IOps@4.0ms	-8%	8%
16.0 K	193403 IOps@3.0ms	160853 IOps@3.6ms	-17%	20%
32.0K	159835 IOps@3.2ms	118872 IOps@1.1ms	-26%	-66%
64.0 K	8100 MB/s@3.1ms	5927 MB/s@2.8ms	-27%	-10%
256.0K	13168 MB/s@2.5 ms	9902 MB/s@3.4ms	-25%	36%
512.0 K	12732 MB/s@2.6ms	10856 MB/s@3.1ms	-15%	19%
1024.0 K	10192 MB/s@3.3ms	9634 MB/s@3.5ms	-5%	6%


Random Write	cbt_27thAug_o01_3wa	a <u>yebter2tradSepbad@hce3d</u> way	Kentange therrogedutpg256	%change latency
4.0K	51182 IOps@5.0ms	57083 IOps@13.5ms	12%	170%
8.0K	48579 IOps@10.5ms	51427 IOps@9.9ms	6%	-6%
16.0K	45875 IOps@11.1ms	$49772~\mathrm{IOps@10.3ms}$	8%	-7%
32.0K	43891 IOps@8.7ms	$46477~\mathrm{IOps@11.0ms}$	6%	26%
64.0K	2428 MB/s@10.3 ms	2466 MB/s@10.2ms	2%	-1%
256.0K	4064 MB/s@4.0ms	4078 MB/s@6.0ms	0%	50%

Random Write	${\rm cbt}_27 {\rm thAug}_o01_3 {\rm way}$	<u>¢btten2tradSepbal@h_ced</u> way	Kenhande_thelangleputpg256	%change latency
512.0K	4501 MB/s@7.2ms	4544 MB/s@7.1ms	1%	-1%
1024.0K	4174 MB/s@5.6ms	4049 MB/s@7.8ms	-3%	39%


Random Read/Write	cbt_27thAug_o01_3wa	ayc <u>btter2trad:Sepba</u> d@ince3dway_7	Kentande tbalandaputpg256	%change latency
4.0K_70/30	$94949 \; \mathrm{IOps@4.0ms}$	$103021~\mathrm{IOps}@2.5\mathrm{ms}$	9%	-38%
$16.0 \mathrm{K}_{-}70/30$	87433 IOps@2.9ms	88588 IOps@2.9ms	1%	0%
$64.0 \mathrm{K}_{-}30/70$	2901 MB/s@5.7ms	2919 MB/s@5.7ms	1%	0%
64.0K_70/30	$4287~\mathrm{MB/s@3.9ms}$	$3974~\mathrm{MB/s@4.2ms}$	-7%	8%


Response Curves

Sequential Read





Response Curves Sequential Write







Sequential Write












Response Curves Random Read




Random Read






Response Curves Random Write





Random Write

Response Curves Random Write




Response Curves Random Read/Write





Random Read/Write



Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio2
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
 norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  rbdname: cbt-librbdfio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 608333
  volumes_per_client:
  - 16
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
```

```
16krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 16384
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
 - 24
  - 32
  - 48
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
```

- 1 - 2 - 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 20 1Mseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 1048576 total_iodepth: - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 - 160 256krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 256krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 32

- 96 - 128 - 256 32krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 32768 total_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 - 384 - 512 32krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 32768 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 4k7030: jobname: randmix mode: randrw numjobs: - 1 op_size: 4096 rwmixread: 70 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 4krandomread:

```
jobname: randread
  mode: randread
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
  - 768
{\tt 4krandomwrite:}
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
512krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
 - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 524288
 total_iodepth:
  - 1
  - 2
```

- 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48 - 64 512kseqread: jobname: seqread mode: read numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32 512kseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 64k3070: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 30 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64

```
- 128
  - 256
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 65536
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
 - 256
  - 384
64krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64kseqread:
  jobname: read
 mode: read
 numjobs:
```

```
op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 192
  - 256
64kseqwrite:
  jobname: write
 mode: write
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
8krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
  - 768
8krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 8192
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
```

- 128 - 256 - 384 - 512 - 768 precondition: jobname: precond1rw mode: randwrite monitor: false numjobs: - 1 op_size: 65536 time: 600 total_iodepth: - 16 seq16kread: jobname: seqread mode: read numjobs: - 1 op_size: 16384 total_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 seq16kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 16384 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768 - 1024 seq256kread: jobname: seqread mode: read numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2

```
- 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
seq256kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 256
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 512
  - 768
seq4kread:
```

```
jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
  - 384
seq4kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
  - 1024
  - 1280
  - 1536
seq8kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
  - 384
seq8kwrite:
  jobname: seqwrite
```

```
mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
     a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio2
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
    log_iops: true
    log_lat: true
    norandommap: true
```

```
osd_ra:
- 4096
poolname: rbd_replicated
prefill:
 blocksize: 64k
  numjobs: 1
procs_per_volume:
- 1
ramp: 30
rbdname: cbt-librbdfio
time: 90
time_based: true
use_existing_volumes: true
vol_size: 608333
volumes_per_client:
- 16
workloads:
  16k7030:
    jobname: randmix
    mode: randrw
    numjobs:
    - 1
    op_size: 16384
    rwmixread: 70
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
  16krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 24
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
  16krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 1
    - 2
```

- 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 1Mrandomread: jobname: randread mode: randread numjobs: - 1 op_size: 1048576 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 1Mrandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 1048576 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48 1Mseqread: jobname: seqread mode: read numjobs: - 1 op_size: 1048576 ${\tt total_iodepth:}$ - 1 - 2 - 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16

```
- 20
1Mseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
  - 160
256krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
256krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 32
  - 64
 - 96
  - 128
  - 256
32krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
```

- 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 - 384 - 512 32krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 32768 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 4k7030: jobname: randmix mode: randrw numjobs: - 1 op_size: 4096 rwmixread: 70 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 4krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 4096 total_iodepth: - 4 - 8 - 12 - 16

- 32 - 48 - 64 - 128 - 256 - 384 - 588 - 768 4krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 4096 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 512krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 512krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48

```
512kseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
512kseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
64k3070:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 30
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
 - 96
 - 128
  - 256
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 65536
 rwmixread: 70
  total_iodepth:
```

- 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256 64krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 65536 total_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 - 384 $64 krandom \verb|write|:$ jobname: randwrite mode: randwrite numjobs: - 1 op_size: 65536 total_iodepth: - 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 64kseqread: jobname: read mode: read numjobs: - 1 op_size: 65536 total_iodepth: - 4 - 6 - 8 - 16 - 24 - 32 - 64

- 128 - 192 - 256 64kseqwrite: jobname: write mode: write numjobs: - 1 op_size: 65536 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 8krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 8192 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 588 - 768 8krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 precondition: jobname: precond1rw mode: randwrite monitor: false numjobs:

```
- 1
  op_size: 65536
 time: 600
 total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
 - 192
  - 288
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
 - 512
  - 768
  - 1024
seq256kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
```

seq256kwrite:

```
jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 256
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 32768
 total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 512
  - 768
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 4
  - 8
  - 12
```

- 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 - 384 seq4kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 4096 total_iodepth: - 2 - 8 - 16 - 24 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768 - 1024 - 1280 - 1536 seq8kread: jobname: seqread mode: read numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 - 384 seq8kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 8 - 16 - 24 - 32

```
- 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```